

# **2006/2008**

## **STATUS OF AMBIENT SURFACE WATER QUALITY IN ARIZONA**

**Arizona's Integrated 305(b) Assessment  
and 303(d) Listing Report**

**November 2008**



**Approved by:**

Joan Card, Director, Water Quality Division

---

Linda Taunt, Surface Water Section Manger (Acting)

---

Jason Jones, Monitoring Unit Supervisor

---

Jason Sutter, TMDL Unit Supervisor

---

Steve Pawlowski, Standards and Assessment Unit Supervisor

---

# **2006/2008 Status of Surface Water Quality in Arizona**

## **Arizona's Integrated 305(b) Assessment and 303(d) Listing Report**

### **Drafted by:**

Anel Avila, 305(b) Water Quality Assessment Coordinator  
Steve Pawlowski, Water Quality Standards & Assessment Unit  
Diana Marsh, Watersheds and Assessment Program

### **Editing, Graphics, and Database Assistance:**

Lisa Rowe, Jason Sutter, Linda Taunt,  
Patti Tuve, Chris Varga, Yan Zhao, Nicholas Moore, and Peter Bierly

### **A special thanks to ADEQ's monitoring staff who traveled across the state collecting the data used in this report:**

Amanda Fawley, Susan Fitch, Tim Franquist, Jennifer Hickman, Lee Johnson, Lin Lawson, Doug McCarty, Greg Olsen, Patsy Olsen, Kyle Palmer, Jamie Piver, Samuel Rector, Robert Scalamera, Patti Spindler, Jason Sutter, Doug Towne, and R. Scott Williams

### **Special Note:**

ADEQ has combined the 2006 and 2008 305(b) assessment and 303 (d) listing report. No new data was evaluated for the 2008 integrated report. ADEQ anticipates a full update on Arizona waters in 2010.

# CHAPTER I

## INTRODUCTION AND PURPOSE

Every two years, the Arizona Department of Environmental Quality (ADEQ) is required by the federal Clean Water Act to conduct a comprehensive analysis of water quality data associated with Arizona's surface waters to determine whether state water quality standards are being met and designated uses are being supported. This integrated surface water assessment and impaired waters listing report (2006/2008 Assessment Report) serves three functions.

- Nationally, it fulfills a reporting requirement of the Clean Water Act, and is submitted to the Environmental Protection Agency (EPA), and used to report on national water quality issues and concerns.
- For ADEQ, it provides a mandate to compile environmental data and information from ADEQ's surface water quality protection programs, as well as from other agencies, organizations, and individuals. This comprehensive evaluation of quality of water in Arizona is used to set priorities, allocate resources, and make decisions about land use activities, discharges to the water, future monitoring, and program initiatives.
- For the public, it provides an opportunity to learn about and comment on the status of surface water quality in the state.

### Surface Water Assessment Methods and Technical Support

ADEQ has created a separate assessment methods document. It is assumed that the reader will obtain and reference this technical support document (Appendix G) when using the information in this assessment.

The Assessment Methods and Technical Support document provides a description of the assessment process and specific assessment and impaired water listing criteria. It also provides information about the monitoring data and information used in this assessment and Arizona's credible data requirements. The three appendices provide: surface water quality standards used in the assessment, Arizona's TMDL statute, and the Impaired Water Identification Rule.

### Report Overview

Chapter I – Introduction and Purpose  
Chapter II – Assessments of individual surface waters, organized by watershed  
Chapter III – Summary Information  
Chapter IV – Action Plan  
Annotated References  
Appendix A – Look up table of surface waters, indicating the watershed  
Appendix B – Assessment Category Lists  
Appendix C – Impaired Water Schedule and Prioritization  
Appendix D – Critical Conditions  
Appendix E – Delisting Impairments  
Appendix F – Water Quality Improvements  
Appendix G – Surface Water Assessment Methods and Technical Support Document



Although an attempt was made to avoid technical jargon and unnecessary abbreviations, this is a technical report. Acronyms and terms used in the assessment report are defined in the Assessment Methods and Technical Support document (draft 2006/2008).

## **Changes Affecting the Assessment Process**

Although ADEQ has proposed revisions to surface water quality standards and the Impaired Water Identification Rule, this assessment does not reflect any changes in either of these rule packages. The assessment is using the same rules that were in effect for the 2004 assessment. However, the following changes and clarifications in federal guidance for completing assessments and listings were incorporated in this assessment:


- Evidence of whether a sample represents a 4-day period, such as hydrologic stability, should be evaluated where available, when using a grab sample to represent chronic aquatic and wildlife conditions.
- An assessment unit can be listed in multiple categories when a TMDL has been completed on some pollutants, but not all pollutants causing impairment.
- When listing an impaired assessment unit in Category 4B, based on alternative pollution control requirements, the state must provide substantial supporting evidence of a regulatory commitment to bringing the surface water into compliance with its standards.

The Surface Water Assessment Methods and Technical Support document describes how these changes were implemented in this assessment. Further revisions of the Impaired Water Identification Rule are required to establish any of these as listing or delisting requirements.

# CHAPTER II

## WATER QUALITY ASSESSMENTS BY WATERSHED

Assessments are reported alphabetically by individual assessment units in this chapter and grouped by the 10 watersheds, as illustrated on the following map: Bill Williams Watershed, Colorado – Grand Canyon Watershed, Colorado – Lower Gila Watershed, Little Colorado Watershed, Middle Gila Watershed, Salt Watershed, San Pedro Watershed, Santa Cruz Watershed, Upper Gila Watershed, and Verde Watershed.



If the reader is uncertain about which watershed to look in for assessment information, an alphabetical listing of surface waters assessed is provided in **Appendix A**.

## **Assessment Information**

A summary page is provided for each assessment indicating:

- Designated use support and an overall assessment
- Impairment status and pollutant causing impairment (if applicable)
- Monitoring used in the assessment
- Exceedances
- Data gaps and monitoring priorities.

The data gaps and monitoring needs information provides the “Planning List” information used to prioritize future monitoring. Surface waters not assessed are also included in the general planning list, as the lack of data to support assessments is a reason to be placed on ADEQ’s internal Planning List.

The reader should refer to the Surface water Assessment Methods and Technical Support document for information concerning the assessment process, determining exceedances, assessment criteria, assessment categories, and monitoring prioritization criteria.

## **Watershed Information**

General background information and a few maps are provided for each watershed to provide some context for the assessments. One map (or a series of maps) shows the assessed surface waters and the monitoring sites used in this assessment. The watershed reports also provide descriptions of TMDLs, water quality improvement projects, and other studies that have been initiated or completed since 2000.

[This page intentionally left blank.]

# Bill Williams Watershed Water Quality Assessments

## Watershed Description

The Santa Maria River and the Big Sandy River drainages merge at Alamo Lake to create the Bill Williams River, which connects to the Colorado River at Parker Dam. Land ownership is divided approximately as 45% federal, 28% state, and 27% private (no Tribal lands). With only 8,000 people (2000 census), this watershed does not have any large population centers. Open range grazing is the principal land use. A large mining complex is located in the Bagdad area, while historic mine sites are scattered throughout the watershed.

Elevations range from 8,417 feet (above sea level) at Hualapai Peak to 1,000 feet near the Colorado River. Most of the watershed is below 5,000 feet, with low desert fauna and flora (Sonoran Desert - Mohave Desert transition area) and warmwater aquatic communities where perennial waters exist.

## Water Resources

There is little precipitation, from 13 inches a year, with an additional inch of snowfall per year in higher elevations, so surface water resources are sparse. Perennial flow in this watershed is frequently interrupted (short segments), even on the larger main-stem rivers. The largest lake, Alamo Lake, covers 11,950 acres; however, only an estimated 1,415 acres are perennial.

An estimate of surface water resources in the Bill Williams Watershed is provided in the following table, based on USGS digitized hydrology at 1:100,000, rounded to the nearest 5 miles or 5 acres.

**Estimated Surface Water Resources in the Bill Williams Watershed**

	Perennial	Intermittent	Ephemeral
Stream miles	185	655	5035
	Perennial	Non-perennial	
Lake acres	1832	11,950	


Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters.

## Watershed Partnerships

The following watershed groups are active in this watershed:

- **Upper Bill Williams**  
The watershed area of concern is approximately defined by Kirkland Creek's drainage area, a tributary to the Santa Maria River. The partnership's mission is to manage and protect water resources – water quality and water rights – and they advocate local control over water resources and land use. For information, contact Sondra Wilkening (secretary) at (928) 925-6434 or westwindsinc@yahoo.com, or Troy Suter at (928) 442-3885.
- **Northwest Arizona Watershed Council**  
Their area is defined by three groundwater basins: Hualapai Valley (in the Colorado-Grand Canyon Watershed), Sacramento Basin (in the Colorado-Lower Gila Watershed), and Big Sandy (in the Bill Williams Basin). The council's goal is to protect and preserve water resources and educate the public about water issues related to growth and development. The council meets on the 3<sup>rd</sup> Wednesday of the month in Kingman, AZ. For information, contact Elmo Roundy (928) 757-2818 or Earl Engelhardt at (928) 692-1068 or imspirit@kingmanaz.net.

# Bill Williams Watershed



## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses have been completed, are ongoing, or are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov).

- Boulder Creek, from Wilder Creek to Butte Creek, near Bagdad, is not attaining water quality standards due to arsenic, beryllium, copper, manganese, mercury, zinc and low pH. Boulder Creek, from Butte to Copper Creek is not attaining water quality standards for arsenic. Arsenic, copper, and zinc TMDLs were approved in 2004 and identified three tailings piles from the former Hillside Mine and a seep (spring) from a collapsed adit as the main contributing sources. A TMDL Implementation Plan was adopted in 2005 and identified encapsulation, grading, and capping of the tailings piles as the primary strategies to reduce loading. A Water Quality Improvement Grant will be used to implement these actions. Water quality impairments related to beryllium, manganese and low pH will be addressed by the TMDL implementation plan.
- EPA listed mercury contamination as an impairment for Alamo Lake during previous listing cycles. ADEQ is currently proposing to list one reach of the Santa Maria River for mercury. Fish consumption advisories have been issued at Alamo Lake and Coors Lake, which caution the public to limit the amount of fish they consume. Mercury may also pose a threat to bald eagles (a federally listed Threatened species) living near the lake, as they also eat the fish. Sampling and modeling for the Alamo Lake mercury TMDL to address loadings from these tributaries has been completed, however approval of the final TMDL has been deferred in anticipation of a fish tissue water quality standard for methylmercury. Primary sources of the mercury appear to be atmospheric deposition and sediment transport during storm events.
- Alamo Lake and a segment of the Bill Williams below Alamo Lake are also impaired by ammonia and high pH. Ammonia and pH exceedances may be related to nutrient loadings. More monitoring is needed to determine if this is occurring at Alamo Lake and sources of nutrient loadings. A nutrient TMDL is scheduled to be initiated in 2010.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **Cane Springs Ranch Catchment Restoration Project** -- Cane Springs Ranch (2000)  
Repair and clean sediment catchments, to lessen sediment loading from Cane Springs Ranch to the Big Sandy River.
- **The Greater Kingman Wildcat Dump Cleanup Project** – NW AZ Watershed Council (2000)  
Clean up of 18 wildcat waste dump sites in the Kingman area; to reduce potential ground water contamination. Provide education and outreach to minimize further dumping.

**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Big Sandy River Riparian Project** – U.S. Bureau of Land Management (2000)  
Restore riparian condition along an 8-mile perennial reach of the Big Sandy River to reduce sediment transport. This included pasture fencing and development of alternative water sources for livestock.
- **Kirkland Creek Watershed Resource Assessment Project** – Triangle Natural Resources Conservation District (2000)  
Complete a resource assessment of Kirkland Creek and prepare a long-term action plan and implementation schedule for watershed enhancement activities.



**Other Water Quality Studies** – The following additional water quality related studies were completed since 2000 in this watershed.

- ***Bill Williams Watershed Plan and Characterization (2005)*** – Nonpoint Education for Municipal Officials (NEMO) Program, which is affiliated with the University of Arizona, in cooperation with ADEQ (2005)  
A watershed protection and remediation plan that identifies and quantitatively ranks subwatersheds that are most susceptible to water quality contaminants, specifically: metals, sediment, nutrients, and selenium. The plan also identifies management measures that should be implemented to improve water quality in high risk subwatersheds.
- ***Hydrologic Conditions in the Bill Williams River National Wildlife Refuge and Planet Valley, Arizona, 2000*** – Richard P. Wilson and Sandra J. Owen-Joyce, U.S. Geological Survey in cooperation with the U.S. Fish and Wildlife Service and the Bureau of Reclamation (2002)  
This was an investigation of the current hydrologic conditions along the Bill Williams River, and a delineation of the water table. It included an inventory of wells within the river aquifer of the Colorado River and in Planet Valley.
- ***Structural Controls on Ground Water Conditions and Estimated Aquifer Properties near Bill Williams Mountain, Williams, Arizona*** – Herbert A. Pierce, U.S. Geological Survey in cooperation with the City of Williams (2001)  
This is a description of the hydro-geologic units and ground water conditions in the regional aquifer near Williams, Arizona. It identifies regional geologic structural features that in part control ground water conditions, and presents estimated properties of the regional aquifer.




## Assessments

The Bill Williams Watershed can be separated into the following drainage areas in Arizona:

15030201	Big Sandy River
15030202	Burro Creek
15030203	Santa Maria River
15030204	Bill Williams River

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006/2008).

# **Bill Williams Watershed** **2006/2008 Assessment for Streams & Lakes**



ALAMO LAKE  15030204 – 0040A 14,150 Acres	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Ww – Impaired FBC – Impaired FC – Inconclusive AgL – Impaired	Category 5  Impaired	High pH, ammonia, and low dissolved oxygen	Add low dissolved oxygen to the 303(d) list. High pH listed in 1996. Ammonia listed in 2004.
	E P A	A&Ww – Impaired FC – Impaired	Category 5  Impaired	Mercury in fish tissue.	EPA listed mercury in 2002. Mercury TMDL is awaiting final EPA approval .

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/10/2000 – 9/28/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam BWALA – A USFWS AL-1 101351	ADEQ and USFWS/CoE Ambient ADEQ TMDL	14-67 total and 8-15 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc	122-173 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	1 <i>E. coli</i> bacteria 14 Fluorine 40 Total dissolved solids 6 Suspended sediment concentration 6 Turbidity
Mid lake BWALA - B USFWS AL-2 101351	ADEQ and USFWS/CoE Ambient ADEQ TMDL	208 total and 21 dissolved: Mercury		
Mid lake – North end BWALA – C USFWS AL-3 102514	ADEQ and USFWS/CoE Ambient ADEQ TMDL			
Above Alamo Lake, near Brown's crossing BWBWR045.08 102307	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Ammonia	0.25 mg/L at pH 10.0 and temp 25.6 C 0.21 mg/L at pH 10.1 and temp 26.8 C A&Ww chronic	06/12/2000 – 0.6 mg/L 09/18/2000 – 0.3 mg/L	Remains impaired -- 2 exceedances during the assessment period.
Dissolved oxygen	6.0 mg/L (top meter) A&Ww	11/13/2000 – 5.5 mg/L 12/03/2001 – 3.3 mg/L 04/08/2002 – 1.5 mg/L 05/07/2002 – 1.8 mg/L 12/09/2002 – 4.4 mg/L 11/01/2003 – 1.9 mg/L 09/20/2004 – 4.0 mg/L 09/28/2004 – 4.9 mg/L 11/23/2004 – 5.5 mg/L	Impaired – Low dissolved oxygen in 9 of 60 sampling events (93 of 173 samples – binomial). (When multiple sites were sampled, the lowest DO is shown for that date.) (Binomial)

Mercury (dissolved)	0.01 µg/L A&Ww Chronic	09/28/2004 – 0.016 µg/L	Inconclusive – Only 1 exceedance in during the assessment period. (EPA listing of mercury is based on fish consumption advisory and not chemistry. See mercury discussion below.)
pH (high)	<9.0 SU A&Ww, FBC, AgL	01/10/2000 – 9.7 SU 04/17/2000 – 9.8 SU 06/12/2000 – 10.0 SU 09/08/2000 – 10.2 SU 04/09/2001 – 10.0 SU 06/17/2002 – 10.0SU 07/07/2002 – 10.3 SU 05/19/2003 – 10.1 SU 06/09/2003 – 10.2 SU 01/12/2004 – 9.7 SU	Remains impaired – High pH values in 10 of 60 sampling events (42 of 173 samples) (binomial).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Insufficient <i>E. coli</i> bacteria to assess FBC		Lab detection limit for dissolved mercury was higher than chronic criterion.
<b>DISCUSSION OF MERCURY IMPAIRMENT</b>		<p>Evidence of potential mercury impairment:</p> <ol style="list-style-type: none"> <li>1. The mercury fish consumption advisory issued in 2004 is still in effect;</li> <li>2. Potential sources of mercury in the watershed;</li> <li>3. Several tributaries in the watershed have exceedances of mercury standards;</li> <li>4. Santa Maria River (a tributary to Alamo Lake) is proposed impaired due to mercury; and</li> <li>5. The mercury TMDL for Alamo Lake should be completed in 2009.</li> </ol> <p>ADEQ cannot list Alamo Lake as impaired based on narrative toxic standards due to statutory constraints described in the Assessment Methods document.</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect dissolved oxygen, pH, and ammonia samples to support TMDL development. Low dissolved oxygen, high pH, and elevated ammonia may be symptoms of excess nutrient loadings. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Complete development of the mercury TMDL. Use a lower lab detection limit for dissolved mercury.</p> <p>Collect core parameters to represent at least 3 seasons during an assessment period.</p>	

<b>BIG SANDY RIVER</b>  <b>From Sycamore Wash to Burro Creek</b> <b>15030201 -- 004</b> <b>13.8 Miles</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Attaining	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/15/2000 – 05/17/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Highway 93 bridge BWBSR034.68 100400	ADEQ Ambient	8-23 total and 5-23 dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc  31 total and 20 dissolved: Mercury  28 total metals only: Boron and manganese	22-28 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	21 <i>E. coli</i> bacteria 23 Fluoride 22 Total dissolved solids 15 Suspended sediment concentration 25 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	21.6 µg/L at 280 mg/L hardness A&Ww chronic	05/07/2001 – 26 µg/L	Inconclusive – Only 1 exceedance during the assessment period.
Dissolved oxygen	6.0 mg/L A&Ww	05/07/2001 – 4.9 mg/L 07/31/2003 – 5.0 mg/L 09/16/2003 – 5.3 mg/L 09/19/2004 – 5.5 mg/L# 09/28/2004 – 5.5 mg/L	Inconclusive – 4 out of 5 samples taken during low flow and lacked riffle morphology. #Low DO on 09/19/2004 was during storm flow (30,000 cfs as compared to normal of 1-6 cfs); therefore, only 4 of 26 samples did not meet the criterion. (Binomial)
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	02/23/2005 – 620 CFU/100 ml	Inconclusive – Only 1 exceedance. Note that the exceedance occurred during flood flow – 1978 cfs, while normal is 1-6 cfs.
Lead	15 µg/L FBC	02/23/2005 – 27 µg/L	Attaining – Only 1 exceedance in 22 samples (Binomial)
Mercury	0.6 µg/L FC	10/04/2002 – 0.86 µg/L 1/23/2003 – 0.92 µg/L* 09/19/2004 – 2.7 µg/L	Inconclusive – Only 2 exceedances in 13 samples (Binomial) *Samples starting in 2003 superseded prior samples because more reliable methods were used to collect and analyze the data.
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	02/23/2004 – 227 mg/L 10/21/2004 – 9900 mg/L 12/29/2004 – 1735 mg/L 01/05/2005 – 1680 mg/L 02/23/2005 – 2360 mg/L	Inconclusive – 4 of the 5 samples that exceeded 80 mg/L occurred during high flows so could not be used in the geometric mean calculation. 227 mg/L was occurring during normal flow. Geometric mean standard was not exceeded. (Note that exceedances occurred during 4 of 5 consecutive months monitored.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria, mercury, and suspended sediment.	Collected all core parameters		Lab detection limits for selenium and most of the dissolved mercury samples were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		<p>Medium Priority –Collect <i>E. coli</i> bacteria, mercury, and suspended sediment concentration samples due to exceedances.</p> <p>Use a lower lab detection limit for selenium and dissolved mercury</p> <p>The high suspended sediment concentration indicates heavy sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>BIG SANDY RIVER</b>  From Rupley Wash to Alamo Lake 15030201 -- 001 10.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/02/2002 – 01/27/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Wikieup, AZ BWBSR015.60 100457	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, manganese  6 total and 3 dissolved: Mercury	4-5 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	10/02/2002 – 5.2 mg/L 12/04/2002 – 5.4 mg/L	Attaining – Low dissolved oxygen due to low flow and ground water upwelling.
Mercury (dissolved)	0.01 µg/L A&Ww chronic	02/24/2005 – 0.013 µg/L	Inconclusive – Criterion exceeded once during the assessment period.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Collected all core parameters		Lab detection limits for selenium and half of the dissolved mercury samples were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Monitor for mercury due to the exceedances. Use lower lab detection limits for selenium and dissolved mercury.	

<b>BILL WILLIAMS RIVER</b>  From Alamo Lake to Castaneda Wash 15030204 -- 003 35.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Impaired FC – Attaining AgL – Impaired	Category 5  Impaired	Ammonia, low dissolved oxygen, and high pH	Add ammonia, low dissolved oxygen, and high pH to the 303(d) List.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/01/2000 – 11/20/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Alamo Lake Dam BWBWR038.52 102316	USFWS Ambient and ADEQ TMDL	4-16 total metals only: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, manganese, mercury, nickel, selenium, silver, thallium, and zinc  1 total and 1 dissolved: Lead	36-56 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, dissolved oxygen, and pH	5 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Ammonia	0.39 mg/L at pH 9.4 and temp 18.6 C 0.46 mg/L at pH 9.2 and temp 15.5 C 0.39 mg/L at pH 9.3 and temp 17.9 C 0.49 mg/L at pH 8.8 and temp 18.5 C 0.43 mg/L at pH 9.0 and temp 16.3 C 0.47 mg/L at pH 9.0 and temp 15.7 C 0.53 mg/L at pH 9.0 and temp 15.7 C 0.31 mg/L at pH 9.0 and temp 21.8 C A&Ww chronic	06/12/2000 – 0.6 mg/L 10/15/2001 – 0.5 mg/L 07/21/2003 – 0.4 mg/L 08/18/2003 – 0.6 mg/L 09/08/2003 – 0.8 mg/L 06/07/2004 – 0.7 mg/L 07/07/2004 – 0.7 mg/L 09/20/2004 – 0.7 mg/L	Impaired – 8 exceedances during the assessment period.
Dissolved oxygen	6.0 mg/L A&Ww	04/08/2002 – 2.7 mg/L 05/07/2002 – 1.7 mg/L 10/27/2002 – 3.6 mg/L 08/18/2003 – 4.8 mg/L 09/08/2003 – 5.0 mg/L 10/06/2003 – 5.5 mg/L 11/01/2003 – 4.0 mg/L 12/15/2003 – 5.0 mg/L 08/09/2004 – 4.7 mg/L 09/20/2004 – 0.7 mg/L	Impaired – Low dissolved oxygen in 10 of 55 samples (binomial).
Lead	15 mg/L FBC	10/27/2004 – 19.0 mg/L	Inconclusive – Only 1 exceedance in 2 sampling events
pH (high)	<9.0 SU A&Ww, FBC, AgL	04/17/2000 – 10.0 SU 06/12/2000 – 10.4 SU 09/18/2000 – 10.2 SU 04/09/2001 – 10.0 SU 05/07/2001 – 10.3 SU 10/15/2001 – 9.2 SU 06/17/2002 – 10.4 SU 07/07/2002 – 10.6 SU 07/21/2003 – 9.3 SU 01/12/2004 – 10.0 SU	Impaired – High pH values in 11 of 56 samples (binomial).



Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	10/27/2004 – 448 mg/L 11/24/2004 – 193 mg/L	Inconclusive – Exceeded standards during both sampling events (3 of 5 samples). Insufficient samples to calculate the geometric mean (need a minimum of 4 samples).
----------------------------------	-----------------------------	--	--

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Suspended sediment and lead	Insufficient <i>E. coli</i> bacteria, dissolved metals (cadmium, copper, zinc) to assess FBC and A&Ww		
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect dissolved oxygen, pH, and ammonia samples to support TMDL development. Coordinate TMDL developed for this reach with Alamo Lake, as all exceedances occurred just below the dam outlet from Alamo Lake.</p> <p>Collect suspended sediment concentration and lead samples due to exceedances.</p> <p>Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>BILL WILLIAMS RIVER</b>  From point B to Colorado River 15030204 -- 001 17.5 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/25/2000 – 05/26/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Mineral Wash near Planet BWBWR009.92 100924	USGS Ambient	3 total and 3-13 dissolved metals: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc 2 total and 13 dissolved: Barium, chromium, nickel, and silver 3 total only: Mercury	3-13 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, dissolved oxygen, and pH	8 <i>E. coli</i> bacteria 12 Fluorine 6 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	05/15/2002 – 5.3 mg/L 08/26/2003 – 2.2 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water recharge.
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	01/30/2003 – 95 mg/L 05/28/2003 – 83 mg/L 05/26/2004 – 121 mg/L	Attaining – Although 3 samples exceeded the 80 mg/L criterion, a rolling geometric mean of 4 consecutive samples did <u>not</u> exceed the standard.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		
MONITORING RECOMMENDATIONS		Low Priority – Since the 80 mg/L criterion for suspended sediment was exceeded during low flows, recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

BOULDER CREEK  From unnamed tributary at 344114 / 1131800 to Wilder Creek 15030202 – 006B 14.4 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A	A&Ww – Inconclusive	Category 2		
	D	FBC – Inconclusive			
	E	FC – Attaining	Attaining		
	Q	AgL – Attaining	Some Uses		
	E	A&Ww – Impaired	Category 5	Mercury	EPA listed mercury in 2004. (See mercury discussion below)
	P		Impaired		
	A				

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/10/2000 – 08/04/2005 4-day mercury samples: 06/20- 06/23/2005; 08/01-08/04/2005; 10/24-10/27/2005; 2/6-2/9/2006; 5/1-5/4/2006		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Wild Horse Basin BWBOU017.35 102022	ADEQ TMDL	16 total and 36 dissolved: Mercury (grab samples)	7 Dissolved oxygen and 50 pH	3 Suspended sediment concentration 2 Turbidity
Below Warm Spring Creek Tungstona 1 BWBOU013.05 102019	Phelps Dodge Ambient	Five 4-day mercury sampling events		
Below Tungstona Mine Tungstona 2 BWBOU012.82 102233	Phelps Dodge Ambient	9-23 total and 9-14 dissolved metals: Arsenic, beryllium, chromium, copper, lead, manganese, and zinc		
Uppermost project site Site N BWBOU009.00 101015	ADEQ TMDL	14 total metals only: Cadmium, selenium, silver		
Above Hillside Mine Hillside 2 BWBOU008.92 100401	Phelps Dodge Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Beryllium	65 µg/L A&Ww acute	08/16/2001 – 94 µg/L	Inconclusive – 1 exceedance in the last 3 year of monitoring.
Mercury	0.6 µg/L FC	09/10/2002 – 3.4 µg/L	Attaining – 1 exceedance in 8 sampling events. (Binomial)
Mercury (dissolved)	0.01 µg/L A&Ww chronic	08/23/2000 – 0.3 µg/L 03/05/2002 – 0.3 µg/L 04/18/2002 – 0.2 µg/L 09/10/2002 – 2.7 µg/L** 11/20/2002 – 0.2 µg/L 02/23/2004 – 0.018 µg/L*	Inconclusive – Only 1 exceedance is counted. *Samples starting in 2003 superseded prior samples because more reliable methods were used to collect and analyze the data. **2.7 is the mean of three mercury samples collected on 09/10/2002 (1.8, 2.9, and 3.4) µg/L). See mercury discussion below.

Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	09/19/2004 – 4554 mg/L 10/22/2004 – 432 mg/L	Inconclusive – Both exceedances occurred during high flows, so could not be used for geometric mean calculation. Insufficient samples left to apply the standard.
--	-----------------------------	---	---

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Beryllium, mercury, and suspended sediment concentration	Insufficient <i>E. coli</i> bacteria to assess FBC		Lab detection limits for dissolved copper and lead were above A&W chronic criteria in at least 6 samples.
<b>MERCURY IMPAIRMENT DISCUSSION</b>		<p>Ultra clean field techniques were used for mercury samples collected in 2003-2006 by ADEQ and Phelps Dodge. These techniques allow laboratories to accurately report results as low as 0.00025 µg/L. This newer and more reliable data was therefore given a higher weight in the assessment, and in this case superseded previously collected data.</p> <p>Five sets of 4-day mercury samples collected by Phelps Dodge were considered in this assessment although several sets were collected after the assessment period (newer data). No exceedances occurred in these datasets. The exceedance on 02/23/2004 (0.018 µg/L) occurred at Wild Horse Basin and an old mining operation exists in this area.</p> <p>Samples collected during storm flows did not represent chronic conditions, so were not compared to chronic criteria for this assessment.</p> <p>Evidence of potential mercury impairment:</p> <ol style="list-style-type: none"> <li>1. Several mercury detections in this reach. Mercury readily adheres to sediment and tissue, and therefore, the detection of it in the water column is unlikely and therefore significant.</li> <li>2. Mercury fish consumption advisory downstream at Alamo Lake;</li> <li>3. One exceedance of the total mercury standard for fish consumption; and</li> <li>4. Historic mining sources in the reach.</li> </ol> <p>Although there is evidence of impairment, only one exceedance using the more reliable field and laboratory methods is insufficient for Arizona to list the reach as impaired.</p> <p>Note that the Alamo Lake mercury TMDL should be completed in 2009 and may provide loadings to the Burro Creek drainage area (that includes Boulder Creek).</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect mercury, beryllium, and suspended sediment concentration samples due to the exceedances.</p> <p>Collect core parameters to represent at least 3 seasons during an assessment period. Use lower lab detection limits for dissolved copper and lead.</p>	

<b>BOULDER CREEK</b>  <b>From Wilder Creek to Butte Creek</b> <b>15030202 – 005A</b> <b>1.4 Miles</b> (Since last assessment, split reach 005A into 005A&B, and changed 005B to 005C)	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Impaired FC – Inconclusive Agl – Impaired AgL – Impaired	Category 4A (arsenic, copper, zinc) Category 4B (beryllium, low pH, manganese)  Not Attaining	Beryllium, low pH, manganese, arsenic, copper, and zinc	Add beryllium, manganese, and low pH to 4B. TMDLs for arsenic, copper, and zinc were completed in 2004.
	A&Ww – Impaired (Affected use only)	Category 5 Mercury	Mercury	EPA listed mercury in 2004.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 02/10/2000 – 08/04/2005</b> 4-day mercury samples: 11/29-12/02/2004; 06/20-06/23/2005; 08/01-08/04/2005; 10/24-10/27/2005; 2/6-2/9/2006; 5/1-5/4/2006		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below Wilder Creek – Site L BWBOU008.62 101013	ADEQ TMDL	17 total and 29 dissolved: Mercury (grab samples)	57 Dissolved oxygen and 107 pH	2 Fluoride 10 Suspended sediment concentration 4 Turbidity
Hillside Mine upper tailings BWBOU008.53 102232	ADEQ TMDL	Six sets of 4-day mercury samples		
NW edge upper tailings BWBOU008.49 102231	ADEQ TMDL	50-66 total and dissolved metals: Arsenic, beryllium, copper, lead, manganese, and zinc		
Above Hillside Mine BWBOU008.42 102023	ADEQ TMDL	17 total and 4-22 dissolved: Cadmium		
Upstream of tailings Site JJ BWBOU008.28 101439	ADEQ TMDL	13-16 total and 2-3 dissolved: Selenium, silver		
Above Hillside middle tailings BWBOU007.98 102226	ADEQ TMDL	2 total and 3 dissolved: Antimony, barium, boron, nickel		
Amid tailings (mid + up) Site J BWBOU007.92 101012	ADEQ TMDL			
At Hillside adit BWBOU007.83 102024	ADEQ TMDL			
Amid tailings (mid + low) Site-H BWBOU007.76 101011	ADEQ TMDL			
Below middle tailings piles BWBOU007.59 102227	ADEQ TMDL			
Between mid and lower tailings BWBOU007.55 102228	ADEQ TMDL			
Above lower tailings pile BWBOU007.49 102229	ADEQ TMDL			
Near lower tailings pile BWBOU007.43 102230	ADEQ TMDL			

Below tailings piles - Site G BWBOU007.13 101010	ADEQ TMDL			
Above Butte Creek Hillside 1 BWBOU006.57 102223	Phelps Dodge Ambient			

EXCEEDANCES				
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS	
Arsenic	50 µg/L – FBC 200 µg/L – AgL 1450 µg/L – FC 2000 µg/L – Agl	Too many exceedances to list here.	Remains impaired – Exceedances occurred during all 23 sampling events (Binomial) Maximum concentration was 11,400 µg/L. Highest values were at site 102024. Exceedances occurred at several other sites.	
Beryllium	5.3 µg/L A&Ww chronic	10/26/2000 – 63 µg/L 03/27/2001 – 6.0 µg/L 04/25/2001 – 6.0 µg/L 05/22/2001 – 6.0 µg/L 08/15/2001 – 31 µg/L 08/28/2001 – 19 µg/L 11/02/2001 – 5.5 µg/L	Impaired – Exceeded criterion during 7 sampling events during the assessment period. (Exceeded in 10 of 66 samples collected.)  See monitoring site discussion below.	
Copper	500 µg/L – AgL 1300 µg/L – FBC 5000 µg/L – Agl	10/26/2000 – 36,000 µg/L 08/15/2001 – 36,000 µg/L 08/28/2001 – 115,000 µg/L	Attaining – Exceeded standards in 6 of 73 samples (only 3 monitoring events). (Binomial)	
Copper (dissolved)	49.6 µg/L at >400 mg/L hardness 9.8 µg/L at 72 mg/L hardness 49.6 µg/L at >400 mg/L hardness 49.6 µg/L at >400 mg/L hardness 30.7 µg/L at 240 mg/L hardness A&Ww acute	10/26/2000 – 39,000 µg/L 01/30/2001 – 80 µg/L 08/15/2001 – 33,100 µg/L 08/28/2001 – 114,000 µg/L 12/31/2001 – 90 µg/L	Remains impaired – Exceeded calculated standard five times during the assessment period.	
Dissolved oxygen	6.0 mg/L A&Ww	Too many to list here. Low dissolved oxygen values in 11 of 15 sampling events.	Attaining – Low dissolved oxygen due to low flow and ground water upwelling.	
Lead	15 µg/L FBC	01/30/2001 – 30 µg/L 02/27/2001 – 17 µg/L 08/15/2001 – 24 µg/L	Attaining – 3 of 62 samples exceeded criterion.	
Manganese	10,000 µg/L -- Agl 196,000 µg/L – FBC	Too many exceedances to list here.	Impaired – 22 of 74 samples exceeded standards. (14 of 20 sampling events). (Binomial) Highest value was 367,000 µg/L. High concentrations were found at several sites. See monitoring site discussion below.	
Mercury	0.6 µg/L – FC 10 µg/L – AgL	09/10/2002 – 3.8 µg/L** 08/23/2003 – 98 µg/L*	Attaining – 1 exceedance in 11 sampling events. (binomial approach) ** Data collected before more reliable sampling techniques. *98 µg/L is the mean value of 3 samples collected below the tailings.	
Mercury (dissolved)	0.01 µg/L A&Ww chronic	03/21/2001 – 0.2 µg/L 9/10/2002 – 3.8 µg/L 09/25/2003 – 0.0365 µg/L*	Inconclusive – Only 1 exceedance is counted (09/25/2003). *Samples starting in 2003 superseded prior samples because more reliable methods were used to collect and analyze the data. See mercury discussion below.	
pH	<9.0 SU -- A&Ww, FBC, AgL, Agl >6.5 SU – A&Ww, FBC, AgL	08/22/2000 – 9.5 SU 10/26/2000 – 2.6 SU 01/30/2001 – 6.2 SU 03/27/2001 – 5.6 SU 04/25/2001 – 6.0 SU 05/22/2001 – 6.0 SU 06/26/2001 – 5.7 SU 08/15/2001 – 3.7 SU 08/28/2001 – 11.7 SU 08/28/2001 – 2.4 SU 11/02/2001 – 5.9 SU	Impaired – Exceeded criteria in 25 of 87 samples (12 of 30 sampling events). (Binomial)  See monitoring site discussion below.	

		09/25/2003 – 1.9 SU	
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	08/23/2003 – 48,627 mg/L 09/19/2004 – 1,443 mg/L 10/21/2004 – 1,747 mg/L	Attaining– All exceedances of the 80 mg/L criterion were during high flow events so could not be included in the geometric mean. Geometric mean was not exceeded.
Zinc	10,000 – Agl 25,000 – AgL 69,000 – FC	10/26/2000 – 160,000 µg/L 08/15/2001 – 184,000 µg/L 08/28/2001 – 692,000 µg/L	Attaining – 8 of 66 samples exceeded (3 of 24 sampling events). (Binomial) However, magnitude of the exceedances should be noted.
Zinc (dissolved)	379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness A&Ww acute	Too many to list here	Remains impaired – Exceeded criteria 13 times during the last 3 years of monitoring. Highest concentration was 262,000 µg/L. Exceedances occurred during all 17 sampling events.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	<i>E. coli</i> bacteria		Lab detection limits for dissolved metals (copper, lead) and selenium were higher than chronic criteria in 6-35 samples.
DISCUSSION OF ASSESSMENT CATEGORIES, REMEDIATION EFFORTS, AND USE OF MONITORING DATA FROM POOLS ALONG THIS INTERMITTENT STREAM		<p>Arsenic, copper, and zinc are in Category 4A because TMDLs have been completed for these parameters. Proposed remediation of historic mine tailings along Boulder Creek should mitigate the metal loadings (including mercury loadings) and the low pH; therefore, beryllium, manganese, and low pH are listed Category 4B.</p> <p>Ultra clean field techniques were used for mercury samples collected in 2003-2006 by ADEQ and Phelps Dodge. These techniques allow laboratories to accurately report results as low as 0.00025 µg/L. This newer and more reliable data was therefore given a higher weight in the assessment, and in this case superseded previously collected data.</p> <p>Six sets of 4-day mercury samples collected by Phelps Dodge were considered in this assessment although several sets were collected after the assessment period (newer data). No exceedances occurred in these datasets. However, one exceedance occurred near Hillside Mine’s upper tailings site on 09/25/2003 (0.0365 µg/L).</p> <p>Samples collected during storm flows did not represent chronic conditions, so were not compared to chronic criteria for this assessment.</p> <p>Evidence of potential mercury impairment:</p> <ol style="list-style-type: none"> <li>1. Several mercury detections in this reach. Mercury readily adheres to sediment and tissue, and therefore, the detection of it in the water column is unlikely and therefore significant.</li> <li>2. Mercury fish consumption advisory downstream at Alamo Lake;</li> <li>3. One exceedance of the total mercury standard for fish consumption; and</li> <li>4. Historic mining sources in the reach.</li> </ol> <p>Although there is significant evidence of impairment, only one exceedance using the more reliable field and laboratory methods is insufficient for Arizona to list the reach as impaired.</p> <p>Note that the Alamo Lake mercury TMDL should be completed in 2009 and may provide loadings to the Burro Creek drainage area (that includes Boulder Creek).</p>	
		<p><b>MONITORING RECOMMENDATIONS</b></p> <p>Medium Priority –Collect mercury samples due to exceedances. Collect arsenic, beryllium, copper, manganese, mercury, zinc, and pH samples during critical conditions and in critical locations, once strategies are implemented to reduce loadings. Collect core parameters to represent at least 3 seasons during an assessment period. Use lower lab reporting limits for selenium and dissolved metals.</p>	

<b>BOULDER CREEK</b>  From Butte Creek to Copper Creek 15030202 – 005B 1.6 Miles (Since last assessment, split reach 005A into 005A&B, and changed 005B to 005C)	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Inconclusive FBC – Impaired FC – Inconclusive AgL – Attaining	Category 4A  Not Attaining	Arsenic	TMDL for arsenic, copper, and zinc completed in 2004.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/10/2000 – 08/04/2005 4-day mercury samples: 11/29-12/02/2004 ; 06/20-06/23/2005; 08/01-08/04/2005; 10/24-10/27/2005; 2/6-2/9/2006; 5/1-5/4/2006		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Butte Creek BWBOU006.53 102082	ADEQ TMDL	6 total and 14 dissolved (grab samples): Mercury	5 Dissolved oxygen and 20 pH	
Below Butte Creek – Site E BWBOU006.01 101009	ADEQ TMDL	3 sets of 4-day mercury samples were collected at Boulder 2 site		
Above Copper Creek Boulder 2 BWBOU005.15 102193	Phelps Dodge Ambient	6 total and 11-12 dissolved metals: Arsenic, copper, manganese, and zinc  5-6 total only: Beryllium, lead,  1-2 total and dissolved: Cadmium, selenium, silver		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L – FBC	11/30/2000 – 58 µg/L 01/04/2001 – 71 µg/L 04/24/2001 – 73 µg/L 03/05/2002 – 53 µg/L	Remains impaired – Exceedances occurred in 4 of 12 sampling events (4 of 16 samples) (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria, dissolved cadmium, and mercury to assess A&Ww, FBC or FC		Lab detection limits for dissolved metals (copper, lead) and selenium were higher than chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect arsenic samples to determine effectiveness of strategies to reduce loading, once implemented.  Collect core parameters to represent at least 3 seasons during an assessment period. Use lower lab detection limits for selenium and dissolved metals.  Note: No mercury exceedances.	



<b>BOULDER CREEK</b>  From Copper Creek to Burro Creek 15030202 – 005C 5.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	(Since last assessment, split reach 005A into 005A&B, and changed 005B to 005C)
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/10/2000 – 08/04/2005 4-day mercury samples: 11/29-12/02/2004; 06/20-06/23/2005; 08/01-08/04/2005; 10/24-10/27/2005; 2/6-2/9/2006; 5/1-5/4/2006		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Copper Creek Boulder 1 or Site B BWBOU005.11 101008	Phelps Dodge Ambient and ADEQ TMDL	12 total and 27 dissolved: Mercury (grab samples)  Six 4-day mercury samples	13 Dissolved oxygen and 41 pH	1 Suspended sediment concentration 5 Turbidity
Below Mulholland Wash Boulder 4 BWBOU002.18 102224	Phelps Dodge Ambient	9-26 total and dissolved metals: Arsenic, beryllium, chromium, copper, lead, manganese, and zinc		
Above Zana Canyon BWBOU001.51 102225	ADEQ TMDL	12 total only: Cadmium, selenium		
Above Burro Creek – Site A BWBOU000.66 101007	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	01/04/2001 – 52 µg/L 04/24/2001 – 58 µg/L	Attaining – 2 of 17 samples exceeded the criterion (binomial).
Dissolved oxygen	6.0 mg/L A&Ww	05/23/2001 – 3.9 mg/L	Attaining – Low dissolved oxygen due to low flow and ground water upwelling.
Lead	15 µg/L FBC	02/28/2001 – 34 µg/L	Attaining – Only 1 exceedance in 14 samples.
Mercury	0.6 µg/L FC	09/10/2002 – 7.2 µg/L*	Attaining – *No exceedances in 8 sampling events using more reliable sampling techniques. (binomial).
Mercury (dissolved)	0.01 µg/L A&Ww chronic	09/10/2002 – 7.2 µg/L*	Attaining – *No exceedances in 8 sampling events using more reliable sampling techniques.
pH	<9.0 SU A&Ww, FBC, AgL	08/23/2000 – 9.4 SU	Attaining – Only 1 exceedance in 41 samples (binomial)
Selenium	2.0 µg/L A&Ww chronic	03/04/2002 – 3.0 µg/L	Inconclusive– One exceedance during the assessment period. Exceedance in the prior year is only slightly over the standard.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	Insufficient <i>E. coli</i> bacteria to assess FBC.		
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional selenium samples due to the exceedance. Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>BRIDLE CREEK</b>  From headwaters to Santa Maria River 15030203 – 027 25.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 09/09/2003 – 01/05/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Highway 97 BWBRI016.91 102310	ADEQ TMDL	6 total metal and 4 dissolved: Mercury	1 Dissolved oxygen, 6 pH	1 Fluoride 5 Suspended sediment concentration 3 Turbidity
Below Mountain Springs BWBRI009.54 102313	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury	0.6 µg/L FC	09/09/2003 – 0.63 µg/L	Inconclusive – Only 1 exceedance in 6 samples (binomial).
Suspended Sediment Concentration (SSC)	Geometric mean 80 mg/L A&Ww	08/17/2004 – 4440 mg/L 09/19/2004 – 1026 mg/L 10/21/2004 – 530 mg/L 01/06/2005 – 8616 mg/L	Inconclusive – Exceedances occurred during all 4 sampling events; however, samples were collected during higher flows, so could not be included in the Geometric mean calculation. Geometric mean was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury and suspended sediment	Insufficient dissolved metals (cadmium, copper, zinc), <i>E. coli</i> bacteria, total copper and total lead to assess A&Ww, FBC, and FC	Insufficient monitoring events	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect mercury and suspended sediment samples due to exceedances.  Collect core parameters to represent at least 3 seasons during an assessment period.  The high SSC values indicate heavy sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>BURRO CREEK</b>  From Francis Creek to Boulder Creek 15030202 – 008 13.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 02/10/2000 – 08/04/2005 4-day mercury samples: 06/20-06/23/2005; 08/01-08/04/2005; 10/24-10/27/2005; 2/6-2/9/2006; 5/1-5/4/2006		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Boulder Creek Burro 3 BWBRO029.91 100404	Phelps Dodge Ambient and ADEQ TMDL	5 total and 15 dissolved metals: Chromium, mercury  Five sets of 4-day mercury samples  5-6 total only: Arsenic, cadmium, copper, manganese, selenium, silver, and zinc.  1 total only: Beryllium	1 Dissolved oxygen and 17 pH	1 Suspended sediment concentration 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Chromium	100 µg/L FBC	09/09/2002 – 150 µg/L	Inconclusive – 1 of 6 samples exceeded the criterion (binomial).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Chromium	Insufficient dissolved metals (cadmium, copper, zinc), <i>E. coli</i> bacteria, boron and lead to assess designated uses		
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect chromium samples due to the exceedances.  Collect core parameters to represent at least 3 seasons during an assessment period.  Note: No dissolved mercury exceedances since “clean hands” field and laboratory techniques were applied. This includes the last 3 years of monitoring.	

<b>BURRO CREEK</b>  <b>From Boulder Creek to Black Canyon Creek</b> <b>15030202 – 004</b> <b>17.2 Miles</b>	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A	A&Ww – Attaining	Category 2		
	D	FBC – Inconclusive			
	E	FC – Attaining			
	Q	AgL – Attaining	Attaining some uses		
	E	A&Ww – Impaired	Category 5	Mercury	EPA listed mercury in 2004.
	P				
	A		Impaired		

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 02/10/2000 – 08/04/2005 4-day mercury samples: 11/29-12/02/2004 ; 06/20-06/23/2005; 08/01-08/04/2005; 10/24-10/27/2005; 2/6-2/9/2006; 5/1-5/4/2006		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below Boulder Creek BWBRO029.27 100403	ADEQ Ambient	43 total and 51 dissolved: Mercury (grab samples)	19-30 Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, dissolved oxygen 60 pH	18 <i>E. coli</i> bacteria 20 Fluoride 20 Total dissolved solids 21 Suspended sediment concentration 26 Turbidity
Below Mammoth Wash Burro 4 BWBRO025.09 102243	Phelps Dodge Permit Ambient	Six sets of 4-day mercury samples		
Above Six-mile Crossing Burro 2 BWBRO023.54 102244	Phelps Dodge Permit Ambient	13-33 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, and zinc		
Below Six-mile Crossing BWBRO023.18 101365	ADEQ Ambient	11-30 total metals only: Boron, manganese, selenium		
At old Highway 93 bridge BWBRO012.95 102025	ADEQ TMDL	5-6 total and dissolved metals: Barium, nickel, thallium, silver		

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Mercury	0.6 µg/L FC	11/18/2002 – 0.8 µg/L 09/19/2004 – 1.4 µg/L*	Attaining – *Only 1 exceedance in 18 sampling events (using more reliable monitoring techniques). (Binomial)
Mercury (dissolved)	0.01 µg/L A&Ww chronic	02/10/2000 – 0.2 µg/L** 03/04/2002 – 0.5 µg/L** 11/18/2002 – 0.8 µg/L** 02/10/2003 – 0.2 µg/L**	Attaining – **No exceedances based on newer, more reliable data. Sample results starting in June 2003 superseded prior samples because more reliable methods were used to collect and analyze the samples. (See mercury discussion below.)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	09/19/2004 – 3110 mg/L 10/22/2004 – 2385 mg/L 11/23/2004 – 83 mg/L 12/29/2004 – 1067 mg/L	Attaining – Although 4 samples exceeded the 80 mg/L criterion, all occurred during high flow events, so these measurements could not be included in the geometric mean calculation. Remaining samples did not exceed the geometric mean standard.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	<i>E. coli</i> bacteria		
<b>MERCURY DISCUSSION</b>		<p>Ultra clean field techniques were used for mercury samples collected in 2003-2006 by ADEQ and Phelps Dodge. These techniques allow laboratories to accurately report results as low as 0.00025 µg/L. This newer and more reliable data was therefore given a higher weight in the assessment, and in this case superseded previously collected data.</p> <p>Six sets of 4-day mercury samples collected by Phelps Dodge were considered in this assessment although several sets were collected after the assessment period (newer data). No exceedances occurred in these datasets.</p> <p>Evidence of potential mercury impairment:</p> <ol style="list-style-type: none"> <li>1. Historic mining sources in tributaries;</li> <li>2. Mercury fish consumption advisory downstream at Alamo Lake;</li> <li>3. The one exceedance of the fish consumption standard occurred during a flood flow when dissolved mercury could not be calculated by the laboratory;</li> <li>4. The Alamo Lake mercury TMDL should be completed in 2007 and may provide sufficient loading analysis; and</li> <li>5. No exceedances occurred in any of the samples where the more reliable monitoring and analysis techniques were used.</li> </ol> <p>Although some evidence of potential impairment exists, no exceedances occurred during the assessment period when more reliable monitoring techniques were used.</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>Low Priority – Collect mercury data to evaluate effectiveness of the mine tailings remediation actions.</p> <p>Collect missing core parameters to represent at least 3 seasons during an assessment period.</p> <p>The high SSC values indicate heavy sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>BUTTE CREEK</b>  From headwaters to Burro Creek 15030202 -- 163 2.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive	Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/10/2000 – 07/13/2005 4-day mercury samples: 11/29-12/02/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Hillside Mine area tributary BW/BUT000.59 103504	Phelps Dodge Ambient	5 total and 5-6 dissolved: Chromium  9 total and 10 dissolved: Mercury (grab samples)	1 sample: Dissolved oxygen 12 pH	3 Turbidity
Above Boulder Creek BW/BUT000.02 102081	ADEQ TMDL	Four sets of 4-day mercury samples  4-8 total and 0-1 dissolved metals: Arsenic, beryllium, cadmium copper, lead, manganese, selenium, silver, zinc.		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury	0.6 µg/L FC	03/05/2002 – 1.1 µg/L*	Attaining – *No exceedances in 3 sampling events collected using more reliable monitoring and lab techniques.
Mercury (dissolved)	0.01 µg/L A&Ww chronic	03/21/2001 – 0.2 µg/L* 03/05/2002 – 1.1 µg/L*	Attaining – *No exceedances in 3 sampling events. Newer, more reliable monitoring and lab analysis data supersedes the previously collected data.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Insufficient dissolved metals (cadmium, copper, and zinc), and <i>E. coli</i> bacteria to assess A&Ww and FBC.		
<b>MONITORING RECOMMENDATIONS</b>		Low Priority -- Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>COORS LAKE</b>  15030202 -- 5000 230 Acres	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5  Impaired	Mercury	EPA assessed as impaired in 2004 due to mercury in fish tissue

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 02/10/2000 – 07/13/2005</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Mid lake BWCOO - B 102756	AGFD Ambient	1 total metal only: Cadmium, lead, nickel, and zinc.	1 sample: Dissolved oxygen, pH, ammonia, nitrite/nitrate, nitrogen, total Kjeldahl nitrogen, and phosphate	1 Fluoride

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
No Exceedances in water chemistry			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Insufficient core parameters	Insufficient monitoring events	Lab detection limit for total mercury was higher than FC criterion.
<b>MERCURY IMPAIRMENT DISCUSSION</b>		Evidence of potential mercury impairment: <ul style="list-style-type: none"> <li>A fish consumption advisory issued in 2004 is still in effect.</li> </ul>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority –Collect mercury samples to support development of a TMDL, Collect core parameters to represent at least 3 seasons during an assessment period. Use a lower lab detection limit for mercury.	

<b>COPPER BASIN WASH</b>  From headwaters to unnamed tributary at 342811 / 1123531 15030203 – 032A 4.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 03/03/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Upper Copper Basin Wash BW/CBW/009.23 102323	ADEQ TDML	1 total and 1 dissolved: Mercury  1 total metals only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, and zinc	None	None

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper	500 µg/L – AgL 1300 µg/L – FBC	03/03/2004 – 1720 µg/L	Inconclusive – Only 1 exceedance (binomial)
Lead	15 µg/L FBC	03/03/2004 – 20 µg/L	Inconclusive – Only 1 exceedance (binomial)
Selenium	2.0 µg/L A&Wc chronic	03/03/2004 – 5.0 µg/L	Inconclusive – Only 1 exceedance in the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper, lead and selenium	Insufficient core parameters	Insufficient sampling events.	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect copper, lead, and selenium samples due to exceedances.  Collect core parameters to represent at least 3 seasons during an assessment period.  (Note that A&W chronic criteria for mercury do not apply to this ephemeral wash.)	



<b>DATE CREEK</b>  From Cottonwood Creek to unnamed reach (15030203-008) 15030203 -- 003 34.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/22/2002 – 05/26/04		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Date Creek Ranch BWDATE038.02 100529	ADEQ Ambient and TMDL	4-5 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc 4 total and 0 dissolved: Boron, lead, manganese 6 total and 2 dissolved: mercury 1 total and 0-1 dissolved: Barium, nickel, selenium, silver	4-5 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	3 <i>E. coli</i> bacteria 5 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and 1 of 2 dissolved mercury samples were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>FRANCIS CREEK</b>  From headwaters to Burro Creek 15030202 -- 012 23.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 10/21/2002 – 09/24/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Spencer Creek BW/FRA002.33 100556	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc 4 total metals only: Boron, lead, manganese 6 total and 1 dissolved: mercury	4-5 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 5 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and 1 of 2 dissolved mercury samples were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>KIRKLAND CREEK</b>  <b>From Skull Valley to Santa Maria River</b> <b>15030203 -- 015</b> <b>22.6 Miles</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  <b>Attaining some uses</b>	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/23/2002 – 06/25/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Ritter's Ranch BWKRK017.08 100408	ADEQ Ambient and TMDL	6 total and 2 dissolved: Mercury	4 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids
At Yava Bridge BWKRK009.32 102320	ADEQ TMDL	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, and manganese		5 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	10/23/2002 – 436 CFU/100 ml	Inconclusive – 1 exceedance during the last 3 years of monitoring.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and 1 of 2 dissolved mercury samples were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Collect <i>E. coli</i> bacteria samples due to the exceedance.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>KNIGHT CREEK</b>  From Wheeler Wash to Big Sandy River 15030201 -- 019 9.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING Dates:</b> 09/19/2004; 10/21/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Big Sandy River BW/KNI000.53 102311	ADEQ TMDL	2 total only: Mercury	1 sample: Dissolved oxygen and pH	2 Suspended sediment concentration

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury	0.6 µg/L FC	09/19/2004 – 1.94 µg/L 10/21/2004 – 0.96 µg/L	Inconclusive – Both samples collected exceeded standards. (Requires a minimum of 5 exceedances and 20 samples to determine impairment - Binomial)
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	09/19/2004 – 35,160 mg/L 10/21/2004 – 48,700 mg/L	Inconclusive – Both samples exceeded standards. Flow was measured for only one sample and it was 3.2 cfs. Field notes indicate the other was during high flow conditions of 9-10 cfs, so could not be used in the geometric mean calculation. Insufficient samples to calculate the geometric mean (requires a minimum of 4 samples.)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury and suspended sediment	Insufficient core parameters	Insufficient monitoring events	
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority –Collect mercury and suspended sediment concentration samples due to exceedances. These mercury samples were collected to support the development of TMDL for Alamo Lake (downstream). These relatively high levels in mercury indicate mercury loading may be coming from this drainage.</p> <p>Collect core parameters to represent at least 3 seasons during an assessment period.</p> <p>The high SSC values indicate heavy sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>SANTA MARIA RIVER</b>  From Little Sycamore Creek to Little Shipp Wash 15030203 -- 013 6.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Inconclusive FC – Attaining Agl – Inconclusive AgL – Inconclusive	Category 5  Impaired	Mercury	Add to the 303(d) List (new 2006).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/31/2003 – 01/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Highway 96 BWSMR042.16 102318	ADEQ TDML	1 total metals only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc	2 Dissolved oxygen 6 pH	6 Suspended sediment concentration 4 Turbidity
Below Highway 96 BWSMR041.23 102319	ADEQ TMDL	5 total and 3 dissolved: Mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	07/31/2003 – 5.0 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling.
Mercury (dissolved)	0.01 µg/L A&Ww chronic	07/31/2003 – 0.017 µg/L 08/18/2004 – 0.022 µg/L	Impaired – 2 exceedances during the assessment period. Impairment decision supported by downstream impairment on Santa Maria River and at Alamo Lake, and ultra-clean field sampling techniques.
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	07/31/2003 – 209 mg/L 08/18/2004 – 1042 mg/L 09/19/2004 – 5084 mg/L 10/21/2004 – 480 mg/L 12/29/2004 – 8850 mg/L 01/05/2005 – 365 mg/L	Inconclusive – Exceeded 80 mg/L criterion in all 6 samples collected. High flow conditions were occurring during 4 of the sampling events (5084, 480, 8850, and 365 mg/L), so these values could not be included in the geometric mean calculation. Insufficient values were left to calculate a geometric mean, as a minimum of 4 samples are required.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Suspended sediment	Insufficient dissolved metals (cadmium, copper, zinc), <i>E. coli</i> bacteria, boron, manganese, copper, and lead needed to assess A&Ww, FBC, Agl, and AgL		

<b>MONITORING RECOMMENDATIONS</b>	<p>High Priority – Collect mercury samples to support TMDL development to evaluate effectiveness of TMDL implementation plans and remediation actions for Alamo Lake.</p> <p>Collect suspended sediment concentration samples due to exceedances. The high SSC values indicate heavy sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p> <p>Collect core parameters to represent at least 3 seasons during an assessment period.</p>
-----------------------------------	--

<b>SANTA MARIA RIVER</b>  <b>From Bridle Creek to Date Creek</b> <b>15030203 -- 009</b> <b>24.5 Miles</b>	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Inconclusive FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses		

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/14/2000 – 05/17/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Highway 93 bridge BWSMR026.65 102306	ADEQ TMDL	34 total and 27 dissolved: Mercury	22-34 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	23 <i>E. coli</i> bacteria 24 Fluoride 225 Total dissolved solids
At Highway 93 bridge BWSMR026.08 100399	ADEQ Ambient	9-24 total and 6-24 dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, zinc  24 total metals only: Boron and manganese  1 Selenium		20 Suspended sediment concentration 31 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	09/18/2000 – 4.0 mg/L 09/12/2001 – 2.8 mg/L 07/31/2003 – 5.6 mg/L 09/16/2003 – 3.9 mg/L 09/29/2004 – 4.0 mg/L	Attaining – 4 out of 5 samples were taken during low flow conditions. Therefore, only 1 exceedance in 28 samples (binomial).
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	05/08/2001 – 390 CFU/100 ml	Attaining – 1 exceedances in the last 3 years of monitoring (17 samples since this one exceedance).
Mercury	0.6 µg/L FC	08/17/2004 – 0.63 µg/L	Attaining – Only 1 exceedance in 34 samples (binomial).
Mercury (dissolved)	0.01 µg/L A&Ww chronic	07/31/2003 – 0.019 µg/L 08/17/2004 – 0.011 µg/L* 09/20/2004 – 0.012 µg/L# 11/10/2004 – 0.011 µg/L#	Inconclusive – 1 exceedance during the assessment period. Flow on 07/31/2003 was 12.7 cfs. *There is no flow data for 08/17/2004, therefore ADEQ cannot confirm this represents an exceedance. #The samples on 09/20/2004 (95 cfs) and 11/20/2004 (501 cfs) were collected during storm flows; therefore, ADEQ did not assume they represented chronic conditions.
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	07/31/2003 – 322 mg/L 09/10/2003 – 866 mg/L 08/18/2004 – 9362 mg/L 09/19/2004 – 11,820 mg/L 10/21/2004 – 2410 mg/L 11/23/2004 – 850 mg/L 12/29/2004 – 9374 mg/L 02/24/2005 – 490 mg/L	Inconclusive – All exceedances occurred during high flows; therefore these values could not be used in the geometric mean calculation. Geometric mean of the remaining values did not exceed 80 mg/L

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Suspended sediment	Collected all core parameters.		Lab detection limits for selenium and dissolved mercury were higher than A&W chronic criteria in at least 13 samples.
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect mercury samples to support TMDL development to evaluate effectiveness of TMDL implementation plans and remediation actions for Alamo Lake.</p> <p>Collect suspended sediment samples due to exceedances. The high SSC values indicate heavy sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. Collect core parameters to represent at least 3 seasons during an assessment period.</p>	



<b>TROUT CREEK</b>  From Cow Creek to Knight Creek 15030201 -- 014 32.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining AgL – Attaining	Category 2	
		Attaining some uses	

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/25/2000 – 09/28/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Divide Canyon BWTRT011.97 100670	ADEQ Ambient	8-21 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc	20-23 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	20 <i>E. coli</i> bacteria 21 Fluoride 21 Total dissolved solids 10 Suspended sediment concentration 23 Turbidity
Near Wikieup BWTRT002.43 100397	ADEQ Ambient			
At Knight Creek BWTRT000.19 102309	ADEQ TDML	21 total metals only: Boron and manganese  23 total and 16 dissolved: Mercury		

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	06/23/2003 – 5.4 mg/L	Attaining – Low dissolved oxygen due to low flow and ground water upwelling and lack of riffle. Only 1 low DO in 23 samples.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	02/23/2005 – 620 CFU/100 ml	Inconclusive – Only 1 exceedance. Note that the exceedance occurred during flood flow – 1978 cfs, while normal is 1-6 cfs.
Mercury (dissolved)	0.01 µg/L A&Ww chronic	09/20/2004 – 0.039 µg/L	Inconclusive – Only 1 exceedance in the assessment period.
Suspended sediment concentration	Geometric mean 80 mg/L	09/20/2004 – 2031 mg/L	Attaining – Only 1 of 10 samples exceeded the 80 mg/L criterion. It occurred during a high flow event so would not be included in the geometric mean calculation. The remaining samples did not exceed the geometric mean standard.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria, mercury	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criterion in at least 11 samples.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect mercury and <i>E. coli</i> bacteria samples due to exceedances.  Use lower lab detection limits for selenium and dissolved mercury.  The one high SSC value indicates heavy sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>WILDER CREEK</b>  From headwaters to Boulder Creek 15030202 – 007 15.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 11/29/2000 – 12/31/2001		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Boulder Creek BW/WLD000.10 101014	ADEQ TMDL	8 total and dissolved metals: Arsenic, beryllium, copper, lead, manganese, and zinc	6 Dissolved oxygen and 7 pH	None

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved cadmium, <i>E. coli</i> bacteria, and mercury to assess the designated uses.		Lab detection limits for dissolved copper and lead were higher than chronic A&W standards in at least 4 samples each.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for dissolved lead and dissolved copper	

# Colorado – Grand Canyon Watershed

## Watershed Description

This watershed is defined by the Colorado River drainage area, beginning in Arizona at Lake Powell, through the Grand Canyon National Park, to Hoover Dam at Lake Mead. It does not include the Little Colorado River drainage. The watershed contains spectacular incised canyons formed by erosion of sandstone formations, as well as volcanically formed mountains and high plateaus.

Land ownership is divided approximately as: 45% federal, 25% tribal, 15% private, and 5% state. Most of the 16,437 square miles in this watershed are sparsely populated, with an approximate population of 67,500 people (2000 census). The largest communities are Kingman and Williams. Land use is primarily open grazing, recreation, and silviculture (forestry), with scattered mining districts. The Grand Canyon National Park, Kaibab National Forest, Lake Mead National Recreation Area, and Glen Canyon National Recreation Area are all located within this watershed and all have restricted land uses to protect natural resources. These federal lands also draw a large number of tourists and recreationists.

Elevations range from 1,000 feet (above sea level) along the Colorado River to 10,400 feet near Flagstaff. The majority of the watershed is between 5,000-7,000 feet elevation, with high desert fauna and flora, including coldwater aquatic communities where perennial waters exist.

## Water Resources

Precipitation varies from 10-15 inches a year, including about 1 inch of snowfall per year in higher elevations. Excluding the Colorado River and its reservoirs (Lake Powell and Lake Mead), surface water is sparse.

An estimate of surface water resources in the Colorado – Grand Canyon Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.

**Estimated Surface Water Resources in the Colorado – Grand Canyon Watershed**


	Perennial	Intermittent	Ephemeral
Stream miles	480	260	14,870
	Perennial	Non-perennial	
Lake acres	68,400	13,415	

**Additional Estimated Water Resources on Tribal Lands – Not Assessed**

	Perennial	Intermittent	Ephemeral
Stream miles	125	5	3,740
	Perennial	Non-perennial	
Lake acres	390	0	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.

## Colorado-Grand Canyon Watershed



## Watershed Partnerships

- **Northwest Arizona Watershed Council**  
Their area is defined by three groundwater basins: Hualapai Valley (in the Colorado-Grand Canyon Watershed), Sacramento Basin (in the Colorado-Lower Gila Watershed), and Big Sandy (in the Bill Williams Basin). The council's goal is to protect and preserve water resources and educate the public about water issues related to growth and development. The council meets on the 3<sup>rd</sup> Wednesday of the month in Kingman, AZ. For information, contact Elmo Roundy (928) 757-2818 or Earl Engelhardt at (928) 692-1068 or [imspirit@kingmanaz.net](mailto:imspirit@kingmanaz.net).

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov).

- The Colorado River below Lake Powell is impaired by selenium, and is impaired near Diamond Creek by suspended sediment (SSC) and selenium. The suspended sediment is at a concentration that represents a risk aquatic coldwater communities. Selenium bioaccumulates and may pose a risk to aquatic life and wildlife that prey on aquatic life (such as birds). Investigations will need to determine source loadings, especially contributions from natural background in this sandstone dominated region and contributions from upstream states (Utah and Colorado). This TMDL is scheduled to be initiated in 2010.
- The Paria River and the Virgin River are impaired due to suspended sediments (SSC). Elevated suspended sediment concentrations represent a risk to aquatic communities. Further investigation is needed to determine source loading, especially contributions from natural background in this sandstone dominated region, and contributions from Utah. These TMDLs are scheduled to be initiated in 2010.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **Composting Restrooms from Hualapai Reservation Project** – Hualapai Indian Tribe (2000 and 2002)  
Composting restrooms were constructed at three beaches used by rafters and campers along the Colorado River in the Grand Canyon National Park to minimize bacterial contamination to the river.
- **The Greater Kingman Wildcat Dump Cleanup Project** -- Northwest Arizona Watershed Council (2000)  
18 wildcat (illegal) dump sites in the Kingman areas were cleaned up to reduce potential surface and ground water contamination. The project also contained education and outreach to solicit community participation and minimize further dumping.
- **Bank Stabilization of Spenser Beach to Protect Composting Restrooms Project** – Hualapai Tribal Nation (2006)  
Funds were used to stabilize eroding banks surrounding the composting restroom at Spencer Beach on the Colorado River in the Grand Canyon.
- **Composting Restrooms at Helipad Project** – Hualapai Tribal Nation (2006)  
A composting restroom was constructed adjacent to a helipad landing area along the Colorado River in the Grand Canyon.

**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. For more information about these funds or projects can be obtained at ADWR's web site at <http://www.azwater.gov>.

- **Invasive Vegetation in the Grand Canyon National Park Project** – Grand Canyon National Park Foundation (2006)  
Tamarisk and other invasive vegetation were removed at seeps, springs, and tributaries in the Grand Canyon National Park to improve water supplies and riparian conditions.
- **Willow Creek Riparian Restoration Project** – Private land owner (2000)  
Riparian conditions along Willow Creek were restored to reduce sedimentation by replanting native plants, installing temporary irrigation for the new plants, and adding fencing to exclude grazing in the restored area.

**Other Water Quality Studies** – The following additional water quality related studies were completed since 2000 in this watershed:

- ***The Clean Colorado River Alliance Report (2006)***  
Susan Craig, ADEQ, 2006  
The Clean Colorado River Alliance Report, commissioned by Arizona Governor Janet Napolitano, identified several pollutants of particular concern for the lower Colorado River: nutrients, metals, endocrine disrupting compounds, perchlorate, bacteria and pathogens, salinity/total dissolved solids, and sediment. This report describes the impacts of these pollutants, discusses current mitigation efforts to address them, and sets forth a number of recommendations.
- ***A Monitoring Plan for the Occurrence of Hydrocarbon Constituents in Lake Powell, Mead, and Mohave, (in) Arizona, Nevada, and Utah***  
National Park Service (2004)  
Monitoring is to evaluate the effects of long-term personal watercraft on water quality in large reservoirs.
- ***Variations in Sand Storage Measured at Monumented Cross Sections in the Colorado River Between Glen Canyon Dam and Lava Falls Rapid, Northern Arizona 1992-99*** – Marilyn E. Flynn and Nancy J. Hornewer, U.S. Geological Survey (2003)  
USGS measured bed elevations in 131 cross sections to provide data on channel sand storage. Analyses of cross sections showed limited capacity to store sediment.
- ***Sediment Chemistry of the Colorado River Delta of Lake Powell, Utah, 2001*** – R.J. Hart, H.E. Taylor, R.C. Antweiler, D.D. Graham, G.G. Fisk, S.G. Riggins, and M.E. Flynn (2005)  
Sediment samples at the Colorado River delta of Lake Powell were analyzed to determine the amount of accumulation of various natural and human-introduced chemicals. Three cores and six sediment samples from sediment-water interface were collected near Hite marina where the delta is thickest. Concentrations were typical for delta sediments. Mercury concentrations ranged from 0.2 ng/g to 1,660 ng/g.
- ***Physical and Chemical Characteristics of Knowles, Forgotten, and Moqui Canyons, and Effects of Recreational Use on Water Quality, Lake Powell, Arizona and Utah*** – R.J. Hart, H.E. Taylor, R.C. Antweiler, G.G. Fisk, G.M. Anderson, D.A. Roth, M.E. Flynn, D.B. Peart, Margot Truini, and L.B. Barber (2004)  
This study documents the concentrations of trace elements, volatile organic compounds, organic wastewater contaminants (including *E. coli* bacteria), and other byproducts of fuel-based contaminants in water and bed material in Lake Lowell during the summers of 2001 and 2002.
- ***Human Health Pharmaceutical Compounds in Lake Mead, Nevada and Arizona, Las Vegas Wash, Nevada, October 2000 –August 2001*** – Robert A. Boyd and Edward T. Furlong, U.S. Geological Survey, Open File Report 02-385 (2002)  
A reconnaissance study to investigate the occurrence of selected pharmaceutical compounds in water samples collected from Lake Mead on the Colorado River and Las Vegas Wash, a waterway used to transport treated wastewater from Las Vegas metropolitan area to Lake Mead. Thirteen of 33 targeted compounds were detected in at least one water sample. The most frequently detected compounds in the

wash were caffeine, carbamazepine (used to treat epilepsy), cotinine (a metabolite of nicotine), and dehydronifedipine (a metabolite of antianginal Procardia).

## **Assessments**


The Colorado – Grand Canyon Watershed can be separated into the following drainage areas in Arizona:

14070006	Lake Powell
14070007	Paria River
15010001	Marble Canyon
15010002	Grand Canyon
15010003	Kanab Creek
15010004	Havasu Creek
15010005	Lake Mead
15010006	Grand Wash
15010007	Red Lake
15010009	Fort Pearce Wash
15010010	Virgin River
15010014	Detrital Wash

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).



# Colorado-Grand Canyon Watershed 2006/2008 Assessment for Streams & Lakes





<b>BEAVER DAM WASH</b>  From Utah border to Virgin River 15010010 -- 009 9.6 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining AgL -- Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/22/2004 – 04/27/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Highway 91 bridge in Littlefield, AZ CGBDW001.19 100449	ADEQ Ambient	3-4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc	4 samples: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration
Above Virgin River CGBDW000.10 100452	ADEQ Ambient	3-4 total metals only: Boron, chromium, & manganese		4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	02/02/2005 – 6143 CFU/100 ml 04/27/2005 – 270 CFU/100 ml	Inconclusive – Although 2 exceedances occurred in the last 3 years of monitoring, only 1 of them was above the screening value of 300 CFU/100 ml. One exceedance (270 CFU) occurred during flood flow. ADEQ will continue to collect samples rather than list at this time.
Lead	15 µg/L FBC	02/02/2005 – 20 µg/L	Inconclusive – 1 of 4 samples exceeded criterion.
Suspended Sediment Concentration (SSC)	Geometric mean 80 mg/L A&Ww	02/02/2005 – 500 mg/L 04/27/2005 – 1920 mg/L	Inconclusive – 2 of 4 samples exceeded the 80 mg/L criterion. One value was during a high flow event (1920 mg/L), so could not be used to calculate the geometric mean. Insufficient samples left to calculate two geometric means for assessment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead, <i>E. coli</i> bacteria, and SSC	All core parameters were collected		Lab detection limits for selenium and 3 dissolved mercury samples were above the A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional lead, <i>E. coli</i> bacteria, and suspended sediment samples due to exceedances. The high suspended sediment concentration indicates sediment transport. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>BRIGHT ANGEL CREEK</b>  From Phantom Creek to Colorado River 15010001 -- 019 1.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/07/2003 – 05/04/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Phantom Ranch CGBRA001.36 100423	ADEQ Ambient	3-5 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc	5-6sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	5 <i>E. coli</i> bacteria 5 Fluoride 6 Total dissolved solids 5 Suspended sediment concentration 6 Turbidity
Below Phantom Ranch CGBRA000.44 100422	ADEQ Ambient	4-5 total metals only: Boron, chromium, and manganese		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	05/03/2005 – 168 mg/L	Inconclusive – The elevated SSC occurred during a high flow event so could not be used in the Geometric mean calculation. Insufficient samples left to calculate two geometric means and determine impairment.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Suspended sediment	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional suspended sediment concentration samples due to the exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use a lower lab detection limit for selenium.	

<b>CATARACT LAKE</b>  <b>15010004 – 0280</b> <b>35 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive AgL – Inconclusive	<b>Category 3</b>  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 08/14/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam CGCAT - A 100015	ADEQ Ambient	1 total and dissolved metals: Chromium, nickel, silver, zinc.  1 total metal only: Antimony, arsenic, barium, beryllium, boron, cadmium, copper, lead, mercury, selenium, and thallium.	1 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Ammonia	0.40 mg/L at pH 8.8 SU and temperature 22.8 C A&Wc chronic	08/14/2003 – 0.44 mg/L at 1 meter	Inconclusive – Only 1 exceedance.
Manganese	980 µg/L DWS	08/14/2003 – 3830 µg/L	Inconclusive – Only 1 exceedance.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Ammonia and manganese	Insufficient core parameters	Insufficient sampling events.	Lab detection limits for cadmium, copper, and lead above the A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect ammonia and manganese samples due to the exceedances. High ammonia levels may be a symptom of excess nutrient loadings. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect core parameters to represent at least 3 seasons during an assessment period.  Use a lower lab detection limit for cadmium, copper, and lead.	

<b>CLEAR CREEK</b>  From unnamed tributary at 360912 / 1115825 to Colorado River 15010001 – 025B 8.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/22/2004 – 05/03/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGCLE000.19 101964	ADEQ Ambient	3-4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW/ ENOUGH
	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>COLORADO RIVER</b>  From Lake Powell to Paria River 14070006 -- 001 16.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Selenium	Add selenium to the 303(d) List

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/26/2000 – 09/07/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Lees Ferry, AZ USGS #09380000 CGCLR698.93 100743	USGS Ambient	17-20 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	19-22 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	20 <i>E. coli</i> bacteria 22 Fluoride 22 Total dissolved solids 21 Suspended sediment concentration 22 Turbidity 5 Pesticides

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	11/13/2002 – 6.5 mg/L 02/04/2003 – 6.3 mg/L	Attaining – Only 2 of 21 samples showed low dissolved oxygen.
Selenium	2.0 µg/L A&Wc chronic	02/04/2003 – 3.0 µg/L 09/07/2004 – 2.4 µg/L	Impaired – 2 exceedances during the assessment period. Impairment decision supported by downstream reaches that are also listed as impaired due to selenium.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters were collected		Lab detection limit for dissolved mercury was above the A&Wc chronic criterion
MONITORING RECOMMENDATIONS		High Priority – Collect selenium samples to support development of the TMDL. Coordinate TMDL development with other selenium TMDLs in the region.  Use a lower lab detection limit for dissolved mercury.	

<b>COLORADO RIVER</b>  From Parashant Canyon to Diamond Creek 15010002 – 003 27.6 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Inconclusive FC – Inconclusive DWS – Inconclusive AgI – Inconclusive AgL – Inconclusive	Category 5  Impaired	Selenium and suspended sediment	Added sediment and selenium in 2004.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/20/2000 – 01/13/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Diamond Creek USGS #09404200 CGCLR473.00 101483	USGS and ADEQ Ambient	0-1 total and 32-28 dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, manganese, selenium, silver, uranium, and zinc  1 total metal only: Mercury	38-40 sample: total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH 0 Ammonia and nitrite/nitrate	1 Fluoride 1 Total dissolved solids 39 Suspended sediment concentration 12 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Suspended Sediment Concentration	Geometric mean 80 mg/L A&Wc	Too many to list here. Exceedances varied from 88 to 1730 mg/L	Remains impaired – Exceeded 80 mg/L in 23 of 39 samples. Flow is regulated by upstream dam releases, but one result appeared to be during a high flow. Using the remaining data, the geometric mean (of at least 4 consecutive samples) exceeded the standard several times.
Selenium	2 µg/L A&Wc chronic	Too many to list here. All exceedances were only slightly over the standard, ranging from 2.1 to 3.8 µg/L	Remains impaired – Exceeded criterion 21 times during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient total metals (arsenic, lead, chromium, mercury, boron, manganese, and copper), fluoride, and <i>E. coli</i> bacteria to assess A&W, FBC, DWS, FC, AgI, and AgL		Lab detection limit for selenium was above the A&W/w chronic criterion
MONITORING RECOMMENDATIONS		High Priority –Collect samples to support development of suspended sediment and selenium TMDLs.  Collect missing core parameters to represent at least 3 seasons during the assessment period.  Use a lower lab detection limit for selenium.	

<b>CRYSTAL CREEK</b>  From unnamed tributary at 361342 / 1121148 to Colorado River 15010002 – 018B 9.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>		
	A&Ww – Attaining FBC – Inconclusive FC – Attaining	Category 2  Attaining some uses		

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/22/2004 – 05/03/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGCRY000.05 100525	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	07/24/2004 – 120 µg/L	Inconclusive – 1 exceedance in 4 samples. Note the relatively high magnitude of the exceedance.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Arsenic	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect arsenic samples due to the exceedance.  Use a lower lab detection limit for selenium.	



<b>DEER CREEK</b>  From unnamed tributary at 362616 / 1122815 to Colorado River 15010002 – 019B 4.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining	Category 2	
		Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/08/2003 - 05/07/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Colorado River CGDEE000.07 100532	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Lead	15 µg/L FBC	07/26/2004 – 38.3 µg/L	Inconclusive – 1 of 4 samples exceeded.
Selenium	2.0 µg/L A&Ww chronic	07/26/2004 – 10 µg/L	Inconclusive – Only 1 exceedance during the assessment period. Lab detection limits for all other samples were higher than A&W chronic criterion, so could not be used to determine attainment.
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	07/27/2004 – 20,002 mg/L#	Inconclusive – #The exceedance occurred during a flash flood event, so could not be used in the geometric mean calculation. Insufficient samples left to calculate two geometric means and determine impairment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead, selenium, suspended sediment	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect more lead, suspended sediment and selenium samples due to exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use a lower lab detection limit for selenium.	



<b>DOGTOWN RESERVOIR</b>  <b>15010004 – 0580</b> <b>70 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining DWS – Inconclusive Agl – Inconclusive AgL – Inconclusive	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 06/20/2001 – 03/19/2002		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam CGDOG - A 100019	ADEQ Ambient	4 total metals only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc	4 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	09/05/2001 – 6.6 mg/L	Inconclusive – Only 1 of 4 samples did not meet standards
pH	<9.0 SU A&Wc, FBC, DWS, Agl, AgL	06/20/2001 – 9.3 SU	Inconclusive – Only 1 of 4 samples did not meet standards
Selenium	2.0 µg/L A&Wc chronic	03/19/2002 – 3.0 µg/L	Inconclusive – Only 1 exceedance during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen, pH, and selenium	Insufficient dissolved metals (cadmium, copper, zinc) and <i>E. coli</i> bacteria to assess A&Wc and FBC.		
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect dissolved oxygen, pH, and selenium samples due to the exceedances.  Collect core parameters to represent at least 3 seasons during an assessment period.  The old turbidity standard (10 NTU) was exceeded in 3 of 4 visits (22, 31, and 75 NTU). Turbidity, low dissolved oxygen, and high pH may be symptoms of excess nutrient loadings. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	

<b>HAVASU CREEK</b>  From Havasupi Indian Reservation to Colorado River 15010004 – 001 3.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/09/2003 – 05/10/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Colorado River USGS #09404115 CGHAV000.36 100568	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 5 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters were collected		Lab detection limit for selenium was above the A&W/w chronic criterion
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>HERMIT CREEK</b>  From Hermit Pack Trail crossing to Colorado River 15010002 – 020B 3.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/24/2004 – 05/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGHRM000.08 100570	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese  1 Selenium	4 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen 5 Dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2.0 µg/L A&Ww chronic	03/05/2005 – 5.4	Inconclusive – Only 1 exceedance during the assessment period. Lab detection limits for all other samples were higher than A&W chronic criterion, so could not be used to determine attainment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority –Collect more selenium samples due to exceedance. Use a lower lab detection limit for selenium.	

<b>KAIBAB LAKE</b>  <b>15010004 – 0710</b> <b>60 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive Agl – Inconclusive AgL – Inconclusive	<b>Category 3</b>  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 08/14/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam CGKAI - A 100027	ADEQ Ambient	1 total and dissolved metals: Cadmium, chromium, copper, lead, nickel, silver, zinc.  1 total metal only: Antimony, arsenic, barium, beryllium, boron, mercury, selenium, and thallium.	1 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>KANAB CREEK</b>  From Jump-up Canyon to Colorado River 15010003 – 001 12.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining DWS – Inconclusive Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/09/2003 – 05/09/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Colorado River CGKAN000.26 100577	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Lead	15 µg/L FBC and DWS	07/28/2004 – 28 µg/L	Inconclusive – 1 of 4 samples exceeded the criterion.
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	07/24/2004 – 1484 mg/L 03/07/2005 – 153 mg/L	Inconclusive – Geometric mean of all 4 SSC samples was 128, which exceeds the 80 mg/L standard. However, a minimum of 2 exceedances of the geometric mean is required to determine impairment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead and suspended sediment	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority –Collect more lead and suspended sediment concentration samples due to exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use a lower lab detection limit for selenium.	

<b>LAKE POWELL</b>  <b>14070006 – 1130</b> <b>9770 Acres (In Arizona)</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive Agl – Inconclusive AgL – Inconclusive	<b>Category 3</b>  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/32/2004 – 04/14/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Antelope Marina – 102956 Blue Notch – 103011 Bullfrog Marina – 102983 Dangling Rope Marina – 102978 Escalante Creek – 102980 Farley Canyon – 103012 Forgotten 5 – 102984 Halls Crossing Marina – 102981 Knowles 3 – 102985 Lone Rock Beach – 102974 Moqui 4 – 102982 Padre Bay – 102975 Rainbow Bridge – 102977 San Juan River – 102979 State Line – 102973 Wahweep Marina – 102972 Warm Creek Bay - 102976	USGS Special study	None	None	17 Petroleum products 17 Chlorinated hydrocarbons and other VOCs

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Missing core parameters		
MONITORING RECOMMENDATIONS		Low Priority –Collect sufficient core parameters to represent at least 3 seasons during an assessment period.	

<b>MATKATAMIBA CREEK</b>  From headwaters to Colorado River 15010002 – 935 12.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1	
		Attaining All Uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/28/2004 – 05/09/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGMAT000.03 100591	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese, and selenium	4sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2.0 µg/L A&Ww chronic	01/10/2005 – 5.6 µg/L 03/07/2005 – 6.7 µg/L 05/09/2005 – 6.1 µg/L	Attaining – Selenium contamination is entirely due to natural sources in this remote and small drainage in the Grand Canyon National Park.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium.	

<b>MONUMENT CREEK</b>  From headwaters to Colorado River 15010002 – 845 3.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining	Category 2  Attaining Some Uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/07/2003 – 05/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGMON000.19 101434	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese  2 total metals only: Selenium	4-5sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 5 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury (dissolved)	0.01 µg/L A&Ww chronic	03/04/2005 – 0.13 µg/L	Inconclusive – Only 1 exceedance during the assessment period.
Selenium	2.0 µg/L A&Ww chronic	03/04/2005 – 5.5 µg/L 05/05/2005 – 6.7 µg/L	Attaining – Selenium contamination is entirely due to natural sources in this remote and very small drainage in the Grand Canyon National Park.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	01/07/2005 – 135 mg/L	Attaining – The criterion (80 mg/L) was exceeded, but the geometric mean of all 4 samples did not exceed the standard.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional mercury samples due to the exceedance.  Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	



<b>NANKOWEAP CREEK</b>  From unnamed tributary at 361530 / 1115723 to Colorado River 15010001 – 033B 7.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/05/2003 – 05/02/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGNAN000.20 100594	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 5 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	01/05/2005 – 932 mg/L	Inconclusive – The elevated SSC occurred soon after a high flow event so could not be used in the geometric mean calculation. Insufficient samples left to calculate two geometric means and determine impairment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Suspended sediment	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional suspended sediment concentration samples due to the exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use a lower lab detection limit for selenium.	

<b>PARIA RIVER</b>  From Utah Border to Colorado River 14070007 -- 123 29.4 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Impaired FC – Attaining	Category 5  Impaired	Suspended sediment and <i>E. coli</i> bacteria	Add <i>E. coli</i> bacteria. Added suspended sediment in 2004.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/14/2000 – 04/26/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At mile 7.5 CGPAR021.57 101076	ADEQ TMDL	4-9 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc  4-9 total metals only: Boron, manganese, mercury  1 total metals only: Selenium	4-6 samples: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 9 Fluoride 4 Total dissolved solids 30 Suspended sediment concentration 9 Turbidity
Mile 15 CGPAR014.25 101075	ADEQ TMDL			
Mile 22.5 CGPAR008.41 101074	ADEQ TMDL			
Above Colorado River CGPAR001.62 100617	ADEQ Ambient			
At Lees Ferry USGS #09382000 CGPAR001.23 101447	USGS Special Study (SSC)			
At Lees Ferry CGPA000.49 101073	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	07/20/2004 – 2250 CFU/100 ml 01/31/2005 – 317 CFU/100 ml 04/26/2005 – 250 CFU/100 ml	Impaired – 3 exceedances during the assessment period. Two were above the screening value of 300 CFU/100 ml.
Lead	15 µg/L FBC	07/20/2004 – 75 µg/L 11/08/2004 – 49 µg/L 01/31/2005 – 66 µg/L	Inconclusive – 3 exceedances in 6 samples. (Requires a minimum of 5 exceedances in 20 samples to determine impairment.)
Suspended Sediment Concentration (SSC)	Geometric mean 80 mg/L A&Ww	Too many exceedances to list here. Results varied from 53 to 70,400 mg/L. 11 results were above 10,000 mg/L.	Remains impaired – 20 of 30 samples exceeded the 80 mg/L criterion. Only one result was during high flows. Geometric mean was exceeded repeatedly.
Selenium	2.0 µg/L A&Ww chronic	04/26/2005 – 14 µg/L	Inconclusive – 1 exceedance during the assessment period. Lab detection limits for all other samples were higher than A&W chronic criterion, so could not be used to determine attainment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead and selenium	All core parameters were collected		Lab detection limit for selenium was above the A&Wc chronic criterion
MONITORING RECOMMENDATIONS		High Priority – Collect <i>E. coli</i> bacteria and suspended sediment concentration samples to support TMDL development. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	
		Collect additional selenium and lead samples due to the exceedances.	
		Use a lower lab detection limit for selenium.	

<b>ROYAL ARCH CREEK</b>  From headwaters to Colorado River 15010002 – 871 5.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1	
		Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/08/2003 – 05/06/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Colorado River CGRYA000.05 100632	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 5 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2.0 µg/L A&Ww chronic	07/25/2004 – 5.1 µg/L 05/06/2005 – 6.0 µg/L	Attaining – Selenium contamination is entirely due to natural sources in this remote and small drainage in the Grand Canyon National Park.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium.	

<b>SANTA FE RESERVOIR</b>  <b>15010004 – 1340</b> <b>12 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 08/14/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam CGSAT - A 100083	ADEQ Ambient	1 total and dissolved metals: Chromium, copper, nickel, zinc. 1 total metal only: Antimony, arsenic, barium, beryllium, boron, cadmium, lead, mercury, selenium, silver	1 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	6.9 µg/L at 49 mg/L hardness A&W/c chronic	08/14/2003 – 10 µg/L	Inconclusive – Only 1 exceedance during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	Insufficient core parameters	Insufficient sampling events.	Lab detection limits for dissolved metals (cadmium, lead, and silver) and thallium were above the A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect copper samples due to the exceedance.  Collect core parameters to represent at least 3 seasons during an assessment period.  Use a lower lab detection limit for dissolved metals and thallium.  The old turbidity standard (10 NTU) was exceeded and pH was at the standard (9.05 SU), although it did not technically exceed the standard. Turbidity and high pH may be symptoms of nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	

<b>SHINUMO CREEK</b>  From unnamed tributary at 361821 / 1121803 to Colorado River 15010002 – 029B 8.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/25/2004 – 05/06/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGSHI000.05 100532	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	05/06/2005 – 500 mg/L	Inconclusive – The exceedance occurred during a high flow event, so could not be used in the geometric mean calculation. Insufficient samples left to calculate two geometric means for the assessment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Suspended sediment	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority –Collect more suspended sediment samples due to exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use a lower lab detection limit for selenium.	

<b>SPRING CANYON CREEK</b>  From headwaters to Colorado River 15010002 – 318 6.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1	
		Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/10/2003 – 05/11/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGSPG000.17 100648	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 5 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>TAPEATS CREEK</b>  From headwaters to Colorado River 15010002 – 696 12.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/26/2004 – 05/07/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Colorado River CGTAP000.08 100662	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, and zinc  4 total metals only: Boron, chromium, manganese	4-5 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 5 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	05/07/2005 – 110 mg/L	Inconclusive – The exceedance occurred during a flash flood event, so could not be used in the geometric mean calculation. Insufficient samples left to calculate two geometric means and determine impairment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Suspended sediment concentration	All core parameters were collected		Lab detection limit for selenium was above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority –Collect addition SSC data due to exceedance.  Use a lower lab detection limit for selenium.	



<b>VIRGIN RIVER</b>  From Black Rock Gulch to Sullivan's Canyon 15010010 -- 006 10.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/21/2004 – 04/27/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At I-15 rest stop CGVGR052.23 100679	ADEQ Ambient	3-4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, nickel, selenium, silver, thallium, and zinc 3-4 total and 0-1 dissolved: Boron, chromium, manganese, mercury 1 total metals only: Selenium	4 samples: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	09/21/2004 – 720 CFU/100 ml 11/09/2004 – 383 CFU/100 ml	Inconclusive – 2 exceedances during the last 3 years of monitoring; however, one occurred during high flows when bacteria are naturally elevated. More monitoring is needed to determine whether impairment is occurring.
Lead	15 µg/L FBC	11/09/2004 – 89 µg/L	Inconclusive – 1 of 4 samples exceeded criterion.
Suspended Sediment Concentration (SSC)	Geometric mean 80 mg/L A&Ww	09/21/2004 – 930 mg/L 11/09/2004 – 5383 mg/L 02/01/2005 – 330 mg/L 04/27/2005 – 2700 mg/L	Inconclusive – All 4 samples exceeded the 80 mg/L criterion. One value was during a high flow event (2700 mg/L), so could not be used to calculate the geometric mean. Insufficient samples left to calculate two geometric means and determine impairment.
Selenium	2.0 µg/L A&Ww chronic	11/09/2004 – 19.0 µg/L	Inconclusive– 1 exceedance during the assessment period. Lab detection limits for all other samples were higher than A&W chronic criterion, so could not be used to determine attainment.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria, lead, suspended sediment, and selenium	All core parameters were collected		Lab detection limits for selenium and dissolved mercury were above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority – Collect <i>E. coli</i> bacteria, lead, SSC, and selenium samples due to exceedances.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>VIRGIN RIVER</b>  <b>From Sullivan's Canyon to Beaver Dam Wash</b> <b>15010010 -- 004</b> <b>9.7 Miles</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining Agl -- Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/22/2004 – 04/27/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Littlefield, AZ CGVGR039.41 100680	ADEQ Ambient	3-4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, selenium, silver, thallium, and zinc 3-4 total and 0-1 dissolved: Boron, manganese, mercury 1 total metals only: Selenium	4 samples: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	11/10/2004 – 367 CFU/100 ml 04/27/2005 – 300 CFU/100 ml	Inconclusive – Although 2 exceedances in the last 3 years of monitoring, only 1 of them was above the screening value of 300 CFU/100 ml (other is at the screening value). ADEQ will continue to collect samples rather than list at this time.
Lead	15 µg/L FBC	11/10/2004 – 35 µg/L	Inconclusive – 1 of 4 samples exceeded criterion.
Suspended Sediment Concentration (SSC)	Geometric mean 80 mg/L A&Ww	09/22/2004 – 302 mg/L 11/10/2004 – 2900 mg/L 02/01/2005 – 313 mg/L 04/27/2005 – 4500 mg/L <sup>#</sup>	Inconclusive– All 4 samples exceeded the 80 mg/L criterion. <sup>#</sup> One value was during a high flow event (4500 mg/L), so would not be used to calculate the geometric mean. Insufficient samples left to calculate two geometric means and determine impairment.
Selenium	2.0 µg/L A&Ww chronic	11/10/2004 – 7.2 µg/L	Inconclusive– 1 exceedance during the assessment period. Lab detection limits for all other samples were higher than A&Ww chronic criterion, so could not be used to determine attainment.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead, <i>E. coli</i> bacteria, suspended sediment, and selenium	All core parameters were collected		Lab detection limits for selenium and dissolved mercury were above the A&Ww chronic criterion
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional lead, <i>E. coli</i> bacteria, SSC, and selenium samples due to exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. Use lower lab detection limits for selenium and dissolved mercury.	

<b>VIRGIN RIVER</b>  From Beaver Dam Wash to Big Bend Wash 15010010 -- 003 10.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Inconclusive FC – Attaining Agl – Inconclusive AgL -- Inconclusive	Category 5  Impaired	Suspended sediment and selenium	Added suspended sediment and selenium in 2004.

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 01/06/2000 – 08/09/2004</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Littlefield, AZ USGS #09415000 CGVGR010.18 (not in ADEQ's database)	USGS Ambient	22 dissolved metals only: Arsenic, boron, selenium	23-25 samples: Ammonia, total phosphorus, nitrate/nitrite, dissolved oxygen, pH	16 <i>E. coli</i> bacteria 22 Fluoride 22 Suspended sediment concentration 18 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Boron	1000 µg/L Agl	08/22/2000 – 1020 µg/L	Inconclusive – Only 1 exceedance. Samples were only the dissolved portion. Need total boron samples.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	03/26/2003 – 520 CFU/100 ml	Inconclusive – Only 1 exceedance in the last 3 years of monitoring.
Suspended Sediment Concentration (SSC)	Geometric mean 80 mg/L A&Ww	Too many to list here. Exceedances ranged from 83 to 5030 mg/L.	Remains impaired – 17 of 22 samples exceeded the standard. Geometric mean of 4 consecutive samples exceeded the 80 mg/L standard repeatedly.
Selenium	2.0 µg/L A&Ww chronic	08/29/2001 – 2.2 µg/L 05/20/2002 – 2.8 µg/L 08/27/2002 – 2.8 µg/L 02/26/2003 – 2.7 µg/L 05/27/2003 – 2.6 µg/L 03/02/2004 – 2.4 µg/L 06/15/2004 – 2.4 µg/L 08/09/2004 – 2.9 µg/L	Remains impaired – 8 exceedances during the assessment period.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Boron and <i>E. coli</i> bacteria	Insufficient dissolved metals (cadmium, copper, zinc), mercury, boron, manganese, copper, and lead		
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect samples to support development of selenium and suspended sediment concentration TMDLs. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. Collect additional boron and <i>E. coli</i> bacteria samples due to exceedances. Collect core parameters to represent at least 3 seasons during the assessment period.	

[This page intentionally left blank.]

# Colorado – Lower Gila Watershed

## Watershed Description

This watershed is defined by the Colorado River drainage area, from Hoover Dam at Lake Mead to the Mexico border near Yuma. It does not include the Bill Williams River drainage or the Gila River above Painted Rocks Dam. Land ownership is divided approximately as: 89% federal, 6% state, 4% tribal, and 1% private. Except for communities along the Colorado River (e.g., Yuma, Bullhead City, Lake Havasu City, Kingman), most of this 14,459 square mile watershed is sparsely populated with only 187,700 people (2000 census).

Due in part to the sparse population, six wildlife refuges and three wilderness areas have been established in this watershed, along with several military bases with live fire exercise areas. All of these have restricted land uses. Tribal and private land is primarily along the Colorado River and lower Gila River and is intensively cultivated. Open grazing occurs across the watershed.

Elevations range from 5,450 feet (above sea level) in the mountains near Lake Mohave to 80 feet along the Colorado River as it flows into Mexico. The area contains low desert fauna and flora, and support warmwater aquatic communities where perennial waters exist.

## Water Resources

Precipitation is meager, varying from 3 to 10 inches a year. Perennial water is limited to the Colorado River mainstem and its reservoirs, with irrigation return flow providing perennial flow in the Gila River near Yuma.

An estimate of surface water resources in the Colorado – Lower Gila Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.

### Estimated Surface Water Resources in the Colorado – Grand – Lower Gila Watershed


#### Excluding Tribal Lands

	Perennial	Intermittent	Ephemeral
Stream miles	375	145	13,545
	Perennial	Non-perennial	
Lake acres	36,860	0	

#### On Tribal Lands – Not Assessed

	Perennial	Intermittent	Ephemeral
Stream miles	75	0	535
	Perennial	Non-perennial	
Lake acres	245	0	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.



## Watershed Partnerships

- **Northwest Arizona Watershed Council**  
Their area is defined by three groundwater basins: Hualapai Valley (in the Colorado-Grand Canyon Watershed), Sacramento Basin (in the Colorado-Lower Gila Watershed), and Big Sandy (in the Bill Williams Basin). The council's goal is to protect and preserve water resources and educate the public about water issues related to growth and development. The council meets on the 3<sup>rd</sup> Wednesday of the month in Kingman, AZ. For information, contact Elmo Roundy (928) 757-2818 or Earl Engelhardt at (928) 692-1068 or [imspirit@kingmanaz.net](mailto:imspirit@kingmanaz.net).

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL if completed can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov)

- The Colorado River below Hoover Dam is impaired by selenium. Selenium bioaccumulates and may pose a risk to aquatic life and wildlife that prey on aquatic life (e.g., some birds). Long term monitoring below Hoover Dam will help support TMDL development. Investigations are needed to determine source loadings, especially contributions from natural background and other states (Nevada, Utah, Colorado, and upper Colorado Basin states). The TMDL is scheduled to be initiated in 2010.
- Gila River near Dome is impaired due to boron and selenium. Elevated boron can be toxic to plant growth. Selenium bioaccumulates and may pose risks to aquatic life and wildlife that prey on aquatic life. Elevated selenium and boron may be associated with the extensive irrigated agriculture in this area near Yuma. These TMDLs may be complex due to the large number of potential sources, seasonal influences, and natural background considerations.
- Painted Rocks Borrow Pit is impaired due to pesticides contamination in fish and low dissolved oxygen. This lake was closed to the public for recreational uses, including fishing, after a fish consumption advisory was issued due to pesticides in fish tissue (DDT metabolites, toxaphene, and chlordane). The pesticide TMDLs for this lake will be developed in association with the ones for several reaches of the Gila River and Painted Rock Reservoir (see TMDL discussion in the Middle Gila Watershed). It is scheduled to be initiated in 2009. A 1992 diagnostic feasibility study by ADEQ indicated that the low dissolved oxygen in the lake was due to the design and maintenance of this shallow lake. During the past several years, the lake has been dry or at best a mud hole, and further representative samples could not be collected. A TMDL will be initiated when there is sufficient water in the lake.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **The Greater Kingman Wildcat Dump Cleanup Project**  
Northwest Arizona Watershed Council (2000)  
Clean up of 18 wildcat waste dump sites in the Kingman areas to reduce potential surface and ground water contamination. The project also provided education and outreach to solicit community participation and minimize further dumping.

**Water Protection Fund Projects** – The following Water Protection Fund Projects have been awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Colorado River Indian Tribes 30 Acre Riparian Revegetation Project**  
The Colorado River Indian Tribes (2000)  
Restore 30 acres of riparian area in the Ahakhav Tribal Preserve on Deer Island. This would complement the 75 other acres restored in 1997.
- **Yuma East Wetlands Riparian Revegetation Project**  
The City of Yuma (2004)  
Restore 25 acres of critical riparian habitat along the Colorado River near Yuma.
- **Yuma East Wetlands Restoration Project**  
Quechan Indian Nation (2005)  
Restore 25 acres of riparian area, 20 acres of river channel, and 10 acres of wetland habitat.

## **Other Water Quality Studies**

### ***Water Issues of the Arizona - Mexico Border: The Santa Cruz, San Pedro, and Colorado Rivers.***

Terry W. Sprouse, University of Arizona, Water Resources Research Center (2005)

Summary of water quality and water quantity issues facing this region.

### ***Yuma East Wetlands Restoration Plan***

The Yuma East Wetlands includes 1,100 acres of riparian habitat, 148 acres of open water, 98 acres of marshland, and 20 acres of agricultural land along the Colorado River, between the Gila River and the Ocean-to-Ocean Bridge in Yuma. The plan is to restore native riparian, wetland, and aquatic habitats along the lower Colorado River and create an interpretive center and nature park for education and low impact recreation opportunities.

### ***The Clean Colorado River Alliance Report***

The Clean Colorado River Alliance (2006)

Arizona Governor Janet Napolitano commissioned this study in 2005 to identify the major issues or concerns affecting water quality in the Colorado River. This report identifies several pollutants of particular concern for the lower Colorado River: nutrients, metals, endocrine disrupting compounds, perchlorate, bacteria and pathogens, salinity/total dissolved solids, and sediment. It also describes the impacts of these pollutants, discusses current mitigation efforts to address them, and sets forth a number of recommendations.

### ***Arizona Backwater Manipulations for Endangered Fishes: Management Implications of Selenium on National Wildlife Refuges of the Lower Colorado River***

U.S Fish and Wildlife Service (Project ID 22410-1261-2N37) (2006)

Backwater lakes along the Colorado River are used to raise federally listed threatened and endangered native fish. This was a study to determine whether the bioaccumulation of selenium in these backwaters presented a danger to these species. The study documented continued selenium bioaccumulation in crayfish and fishes in 2001 to 2004, but water concentrations of selenium seem diminished in comparison to previous field studies. Fish and Wildlife Service will continue to monitor water sediment and crayfish.

### ***Status of Federal and State Listed Warm Water Fishes of the Gila River Basin, with Recommendations for Management***

Desert Fishes Team Report Number 1 (2003)

This report reviews the status of 12 federal and state listed native warm water fishes in the Gila River basin and the post 1967 recovery and conservation actions taken by all agencies, organizations, or parties.

General conclusions and recommendations:

- Six species are extirpated from the basin.
- Five species survive in less than 20% of their original range.
- The distribution and abundance of all listed species has declined since their listing and the trend is continuing.



- Although repatriation has been the primary management effort, it has occurred for only a few species and with limited success.
- Few of the recommendations in the biologically-based recovery plans have been implemented.
- Control and removal of nonnative fish species and other aquatic flora and fauna is the most urgent and overriding need in preventing the continued decline and ultimate extinction of the native fish.

***Border Crossings – Water and Wastewater at the International Boundary***

R.G. Charles Graf and Craig Tinney (ADEQ) and Tom Konner (EPA Region IX)

September/October 2005 Southwest Hydrology (2005)

This article describes the problems and progress being made in addressing water quality and wastewater infrastructure along the Mexican border with California and Arizona for seven key populations centers: San Diego/Tijuana, Tecate, Calexico/Mexicali, San Luis/San Luis Rio Colorado (Yuma area), Nogales, Naco/Bisbee, and Douglas/Agua Prieta.


## **Assessments**

The Colorado – Lower Gila Watershed is separated into the following drainage areas (subwatersheds):

15030101	Mohave -Havasui
15030103	Sacramento Wash
15030104	Imperial Reservoir
15030105	Bouse Wash
15030106	Tyson Wash
15030107	Lower Colorado
15030108	Yuma Desert
15070201	Lower Gila
15070202	Tenmile Wash
15070203	San Cristobal Wash

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).

## Colorado-Lower Gila Watershed 2006/2008 Assessment for Streams & Lakes



<b>COLORADO RIVER</b>  From Hoover Dam to Lake Mohave (below Lake Mead) 15030101 -- 015 40.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Impaired FBC – Inconclusive FC – Attaining DWS – Inconclusive Agl – Attaining AgL – Attaining	Category 5  Impaired	Selenium	Added selenium in 2004

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/12/2000 – 09/09/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below Hoover Dam USGS #09421500 CLCLR243.26 (not in ADEQ's database)	USGS Ambient	18-23 dissolved metals only: Antimony, arsenic, barium, boron, cadmium, chromium, cobalt, copper, lead, manganese, nickel, selenium, silver, uranium, and zinc	23 samples: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	23 Total dissolved solids 20 Suspended sediment concentration 9 Turbidity 7-23 Pesticides

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	04/12/2002 – 6.6 mg/L 03/20/2003 – 6.4 mg/L 06/30/2003 – 6.6 mg/L 09/04/2003 – 6.2 mg/L	Inconclusive – 4 of 23 samples were low in dissolved oxygen (binomial)
Selenium	2.0 µg/L A&Wc chronic	03/21/2000 – 3.0 µg/L 04/20/2000 – 3.0 µg/L 02/20/2001 – 2.2 µg/L 05/23/2002 – 2.5 µg/L 03/20/2003 – 2.2 µg/L 04/30/2003 – 2.3 µg/L 09/04/2003 – 2.2 µg/L 03/03/2004 – 2.3 µg/L	Remains impaired – 8 exceedances during the assessment period.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient E. coli bacteria and fluoride to assess FBC and DWS		Lab detection limit for dissolved mercury was higher than the A&W chronic criterion.
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect selenium samples to support TMDL development.  Collect additional dissolved oxygen samples due to the low readings  Collect core parameters to represent at least 3 seasons during an assessment period.  Use a lower lab detection limit for dissolved mercury.	

<b>COLORADO RIVER</b>  <b>From Bill Williams River to Osborne Wash</b> <b>15030104 -- 020</b> <b>13.4 Miles</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining DWS -- Attaining Agl – Attaining AgL – Attaining	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/24/2000 – 08/26/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Parker Dam USGS #09427520 CLCLR195.22 100742	USGS Ambient	17-29 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	19-20 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	17 <i>E. coli</i> bacteria 20 Fluoride 20 Total dissolved solids 19 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2.0 µg/L A&Ww chronic	10/01/2003 – 3 µg/L	Inconclusive – Only 1 exceedance during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	Collected all core parameters		Lab detection limit for dissolved mercury was higher than the A&W chronic criterion.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional selenium samples due to the exceedance.  Use a lower lab detection limit for dissolved mercury.	

<b>COLORADO RIVER</b>  From Imperial Dam to Gila River 15030107 -- 003 15.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS -- Attaining AgI – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/26/2000 – 08/25/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Imperial Dam USGS # 09429490 CLCLR048.36 100752	USGS Ambient	12-19 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	12-19 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	11 <i>E. coli</i> bacteria 19 Fluoride 19 Total dissolved solids 19 Suspended sediment concentration 18 Turbidity 5 Pesticides

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	08/21/2003 – 5.0 mg/L 08/25/2004 – 5.7 mg/L	Attaining – Only 2 low dissolved oxygen measurements in 18 visits (binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for dissolved mercury was higher than the A&W chronic criterion.
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for dissolved mercury.	

<b>COLORADO RIVER</b>  From Main Canal to Mexico border 15030107 -- 001 32.2 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Selenium and low dissolved oxygen	Add selenium and dissolved oxygen to the 303(d) List

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/24/2000 – 08/26/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Morelos Dam USGS # 09422000 CLCLR023.30 100744	USGS Ambient	19-30 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	19-30 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	19 <i>E. coli</i> bacteria 30 Fluoride 30 Total dissolved solids 30 Suspended sediment concentration 21 Turbidity 16 Pesticides 3-4 Radiochemicals

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
DDE (dissolved)	0.001 µg/L -- Agl, AgL, FC 0.02 µg/L -- A&Ww chronic 0.1 µg/L – DWS	07/25/2001 – 0.24 µg/L	Inconclusive – Only 1 exceedance of the chronic standard during the assessment period. Only 1 in 16 samples exceeded other standards (binomial).
Diphthalate (dissolved)	0.0001 µg/L – FC 0.002 µg/L – DWS and A&Ww chronic 0.09 µg/L – FBC	07/25/2001 – 0.32 µg/L	Inconclusive – Only 1 exceedance of chronic standard during the assessment period.
Dissolved oxygen	6.0 mg/L A&Ww	06/21/2001 – 5.0 mg/L 07/24/2001 – 5.2 mg/L 08/23/2001 – 5.6 mg/L 08/27/2002 – 5.3 mg/L 07/29/2003 – 5.3 mg/L 08/19/2003 – 5.0 mg/L 08/24/2004 – 5.4 mg/L	Impaired – 7 of 30 samples exceeded standards (binomial).
Alpha Hexachlorocyclohexane	0.006 µg/L – DWS 0.01 µg/L – FC 0.22 µg/L – FBC	07/25/2001 – 0.31 µg/L	Attaining – Only 1 exceedance in 13 samples exceeded standards (binomial)
Gamma Hexachlorocyclohexane (Lindane)	0.2 µg/L – DWS 0.28 µg/L – A&Ww chronic	07/25/2001 – 0.42 µg/L	Inconclusive – Only 1 exceedance during the assessment period.
Mercury (dissolved)	0.01 µg/L A&Ww chronic	08/19/2003 – 0.3 µg/L	Inconclusive – Only 1 exceedance during the assessment period. The lab detection limit on all other mercury samples was above the chronic standard, so they could not be used to determine attainment.

Mercury (dissolved)	0.01 µg/L A&W/w chronic	08/19/2003 – 0.3 µg/L	Inconclusive – Only 1 exceedance during the assessment period.
Selenium	2.0 µg/L A&W/w chronic	05/20 2003 – 3.0 µg/L 08/19/2003 – 3.0 µg/L 08/24/2004 – 2.5 µg/L	Impaired – 3 exceedances during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
DDE, diphthalate, Gamma hexachlorocyclohexane, and mercury	Collected all core parameters		Lab detection limit for dissolved mercury was higher than the A&W chronic criterion.
MONITORING RECOMMENDATIONS		<p>High Priority – Collect samples to support dissolved oxygen and selenium TMDLs.</p> <p>Collect additional DDE, diphthalate, Gamma hexachlorocyclohexane, and mercury samples due to the exceedances.</p> <p>Use a lower lab detection limit for dissolved mercury.</p>	

<b>GILA RIVER</b>  From Coyote Wash to Fortuna Wash 15070201 -- 003 28.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining Agl – Impaired AgL – Attaining	Category 5  Impaired	Boron, selenium	Added boron and selenium in 2004

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/16/2000 – 05/18/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Dome, AZ CLGLR010.53 100455	ADEQ and USGS Ambient	8-22 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, mercury, nickel, selenium, thallium, and zinc. 22 total metals only: Boron and manganese	21-22 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	17 <i>E. coli</i> bacteria 22 Fluoride 18 Total dissolved solids 11 Suspended sediment concentration 22 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Boron	1000 µg/L Agl	02/16/2000 – 1200 µg/L 03/21/2000 – 1500 µg/L 11/01/2001 – 1200 µg/L 05/21/2003 – 1100 µg/L 02/18/2004 – 1100 µg/L 04/23/2004 – 1700 µg/L	Remains impaired – 6 exceedances in 22 samples (binomial).
Dissolved oxygen	6.0 mg/L A&Ww	09/21/2000 – 3.2 mg/L 05/31/2001 – 5.2 mg/L 09/15/2001 – 3.4 mg/L 08/20/2002 – 3.5 mg/L	Inconclusive – 4 low dissolved oxygen measurements in 22 samples (Binomial method requires a minimum of 5 exceedances to be assessed as impaired.)
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	02/22/2005 – 290 CFU/100 ml	Inconclusive – Only 1 exceedance in the last 3 years. Lab result did not exceed the screening value (300 CFU/100 ml).
Selenium	2.0 µg/L A&Ww chronic	03/21/2000 -- 5.4 µg/L	Remains impaired – Only 1 exceedance during the assessment period. The lab detection limit for all other samples was above the A&Ww chronic criterion, so they could not be used to determine attainment.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen and <i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&Ww chronic criteria in at least 17 samples.
MONITORING RECOMMENDATIONS		Medium Priority – Collect samples to support boron and selenium TMDL development. Collect dissolved oxygen and <i>E. coli</i> samples due to exceedances. Use a lower lab detection limit for selenium and dissolved mercury.	



<b>HUNTER'S HOLE</b> (Colorado River backwater)  15030108 -- 0660 15 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/08/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid lake CLHUN - B 102548	AGFD Ambient	1 total metals only: Chromium, copper, lead, manganese, mercury, selenium	1 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen	1 Fluoride 1 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	20 µg/L A&Ww acute	09/08/2000 – 22 µg/L	Inconclusive – Only 1 exceedance in last 3 years of monitoring. Magnitude of the exceedance should be noted.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	Insufficient core parameters	Insufficient sampling events.	Lab detection limit for total mercury was higher than the FC criterion.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional selenium samples due to the exceedance.  Collect sufficient core parameters to represent at least 3 seasons during an assessment period.  Use a lower lab detection limit for mercury.	

<b>LAKE HAVASU</b>  <b>15030101 -- 0590</b> <b>19,780 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Inconclusive Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 03/03/2000 – 09/09/2004</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		<b>Metals</b>	<b>Nutrients – Related</b>	<b>Other</b>
Bass Bay - 102349 Body Beach – 100123 East State Beach – 100124 Nautical Beach – 100152 North Channel – 100168 Pilot Rock – 100157 South Channel – 100164 West State Beach – 100171 Bighorn Point – 102350 Cattail Cove – 102351 Crazy Horse Beach – 102352 Friendly Island – 102353 Frog Point – 120354 North Rotary Beach - 100123 Partners Point – 102355 Rocky Landing – 102368 Sandpoint Marina – 102356 Satellite Cove – 102357 Solitude Cove – 102358 South Rotary Beach – 100121 Standard Wash Cove – 102359 Steamboat Cove – 102360 Three Dunes Cove – 102361 Up river – 102362 Windsor #4 – 102364 Windsor Cove – 102363 Wren Cove – 102349	Mohave County Health Dept Beach Monitoring ( <i>E. coli</i> bacteria)	14-33 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc  9 total metals only: Thallium	29-33 samples: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen 32 Dissolved oxygen 33 pH	1285 <i>E. coli</i> bacteria 34 Fluoride 31 Total dissolved solids 36 Turbidity
Body Beach – 100132 Cattail Cove – 100124 Crazy Horse Cove – 100139 London Bridge – 100150 Middle Rotary Beach - 100122 Nautical Cove – 100151 North Rotary Beach - 100123 South Channel – 100164 South Rotary Beach - 100121 Windsor Beach – 100130 Off Windsor Beach - 100155	ADEQ Ambient ( <i>E. coli</i> bacteria and field measurements)			
Parker Dam - 100098 At Colorado River – 100101 Mid Lake – 100102 Mid Thompson Bay – 100170 Site C – 100099	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml	<u>East State Beach Shoreline</u> 05/17/2000 – GT 2000 CFU/100 ml 05/24/2000 – 1470 CFU/100 ml <u>Crazy Horse Beach</u> 05/17/2000 – 340 CFU/100 ml <u>Up River</u> 05/19/2000 – GT 2000 CFU/100 ml <u>West State Beach Shore</u> 05/24/2000 – 1040 CFU/100 ml <u>Windsor Cove</u> 05/24/2000 – 260 CFU/100 ml <u>Nautical Beach</u> 07/18/2000 – GT 2395 CFU/100 ml <u>Bass Bay</u> 08/31/2000 – 368 CFU/100 ml <u>Windsor #4</u> 06/21/2001 – 240 CFU/100 ml <u>Standard Wash Cove</u> 05/23/2002 – 501 CFU/100 ml	Inconclusive – Two exceedances at one beach, but none at that beach in the last 3 years of monitoring. Only 1 exceedance at 8 other sites. Note that only 2 exceedances occurred after 2000, and they were at different beaches. (See additional discussion below.) 99.99% of samples attained the <i>E. coli</i> standard.
Mercury (dissolved)	0.01 µg/L – A&Ww chronic 0.6 µg/L – FC	11/28/2001 – 0.8 µg/L (at 2 sites on that date)	Inconclusive – For A&Ww assessment, only 1 exceedance during the assessment period.  -- For FC assessment, only 1 of 5 sampling events with an exceedance (2 of 8 samples, as exceedance occurred at 2 sites on the same date) (binomial).
Selenium	2.0 µg/L A&Ww chronic	05/08/2001 – 4 µg/L 09/30/2003 – 3 µg/L	Inconclusive – 2 exceedances in a 3 year period; however, both exceedances occurred near the lab detection limit (2 µg/L). Will continue to monitor selenium levels.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury and selenium	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria in at least 9 samples.
<b><i>ESCHERICHIA COLI</i> BACTERIA EXCEEDANCES</b>		Because of the size of this reservoir, ADEQ assesses the bacteria exceedances at each site separately, rather than combining all exceedances.	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Continue bacterial monitoring at beaches.  Collect additional mercury and selenium samples. (Note that the Colorado River is impaired based on selenium in upstream reaches.)  Use lower lab detection limits for selenium and dissolved mercury.	

<b>LAKE MOHAVE</b>  15030101 -- 0960 27,045 Acres (Arizona side)	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 04/03/2003 – 10/29/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Davis dam CLMOH - A 100030	ADEQ Ambient	3 total and 3 dissolved metals: Cadmium, chromium, copper, lead, nickel, silver, and zinc  3 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron, manganese, mercury, selenium, and thallium	3 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2.0 µg/L A&Wc chronic	10/01/2003 – 3 µg/L	Inconclusive – Only 1 exceedance during the assessment period.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	Insufficient <i>E. coli</i> bacteria samples to assess FBC.		Lab detection limit for dissolved mercury was higher than the A&W chronic criterion.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional selenium samples due to the exceedance.  Collect sufficient core parameters to represent at least 3 seasons during the assessment period.  Use a lower lab detection limit for dissolved mercury.	

<b>MARTINEZ LAKE</b>  15030104 -- 0880 600 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/22/2002 – 06/10/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid Lake CLMAZ - A 101790	ADEQ Ambient	3 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	3 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, pH 2 Dissolved oxygen	3 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for dissolved mercury was below the A&W chronic criterion.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for dissolved mercury.	

<b>MITTRY LAKE</b>  <b>15030107 -- 0950</b> <b>385 acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 06/10/2003 – 08/22/2002		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam CLMIT - A 100030	ADEQ Ambient	3 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium copper, lead, manganese, mercury, nickel, selenium, silver, thallium and zinc	2 sample: Ammonia, total nitrogen, total phosphorus, nitrate/nitrite, total Kjeldahl nitrogen 3 Dissolved oxygen, pH	3 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Need dissolved metals (cadmium, copper, and zinc), mercury, fluoride, arsenic, chromium, lead, boron, manganese, and copper to assess A&Ww, FC, DWS, AgI, and AgL.		Lab detection limit for dissolved mercury was higher than the A&W chronic criterion.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect sufficient core parameters to represent at least 3 seasons during the assessment period.  Use a lower lab detection limit for dissolved mercury.	

<b>PAINTED ROCK BORROW PIT LAKE</b>  15070201 -- 1010 185 Acres	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Ww – Impaired FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 5  Impaired	Low dissolved oxygen	Dissolved oxygen listed in 1992.
	E P A	FC – Impaired	Category 5  Impaired	DDT metabolites, toxaphene, and chlordane	EPA relisted pesticides in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/21/2000 – 04/10/2001 (dry or nearly dry since)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid lake CLPRL - B 100050	USFWS for Corp of Engineers Ambient	1 total metals: Arsenic, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, silver, and zinc	2 samples: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen 5 Dissolved oxygen, pH	1 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	05/10/2000 – 3.0 mg/L 06/13/2000 – 3.4 mg/L	Remains impaired – 2 exceedances in 5 sampling events. Insufficient water in the lake since 2000 to monitor.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters		Lab detection limit for selenium was higher than the A&W chronic criterion.
DISCUSSION OF PESTICIDE IMPAIRMENT		Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 supports continuation of the fish consumption advisories.</li> <li>Fish consumption advisories for pesticides in effect since 1991.</li> </ul>	
MONITORING RECOMMENDATIONS		High Priority – Collect pesticide and dissolved oxygen samples to support TMDL development. (Must wait for lake to refill and stabilize. Has been dry for several years due to the extended drought.)  Collect sufficient core parameters to represent at least three seasons during an assessment period.  Use a lower lab detection limit for selenium.	

[This page intentionally left blank.]



# Little Colorado River Watershed

## Watershed Description

This watershed is defined by the Little Colorado River, from its headwaters to the Colorado River, and tributaries to the San Juan River which flow into north and east into New Mexico and Utah. This area contains horizontally stratified sandstone and limestone which have eroded to form canyon and plateaus. In a few areas, igneous rocks have deposited on sedimentary formations due to volcanic activity. Natural erosion can be easily increased by human activities in such locations.

Land ownership is divided approximately as: 60% tribal, 12% federal, 12% private, 6% state. This 26,794 square mile watershed is sparsely populated outside of Flagstaff, with 236,500 people (including Flagstaff) (2000 census). Land use is primarily open grazing, forestry, recreation, and mining. The area contains four national monuments, four wilderness areas, and two national forests with varying levels of use restrictions.

Elevations range from 12,600 feet (above sea level) at Humphrey's Peak near Flagstaff to 2,700 feet near the Colorado River. However, most of the watershed is above 5000 feet elevation, with desert highlands flora and fauna, and coldwater aquatic communities where perennial waters exist.

## Water Resources

The climate provides approximately 10 inches of rain and 15 to 20 inches of snow yearly. Snow melt has been a primary source of water for this region. The flow on the Little Colorado River is "interrupted" (stretches of perennial, intermittent, and ephemeral flow). Perennial flow is generally limited to headwaters streams.

An estimate of surface water resources in the Little Colorado Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.

**Estimated Surface Water Resources in the Little Colorado Watershed**


	Perennial	Intermittent	Ephemeral
Stream miles	640	1,655	9,635
	Perennial	Non-perennial	
Lake acres	16,050	6,830	

On Tribal Lands – Not assessed

	Perennial	Intermittent	Ephemeral
Stream miles	305	170	15,310
	Perennial	Non-perennial	
Lake acres	5,295	118	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.

## Little Colorado/San Juan Watershed



## Watershed Partnerships

- **Little Colorado River Watershed Coordinating Council**

This council looks at water quality and quantity issues across an immense watershed covering nearly 27,000 square miles that includes parts of New Mexico. They coordinate and encourage efforts by the smaller subwatershed listed below. The council meets in Holbrook or Winslow for quarterly meetings. For information contact: Ronald Smith, Project Director, at (928) 367-335 or [rsmith@whitemtns.com](mailto:rsmith@whitemtns.com); Jim Boles, Chair, 928-298-2422; or Larry Winn, Vice Chair, 505-879-3060.

The following subwatersheds groups are also meeting and working on projects:

- Show Low Creek Group – Tom Thomas at (928) 368-8885, [tthomas@ci.pinetop-lakeside.az.us](mailto:tthomas@ci.pinetop-lakeside.az.us);
- Silver Creek Advisory Commission – Ron Solomon, (928) 536-7366, [ron@tayloraz.org](mailto:ron@tayloraz.org); or Kerry Ballard, (928) 536-2539;
- Upper Little Colorado River Partnership (above Lyman Lake) – Bill Greenwood, (928) 333-4128 x226, [bgreenwood@eagar.com](mailto:bgreenwood@eagar.com).

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL if completed can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov)

- Nutrioso Creek is impaired by suspended sediment (turbidity).  
A TMDL was completed in 2000. Field investigations found that historic grazing and some forestry practices had contributed to a loss of riparian vegetation and stream entrenchment. Healthy riparian areas are needed to stabilize stream banks and dissipate stream energy during high flow events. Stream entrenchment causes a loss of flood plain, which leads to further increased stream velocity and related shear stress during higher flows. The silty-organic clay soils in this area are highly susceptible to water transport. The TMDL identified a variety of management practices to improve cattle grazing and forestry practices. Several of these have been implemented and effectiveness monitoring is ongoing.
- Rainbow Lake is impaired by nutrient loadings, high pH, and low dissolved oxygen.  
Excess nutrients can lead to high pH and low dissolved oxygen, algal blooms and even fish kills. A nutrient TMDL was approved in 2000. Nutrient load reductions were assigned to several sources to achieve water quality standards:
  - Septic systems – 75% reduction in nitrogen loading,
  - Runoff (residential, commercial, agricultural, and forests) – 50% reductions in nitrogen and phosphorus loadings
  - Macrophyte (aquatic plant) decomposition – 50% reductions in nitrogen and phosphorus loadingsADEQ is working with landowners and other interested stakeholders to implement strategies identified in the TMDL to achieve water quality standards. Further monitoring is scheduled to determine whether these strategies have been successful.
- The Little Colorado River near Springerville is impaired by suspended sediment (turbidity).  
Suspended sediment which causes high turbidity readings represents a risk to aquatic life. A turbidity/suspended sediment TMDL was completed in 2002. The investigation indicated that sediment loadings actually start upstream of these segments. The main cause of the suspended sediments is loss of vegetative cover due to historic grazing practices. Loss of vegetation, especially in the riparian area, allows increased runoff, soil erosion, and bank destabilization. Effective management strategies include increasing riparian vegetation, stream bank stabilization, maintenance of flood plains, and minimization of the impact of cattle in the general area. ADEQ has been working with landowners and other interested stakeholders to implement strategies to reduce sediment transport in the Little Colorado River. Further monitoring to determine the effectiveness of implemented strategies is ongoing.

- The Little Colorado River near Joseph City is impaired due to copper, silver, and suspended sediment concentration (SSC). These pollutants pose a risk to aquatic life and wildlife. Further monitoring is needed to identify sources in this drainage area. TMDLs will be initiated in 2007.
- The Little Colorado River near Woodruff is impaired due to *E. coli* bacteria and suspended sediment. *Escherichia coli* contamination presents a significant public health concern if people are swimming or even wading in the water. A bacteria TMDL will be initiated in 2007. Monitoring for the sediment TMDL will occur in conjunction with monitoring for the other TMDLs on the Little Colorado River.
- Lakes in the Lake Mary region near Flagstaff are impaired by mercury: Upper Lake Mary, Lower Lake Mary, Lower Long Lake, Soldiers Lake, and Soldiers Annex Lake. Fish consumption advisories have been issued at each of these lakes because consumption of mercury poses risks to humans who eat the fish. Mercury also poses risks to other animals that prey on the fish.

A draft model development report for the Lake Mary region (Malcolm Pirnie, 2006) indicates that mercury is from indirect sources such as: air deposition to the lake and to the watershed (transported to the lakes via runoff), ground water, and natural background. Several remediation scenarios were evaluated using the model: lake aeration, sediment dredging, watershed load reduction, lake level management, and fisheries management. This analysis indicated that reduction of water column concentrations would require reductions in atmospheric loads directly and by reducing soil erosion in the watershed. A draft TMDL should be completed in 2006.

- Lyman Lake (near Springerville) is also impaired by mercury. A fish consumption advisory has been issued at this lake because consumption of mercury poses risks to humans who eat the fish. Mercury also poses risks to other animals that prey on the fish.
- Bear Canyon Lake is impaired by low pH (alkaline conditions) Low pH conditions can negatively impact most designated uses (swimming, aquatic life, agriculture). A TMDL is scheduled and will investigate whether sources of this water quality problem.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **EC Bar Ranch Turbidity Reduction Projects**  
EC Bar Ranch (2000, 2001, 2002, 2003, 2004, and 2005)  
Restore riparian conditions by exclude cattle from riparian areas and provide alternative water sources for cattle. This should result in stream bank stabilization and reductions in sediment loading to Nutrioso Creek.
- **Rogers Ranch Turbidity Reduction Project**  
Rogers Ranch (2000)  
Restore riparian vegetation and stream bank stability by excluding cattle from riparian areas and providing alternative water sources along Nutrioso Creek.
- **Big Ditch Water Quality Improvement Project**  
The Town of Eager (2000)  
Line “Big Ditch”, an irrigation canal, to reduce leakage and improve riparian growth.
- **Murray Basin – Saffel Canyon Phase II Project**  
The Apache Sitgreaves National Forest (2001)  
Restore stream channels to their natural form and function on two severely degraded tributaries to Nutrioso Creek. Project includes realigning and regrading roads, obliterated some roads, and revegetated some disturbed sites in the Apache Sitgreaves National Forest.
- **Overgaard Townsite Water Protection Project**

The Overgaard Domestic Wastewater Improvement District (2001, 2004)  
Connect 20 homes to a 10,000 gallon septic tank and leach field to protect public health and underlying aquifers and nearby streams.

- **Greenwood Sediment Reduction Project**

The Apache Sitgreaves National Forest (2001)

Reconstruct and realign forest roads to reduce sediment contributions to Nutrioso Creek. Erosion stabilization techniques were applied to control active head-cutting and bank erosion caused by roads.

- **Best Management Practices for Wastewater Treatment at Tolani Lake Project**

The Navajo Nation (2001)

Develop a modern wastewater lagoon system and constructed wetland at Tolani Lake. The project was used to teach and promote best management practices associated with the operation and maintenance of wastewater systems, including effluent reuse.

- **Juan Curley Project**

The Navajo Nation (2004)

Develop and implement a grazing management plan for a 270 acre Navajo allotment. The plan is to identify strategies to reduce stream bank and gully erosion.

- **Hell's Hole Spring Development Project**

Apache-Sitgreaves National Forest (2003)

Improve water quality, wetland function, and water capacity at the following springs: Yellow Bull, Upper Linden, Coyote, and Miner.

**Water Protection Fund Projects** – The following Water Protection Fund Projects have been awarded by the Arizona Department of Water Resources. Information about these funds or projects can be obtained from ADWR at: <http://www.azwater.gov>.

- **Murray Basin – Saffel Canyon Phase II Project**

The Apache-Sitgreaves National Forest (2000)

Restore stream channels to their natural form and function on two severely degraded tributaries to Nutrioso Creek. The Forest Service also realigned and regraded roads, obliterated some roads, and revegetated some disturbed sites.

- **Pueblo Colorado Wash Project**

Hubbell Trading Post Natural Site (2000)

Continue the riparian area restoration of Pueblo Colorado Wash. This project was first funded in 1997 and has been successful in reestablishing the natural sinuosity of the channel, function of the riparian area, and natural vegetative communities in the area.

- **Hubbell Trading Post Riparian Restoration using Treated Effluent Project**

Hubbell Trading Post Natural Site (2000)

In conjunction with the project above, develop a distributions system to use secondary treated effluent to irrigate four acres of flood plain while reestablishing native vegetation in this riparian area.

- **Lake Mary Watershed Streams Restoration Project**

Northern Arizona University (2000)

Reduce sedimentation in tributaries to both Upper and Lower Lake Mary. The project will modify stream channels, revegetate riparian areas, and where possible, relocate roads further from the tributaries.

- **Upper Fairchild Draw Riparian Restoration Project**

Apache Sitgreaves National Forest (2000)

Build an 8-foot high fence to enclose grazing wildlife from a 14 acre wet meadow and plant willows within the enclosure. This work is to reduce detrimental grazing, improve riparian conditions in this headwater to Willow Creek, and therefore, reduce sediment loadings.

- **Round Valley Water Users Project**  
Town of Eagar and Round Valley Water Users Association Project (2000)  
Study water losses due to current irrigation delivery system and feasibility of a more efficient system. Reductions in water losses are expected to encourage riparian area growth and therefore water quality in the Little Colorado River.
- **Polacca Wash Grazing Management Project**  
The Hope Tribe (2000)  
Exclude livestock from riparian areas and revegetate using native plants along portions of Polacca Wash.
- **Wet Meadows – A Riparian Restoration Project**  
The National Wild Turkey Federation (2003)  
Fence off wildlife from five wet meadows in the Apache Sitgreaves National Forest.
- **Wilkins’ Little Colorado River Riparian Enhancement Project**  
Ranchers (2003)  
In collaboration with Arizona Game and Fish Department, revegetate using native plants, stabilize ¾ mile of stream banks, and create better wildlife habitat along the Little Colorado River near Springerville.
- **Diamond X Ranch Riparian Enhancement Project**  
Diamond X Ranch (2004)  
Revegetate and improve riparian conditions along the Little Colorado River to reduce sediment loading.
- **EC Bar Ranch Well and Drinker Project**  
EC Bar Ranch (2004)  
Develop alternative water sources to minimize livestock and wildlife use of a fragile riparian area along Nutrioso Creek.

## Other Water Quality Studies

- ***Bathymetric Study of Northern Arizona Lakes – Draft Final Report***  
Paul Gremillion and Cristina Piastrini, Northern Arizona University (2005)  
Bathymetric maps of the following lakes were created to support the development of Total maximum Daily Loads for mercury and other water quality studies: Ashurst Lake, Kinnikinick Lake, Long Lake, Lower Lake Mary, Upper Lake Mary, Soldier Lake, and Soldier Annex Lake. Along with the maps, tables of surface area and volume versus storage were developed for these seven lakes.
- ***Upper Little Colorado River Concept Plan – A Road Map and Resource Guide to Riparian Enhancement for Private Landowners***  
Tom Moody, Ruth Valencia, Kelly Wirtanen, and Mark Wirtanen, Northern Arizona University, College of Engineering and Technology, Dept of Civil and Environmental Engineering (2001)  
This report provides information to the riverside landowner for the management of their private lands. It describes fundamental characteristics of a stream and its riparian community and recommends specific practices to reduce bank erosion and channel incision, and improve riparian condition, fishery habitat, livestock watering, and water diversions. The plan also provides information about regulatory permits necessary to conduct projects in and along the riparian corridor and a set of potential funding sources for stream enhancement projects.
- ***Generalized Hydrogeology and Ground Water Budget for the C Aquifer, Little Colorado River Basin and Parts of the Verde and Salt River Basins, Arizona and New Mexico***  
Robert J. Hart, John J. Ward, Donald J. Bills, and Marilyn E. Flynn – U.S.G.S.(2002)

This report discusses the hydrogeology, structural controls, aquifers, ground water movement and development, interaction of ground water and surface water, and ground water budget components for the C aquifer. The C aquifer covers more than 27,000 square miles and is the most productive aquifer in the Little Colorado River Watershed. It has a direct hydraulic connection to the Little Colorado River in some places, especially at spring discharges in the lower 13 miles (just above the Colorado River confluence). Ground water pumpage from the C aquifer during 1995 was about 140,000 acre-feet. Discharge from the C aquifer is estimated to be 319,000 acre-feet/year, with downward leakage to limestones accounting for most of the total discharge.

- ***Ground Water, Surface Water, and Water Chemistry Data, Black Mesa Area, Northeastern Arizona 2000-2001, and Performance and Sensitivity of the 1988 USGS Numerical Model of the N Aquifer***  
 Blakemore E. Thomas – U.S. Geological Survey, in cooperation with the Arizona Dept of Water Resources and Bureau of Indian Affairs (2002)  
 The N aquifer is the major source of water in the 5,400 square mile Black Mesa area in northeastern Arizona. Since 1971, monitoring has been designed to determine the long term effects of ground water withdrawals from the N aquifer for industrial and municipal uses. During the past 10 years, total withdrawals increased at an average rate of about 3% per year. Water levels in 33 wells dropped an average of 17 feet during the past 35 years (ranging 169-foot drop to 10-foot increase). Long-term effects of pumping on surface waters could not be measured. No significant trend in the annual average discharges for Moenkopi Wash and Laguna Creek, while median winter flows for Dinnebito Wash and Polacca Wash have decreased during the last 6 years.
- ***Ground Water, Surface Water, and Water Chemistry Data, Black Mesa Area, Northeastern Arizona 2001-2002***  
 Blakemore E. Thomas – U.S. Geological Survey, in cooperation with the Arizona Dept of Water Resources and Bureau of Indian Affairs (2002)  
 This is a continuation of study above.
- ***Ground Water, Surface Water, and Water Chemistry Data, Black Mesa Area, Northeastern Arizona 2001-2002***  
 Blakemore E. Thomas – U.S. Geological Survey, in cooperation with the Arizona Dept of Water Resources and Bureau of Indian Affairs (2003)  
 This is a continuation of study above.
- ***Ground Water, Surface Water, and Water Chemistry Data, Black Mesa Area, Northeastern Arizona 2002-2003***  
 Blakemore E. Thomas – U.S. Geological Survey, in cooperation with the Arizona Dept of Water Resources and Bureau of Indian Affairs (2004)  
 This is a continuation of study above.
- ***Ground Water, Surface Water, and Water Chemistry Data, Black Mesa Area, Northeastern Arizona 2003-2004***  
 Blakemore E. Thomas – U.S. Geological Survey, in cooperation with the Arizona Dept of Water Resources and Bureau of Indian Affairs (2005)  
 This is a continuation of study above.
- ***Hydrology of the D Aquifer and Movement and Ages of Ground Water Determined from Geochemical and Isotopic Analyses, Black Mesa Area, Northeastern Arizona.***  
 Margot Truini and Steve A. Longworth, U.S. Geological Survey, in cooperation with the Bureau of Indian Affairs (2003)  
 Water samples from the D aquifer contain higher concentrations of dissolved solids than samples from the N aquifer; therefore, the Navajo Nation and the Hopi Tribe in Black Mesa are concerned about leakage from the overlying D aquifer into the N aquifer which is their primary source of potable water. The study found that leakage is most likely to occur in the southern part of Black Mesa.

- ***Water Quality Data form Navajo National Monument, Northeastern Arizona 2001-2002***  
Blakemore E. Thomas – U.S.G.S., in cooperation with the National Park Service (2003)  
Water samples were collected from two springs and one well near Betatakin ruin, one spring near Keet Seel Ruin, and one spring and one stream near Inscription House Ruin in 2001 and 2002. Water from all sites is from the N aquifer.
- ***Water Quality Data for Walnut Canyon and Wupatki National Monuments, Arizona 2001-02***  
Blakemore E. Thomas, U.S. Geological Survey in cooperation with the National Park Service (2003)  
Water quality data were collected from Cherry Canyon seep in Walnut Canyon, the Walnut Canyon headquarters well, Heiser Spring in Wupatki, and from the Little Colorado River at the edge of Wupatki to provide baseline water quality information.

## Assessments


The Little Colorado River Watershed can be separated into the following drainage areas (subwatersheds):

14080105	La Plata River Drainage Area (Tribal Land – Not assessed)
14080106	Charco River Drainage Area (Tribal Land – Not assessed)
14080201	Cottonwood Creek Drainage Area (Tribal Land – Not assessed)
14080204	Chinle Wash Drainage Area (Tribal Land – Not assessed)
14080205	Oljeto Wash Drainage Area (Tribal Land – Not assessed)
15020001	Little Colorado River Headwaters Drainage Area
15020002	Upper Little Colorado River Drainage Area
15020003	Carrizo Wash Drainage Area
15020004	Zuni River Drainage Area
15020005	Silver Creek Drainage Area
15020006	Upper Puerco River Drainage Area (Tribal Land – Not assessed)
15020007	Lower Puerco River Drainage Area
15020008	Middle Little Colorado River Drainage Area
15020009	Wide Ruin Wash Drainage Area
15020010	Chevelon Canyon Drainage Area
15020011	Puerco Colorado Wash Drainage Area
15020012	Oraibi Wash Drainage Area (Tribal Land – Not assessed)
15020013	Polacca Wash Drainage Area (Tribal Land – Not assessed)
15020014	Jadito Wash Drainage Area (Tribal Land – Not assessed)
15020015	Canyon Diablo Drainage Area
15020016	Lower Little Colorado River Drainage Area
15020017	Dinnebito Wash Drainage Area (Tribal Land – Not assessed)
15020018	Moenkopi Wash Drainage Area (Tribal Land – Not assessed)

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).



# Little Colorado/San Juan Watershed 2006/2008 Assessment for Streams & Lakes



<b>ASHURST LAKE</b>  15020015 -- 0090 200 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining Agl -- Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/16/2000 – 04/13/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCASH - A 100973	ADEQ Ambient	4-5 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc	5-8 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 7 Fluoride 7 Total dissolved solids 5 Turbidity
Mid Lake LCASH – B 101294	ADEQ Ambient			
Boat Ramp LCASH – BR 101327	ADEQ Ambient (bacteria only)	7 total and 4 dissolved: Mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	09/09/2004 – 6.1 mg/L	Inconclusive – Low dissolved oxygen in 1 of 7 sampling events (1 of 9 samples) (binomial).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient dissolved metals (cadmium, copper and zinc) to assess A&Wc.		The lab detection limits for dissolved cadmium, copper, lead, mercury, and silver and total selenium were higher than the chronic A&W criteria for at least one sample.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional dissolved oxygen due to the exceedance. Note that the old turbidity standard (10 NTU) was exceeded in 5 of 5 samples. Turbidity and low dissolved oxygen may be symptoms of excess nutrient loadings. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for dissolved metals and selenium.	

<b>BABBIT SPRING WASH</b>  From headwaters to Upper Lake Mary 15020015 -- 210 2.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/10/2003 – 04/07/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Upper Lake Mary LCBBS000.02 102344	ADEQ TMDL	4 total and 4 dissolved metals: Mercury 2 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc.	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen. 3-4: Dissolved oxygen, pH	4 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury (dissolved)	0.01 µg/L A&Wc chronic	09/10/2003 – 0.013 µg/L	Inconclusive – Only 1 exceedance during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Insufficient dissolved metals (cadmium, copper, and zinc) and <i>E. coli</i> bacteria samples to assess A&W and FBC.	Insufficient sampling events	Lab detection limits for dissolved cadmium, copper, lead, and silver were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Mercury Priority –Collect mercury samples due to the exceedance.  Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for dissolved metals.	

<b>BARBERSHOP CANYON CREEK</b>  From headwaters to East Clear Creek 15020008 - 537 10.2 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/20/2000 – 07/31/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Merritt Draw LCBRB006.74 100410	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 4 total metals only: Boron, manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/26/2001 – 6.5 mg/L 07/31/2001 – 6.6 mg/L	Attaining – Low dissolved oxygen due to low flow and ground water upwelling. Flow 0.01 cfs. Low nutrients (nitrogen 0.1-0.3 mg/L, phosphorus 0.01 mg/L)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>BEAR CANYON LAKE</b>  <b>15020008 -- 0130</b> <b>55 Acres</b>	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Inconclusive	Category 2  Attaining some uses		
	E P A	A&Wc – Impaired FBC – Impaired AgL – Impaired	Category 5  Impaired	Low pH	EPA listed due to low pH in 2004.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 06/20/2000 – 06/19/2001</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam LCBCL - A 100969	ADEQ Ambient	3-5 total and 0-1 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	4-6 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity
At boat ramp LCBCL – BR 101326	ADEQ Ambient			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Dissolved oxygen	7.0 mg/L A&Wc	10/18/2000 – 6.6 mg/L	Inconclusive – 1 in 4 samples below criterion. (Binomial)
pH	6.5-9.0 SU A&Wc, FBC, AgL	10/18/2000 – 5.8 SU 05/16/2001 – 6.2 SU 06/13/2001 – 6.3 SU 09/18/2001 – 5.9 SU	Inconclusive – Low pH recorded near the bottom of the lake on each of 4 visits. All low pH values occurred at between 7 to 11.8 meters deep.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Dissolved oxygen	Missing dissolved metals (copper, cadmium, and zinc) to assess A&Wc.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, and selenium) and total selenium were higher than applicable criteria.
<b>DISCUSSION OF LOW PH</b>		Evidence of potential impairment by low pH: <ol style="list-style-type: none"> <li>No data since the last assessment, and</li> <li>All low pH values occurred between 7 to 12 meters deep, which may be due to natural conditions near the lake bottom.</li> </ol>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect pH measurements to support TMDL development. Collect additional dissolved oxygen samples due to the exceedances. Collect sufficient core parameters to represent at least 3 seasons. Use lower lab detection limits for dissolved metals and selenium.	



<b>BILLY CREEK</b>  From headwaters to Show Low Creek 15020005 -- 019 18.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Inconclusive FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/06/2000 – 09/11/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Pinetop, AZ LCBIL005.75 100946	ADEQ Ambient	8 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, chromium, mercury nickel, silver, thallium, and zinc	8 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	8 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 8 Turbidity
Above Porter Creek LCBIL000.01 100947	ADEQ Ambient	8 total metals only: Cadmium, copper, lead, selenium, and silver  (4 samples at each of 2 sites)		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/26/2001 – 5.8 (both sites)	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	11/06/2000 – 420 CFU/100 ml	Inconclusive – Only 1 exceedance in the last 3 years of monitoring (4 events)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional <i>E. coli</i> bacteria samples due to the exceedance.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>BLACK CANYON LAKE</b>  15020010 -- 0180 35 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining DWS – Inconclusive Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 10/04/2002 – 11/02/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam LCBLC - A 100014	AGFD Ambient	1-2 total metals only: Arsenic, cadmium, chromium, cobalt, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc	7-8 samples total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 Fluoride 8 Total dissolved solids 6 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	10/04/2002 – 3.3 mg/L 11/13/2002 – 6.1 mg/L 10/20/2003 – 5.7 mg/L	Inconclusive – 3 in 8 samples below criterion. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient samples to assess any designated use.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury) and selenium were higher than applicable criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect additional dissolved oxygen samples due to the exceedances. Note that the old turbidity criterion (10 NTU) was exceeded in 3 of 6 samples. Turbidity and low dissolved oxygen may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Collect sufficient core parameters to represent at least 3 seasons.</p> <p>Use lower lab detection limits for dissolved metals and selenium</p>	

<b>BLUE RIDGE RESERVOIR</b>  15020008 -- 0200 290 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 10/17/2000 – 07/13/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam LCBRR - A 100974	ADEQ Ambient	4-5 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	4-5 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 5 Fluoride 4 Total dissolved solids 4 Turbidity
North inlet LCBRR– C 101293	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (copper, cadmium, and zinc) and <i>E. coli</i> bacteria to assess A&Wc and FBC.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, and silver) were higher than applicable criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for dissolved metals.	



<b>BROWN CREEK</b>  From headwaters to Silver Creek 15020005-016 14.5 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/20/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Brown Spring (Below cattle enclosure) LCBRO018.96 101242	ADEQ Special investigation	2 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc	2 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity
Outside cattle enclosure LCBRO018.13 101241	ADEQ Special investigation	2 total metals only: Boron, manganese, and selenium  (2 sites – only one date)		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/20/2001 – 6.0 mg/L	Attaining – Low dissolved oxygen due to low flow conditions and ground water upwelling. Flow was 1.5 cfs. Low nutrients (0.09 nitrogen and 0.07 mg/L phosphorus)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>BUNCH RESERVOIR</b>  15020001 -- 0230 65 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/17/2001 – 10/17/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid lake LCBUN - B 102537	AGFD Ambient	3 total metals only: Copper, manganese, and zinc	3 sample: Ammonia, total nitrogen, total phosphorus, total Kjeldahl nitrogen, nitrate/nitrite, dissolved oxygen, pH	3 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/25/2001 – 6.1 mg/L 10/17/2001 – 5.6 mg/L	Inconclusive – 2 exceedances in 3 samples (Requires a minimum of 5 exceedances and 20 samples to assess as impaired.)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Missing dissolved metals (copper, cadmium, and zinc), mercury, <i>E. coli</i> bacteria, boron, manganese, and lead to assess designated uses.		
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional dissolved oxygen samples due to the exceedances.  Collect sufficient core parameters to represent at least 3 seasons.  Low dissolved oxygen may indicate excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	

<b>CARNERO LAKE</b>  15020001 -- 0260 65 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining AgL – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIODS: 04/25/2001-10/16/2001; 08/17/2004 – 05/25/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Deepest part of lake LCCAR - A 101839	ADEQ Ambient	3 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	5-6 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 Fluoride 5 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/24/2001 – 3.8 mg/L	Inconclusive – Low dissolved oxygen in 1 of 5 sampling events.
pH	<9.0 SU A&Wc, FBC, AgL	07/24/2001 – 9.9 SU 10/16/2001 – 9.7 SU	Inconclusive – High pH in 2 of 6 sampling events.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen and pH	Insufficient <i>E. coli</i> bacteria and dissolved metals (cadmium, copper and zinc) to assess A&W and FBC.		The lab detection limits for dissolved metals (cadmium, copper, lead) and total selenium were higher than the chronic A&W criteria for at least 1 sample.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional dissolved oxygen and pH due to exceedances. Low dissolved oxygen and high pH may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for dissolved metals and selenium.	

<b>CHEVELON CANYON CREEK</b>  From Black Canyon Creek to Little Colorado River 15020010 -- 001 19.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 12/19/2000 – 07/30/2001</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		<b>Metals</b>	<b>Nutrients – Related</b>	<b>Other</b>
Below diversion dam near Winslow, AZ LCCHC000.91 100341	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 4 total metals only: Boron, manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>CHOLLA LAKE</b>  15020008 -- 0320 130 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 06/18/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid Lake LCCHO - B 102541	AGFD Ambient	2 total metals only: Arsenic, barium, cadmium, chromium, copper, lead, manganese, mercury, nickel, silver, and zinc	2 sample: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, pH	2 Fluoride 2 Total dissolved solids
Warmwater inlet LCCHO – IN 102540	AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (copper, cadmium, and zinc) and <i>E. coli</i> bacteria, and mercury to assess A&Ww, FBC, and FC	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for dissolved metals and selenium	

<b>COLTER CREEK</b>  From headwaters to Nutrioso Creek 15020001-293 8.6 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgI -- Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/19/2000 – 08/30/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Rogers Reservoir LCCOL005.53 102020	ADEQ TMDL (turbidity only)	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc	3-4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 1 Suspended sediment concentration 6 Turbidity
Near Nutrioso, AZ LCCOL003.03 100935	ADEQ Ambient	4 total metals only: Boron and manganese		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters.		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for dissolved metals.	

<b>EAST CLEAR CREEK</b>  From headwaters to Yeager Creek 15020008 -- 009 38.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/20/2000 – 07/31/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Yeager Canyon LCECL017.75 100537	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 4 total metals only: Boron, manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/26/2001 – 5.4 mg/L 07/31/2001 – 6.1 mg/L	Attaining – Low dissolved oxygen due to low flow and ground water upwelling. (Flow 0.7 and 0.8 cfs and low nutrients concentrations.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>EAST FORK LITTLE COLORADO CREEK</b>  From headwaters to Hall Creek 15020001-230 10.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 11/08/2000 – 09/12/2001</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		<b>Metals</b>	<b>Nutrients – Related</b>	<b>Other</b>
Above Montlure Church Camp near Greer LCELR000.99 100948	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc  4 total metals only: Boron. Manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	



<b>FISH CREEK</b>  From headwaters to Little Colorado River 15020001 -- 211 9.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/18/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Forest Road #118 LCFIS003.86 101244	ADEQ Ambient	1 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 1 total metals only: Boron, manganese	1 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury (dissolved)	0.01 µg/L – A&Wc 0.6 µg/L – FC	06/18/2001 – 0.8 µg/L	Inconclusive – Only sample collected exceeded both criteria during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Insufficient core parameters	Insufficient sampling events.	Lab detection limit for selenium was higher than A&W chronic criterion.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional mercury samples due to the exceedance.	
		Collect sufficient core parameters to represent at least 3 seasons.	
		Use lower lab detection limits for selenium.	

<b>FOOLS HOLLOW LAKE</b>  15020005-0530 150 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/08/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCFOO - A 100023	ADEQ Ambient	1 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc  1 total metals only: Boron, manganese, and selenium	1 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/08/2003 – 6.5- 6.7	Inconclusive – Low dissolved oxygen on only 1 sampling date. (Binomial)
Selenium	2.0 µg/L A&Wc chronic	08/08/2003 – 10 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen and selenium	Insufficient core parameters	Insufficient sampling events.	Lab detection limits for selenium and dissolved mercury were higher than the A&Wc chronic criterion.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional dissolved oxygen and selenium due to exceedances.  Collect sufficient core parameters to represent at least 3 seasons.  Use a lower lab detection limit for selenium and dissolved mercury.	

<b>HALL CREEK</b>  From headwaters to Little Colorado River 15020001 -- 012 14.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive Agl – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/20/2000 – 06/19/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Highway 273 LCHAL008.83 101263	ADEQ Ambient	1 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc	1 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 5 Turbidity
Highway 373 bridge LCHAL000.85 102274	ADEQ TMDL	1 total metals only: Boron, manganese, and selenium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/19/2001 – 6.5 mg/L	Attaining – Low dissolved oxygen due to low flow conditions and ground water upwelling. Flow was 0.1 cfs.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	Lab detection limits for selenium and dissolved mercury were higher than the A&Wc chronic criterion.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>KINNIKINICK LAKE</b>  <b>15020015 -- 0730</b> <b>115 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/16/2000 – 04/13/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCKIN - A 100971	ADEQ Ambient	6-9 total and 0-1 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc	6-10 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 8 Fluoride 10 Total dissolved solids 8 Turbidity
Mid Lake LCKIN – B 100972	ADEQ Ambient			
Boat Ramp LCKIN – BR 101325	ADEQ Ambient (bacteria only)	9 total and 4 dissolved: Mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	09/09/2004 – 6.3 mg/L	Attaining– Low dissolved oxygen in 1 of 10 sampling events (1 of 12 samples).
Lead (dissolved)	1.1 µg/L at 47 mg/L hardness A&Wc chronic	06/14/2001 – 2 µg/L	Inconclusive. Only marginally over the criterion. Only 1 sample analyzed for dissolved lead.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead	Insufficient dissolved metals (cadmium, copper and zinc) to assess A&Wc.		The lab detection limits (for at least 1 sample) for dissolved cadmium, copper, mercury, and silver were higher than the chronic A&W criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect additional lead samples due to the exceedance.  Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for dissolved metals.  Note that the old turbidity criterion (10 NTU) was exceeded in all 8 sampling events where turbidity was analyzed. Low dissolved oxygen and turbidity may indicate excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	

LAKE MARY (LOWER)  15020015 -- 0890 765 Acres	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5 Impaired	Mercury in fish tissue	EPA listed mercury in 2002. Regional mercury TMDL to be completed in 2009.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 05/02/2002 – 04/12/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCMAL - A 102253	ADEQ TMDL	6 total and 6 dissolved metals: Mercury	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	5 Fluoride 6 Total dissolved solids 1 Turbidity
Mid Lake LCMAL – B 103360	ADEQ TMDL	2 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc		

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	05/14/2003 – 5.2	Inconclusive – Low dissolved oxygen in 1 of 6 sampling events (binomial).
pH	<9.0 SU A&Wc, FBC, AgL	09/08/2004 – 9.4 SU 08/13/2003 – 10.2 SU	Inconclusive – 2 exceedances in 6 sampling events (7 samples). A minimum of 5 exceedances and 20 samples for impairment decision (binomial).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen and pH	Insufficient dissolved metals (cadmium, copper and zinc), <i>E. coli</i> bacteria, copper and lead to assess A&Wc, FBC, and AgL.		The lab detection limits for dissolved metals (cadmium, copper and lead) were higher than the chronic A&W criteria for at least 1 sample.
DISCUSSION OF MERCURY IMPAIRMENT		Evidence of potential mercury impairment: 1. Mercury fish consumption advisory issued in 2002 remains in effect; and 2. A TMDL should be completed and approved in 2009.	
MONITORING RECOMMENDATIONS		High Priority – Collect mercury samples to support completion of the mercury TMDL. Collect additional dissolved oxygen and pH samples due to the exceedances. Low dissolved oxygen and high pH may indicate an excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring. Collect sufficient core parameters to represent at least 3 seasons. Use lower lab detection limits for dissolved metals.	

LAKE MARY (UPPER)	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining DWS – Inconclusive AgL – Attaining	Category 2  Attaining Some uses		
	E P A	FC – Impaired	Category 5 Impaired	Mercury in fish tissue	EPA listed mercury in 2002. Regional mercury TMDL to be completed in 2009.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 05/02/2002 – 04/12/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCMAU - A 100029	ADEQ TMDL	17 total and 17 dissolved: Mercury 9 total and 3-9 dissolved metals: Antimony, arsenic, barium, beryllium, boron, chromium, lead, manganese, nickel, selenium, thallium, and zinc 9 total and 0-2 dissolved: Cadmium, copper, and silver	9-17 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 12 Fluoride 17 Total dissolved solids 11 Turbidity
Mid lake LCMAU – B 101342	ADEQ TMDL			
Near dam LCMAU – A1 101312	ADEQ TMDL			
Near dam also LCMAU – A2 101314	ADEQ TMDL			
Between Newman and Railroad canyons LCMAU – C 102252	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	6.5 µg/L at 46 mg/L hardness A&Wc acute	05/02/2002 – 10 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring. (See note below concerning lab detection limits)
Dissolved oxygen	7.0 mg/L A&Wc	08/13/2003 – 5.9 mg/L 09/08/2004 – 6.1 mg/L	Inconclusive – Low dissolved oxygen in 2 of 6 sampling events.
Mercury (dissolved)	0.01 µg/L A&Ww chronic	09/08/2004 – 0.0185 µg/L	Inconclusive – Only 1 exceedance during the assessment period.
Nickel (dissolved)	18.8 µg/L at 30 mg/L hardness A&Wc chronic	03/24/2004 – 20 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring.
Nickel	140 µg/L DWS	03/24/2004 – 790 µg/L	Inconclusive – Only 1 exceedance in 3 sampling events.
Zinc (dissolved)	50.5 µg/L at 37 mg/L hardness	08/13/2003 – 80 µg/L	Inconclusive – Only 1 exceedance during the last 3 years of monitoring.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Copper, dissolved oxygen, nickel, zinc	Insufficient dissolved metals (cadmium, copper, and zinc), and <i>E. coli</i> bacteria to assess A&Wc and FBC.		The lab detection limits (for at least 1 sample) for dissolved metals (cadmium, copper, lead, mercury, and silver) were higher than the chronic A&W criteria.
<b>DISCUSSION OF MERCURY IMPAIRMENT</b>		Evidence of potential mercury impairment: <ol style="list-style-type: none"> <li>Mercury fish consumption advisory issued in 2002 remains in effect; and</li> <li>A TMDL should be completed and approved in 2009.</li> </ol>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect mercury samples to support completion of the mercury TMDL.  Collect additional copper, dissolved oxygen, nickel and zinc samples due to the exceedances. Low dissolved oxygen may indicate excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect sufficient core parameters to represent at least 3 seasons.  Use lower lab detection limits for dissolved metals.	

<b>LEE VALLEY CREEK</b>  From headwaters to Lee Valley Reservoir 15020001-232A 1.6 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/19/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Lee Valley Reservoir LCLVL001.32 101243	ADEQ Ambient	1 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, chromium, mercury, nickel, selenium, silver, thallium, and zinc 1 total metals only: Cadmium, copper, lead, and silver	1 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for selenium and dissolved mercury.	



<b>LEE VALLEY RESERVOIR</b>  <b>15020001-0770</b> <b>35 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/14/2001 – 06/12/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCLEE - A 101356	ADEQ Ambient	3 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, chromium, mercury, nickel, selenium, silver, thallium, and zinc	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 Fluoride 3 Total dissolved solids 3 Turbidity
Shoreline LCLEE – SH 101357	ADEQ Ambient ( <i>E. coli</i> only)	3 total metals only: Cadmium, copper, lead, and silver		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Nitrogen	1.10 mg/L A&Wc and FBC	04/02/2002 – 1.58 mg/L 06/12/2002 – 1.85 mg/L	Inconclusive – Exceeded criteria in 2 of 3 samples. (Requires a minimum of 5 exceedances and 20 samples to assess as impaired.)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Nitrogen	Insufficient dissolved metals (cadmium, copper) and <i>E. coli</i> bacteria to assess A&W and FBC.		Lab detection limits for dissolved metals (cadmium, copper, mercury, and silver) were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional nitrogen samples due to the exceedances. Elevated nitrogen may indicate excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for dissolved metals.	

LITTLE COLORADO RIVER  From West Fork Little Colorado River to Water Canyon 15020001 -- 011 19.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 4A  Not attaining	Suspended sediment (turbidity)	A turbidity TMDL was approved in 2002. Implementing strategies to reduce sediment loading. (See discussion in reach 15020001-009)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/20/2000 – 09/12/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
County Road 4036 (X Diamond Ranch) LCLCR352.03 102279	ADEQ TMDL	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 4 total and 0-2 dissolved: Boron, manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen 19 Dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 37 Turbidity
County Road pull out LCLCR350.73 102283	Volunteers 319 Project and ADEQ TMDL			
Below South Fork LCR LCLCR350.32 100581	ADEQ Ambient			
Highway 273 bridge LCLCR346.01 102281	ADEQ TMDL			
Schoolhouse Road LCLCR344.58 102284	ADEQ TMDL			
At Water Canyon bridge LCLCR343.72 102282	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	6/27/2001 – 6.5 mg/L	Attaining – Only 1 exceedance in 19 samples (binomial).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Continue effectiveness monitoring for TMDL implementation strategies. 13 of 37 turbidity samples exceeded the old criteria (10 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

LITTLE COLORADO RIVER  From Water Canyon to Nutrioso Creek 15020001 -- 010 3.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 4A  Not attaining	Suspended sediment (turbidity)	A turbidity TMDL was approved in 2002. Implementing strategies to reduce loading. (See discussion in reach 15020001-009)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/21/2000 – 12/02/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Springerville – 4 <sup>th</sup> Street LCLCR343.58 102286	ADEQ TMDL	None	30 Dissolved oxygen, 30 pH	30 Turbidity
Springerville – River Street LCLCR343.18 102292	ADEQ TMDL			
Airport road weir LCLCR341.63 102285	ADEQ TMDL			
Above Highway 60 bridge LCLCR340.65 100333	Volunteers 319 Project ADEQ TMDL			
Diversion near Springerville LCLCR339.28 102291	ADEQ TMDL			
At golf course LCLCR302.98 103274	Volunteers 319 Project			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	10/16/2001 – 6.4 mg/L	Attaining – Only 1 exceedance in 30 samples

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Missing core parameters		
MONITORING RECOMMENDATIONS		Medium Priority – Continue effectiveness monitoring for TMDL implementation strategies. Note that 14 of 30 turbidity samples exceeded the old criteria (10 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted	

LITTLE COLORADO RIVER  From Nutrioso Creek to Carnero Creek 15020001-- 009 12.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 4A  Not attaining (Impaired)	Suspended sediment (turbidity)	A turbidity TMDL was approved in 2002. Implementing strategies to reduce loading. See discussion below.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/29/2000 – 06/09/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Springerville WWTP LCLCR340.02 100331	ADEQ and USGS Ambient	7-24 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 24 total and 0-1 dissolved: Boron, manganese	23-24 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	21 <i>E. coli</i> bacteria 22 Fluoride 21 Total dissolved solids 12 Suspended sediment concentration 42 Turbidity
Casa Malpais across from Becker Lake LCLCR339.28 102287	ADEQ TMDL			
At Weinema Bridge LCLCR336.76 102567	AGFD Ambient			
At Weinema Wildlife area on Hooper Road LCLCR336.72 102290	ADEQ TMDL			
Canyon off Highway 180 LCLCR334.96 102324	ADEQ TMDL			
Road crossing on H-180 LCLCR331.83 102288	ADEQ TMDL			
At Carnero Creek LCLCR328.04 102289	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/15/2000 – 260 CFU/100 ml	Attaining – No exceedances in the last 3 years of monitoring. (Note, only marginally over criteria and not above the screening value.)
pH	<9.0 SU A&Wc, FBC, Agl, AgL	06/10/2003 – 9.4 SU	Attaining – Only 1 exceedance in 24 sampling events. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	04/02/2003 – 111 mg/L <sup>#</sup>	Attaining – <sup>#</sup> This exceedance could not be included in the geometric mean calculation because it occurred during a high flow event. Geometric mean was not exceeded. However, the old turbidity standard (10 NTU) was exceeded in 35 of the 42 measurements taken.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Collected all core parameters		Lab detection limit for selenium was higher than A&Wc chronic criteria.
<b>DISCUSSION OF TURBIDITY IMPAIRMENT</b>		<p>Critical conditions of flow were defined in the TMDL. To date, there is insufficient data collected during the critical elevated flow conditions to determine whether the stream is meeting standards.</p> <p>This reach was originally listed as impaired by turbidity; however, the turbidity standard was replaced by a suspended sediment concentration (SSC) criterion in 2002. As noted above, the SSC standard has not been exceeded in this reach; however, the old turbidity criterion of 10 NTU was exceeded in 35 of 42 field samples.</p> <p>Several proposals in the 2006 Triennial Review of surface water quality standards would also be useful in studying impacts due to sediment and determining impairment, such as:</p> <ul style="list-style-type: none"> <li>A. Biocriteria implementation procedures,</li> <li>B. Narrative bottom deposits implementation procedures,</li> <li>C. Revision of the SSC criterion.</li> </ul> <p>Once adopted, these procedures may be applied to this reach.</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority –Continue effectiveness monitoring for TMDL implementation strategies. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p> <p>Use lower lab detection limits for selenium.</p>	

<b>LITTLE COLORADO RIVER</b>  From unnamed reach (15020001-021) to Lyman Lake 15020001-- 005 3.4 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 4A  Not attaining	Suspended sediment	TMDL approved in 2002 for two reaches upstream. Placed on Category 4 in 2004 due to exceedances. (See discussion in reach 15020001-009)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/14/2000 – 08/07/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Lyman Lake USGS #09384000 LCLCR323.60 101174	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 4 total metals only: Boron, manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml	08/07/2001 – 354 CFU/100 ml	Inconclusive – Only 1 exceedance in the last 3 years of monitoring.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Continue effectiveness monitoring for TMDL implementation strategies. Collect suspended sediment concentration samples. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted Note that the old turbidity criterion (10 NTU) was exceeded in 3 of 4 samples (18, 24, and 481 NTU).  Collect additional <i>E. coli</i> bacteria due to the exceedance.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>LITTLE COLORADO RIVER</b>  From Silver Creek to Carr Wash 15020002- 004 6.1 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Impaired FBC – Impaired FC – Inconclusive DWS – Inconclusive AgI – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria, suspended sediment concentration	Added <i>E. coli</i> bacteria in 2004. Adding suspended sediment concentration for 2006.
	E P A	FBC – Impaired	Category 5 Impaired	Suspended sediment	EPA listed sediment in 2004

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/27/2000 – 06/07/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Woodruff, AZ USGS #09394500 LCLCR226.31 100334	ADEQ and USGS Ambient	14-18 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, zinc 6-8 total and dissolved metals: Barium, nickel, silver, thallium 18 total metals only: Boron, manganese, and selenium	17-18 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	16 <i>E. coli</i> bacteria 18 Fluoride 13 Total dissolved solids 9 Suspended sediment concentration 16 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L DWS and FBC	08/14/2000 – 67 µg/L	Attaining – Only 1 exceedance in 18 samples. (Binomial)
Barium	2000 µg/L DWS	08/14/2000 – 7700 µg/L# 08/06/2001 – 3400 µg/L#	Inconclusive – 2 exceedances in 8 samples. (Binomial) #Exceedances occurred during monsoon flood events.
Beryllium	4 µg/L DWS	08/14/2000 – 43 µg/L# 08/06/2001 – 13 µg/L#	Inconclusive – 2 exceedances in 8 samples. (Binomial) #Exceedances occurred during monsoon flood events.
Chromium	100 µg/L DWS and FBC	08/14/2000 – 120 µg/L	Attaining – Only 1 exceedance in 17 samples. (Binomial)
Dissolved oxygen	7.0 mg/L A&Wc	08/06/2001 – 6.3 mg/L 08/07/2003 – 6.3 mg/L 08/12/2003 – 6.0 mg/L	Attaining – Only 3 of 17 samples did not meet standards. (Binomial)
<i>E. coli</i> bacteria	235 CFU/100 ml	08/14/2000 – 57000 CFU/100 ml 08/06/2001 – 1800 CFU/100 ml 08/07/2003 – 833 CFU/100 ml	Remains impaired – Only 1 of 7 samples exceeded the criterion in the last 3 years of monitoring (3 in the assessment period).
Lead	15 µg/L – FBC and DWS 100 µg/L – AgL	08/14/2000 – 290 µg/L 05/21/2001 – 19 µg/L 08/06/2001 – 110 µg/L 08/12/2003 – 16 µg/L	Inconclusive – 4 of 18 samples exceeded the 15 µg/L criterion. (Binomial requires a minimum of 5 exceedances and 20 samples.)
Manganese	980 µg/L DWS	08/14/2000 – 9800 µg/L 08/06/2001 – 3300 µg/L	Attaining – Only 2 of 18 samples exceeded criterion. (Binomial)
Mercury	0.6 µg/L FC	05/21/2001 – 0.61	Attaining – Only 1 exceedance in 18 samples. (Binomial) (Only slightly above the criterion)
Nickel	140 µg/L DWS	08/14/2000 – 210 µg/L	Inconclusive – Only 1 exceedance in 8 samples (Binomial)
Suspended sediment	Geometric mean 80 mg/L	10/01/2002 – 98 mg/L 04/01/2003 – 107 mg/L	Impaired – 5 of 9 samples exceeded criterion. No elevated flows (0.2 to 18 cfs). Geometric mean of 4



concentration (SSC)		08/07/2003 – 563 mg/L 09/24/2003 – 101 mg/L 07/07/2004 – 119 mg/L	samples exceeded 80 mg/L five times. Note that the old turbidity standard (10 NTU) was also exceeded in all 16 samples.
---------------------	--	---	--

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Barium, beryllium, lead, nickel	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
DISCUSSION OF IMPAIRMENT DUE TO SUSPENDED SEDIMENT CONCENTRATION		EPA originally listed sediment in 2004. In the current assessment, ADEQ has sufficient evidence to also list this reach as impaired by suspended sediment based on 5 exceedances of geometric mean standard.	
MONITORING RECOMMENDATIONS		<p>High Priority – Collect additional <i>E. coli</i> and sediment samples to support TMDL development. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p> <p>Collect additional barium, beryllium, lead and nickel samples due to the exceedances.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	



<b>LITTLE COLORADO RIVER</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
From Porter Tank Draw to McDonalds Wash 15020008 -- 017 17.4 Miles	A&Wc – Impaired FBC – Inconclusive FC – Inconclusive DWS – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 5  Impaired	Copper, silver and suspended sediment	Copper and silver on 303(d) List since 1992. Added suspended sediment in 2004.

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 06/20/2000 – 09/23/2004</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Near Joseph City, AZ USGS #09397300 LCLCR206.75 101480	USGS Ambient	None	None	30 Suspended sediment (7-day averages)

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	Too many to list out here.	Remains impaired –Exceeded during all 30 of 7-day aggregation periods. Concentrations ranged from 107-130,000 mg/L and the average concentration was 57,835 mg/L. Some measurements occurred during elevated flows, and would be excluded from the geometric mean calculation, but not all values.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Missing all core parameters needed to assess designated uses.		
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect additional sediment, copper, and silver samples to support TMDL development. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted</p> <p>Collect core parameters to represent at least 3 seasons during the assessment period.</p>	

<b>LONG LAKE (LOWER)</b>  15020008 -- 0820 320 Acres	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	<b>A D E Q</b>	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	<b>E P A</b>	FC – Impaired	Category 5 Impaired	Mercury in fish tissue	EPA listed mercury in 2004 due to mercury fish consumption advisory. Regional mercury TMDL to be completed in 2009.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 10/17/2000 – 07/13/2004</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam LCLLL - A 101715	ADEQ Ambient	8 total and 7 dissolved: Mercury	3-6 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 5 Fluoride 6 Total dissolved solids 1 Turbidity
Shoreline LCLLL - SHORE 100999	ADEQ Ambient (algae only)	3-4 total and dissolved: Cadmium, chromium, copper, lead, nickel, selenium, silver, thallium, and zinc		
North Cove LCLLL – NC 102760	AGFD Ambient	4 total and 0-2 dissolved: Antimony, arsenic, barium, beryllium, boron, manganese, selenium, silver, thallium		
South Cove LCLLL – SC 102555	AGFD Ambient			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
pH	<9.0 SU A&Wc FBC, Agl, AgL	08/07/2003 – 9.8 SU 07/03/2003 – 9.5 SU	Inconclusive – 2 of 8 samples exceeded the criterion. (Binomial method requires a minimum of 5 exceedances and 20 samples to assess as impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
pH	Missing <i>E. coli</i> bacteria to assess FBC.		Lab detection limits for dissolved metals (copper, lead, mercury, selenium, and silver) and total selenium were higher than applicable criteria for at least 1 sample.
<b>DISCUSSION OF MERCURY IMPAIRMENT</b>		Evidence of potential mercury impairment: 1. Mercury fish consumption advisory issued in 2003 remains in effect; and	

	2. A regional mercury TMDL should be completed in 2007.
<b>MONITORING RECOMMENDATIONS</b>	<p>High Priority –Collect mercury samples to support TMDL development. Collect additional pH measurements due to the exceedance. Collect sufficient <i>E. coli</i> bacteria to represent at least 3 seasons. Use lower lab detection limits for dissolved metals and selenium.</p> <p>Elevated pH may indicate excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p>

<b>LYMAN LAKE</b>  <b>15020001-0850</b> <b>1310 Acres</b>	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses		
	E P A	FC – Impaired	Category 5  Impaired	Mercury in fish tissue	EPA listed mercury in 2004 due to mercury fish consumption advisory.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 04/20/2004 – 11/03/2004</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam LCLYM - A 101841	ADEQ Ambient	8 total and 2 dissolved: Mercury 5-6 total and dissolved metals: Cadmium, chromium, copper, lead, nickel, silver, and zinc	6 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, pH	6 Fluoride 6 Total dissolved solids
Mid Lake LCLYM – B 101842	ADEQ Ambient	6 total metals only: Antimony, arsenic, barium, beryllium, manganese, mercury, selenium, and thallium (3-4 samples per site)	4 samples: Dissolved oxygen	

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Dissolved oxygen	7.0 mg/L A&Wc	08/17/2004 – 6.5	Inconclusive – On this one date, there was insufficient dissolved oxygen <u>at one meter</u> but adequate levels at 0.5 and 0.1 meters.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Dissolved oxygen.	Insufficient <i>E. coli</i> bacteria to assess FBC.		
<b>DISCUSSION OF MERCURY IMPAIRMENT</b>		Evidence of potential mercury impairment: Mercury fish consumption advisory issued in 2004 remains in effect.	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect mercury data to support TMDL development.  Collect dissolved oxygen samples due to the exceedance. The old turbidity standard (10 NTU) was exceeded in all 3 sampling events (87, 97, and 155 NTU). Low dissolved oxygen and high turbidity may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect missing core parameters to represent at least 3 seasons.	

<b>MINERAL CREEK</b>  From headwaters to Concho Creek 15020002-648 25.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 11/15/2000 – 08/07/2001		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Forest Road #404 LCMIN018.05 100593	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 4 total metals only: Boron, manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 0 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	05/01/2001 – 6.4 mg/L	Attaining – Low dissolved oxygen due to low flow and ground water upwelling. Low nutrient concentrations (0.26 mg/L nitrogen, 0.09 mg/L phosphorus).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>NELSON RESERVOIR</b>  15020001 -- 1000 65 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl -- Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/20/2004 – 8/18/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCNEL - A 101840	ADEQ Ambient	2 total and 1-2 dissolved metals: Cadmium, chromium, copper, lead, mercury, nickel, silver, and zinc 2 total metals only: Antimony, arsenic, barium, beryllium, manganese, selenium, and thallium	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, pH 4 samples: Dissolved oxygen	0 <i>E. coli</i> bacteria 6 Fluoride 6 Total dissolved solids 0 Suspended sediment concentration 0 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/17/2004 – 6.2	Inconclusive – There was insufficient dissolved oxygen <u>at one meter</u> but adequate concentrations at 0.5 and 0.1 meters. Insufficient sampling events.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient samples to assess any designated uses	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional dissolved oxygen samples due to the low dissolved oxygen. Low dissolved oxygen may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring due to the one low dissolved oxygen.  Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>NEWMAN CANYON</b>  From headwaters to Upper Lake Mary 15020015 -- 206 9.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 9/10/2003 – 04/07/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Upper Lake Mary inlet LCNWC000.10 102369	ADEQ TMDL	4 total and 4 dissolved: Mercury 2 total and 0-2 dissolved: Antimony, arsenic, barium, beryllium, boron cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc.	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen. 4: dissolved oxygen, pH	4 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury (dissolved)	0.01 µg/L A&Wc chronic	09/10/2003 – 0.016 µg/L	Inconclusive -- Only 1 exceedance during the assessment period

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Insufficient core parameters	Insufficient sampling events	Lab detection limits for dissolved cadmium, copper, lead, and silver were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect mercury samples due to the exceedance.  Collect missing core parameters to represent at least 3 seasons during an assessment period. Use lower lab detection limits for dissolved metals.  Note that the old turbidity criterion (10 NTU) was exceeded in all 3 samples collected. Collect suspended sediment concentration data. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted	

NUTRIOSO CREEK  From headwaters to Nelson Reservoir 15020001-017A 13.3 Miles (New reach split at Nelson Reservoir)	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses		Delist turbidity / suspended sediment. See discussion below.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/14/2000 – 11/02/2005 (Ambient monitoring 11/08/2000 – 08/30/2001)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At weir LCNUT026.83 102008	ADEQ TMDL	4 total and 4 dissolved: Mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen 12 Dissolved oxygen 12 pH	4 <i>E. coli</i> bacteria 4 Fluoride 10 Total dissolved solids 26 Suspended sediment concentration 26 Turbidity
Co Rd 2015 Bridge LCNUT023.45 102003	ADEQ TMDL	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc		
Hwy 180 Bridge LCNUT023.17 102002	ADEQ TMDL	4 total metals only: Boron, manganese, mercury, and selenium		
At Jenson property LCNUT022.30 102001	ADEQ TMDL			
At cemetery before bridge LCNUT021.75 102000	ADEQ TMDL			
At EC Bar Ranch LCNUT020.85 102112	ADEQ TMDL			
Crosswhite reference site LCNUT020.72 101998	ADEQ TMDL			
Near Nutrioso, AZ LCNUT020.23 100936	ADEQ Ambient			
Near EC Bar Ranch LCNUT019.07 102011	ADEQ TMDL			
At old corral LCNUT017.61 101994	ADEQ TMDL			
Near Private Drive LCNUT016.85 101993	ADEQ TMDL			
Upstream of Nelson Res LCNUT015.61 100344	ADEQ TMDL			



<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Dissolved oxygen	7.0 mg/L A&Wc	06/12/2001 – 5.1 mg/L 08/30/2001 – 6.5 mg/L 06/10/2004 – 4.2 mg/L	Attaining – At least one exceedance was due to natural conditions of low flow and ground water upwelling (flow 0.1 cfs). Only 2 other exceedances in 12 samples (binomial).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
<b>DELISTING CRITERIA FOR TURBIDITY IMPAIRMENT</b>		<p>Although this reach was originally listed as impaired by turbidity, the turbidity standard was replaced by a suspended sediment concentration (SSC) criterion in 2002. Turbidity / suspended sediment is to be delisted from this reach as the SSC standard has not been exceeded with 26 samples.</p> <p>Watershed improvements projects have also been completed in this reach that should reduce sediment loadings from grazing activities.</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority –Continue effectiveness monitoring for TMDL implementation strategies. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

<b>NUTRIOSO CREEK</b>  From Nelson Reservoir to Picnic Creek 15020001-017B 13.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 4A  Not attaining	Suspended sediment (turbidity)	Turbidity TMDL approved in 2000.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/14/2000 – 11/02/2005 (Ambient monitoring 11/08/2000 – 08/30/2001)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Nelson Reservoir LCNUT013.33 101722	ADEQ TMDL	1 total and 1 dissolved: Mercury	4 Dissolved oxygen 4 pH	1 <i>E. coli</i> bacteria 4 Suspended sediment concentration 2 Turbidity
Highway 180 milepost 407 LCNUT011.29 101988	ADEQ TMDL			
Near Molina Basin LCNUT009.31 101982	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters		
MONITORING RECOMMENDATIONS		Medium Priority –Continue effectiveness monitoring for TMDL implementation strategies. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. Insufficient suspended sediment concentration data in this reach to determine whether standards are currently being met.  Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>NUTRIOSO CREEK</b>  From Picnic Creek to Little Colorado River 15020001 -- 015 3.5 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 4A  Not attaining	Suspended sediment (turbidity)	Turbidity TMDL approved in 2000.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/14/2000 – 11/02/2005 (Ambient monitoring 11/08/2000 – 08/30/2001)		
		NUMBER AND TYPES OF SAMPLES		
No current data  Older data collected for sites: 102010 and 104318		Metals	Nutrients – Related	Other
				Remains impaired until suspended sediment concentration or other data indicates standards are being attained.

<b>PORTER CREEK</b>  From headwaters to Show Low Creek 15020005 -- 246 4.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/23/2002 – 06/11/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Scott Reservoir LCPRT002.28 101415	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, mercury, and zinc  3-4 total metals only: Boron, lead, manganese, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/11/2003 – 4.6 mg/L	Attaining – Low dissolved oxygen due to low flow and ground water upwelling. Flow was only 0.01 cfs.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and some of the dissolved copper samples were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium and dissolved copper.	

<b>RAILROAD CANYON</b>  From headwaters to Upper Lake Mary 15020015 -- 204 5.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/09/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Upper Lake Mary inlet LCRRC000.05 102370	ADEQ TMDL	1 total and dissolved metals: Chromium, mercury, nickel, and zinc  1 total metals only: Antimony, arsenic, barium, beryllium, boron cadmium, copper, lead, manganese, selenium, silver, and thallium.	1 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 Fluoride 1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for dissolved metals (cadmium, copper, lead and silver) were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for dissolved metals.	

<b>RAINBOW LAKE</b>  15020005 -- 1170 110 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Impaired FBC – Impaired FC – Attaining Agl – Impaired AgL – Impaired	Category 4A  Not attaining	Narrative nutrients, low DO, and pH	A narrative nutrient TMDL was approved in 2000 due to low dissolved, high pH, excess weeds, and occasional fish kills. Implementing strategies to reduce nutrient loading.

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 06/13/2002; 08/19/2004; 05/24/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam LCRAI - A 100069	ADEQ Ambient	4 total and dissolved metals: Cadmium, chromium, copper, lead, nickel, selenium, and zinc	4-5 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	7 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids
Mid lake LCRAI - B 100070	ADEQ Ambient	4 total and 0-1 dissolved: Antimony, arsenic, barium, beryllium, boron, manganese, mercury, silver, thallium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/19/2004 – 6.0 mg/L (both sites)	Remains impaired – Exceedances in 1 of 3 sampling events. (Binomial)
pH (high)	<9.0 SU	08/19/2004 – 9.4 SU 06/13/2004 – 9.24 SU	Remains impaired – Exceeded criterion on 2 of 3 sampling events (4 of 5 samples). (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority –Continue monitoring to determine effectiveness of implementation strategies to reduce loadings.  New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	

<b>RIO DE FLAG</b>  From Flagstaff WWTP discharge to San Francisco Wash 15020015 – 004B 3.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wedw – Attaining PBC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/21/2000 – 07/30/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Doney Park LCRDF002.11 101127	ADEQ Ambient	4-5 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc 4 total metals only: Boron, manganese, and selenium	4 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wedw chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Use a lower lab detection limit for selenium and dissolved mercury.  (Note: A site specific Aquatic and Wildlife copper standard of 36 µg/L applies to this reach.)	

<b>RIVER RESERVOIR</b>  15020001-1220 140 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 04/17/2001 – 10/18/2001		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Mid Lake LCRIV - B 102556	AGFD Ambient	3 total metals: Copper, lead, manganese, and zinc	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, pH 4 samples: Dissolved oxygen	3 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Missing dissolved metals (cadmium, copper, and zinc), mercury, <i>E. coli</i> bacteria, boron, manganese, and lead to assess designated uses.		
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period.	



<b>SHOW LOW CREEK</b>  From headwaters to Linden Wash 15020005 – 012 19.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/15/2000 – 08/06/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Show Low, AZ USGS #09390500 LCSHL021.46 100340	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc  4 total metals only: Boron, manganese, and selenium	4 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/06/2001 – 5.0 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. (Flow was 0.5 cfs)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Use a lower lab detection limit for selenium and dissolved mercury.  The old turbidity standard of 10 NTU was exceeded all 3 samples (15.25, and 57). Recommend collecting suspended sediment concentration data. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted	

<b>SILVER CREEK</b>  From headwaters to Show Low Creek 15020005 – 013 33.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/15/2000 – 08/07/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below AGFD hatchery LCSIL043.84 101125	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc  4 total metals only: Boron, manganese, and selenium	4 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/07/2001 – 6.4 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Low nutrients (nitrogen 0.4 and phosphorus 0.096 mg/L)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium and dissolved mercury.  The old turbidity standard of 10 NTU was exceeded in 1 of 4 samples (19.4). Recommend collecting suspended sediment concentration data. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted	

<b>SILVER CREEK</b>  From Sevenmile Draw to Little Colorado River 15020005 – 001 9.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/22/2002 – 01/28/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
250 Feet below USGS gage Below USGS #09393500 LCSIL013.65 100337	ADEQ Ambient	2 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, and zinc 1-2 total metals only: Boron, lead, manganese, mercury, and selenium	2 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 1 Suspended sediment concentration 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	Lab detection limit for selenium was higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect sufficient core parameters to represent at least 3 seasons.  Use a lower lab detection limit for selenium.  The old turbidity standard of 10 NTU was exceeded in both samples (136 and 23 NTU). Recommend collecting suspended sediment concentration data. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted	

<b>SOLDIER'S ANNEX LAKE</b>  15020008 -- 1430 120 Acres	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5 Impaired	Mercury in fish tissue	EPA listed in 2004 due to mercury in fish tissue.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 09/18/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam LCSAL - A 103354	AGFD Ambient	None	1 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
DISCUSSION OF MERCURY IMPAIRMENT		Evidence of potential mercury impairment: 1. Mercury fish consumption advisory issued in 2003 remains in effect; and 2. A regional mercury TMDL should be approved in 2007.	
MONITORING RECOMMENDATIONS		High Priority –Collect mercury samples to support TMDL development.  Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>SOLDIER'S LAKE</b>  15020008 -- 1440 28 Acres	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Attaining Agl – Attaining	Category 2  Attaining some uses		
	E P A	FC – Impaired	Category 5 Impaired	Mercury in fish tissue	EPA listed in 2004 due to mercury in fish tissue.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 05/29/2003 – 04/12/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid lake LCSOI -A 101733	ADEQ and AGFD Ambient	3-4 total and dissolved metals: Chromium, mercury, nickel, selenium, and zinc 4 total and 0-2 dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, copper, lead, manganese, selenium, silver, thallium	4-5 sample: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 Fluoride 5 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/02/2003 – 6.2 mg/L 07/13/2003 – 6.7 mg/L	Inconclusive – Low dissolved oxygen in 2 of 5 sampling events. (Binomial requires a minimum of 5 exceedances and 20 samples to assess as impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria, dissolved copper, and dissolved cadmium to assess FBC and A&Wc		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, selenium, and silver) were higher than applicable criteria for at least 1 sample.
DISCUSSION OF MERCURY IMPAIRMENT		Evidence of potential mercury impairment: <ol style="list-style-type: none"> <li>Mercury fish consumption advisory issued in 2003 remains in effect; and</li> <li>A regional mercury TMDL should be approved in 2009.</li> </ol>	
MONITORING RECOMMENDATIONS		High Priority –Collect mercury samples to support TMDL development. Collect additional dissolved oxygen measurements due to the exceedance. Low dissolved oxygen may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring. Collect missing core parameters to represent at least 3 seasons. Use lower lab detection limits for dissolved metals.	

<b>TUNNEL RESERVOIR</b>  15020001-1550 40 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/17/2001 – 10/17/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid Lake LCTUN - B 102568	AGFD Ambient	3 total metals: Copper, lead, and zinc 2 total metals: Manganese	2-3 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, pH 4 samples: Dissolved oxygen	3 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/17/2004 – 3.7 mg/L	Inconclusive – Only 1 exceedance out of 2 samples. (Binomial)
Nitrogen	1.1 mg/L A&Wc and FBC	07/25/2001 – 1.1 mg/L	Inconclusive – Only 1 exceedance in 3 samples. (Binomial) Note that nitrogen was also elevated but not exceeding the standard (at 0.91 mg/L) on 10/17/2001.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen and nitrogen	Missing dissolved metals, mercury, <i>E. coli</i> bacteria, boron, manganese, and lead to assess designated uses.		
MONITORING RECOMMENDATIONS		Medium Priority – Collect low dissolved oxygen and nitrogen samples due to exceedances. Low dissolved oxygen and high nitrogen may indicate excess nutrient loading to this lake. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>WEST FORK LITTLE COLORADO RIVER</b>  From headwaters to Government Springs 15020001-013A 9.1 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/07/2000 – 06/16/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Sheep's Crossing LCW/LR004.09 100945	ADEQ Ambient	3-7 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc  7 total and 0 dissolved: Boron, manganese, and selenium	6-7 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	7 <i>E. coli</i> bacteria 7 Fluoride 7 Total dissolved solids 3 Suspended sediment concentration 7 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury	0.6 µg/L FC	10/23/2002 – 0.64 µg/L	Inconclusive – Only 1 exceedance in 7 samples. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional mercury data due to the exceedance.  Use lower lab detection limits for selenium and dissolved mercury.	



<b>WEST FORK LITTLE COLORADO RIVER</b>  From Government Springs to Little Colorado River 15020001-013B 2.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/30/2000 – 06/08/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Government Springs LCWLR000.92 100328	ADEQ Ambient	7-21 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc  21 total metals only: Boron, manganese, and selenium  20 total and 12 dissolved: Mercury	20-21 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	21 <i>E. coli</i> bacteria 21 Fluoride 18 Total dissolved solids 12 Suspended sediment concentration 21 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	4.9 µg/L at 29 mg/L hardness 3.2 µg/L at 22 mg/L hardness A&Wc acute	03/20/2002 – 13 µg/L 12/29/2004 – 22 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring (2 during the assessment period). However, the total copper analysis on both dates indicated that total copper was <10 mg/L. Because the dissolved copper should not exceed the total copper by more than 10%, these values alone are not reliable enough to determine impairment. No anthropomorphic sources of copper in the watershed.
Dissolved oxygen	7.0 mg/L A&Wc	06/28/2000 – 6.7 mg/L 08/14/2000 – 6.5 mg/L 08/13/2003 – 5.8 mg/L	Attaining – Low dissolved oxygen is due to natural conditions of ground water upwelling.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	Collected all core parameters		Lab detection limits for selenium and dissolved metals (cadmium, copper, lead, mercury, and zinc) were higher than A&Wc chronic criteria in 4-22 samples.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional copper samples due to the exceedances.  Use lower lab detection limits for selenium and dissolved metals.	



<b>WILLOW SPRINGS LAKE</b>  15020010-1670 160 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 02/22/2002 – 07/15/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam LCWIS - A 100091	AGFD and ADEQ Ambient	1-2 total and 0-2 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	3-5 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, pH, dissolved oxygen	1 <i>E. coli</i> bacteria 2 Fluoride 5 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/16/2002 – 6.2 mg/L 08/08/2003 – 6.6 mg/L	Inconclusive – Low dissolved oxygen in 2 of 4 sampling events. (Binomial method requires a minimum of 5 exceedances and 20 samples to determine impairment.)
Selenium	2.0 µg/L A&Wc chronic	08/08/2003 – 6.0 µg/L	Inconclusive – Only 1 exceedance in last 3 years of monitoring.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen and selenium	Insufficient core parameters	Insufficient sampling events	Lab detection limits for dissolved metals (cadmium, copper, mercury, and silver) were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional dissolved oxygen and selenium samples due to the exceedances. Low dissolved oxygen may indicate excess nutrients. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect missing core parameters to represent at least 3 seasons during the assessment period.  Use lower lab detection limits for dissolved metals.	

<b>WOODS CANYON LAKE</b>  15020010-1700 70 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIODS: 10/19/2000 –11/02/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam LCWCL - A 100092	AGFD and ADEQ Ambient	4-6 total and 0-2 dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	11-16 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, pH, dissolved oxygen	3 <i>E. coli</i> bacteria 7 Fluoride 16 Total dissolved solids 11 Turbidity
Mid lake LCWCL – B 100093	ADEQ Ambient			
At boat ramp LCWCL – BR 101324	ADEQ Ambient (bacteria only)			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/16/2002 – 6.2 mg/L 10/28/2002 – 6.2 mg/L 07/23/2003 – 6.6 mg/L 10/20/2003 – 5.9 mg/L 08/19/2004 – 5.5 mg/L	Inconclusive – Low dissolved oxygen in 5 of 13 sampling events (5 of 16 samples). (Binomial method requires a minimum of 5 exceedances and 20 samples to list as impaired.)
pH	>6.5 SU A&Wc, FBC, AgL	10/19/2000 – 6.38 SU	Attaining – Only 1 low pH in 13 sampling events (1 of 16 samples) (Binomial).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen and pH	Insufficient dissolved copper, cadmium, and zinc needed to assess A&Wc		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, and silver) and total selenium were higher than A&Wc chronic criteria in one or more sample.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional dissolved oxygen due to the exceedances. Low dissolved oxygen may indicate excess nutrient loadings. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	
		Collect missing core parameters to represent at least 3 seasons during the assessment period.	
		Use lower lab detection limits for dissolved metals and selenium.	

# Middle Gila Watershed

## Watershed Description

This watershed encompasses the Gila River drainage area below Coolidge Dam (San Carlos Reservoir) in the east to Painted Rock Dam in the west. It excludes the Santa Cruz River, the San Pedro River, and the Salt River drainage above Granite Reef Dam. The Salt River drainage area below Granite Reef Dam is included in this watershed (instead of the Salt Watershed) because the canals and diversions at the dam hydrologically disconnect the system from the rest of the lower Salt River drainage.

The Phoenix metropolitan area, located in this 12,250 square mile watershed, consists of more than three million people (2000 census) and continues to be one of the fastest growing areas in the United States. Land ownership in the Middle Gila is approximately: 65% federal land, 25% private land, 4% state land, and 4% tribal land. Within the metropolitan area, irrigated agriculture uses are rapidly being displaced by urbanization. Outside the urbanized area, livestock grazing is the primary land use. Mining (primarily now abandoned) has occurred across this watershed, with more concentration south of Prescott.

Elevations range from 7,400 feet (above sea level) to 1,100 feet at Painted Rocks Reservoir. Most of the watershed is below 5,000 feet in elevation, with Sonoran Desert flora and fauna and warmwater aquatic communities.

## Water Resources

This area receives little rainfall (approximately 13 inches a year); therefore, surface water flow is primarily attributed to releases from upstream impoundments, effluent from wastewater treatment plants, and agricultural return flows.

An estimate of surface water resources in the Middle Gila Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.

### Estimated Surface Water Resources in the Middle Gila Watershed


#### Excluding Tribal Lands

	Perennial	Intermittent	Ephemeral
Stream miles	165	1,210	5,460
	Perennial	Non-perennial	
Lake acres	10,320	6,830	

#### On Tribal Lands – Not Assessed

	Perennial	Intermittent	Ephemeral
Stream miles On Tribal Lands	0	10	1,105
	Perennial	Non-perennial	
Lake acres On Tribal Lands	240	0	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.



## Watershed Partnerships

- **Tres Rios River Management Group.**  
The area of interest is delineated approximately by the Salt River and Gila River drainage in the Phoenix Metropolitan area between Southern (north), Baseline (south), 83<sup>rd</sup> Avenue (east) and Agua Fria River (west). This group works on water issues such as pollutants, flood flows, agriculture stormwater runoff, agriculture irrigation and dewatering, concentrated animal feeding operation discharges, wastewater treatment plant discharges, landfill leachate, ground water inflow, sand and gravel area releases, and degradation of wildlife habitat. There are quarterly meetings at the Flood Control District offices in Phoenix. Contact Debbi Radford, City of Phoenix at (602) 262-1828 or [debbi.radford@phoenix.gov](mailto:debbi.radford@phoenix.gov).
- **Upper Agua Fria Watershed Partnership**  
The area of interest is the Agua Fria River drainage, excluding the area in the Prescott Active Management Area (AMA) or the Phoenix AMA. This group works on water quality and quantity issues such as growth, ranching and grazing, leaking underground storage tanks, illegal dumping, and water rights. They meet at Arcosanti on the 1<sup>st</sup> Tuesday of the month. For more information, contact Mary Hoadley at (928) 632-7135 or [earthhous@aol.com](mailto:earthhous@aol.com).
- **Southwest Strategy Water Task Team**  
A pilot project is located on the Upper Agua Fria drainage area. Federal, tribal, state, and local entities are identifying and prioritizing water resource concerns in this area to provide coordinated and effective actions. Meetings occur as needed. Contact Mary Reece, (602) 206-3884 or [mreece@lc.usbr.gov](mailto:mreece@lc.usbr.gov).

## Special Studies and Water Quality Improvement Projects

The following studies and water quality improvement projects have occurred in the Middle Gila Watershed during the last 5 years.

**Total Maximum Daily Load Analyses** – The following TMDL analyses have been completed, are ongoing, or are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov).

- **Alvord Park Lake** in south Phoenix is impaired due to ammonia. Elevated ammonia may represent a risk to aquatic life. This lake is an important urban recreational area. The TMDL investigation is scheduled to be initiated in 2007.
- **Chaparral Lake** in Scottsdale is impaired due to low dissolved oxygen and bacteria (*Escherichia coli*). Swimming or wading in the lake is prohibited; therefore, public health risk due to the presence of *E. coli* is reduced. Low dissolved oxygen may pose problems for aquatic life. Both low dissolved oxygen and high *E. coli* are likely related to ducks and other wildlife that congregate at this lake. Both TMDLs are scheduled to be initiated in 2007.
- **Cortez Park Lake** in Phoenix is impaired due to low dissolved oxygen and high pH. Low dissolved oxygen and high pH are frequently associated with excess nutrient loadings and eutrophic conditions which may lead to algal blooms and even fish kills. The narrative nutrient implementation guidance being developed by ADEQ may be used in developing these TMDLs as numeric nutrient standards have not been established. Both TMDLs are scheduled to be initiated in 2007.
- **French Gulch**, a tributary to the Hassayampa River near Walnut Grove, is impaired due to cadmium, copper, and zinc. Metal concentrations may represent a risk to aquatic and wildlife communities. TMDLs were completed and for this stream in 2005 and identified the Zonia Mine as the primary source of these pollutants, although natural background and other inactive and abandoned mine

workings may also be contributing loads. Currently the mine is operating three production wells to draw down the ground water table and reduce metal loading to the surface water from the ground water. ADEQ will be working with the owners of Zonia Mine and other stakeholders to develop and implement management measures to further reduce loadings and pollutant risks to the environment.

- Hassayampa River is impaired due to cadmium, copper and zinc. Metal concentrations may pose a risk to aquatic and wildlife communities. TMDLs were approved in 2002. Several abandoned mine tailings were identified as primary sources of these contaminants including: McClellan tailings, Senator Gold Mine adit and tailings, and the Wetland tailings. The U.S. Forest Service has initiated several remediation projects, and ADEQ is working with interested stakeholders to prepare a TMDL Implementation Plan to identify other actions and watershed management measures.
- Several reaches of the Gila River, Painted Rocks Reservoir, and the Salt River and the Hassayampa River reaches that flow into the Gila River are all impaired by pesticides in fish tissue – specifically, DDT metabolites, toxaphene, and chlordane. (See also Painted Rocks Borrow Pit in the Colorado – Lower Gila Watershed.) Although these pesticides have been banned from use for at least 20 years, these pesticides remain at concentrations that may pose a high risk to aquatic life and species that prey on them, including humans who may eat the fish. Fish consumption advisories have been set for these waters for more than 10 years. This is a complex TMDL due to the size of the drainage and vast area where these pesticides were historically applied.
- Mineral Creek, a tributary to the Gila River near Kelvin, is impaired due to copper and selenium. Both copper and selenium concentrations may pose a risk to aquatic life and wildlife. Recent remediation efforts have been effective in mitigated copper contamination, as exceedances only occur during extreme flow events; however, those methods have not reduced the selenium loads.
- Queen Creek near Superior is impaired due to copper. Copper concentrations may pose a risk to aquatic life and wildlife. A TMDL was initiated in 2005 and is scheduled to be completed in 2009.
- Turkey Creek, a tributary to the Agua Fria, is impaired due to copper and lead. Metals concentrations may represent a risk to aquatic life and wildlife. A draft TMDL, completed September 22, 2006, indicates that the primary sources of metals are inactive and abandoned mines, such as Golden Turkey Mine and Golden Belt Mine. ADEQ has been coordinating with the U.S. Forest Service in identifying remediation actions for mines on Forest Service land. ADEQ has been working with stakeholders to identify and implement strategies or actions that would bring Turkey Creek back into compliance with its standards.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **Bar S Ranch Septic System Project**  
Bar S Ranch (2001)  
Replace a failing septic system to protect Chicken Springs Wash, at Mingus Mountain.
- **Algal Bioreactor Filtration Project**  
Universal Entech, LLC (2002)  
Develop and demonstrate an algal biological filtration system to treat agricultural runoff waters from irrigation drainage ditches prior to entering the Gila River. The goal was to reduce nutrient loading (including Painted Rocks Borrow Pit downstream).
- **Upper Hassayampa River Watershed Restoration Project**  
Maughan Ranches (2003)

Exclude cattle from riparian areas along the Hassayampa River (from Milk Creek to Hassayampa River Canyon Wilderness Area) in an effort to increase riparian vegetation, stabilize soil, and reduce sediment.

- **Upper Agua Fria Wildcat Dumpsite Cleanup Project**  
Upper Agua Fria Watershed Partnership (2004)  
Clean up illegal dump sites along Big Bug Creek, a tributary to the Agua Fria River. Sites were located along Big Bug Creek between Cordes Junction and Mayer.
- **Gibson Mine Remediation Project**  
Franciscan Friars of California (2005 and 2006)  
Design, construct, and implement a manmade wetland to reduce copper, beryllium, zinc, and turbidity loadings to Pinto Creek and Mineral Creek.

**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Tres Alamos Ranch Tank Rehabilitation Project**  
Tres Alamos Ranch (2000)  
Exclude grazing from 35 acres near Wickenburg, decommission three cattle tanks (replanting the dirt tanks area with native plants), and replace dirt tanks at 2 other sites with cattle drinkers.
- **Papago Park Green Line Project**  
The city of Tempe and the Arizona Historical Society (2000)  
Obtain water rights to sustain a riparian area. The project would also restore and regenerate riparian health and provide educational opportunities for the public.
- **Lynx Creek Restoration Project**  
Prescott National Forest (2003)  
Restore a segment of Lynx Creek, including two wetland areas.

**U.S. Army Corps of Engineers' Ecosystem Restoration Projects** – Ecosystem restoration, environmental stewardship, and radioactive site cleanup projects are funded through the annual federal Energy and Water budget. The purpose of ecosystem restoration is to re-establish attributes of a natural functioning and self-regulating system.

- **Va Shly 'ay Akimel**  
Restore riparian ecosystem using native vegetation along the Salt River between Granite Reef Dam to the Loop 101 Bridge (14 miles and 17,435 acres). The project will establish a functional floodplain in the unconstrained reaches. To provide passive recreational opportunities, improved habitat, and provide educational opportunities.
- **Rio Salado – Tempe Reach**  
Restore threatened and endangered species habitat by planting mesquite, cottonwood-willow, wetland, strand scrub, and open edge habitat along the Salt River between McClintock Avenue and Priest Drive, and from McKellips road to Tempe Town Lake.
- **Rio Salado – Phoenix Reach**  
Restore riparian habitat along the Salt River from Interstate 10 Bridge to 19<sup>th</sup> Avenue (5 miles and 580 acres). A series of shallow pools will be connected by a perennially flowing stream. Three parking areas will be added for public access to the restored area.
- **Rio Salado Oeste**  
The objective is to increase the functional riparian along the Salt River, between 19<sup>th</sup> Avenue and 83<sup>rd</sup> Avenue. To attract wetland and riparian avian species, and establish the presence of amphibians, reptiles,

mammals and birds, while suppressing undesirable fish and wildlife species and invasive plants. The project is to increase passive recreational and educational opportunities and reduce flood damage.

## Other Water Quality Studies

- **Phoenix Metropolitan Reservoir Study**  
David Walker, University of Arizona  
This is an ongoing and comprehensive study of water quality in reservoirs serving the Phoenix metropolitan area. Goal is to collect and analyze data to answer water quality management questions in a proactive manner. A yearly report is produced. In 2005, the report provided information about: climate and drought effects on water quality, wildfire effects on water quality, harmful algal blooms, atmospheric deposition and the use of sediment to look at accumulation of pollutants, and endocrine disruption compounds.
- ***Hydrologic Characteristics of the Agua Fria National Monument, Central Arizona, Determined from the Reconnaissance Study***  
John B. Fleming, U.S. Geological Survey, in cooperation with the Bureau of Land Management  
A characterization of the hydrologic conditions in the newly created Agua Fria National Monument based on existing hydrologic and geologic information and stream flow data collected in 2002.
- **Tres Rios Constructed Wetlands Project**  
City of Phoenix and Corps of Engineers  
The Tres Rios Constructed Wetlands demonstrates the practicality and usefulness of constructed wetlands in reclaiming wastewater effluent while establishing wildlife habitat in arid regions.
- ***Determination of Channel Change for Selected Streams, Maricopa County, Arizona***  
Joseph P. Capesius and Ted W. Leham – U.S. Geological Survey in cooperation with the Flood Control District of Maricopa County (2002)  
Alluvial stream channels in arid regions are dynamic and channel changes can occur over short time periods, ranging from hours to weeks. A channel can scour during higher discharges and fill during lower discharges, causing short-term changes. In Maricopa County, 10 sites on seven streams were studied to determine the lateral and vertical change of channel. All channels showed some change in cross-section area or hydraulic radius, but the direction and magnitude of change varied considerably – some are more dynamic than others. Long-term channel change (years to decades) was also studied as this would have more effect on potential flood-hazards. Three sites appeared to have substantial long-term channel change.
- ***Reconnaissance of the Upper Agua Fria Watershed and Hydrologic Analysis***  
Lloyd O. Barnett, Richard H. Hawkins, and D. Phillip Guertin, School of Renewable Natural Resources, University of Arizona, in cooperation with the Upper Agua Fria Watershed Partnership  
This report provides a description of the watershed characteristics, including hydrology and watershed issues. The report primarily focuses on water quantity and water rights, with a brief summary of water quality concerns. The report established strategies to address the water budget, water rights, watershed health, and water quality concerns.
- ***Status of Federal and State Listed Warm Water Fishes of the Gila River Basin, with Recommendations for Management***  
Desert Fishes Team Report Number 1 (2003)  
This report reviews the status of 12 federal and state listed native warm water fishes in the Gila River basin and the post 1967 recovery and conservation actions taken by all agencies, organizations, or parties.
- ***Assessment of Selected Inorganic Constituents in Streams in the Central Arizona Basins Study Area, Arizona and Northern Mexico, through 1998***  
David Anning – U.S. Geological Survey, National Water Quality Assessment Program (2003)



Inorganic chemical data (dissolved solids, suspended sediment, and nutrients) and stream properties (temperature, pH, dissolved oxygen) were analyzed to assess water quality, determine natural and human factors affecting water quality, and compute stream loads.


## **Assessments**

The Middle Gila Watershed can be separated into the following drainage areas (subwatersheds):

- 15050100 Gila – Queen Creek Drainage Area (from San Carlos Reservoir to Salt River)
- 15060106B Salt – Cave Creek Drainage Area (from Granite Reef Dam to Gila River)
- 15070101 Gila – Painted Rock Drainage Area (from Salt River to Painted Rock Dam)
- 15070102 Agua Fria River Drainage Area
- 15070103 Hassayampa River Drainage Area
- 15070104 Centennial River Drainage Area

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).

# Middle Gila Watershed 2006/2008 Assessment for Streams & Lakes



<b>AGUA FRIA RIVER</b>  From State Route 169 to Yarber Wash 15070102 – 031B 17.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining AgI – Attaining AgL – Attaining	Category 1  Attaining	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 11/26/2002 – 05/22/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
Below USGS gage #09512450 MGAFR109.37 101672	ADEQ Ambient	Metals	Nutrients – Related	Other
		4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc  4 total and 0-1 dissolved: Boron, lead, manganese, mercury, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium and dissolved mercury	

<b>AGUA FRIA RIVER</b>  From Sycamore Creek to Big Bug Creek 15070102 -- 023 9.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining AgI – Attaining AgL – Attaining	Category 1  Attaining	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/21/2001 – 09/20/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below USGS gage #09512500 MGAFR087.06 100710	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc  4 total metals only: Boron, lead, manganese, mercury, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium.	

<b>AGUA FRIA RIVER</b>  From Little Squaw Creek to Cottonwood Creek 15070102 – 017 5.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining	Category 1	
	FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Attaining	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 11/21/2001 – 09/20/2002		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below Rock Springs USGS gage #09512800 MGAFR053.33 101304	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, and zinc  4 total metals only: Boron, lead, manganese, mercury, and selenium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	11/21/2001 – 1.7 mg/L 05/08/2002 – 4.1 mg/L	Attaining – Low dissolved oxygen due to groundwater upwelling and low flow. (Flow 0.01-0.05 cfs). Very low nutrient loads (0.03-0.1 mg/L nitrogen, 0.08-0.09 mg/L phosphorus).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium.	

<b>ALVORD LAKE</b>  <b>15060106B -- 0050</b> <b>27 ACRES</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired PBC – Inconclusive FC – Inconclusive	Category 5 Impaired	Ammonia	Added ammonia to 303(d) List in 2004.

<b>MONITORING USED IN THIS ASSESSMENT</b>				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/21/2000 – 01/24/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Inflow MGALV-A 101040	AGFD Ambient	2 total and 3 dissolved: Cadmium, chromium, copper, lead, manganese, mercury and zinc  2 total and 0-2 dissolved metals: Antimony, arsenic, beryllium, boron, lead, and selenium	11-21 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 Fluoride 12 Total dissolved solids 6 Turbidity
Boat ramp MCALV-BR 102752	AGFD Ambient			
Mid lake MGALV-C 101042	AGFD Ambient			
Combined site A, B, C MCALV-ABC 101053	AGFD Ambient			
East basin MGALV-EAST 102562	AGFD Ambient			
West lagoon MBALV-WEST 102563	AGFD Ambient			

<b>EXCEEDANCES</b>			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Ammonia	0.29 mg/L at 24.8 C, 8.9 SU 0.32 mg/L at 28.1 C, 8.7 SU 0.74 mg/L at 21.6 C, 8.3 SU A&Ww chronic	05/09/2001 – 0.33 mg/L 09/17/2002 – 1.09 mg/L 05/01/2003 – 1.33 mg/L	Remains impaired –3 exceedances during the assessment period.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria and mercury to assess FBC and FC		Lab detection limit for dissolved mercury is higher than A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect ammonia samples to support development of ammonia TMDL. High ammonia may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Use lower lab detection limit for dissolved mercury.</p> <p>Collect missing core parameters to represent at least 3 seasons during the assessment period.</p>	

<b>ARNETT CREEK</b>  From headwaters to Queen Creek 15050100 – 1818 11.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/19/2001 – 08/03/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Blue Springs MGARN007.64 103462	Resolution Copper Ambient	4-8 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc	4-6 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	6 <i>E. coli</i> bacteria 6 Fluoride 6 Total dissolved solids
Near Superior, AZ MCARN002.74 101306	ADEQ Ambient	4-8 total and 0-2 dissolved: Boron, lead, mercury, silver		6 Turbidity 1 Cyanide

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	08/26/2002 – 5.3 mg/L 05/07/2002 – 3.4 mg/L	Attaining – Low dissolved oxygen due to groundwater upwelling and low flow. (Flow 0.01 cfs)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium and dissolved mercury.	

<b>BLUE JOHN WASH</b>  From headwaters to unnamed tributary of Lynx Creek 15070102 -- 471 1.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/11/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Upstream of unnamed tributary to Lynx Creek (Sheldon Mine wash) MGBLJ000.06 103409	Weston Inc Special inv for EPA	1 dissolved metal sample: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, manganese, mercury, nickel, silver, thallium, and zinc	None	1 Fluoride 1 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Zinc (dissolved)	3,599.4 µg/L at >400 mg/L hardness A&W/c acute	05/11/2001 – 5060 µg/L	Inconclusive – Only 1 exceedance.

Pollutant: Assume “total” concentration, unless shown as dissolved.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Zinc	Insufficient core parameters	Insufficient monitoring events	Lab detection limits for selenium and dissolved mercury were higher than A&W/c chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect additional zinc data due to the exceedance.  Use lower lab detection limits for selenium and dissolved mercury.  Collect core parameters to represent at least 3 seasons during an assessment period.  (See also “Unnamed tributary to Lynx Creek” assessment)	



CASH MINE CREEK	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
From headwaters to Hassayampa River 15070103 -- 349 1 Mile	A&Wc – Impaired FBC – Inconclusive FC – Inconclusive	Category 4A  Not attaining	Cadmium, copper, zinc	The Hassayampa River TMDL included loadings for cadmium, copper, and zinc from this tributary.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 05/10/2001; 03/04/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near McClellan Tailings MGCSM000.34 102818	ADEQ TMDL and Westin, Inc Special Inv.	2 total and 3 dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, nickel, silver, and zinc	2 Dissolved oxygen 2 pH	1 Fluoride 1 Total dissolved solids
Below road MGCSM000.29 100833	ADEQ TMDL	2 total and -0-2 dissolved: Barium, boron, manganese , mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	21.5 µg/L at 165 mg/L hardness 9.2 µg/L at 67 mg/L hardness A&Wc acute	05/10/2001 – 2820 µg/L 03/04/2005 – 1700 µg/L	Remains impaired – 2 exceedances in last 3 years of monitoring. Also considered the magnitude of the values and the mining sources in the area.
pH	<6.5 SU A&Wc, FBC	03/04/2005 – 5.8 µg/L	Inconclusive – 1 of 2 samples did not meet the criteria (binomial).
Lead (dissolved)	4.7 µg/L at 165 mg/L hardness A&Wc chronic	05/10/2001 – 7.1 µg/L	Inconclusive – 1 exceedance during the assessment period.
Zinc (dissolved)	193 µg/L at 165 mg/L hardness 83.5 µg/L at 67 mg/L hardness A&Wc acute	05/10/2001 – 256 µg/L 03/04/2005 – 120 µg/L	Remains impaired – 2 exceedances in the last 3 years of monitoring.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead and pH	Insufficient dissolved oxygen, <i>E. coli</i> bacteria, and mercury to assess A&Wc, FBC, and FC.	Insufficient monitoring events	Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		<p>Medium Priority –Collect cadmium, copper, zinc, and pH data to evaluate the effectiveness of TMDL implementation strategies after they have been implemented. Samples collected should represent critical conditions – conditions in which exceedances are most likely to occur.</p> <p>Collect additional lead samples due to the exceedance.</p> <p>Collect additional core parameters to represent at least 3 seasons.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

UNNAMED TRIBUTARY TO CASH MINE CREEK	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
From headwaters to Cash Mine Creek 15070103 -- 415 1 Mile	A&Wc – Impaired FBC – Inconclusive FC – Inconclusive	Category 4A  Not attaining	Cadmium, copper, zinc	The 2002 Hassayampa River TMDL included loadings for cadmium, copper, and zinc from this tributary.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 05/10/2001; and 03/04/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above adit & McCleure tailings MGUCM000.27 103357	Westin, Inc Special Inv.	4-5 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, manganese, nickel, silver, thallium, and zinc 1 total and dissolved: Boron 1 Selenium  (Only 2 sampling events)	2 Dissolved oxygen 2 pH	4 Fluoride 4 Total dissolved solids
At adit & above McCleure tailings MGUCM000.25 103358	Westin, Inc Special Inv.			
Below adit & above McCleure tailings MGUCM000.22 103359	Westin, Inc Special Inv.			
Above McCleure tailings MGUCM000.13 102816	ADEQ TMDL			
At base of McCleure tailings MGUCM000.09 103352	Westin, Inc Special Inv.			
Below McCleure tailings MGUCM000.01 102817	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Beryllium	5.3 µg/L A&Wc chronic	05/10/2001 – 6.2 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring.
Cadmium (dissolved)	5.7 µg/L at 130 mg/L hardness 2.9 µg/L at 70 mg/L hardness A&Wc acute	05/10/2001 – 82.1 µg/L 03/04/2005 – 13.0 µg/L	Remains impaired – 2 exceedances in the last 3 years of monitoring.
Copper (dissolved)	17.2 µg/L at 130 mg/L hardness 9.6 µg/L at 70 mg/L hardness A&Wc acute	05/10/2001 – 1080 µg/L 03/04/2005 – 150 µg/L	Remains impaired – 2 exceedances in last 3 years of monitoring.
Lead	15 µg/L FBC	05/10/2001 – 60.6 µg/L	Inconclusive – Only 1 exceedance in 2 samples. (Binomial)
Lead (dissolved)	3.3 µg/L at 130 mg/L hardness A&Wc chronic	05/10/2001 – 60.6 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring.
pH	<6.5 SU A&Wc, FBC	03/04/2005 – 5.4 SU	Inconclusive – Did not meet standard when measured – only 1 measurement taken. (Binomial)
Selenium	2.0 µg/L A&Wc chronic	05/10/2001 – 3.7 µg/L	Inconclusive – Exceeded in only 1 sample during the last 3 years of monitoring.
Zinc (dissolved)	156 µg/L at 130 mg/L hardness 86.6 µg/L at 70 mg/L hardness A&Wc acute	05/10/2001 – 7590 µg/L 03/04/2005 – 1400 µg/L	Remains impaired – 2 exceedances in the last 3 years of monitoring.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Beryllium, lead, pH, and selenium	Insufficient dissolved oxygen and <i>E. coli</i> bacteria to assess attainment of A&W or FBC.	Insufficient monitoring events	Lab detection limits for selenium and dissolved mercury were higher than A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority –Collect additional cadmium, copper, zinc, and pH data to evaluate the effectiveness of TMDL implementation strategies after they have been implemented. Collect these samples during critical conditions – when exceedances are most likely to occur.</p> <p>Collect additional beryllium, lead, and selenium samples due to exceedances.</p> <p>Collect additional core parameters to represent at least 3 seasons.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

<b>CAVE CREEK</b>  From headwaters to Cave Creek Dam 15060106B– 026A 32.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1	
		Attaining	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/17/2001 – 02/05/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Seven Springs MGCVE037.68 100527	ADEQ Ambient	5-8 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc	8 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	8 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 1 Suspended sediment concentration 8 Turbidity
Below Maricopa Mine tailings MCCVE025.98 101305	ADEQ Ambient	4-8 total and 0-2 dissolved: Boron, lead, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium.	

<b>CHAPARRAL PARK LAKE</b>  <b>15060106B – 0300</b> <b>12 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired PBC – Impaired FC – Inconclusive Agl – Inconclusive	Category 5  Impaired	<i>E. coli</i> bacteria and low dissolved oxygen	<i>E. coli</i> bacteria and low dissolved oxygen were added to 303(d) list in 2004.

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 05/09/2001 – 10/31/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam MGCHA-A 101045	ADEQ Ambient	2 total and 3 dissolved: Barium, cadmium, chromium, copper, lead, manganese, mercury, nickel, zinc	7 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 Fluoride 5 Total dissolved solids 1 Turbidity
Mid Lake MGCHA-B 101046	ADEQ Ambient	2 total and 0-2 dissolved: Antimony, arsenic, beryllium, boron, selenium, and silver		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved oxygen, <i>E. coli</i> bacteria, manganese, boron and mercury to assess uses.		Lab detection limit for dissolved mercury was higher than A&Ww chronic criteria.
<b>DISSOLVED OXYGEN AND PH IMPAIRMENT</b>		Insufficient data to affect impairment decisions. No bacteria data. Delisting dissolved oxygen would require at least 10 samples, some of which were collected during critical conditions.	
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect dissolved oxygen and <i>E. coli</i> bacteria to support development of TMDLs. Low dissolved oxygen may be an indication of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Collect missing core parameters to represent at least 3 seasons during an assessment period.</p> <p>Use lower lab detection limits for dissolved mercury.</p>	

<b>CORTEZ PARK LAKE</b>  <b>15060106B – 0410</b> <b>2 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired PBC – Impaired FC – Inconclusive Agl – Impaired	Category 5  Impaired	High pH and low dissolved oxygen	High pH and low dissolved oxygen were added to 303(d) list in 2004.

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 05/14/2001 – 09/24/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam MGCOR - A 101043	ADEQ Ambient	2 total and 2 dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, zinc	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity
Mid Lake MGCOR - B 101044	AGFD Ambient			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT</b> <b>DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for dissolved mercury was higher than A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect dissolved oxygen and pH samples to support development of TMDLs. Low dissolved oxygen and high pH may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Collect missing core parameters to represent at least 3 seasons during an assessment period.</p> <p>Use lower lab detection limits for dissolved mercury.</p>	

<b>ENCANTO PARK LAKE</b>  <b>15060106B– 0510</b> <b>8 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive PBC – Inconclusive FC – Inconclusive Agl – Inconclusive	<b>Category 3</b>  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 07/23/2002 – 10/01/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Mid lake MGENC - B 102757	ADEQ Ambient	1dissolved only: Cadmium, chromium, copper, lead, manganese, mercury, and zinc	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen	2 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than A&Ww.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>FAIN LAKE</b> (on Lynx Creek) 15070101 -- 0005 10 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/29/2002 – 06/09/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam MGFAI-A 101400	ADEQ Ambient	2 total and 2 dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc	2-3 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 2 Fluoride 3 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	08/29/2002 – 4.3	Inconclusive – Only 1 exceedance in 3 sampling events (binomial).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient dissolved copper, cadmium, mercury, and zinc to assess A&Ww and FC.	Samples only represent 1 season (June and August).	Lab detection limit for dissolved mercury was higher than A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect dissolved oxygen data because criterion was not met. Low dissolved oxygen may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Collect missing core parameters to represent at least 3 seasons during the assessment period.</p> <p>Use lower lab detection limits for dissolved mercury.</p>	



<b>FRENCH GULCH</b>  From headwaters to Hassayampa River 15070103 -- 239 9.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Inconclusive FC – Attaining	Category 4A  Not attaining	Cadmium, copper, and zinc	TMDL completed and approved in 2005 for cadmium, copper, and zinc

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/29/2001 – 04/03/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below headwaters MGFRG010.33 102234	ADEQ TMDL	36-45 total and dissolved: Cadmium, chromium, copper, and zinc  43 total and 4 dissolved: Manganese  36-38 total and 0-2 dissolved: Arsenic, boron, lead, mercury  3 total and dissolved: Beryllium  38 pH	19 Dissolved oxygen	None
Western trib above Zonia Mine MGFRG010.19 102085	ADEQ TMDL			
Above Zonia Mine MGFRG010.14 102088	ADEQ TMDL			
At headwaters MGFRG010.13 102086	ADEQ TMDL			
Above Zonia Mine MGFRG009.79 101619	ADEQ TMDL			
Below upper waste rock pile MGFRG009.59 102087	ADEQ TMDL			
Above Zonia Gulch MGFRG008.19 102235	ADEQ TMDL			
Below Zonia Gulch MGFRG008.09 101620	ADEQ TMDL			
Above Placerita Gulch MGFRG007.28 102242	ADEQ TMDL			
Above Placerita Gulch MGFRG007.06 101649	ADEQ TMDL			
Below Placerita Gulch MGFRG006.95 101650	ADEQ TMDL			
Above Hassayampa River MGFRG000.19 102084	ADEQ TMDL			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Arsenic	50 µg/L FBC	11/12/2003 – 78 µg/L	Attaining – Only 1 exceedance in 38 samples (binomial).
Cadmium (dissolved)	6.2 µg/L at >400 mg/L hardness A&Ww chronic	03/29/2001 – 9 mg/L 04/24/2001 – 8 mg/L 06/06/2001 – 9 mg/L	Remains impaired – 3 exceedances of the chronic criteria during 3 consecutive months.
Copper	1300 µg/L – FBC	08/28/2003 – 2000 µg/L 11/12/2003 – 5500 µg/L	Attaining – Only 2 exceedances in 18 samples (binomial).
Copper (dissolved)	49.6 µg/L at >400 mg/L hardness 49.6 µg/L at >400 mg/L hardness 25.8 µg/L at 190 mg/L hardness 49.6 µg/L at >400 mg/L hardness 49.6 µg/L at >400 mg/L hardness 18.4 µg/L at 140 mg/L hardness 3.6 µg/L at 23 mg/L hardness 3.9 µg/L at 30 mg/L hardness 3.3 µg/L at 22 mg/L hardness 3.7 µg/L at 26 mg/L hardness A&Ww acute	03/29/2001 – 75 µg/L 04/24/2001 – 56 µg/L 02/26/2003 – 140 µg/L 03/04/2003 – 65 µg/L 08/28/2003 – 120 µg/L 11/12/2003 – 190 µg/L 12/26/2003 – 31 µg/L 02/23/2004 – 78 µg/L 03/13/2004 – 18 µg/L 04/03/2004 – 9.7 µg/L	Remains impaired – 10 exceedances total. 8 exceedances in the last 3 years of monitoring.
Dissolved oxygen	6.0 mg/L A&Ww	02/26/2003 – 5.1 mg/L 08/27/2003 – 5.2 mg/L	Attaining – One low dissolved oxygen value was due to low flow and ground water upwelling; therefore, only 1 sample did not meet criteria in 10 sampling events (binomial).
Lead	15 µg/L FBC	08/25/2003 – 90.2 µg/L 11/12/2005 – 340 µg/L	Attaining – Only 2 of 13 sampling events with an exceedance. (binomial)
Zinc (dissolved)	379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness A&Ww acute	06/06/2001 – 460 µg/L 10/11/2001 – 400 µg/L	Attaining – Although 2 exceedances in 2001, no exceedances in the last 3 years of monitoring. Note that ground water is being pumped and treated at Zonia Mine during this period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Insufficient <i>E. coli</i> bacteria to assess FBC		Lab detection limits for dissolved metals (cadmium, copper, and zinc) were higher than A&W chronic criteria in at least 9 samples.
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect cadmium, copper, and zinc samples to determine effectiveness of TMDL implementation strategies, once implemented. Collect samples during critical conditions – when exceedances are most likely to occur.</p> <p>Collect missing core parameters to represent at least 3 seasons during an assessment period.</p> <p>Use lower detection limits for dissolved metals.</p>	

<b>GILA RIVER</b>  From Dripping Springs Wash to San Pedro River 15050100 – 009 11.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1	
		Attaining	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/18/2002 – 05/21/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Dripping Springs Wash MGGLR343.27 101652	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc 4 total metals only: Boron, lead, manganese, mercury, nickel	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than A&W/c chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limit for selenium.	

<b>GILA RIVER</b>  From San Pedro River to Mineral Creek 15050100 – 008 19.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Suspended sediment	Add suspended sediment to the 303(d) List.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 09/12/2001 – 08/10/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Kelvin USGS #09474000 MGGLR313.73 100748	USGS Ambient	12-13 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	12-13 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	13 <i>E. coli</i> bacteria 13 Fluoride 13 Total dissolved solids 13 Suspended sediment concentration 12 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/10/2004 – 300 CFU/100 ml	Inconclusive – Only one exceedance in past 3 years of data (1 of 13 samples).
Lead	15 µg/L FBC	09/09/2003 – 29 µg/L 08/10/2004 – 22.9 µg/L	Attaining – Only 2 exceedance in 13 samples. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	12/05/2001 – 141 mg/L – 240 cfs 08/21/2002 – 173 mg/L – 8 cfs 03/26/2003 – 915 mg/L – 408 cfs* 09/09/2003 – 658 mg/L – 3.2 cfs 12/08/2003 – 161 mg/L – 0.2 cfs 03/23/2004 – 182 mg/L – 285 cfs 08/10/2004 – 956 mg/L – 31 cfs	Impaired – 7 of 13 samples exceeded the 80 mg/L criterion. One of the exceedances (*) was not included in the geometric mean calculation because the flow was above the 50 <sup>th</sup> Percentile of flow (300 cfs). Using the remaining samples, the geometric mean exceeded 80 mg/L three times.
Selenium	2.0 µg/L A&Ww chronic	06/23/2003 – 3.0 mg/L	Inconclusive – Selenium exceeded the standard 1 time during the last 3 years of monitoring. Note exceedance occurred during low flow (0.2 cfs).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria and selenium	Collected all core parameters		Lab detection limit for dissolved mercury was higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		<p>High Priority –Collect additional suspended sediment concentration data to support development of a TMDL. The old turbidity standard (50 NTU) was exceeded in 6 of 12 samples. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p> <p>Collect additional selenium and <i>E. coli</i> bacteria samples due to exceedances.</p> <p>Use a lower lab detection limit for dissolved mercury.</p>	

<b>GILA RIVER</b>  <b>From Salt River to Agua Fria River</b> <b>15070101 -- 015</b> <b>3.7 Miles</b>	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Wedw – Attaining PBC – Attaining FC – Inconclusive Agl – Attaining AgL -- Attaining	Category 2  Attaining some uses		
	E P A	FC – Impaired	Category 5 Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 11/20/2001 – 08/09/2002		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above El Mirage Road MGGLR204.04 101264	ADEQ Ambient	4 total and dissolved: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity 2 Chlorine

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
No Exceedances			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Pesticides in fish tissue	Collected all core parameters		Lab detection limit for selenium was higher than A&Wedw chronic criteria.
<b>DISCUSSION OF PESTICIDE IMPAIRMENT</b>		Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect pesticides samples in fish tissue and water column to support development of TMDLs.  Use a lower lab detection limit for selenium.	

<b>GILA RIVER</b>  <b>From Agua Fria River to Waterman Wash</b> <b>15070101 -- 014</b> <b>11.9 Miles</b>	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Wedw – Inconclusive PBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5 Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 1/12/2005, 1/21/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Estrella Parkway MGGLR199.33 101495	ADEQ Ambient	2 total and 2 dissolved: Antimony, arsenic, beryllium, cadmium, copper, lead, manganese, mercury, and zinc 2 total metals only: Boron and chromium	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
No Exceedances			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Pesticides in fish tissue	Insufficient core parameters to assess designated uses	Insufficient monitoring events	Lab detection limits for dissolved mercury, dissolved lead, and total selenium were higher than A&Wedw chronic criteria.
<b>DISCUSSION OF PESTICIDE IMPAIRMENT</b>		Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect pesticides to support development of TMDL development.  Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for selenium, dissolved lead, and dissolved mercury.	

GILA RIVER	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wedw – Inconclusive PBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

#### MONITORING USED IN THIS ASSESSMENT

No Current Data			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue
-----------------	--	--	---

#### DATA GAPS AND MONITORING NEEDS

DISCUSSION OF PESTICIDE IMPAIRMENT	Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>
MONITORING RECOMMENDATIONS	High Priority – Collect samples to support pesticide TMDL development.

GILA RIVER	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wedw – Inconclusive PBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

#### MONITORING USED IN THIS ASSESSMENT

No Current Data			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue
-----------------	--	--	---

#### DATA GAPS AND MONITORING NEEDS

DISCUSSION OF PESTICIDE IMPAIRMENT	Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>
MONITORING RECOMMENDATIONS	High Priority – Collect samples to support pesticide TMDL development.



GILA RIVER  From Centennial Wash to Gillespie Dam 15070101 -- 008 5.3 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wedw – Impaired PBC – Inconclusive FC – Attaining Agl -- Impaired AgL – Attaining	Category 5  Impaired	Boron and selenium in the water column	Boron on list since 1992. Selenium was added in 2004
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/28/2000 – 05/19/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above diversion at Gillespie Dam USGS #09518000 MGGLR167.44 100734	USGS Ambient	18 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc	18 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	18 <i>E. coli</i> bacteria 18 Fluoride 18 Total dissolved solids 18 Suspended sediment concentration 18 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Boron	1000 µg/L Agl	ALL 18 SAMPLES EXCEEDED Concentrations ranged from 1700 µg/L to 3080 µg/L	Remains impaired – 18 exceedances in 18 samples.
			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue
<i>E. coli</i> bacteria	576 CFU/100 ml PBC	03/27/2003 -- >2675 CFU/100 ml	Inconclusive – 1 exceedance in the last 3 years of monitoring
Selenium	2.0 µg/L A&Wedw	14 exceedances (Too many to display) Concentrations ranged from <1 to 18 µg/L	Remains impaired – 14 of 18 samples exceeded the criterion. 8 of the measurements were 5.0 µg/L or higher.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria, pesticides in fish tissue	Collected all core parameters		
DISCUSSION OF PESTICIDE IMPAIRMENT		Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>	
MONITORING RECOMMENDATIONS		High Priority – Collect samples to support development of TMDLs for pesticides, boron, and selenium. Collect <i>E. coli</i> bacteria due to the exceedance.	



GILA RIVER  From Gillespie Dam to Rainbow Wash 15070101 -- 007 5.1 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wedw – Inconclusive PBC – Inconclusive FC – Inconclusive Agl -- Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT			
No Current Data			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue

DATA GAPS AND MONITORING NEEDS	
DISCUSSION OF PESTICIDE IMPAIRMENT	Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>
MONITORING RECOMMENDATIONS	High Priority – Collect samples to support pesticide TMDL development.

GILA RIVER  From Rainbow Wash to Sand Tank 15070101 -- 005 16.9 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wedw – Inconclusive PBC – Inconclusive FC – Inconclusive Agl -- Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT			
No Current Data			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue

DATA GAPS AND MONITORING NEEDS	
DISCUSSION OF PESTICIDE IMPAIRMENT	Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>
MONITORING RECOMMENDATIONS	High Priority – Collect samples to support pesticide TMDL development.

<b>GILA RIVER</b>  <b>From Sand Tank to Painted Rocks Reservoir</b> <b>15070101 -- 001</b> <b>18.7 Miles</b>	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wedw – Inconclusive PBC – Inconclusive FC – Inconclusive Agl -- Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT			
No Current Data			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue

DATA GAPS AND MONITORING NEEDS	
DISCUSSION OF PESTICIDE IMPAIRMENT	Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>
MONITORING RECOMMENDATIONS	High Priority – Collect samples to support pesticide TMDL development.

<b>HASSAYAMPA LAKE</b>  15070103 -- 3160 2 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/08/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Inlet MGHAS - C 103432	Westin, Inc Special Inv.	1 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc  1 total metals only: Mercury	None	1 Fluoride 1 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	9.6 µg/L at 70 mg/L hardness A&Wc acute	05/08/2001 – 14.4 µg/L	Inconclusive – 1 exceedance in a 3-year period
Lead	15 µg/L FBC	05/08/2001 – 25 µg/L	Inconclusive – Only sample exceeded the criteria.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper and lead	Insufficient core parameters	Insufficient monitoring events.	Lab detection limits for selenium, and dissolved mercury were higher than A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect additional copper and lead data due to the exceedances.  Collect additional core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for selenium, thallium, and dissolved mercury.	

<b>HASSAYAMPA RIVER</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
From headwaters to Copper Creek 15070103 – 007A 11.0 Miles	A&Wc – Impaired FBC – Impaired FC – Attaining Agl – Impaired AgL – Impaired	Category 5 (pH) Impaired Category 4A (Cadmium, copper, zinc) Not Attaining	Cadmium, copper, zinc, and pH	Add pH. TMDL completed and approved in 2002 for cadmium, copper, and zinc

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 09/27/2000 - 05/10/2001; 03/04/2005</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Headwaters MGHSR115.34 101151	ADEQ TMDL	58-69 total and dissolved: Cadmium, copper, and zinc	62 pH 41 Dissolved oxygen 8 Nitrite/nitrogen 8 Total nitrogen 1 Total phosphorus	7 Fluoride 7 Total dissolved solids
Downstream of spring MGHSR114.54 101005	ADEQ TMDL	3-7 total and dissolved: Antimony, arsenic, barium, beryllium, chromium, manganese, nickel, silver		
Upstream of Wetland Mine MGHSR113.96 103435	Westin, Inc Special inv.	1-2 total and 0-2 dissolved: Boron, selenium, thallium		
At Wetland Mine MGHSR113.91 103436	Westin, Inc Special inv.	6 total and 2 dissolved (2 dates): Mercury		
Below Wetland Mine - Babble MGHSR113.86 100942	ADEQ TMDL			
Above Hassayampa Lake MGHSR113.60 103431	Westin, Inc Special inv.			
Above McCleure Mine tributary MGHSR113.17 101067	ADEQ TMDL			
At McCleure Mine tributary MGHSR 113.16 101066	ADEQ TMDL			
Below McCleure Mine tributary MGHSR113.15 101065	ADEQ TMDL			
Above Senator Mine MGHSR113.09 100465	ADEQ and Westin Special inv.			
At Senator Mine MGHSR113.01 101084	ADEQ TMDL			
Below Senator Mine MGHSR112.97 103355	Westin, Inc Special inv.			
Further below Senator Mine MGHSR112.91 100466	ADEQ TMDL			
At Whisper MGHSR111.40 100941	ADEQ TMDL			
At Jersey MGHSR108.19 101195	ADEQ TMDL			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Cadmium	50 µg/L – AgI, AgL 84 µg/L – FC	03/23/2001 – 157 µg/L 04/16/2001 – 56 µg/L	Attaining – Only 2 exceedances of the 50 µg/L criterion and only 1 exceedance of the 84 µg/L criterion in 12 samples (binomial)
Cadmium (dissolved)	14.1 µg/L at 322 mg/L hardness 13.2 µg/L at 284 mg/L hardness 13.7 µg/L at 294 mg/L hardness 19.1 µg/L at >400 mg/L hardness 7.1 µg/L at 161 mg/L hardness 19.1 µg/L at >400 mg/L hardness 19.1 µg/L at >400 mg/L hardness 19.1 µg/L at >400 mg/L hardness 19.1 µg/L at >400 mg/L hardness 19.1 µg/L at >400 mg/L hardness A&Wc acute	11/07/2000 – 28 µg/L 01/10/2001 – 35 µg/L 02/13/2001 – 37 µg/L 03/23/2001 – 161 µg/L 04/10/2001 – 23 µg/L 04/17/2001 – 52 µg/L 05/10/2001 – 22.9 µg/L 06/07/2001 – 45 µg/L 08/07/2001 – 38 µg/L 01/28/2002 – 28 µg/L	Remains impaired – 10 exceedances during the last 3 years of monitoring.
Copper	500 µg/L – AgL 1300 µg/L – FBC	01/10/2001 – 2455 µg/L 02/13/2001 – 2832 µg/L 03/23/2001 – 1670 µg/L 04/10/2001 – 2147 µg/L 06/07/2001 – 2062 µg/L 08/07/2001 – 1747 µg/L	Remains impaired – In 6 of 13 sampling events, the criteria were exceeded (binomial).
Copper (dissolved)	40.4 µg/L at 322 mg/L hardness 35.9 µg/L at 284 mg/L hardness 37.1 µg/L at 294 mg/L hardness 12.2 µg/L at 90 mg/L hardness 21.0 µg/L at 161 mg/L hardness 49.6 µg/L at >400 mg/L hardness 49.6 µg/L at >400 mg/L hardness 19.1 µg/L at >400 mg/L hardness 19.1 µg/L at >400 mg/L hardness A&Wc acute	11/07/2000 – 4077 µg/L 01/10/2001 – 2504 µg/L 02/13/2001 – 2830 µg/L 03/23/2001 – 1520 µg/L 04/10/2001 – 2174 µg/L 04/17/2001 – 110 µg/L 05/10/2001 – 112 µg/L 06/07/2001 – 1994 µg/L 08/07/2001 – 1730 µg/L	Remains impaired – 9 exceedances in the last 3 years monitored (13 sampling events).
Dissolved oxygen	6.0 mg/L A&Wc	09/27/2000 – 5.1 mg/L 11/07/2000 – 6.5 mg/L 03/23/2001 – 4.9 mg/L	Attaining – Low dissolved oxygen is due to naturally occurring conditions of low flow and ground water upwelling.
Lead	15 µg/L FBC	06/07/2001 – 16 µg/L	Inconclusive – Only 1 exceedance in 4 samples. (Binomial) Exceedance was only marginally over the criterion.
pH	<6.5 SU A&Wc, FBC, AgI, AgL	11/07/2000 – 3.4 SU 1/10/2001 – 3.6 SU 02/13/2001 – 4.0 SU 03/23/2001 – 4.1 SU 04/10/2001 – 3.8 SU 06/07/2001 – 3.4 SU 08/07/2001 – 3.9 SU	Impaired – Exceeded criterion in 21 of 59 samples (during 7 of 13 sampling events) (Binomial)
Selenium	2.0 µg/L A&Wc chronic	05/09/2001 – 3.6 SU	Inconclusive – Exceeded criterion only once during the assessment period. Lab reporting limit was higher than criterion for all other analyses.
Zinc	10,000 µg/L AgI	03/23/2001 – 15,300 µg/L	Attaining – Only 1 exceedance in 13 sampling events. (Binomial)
Zinc (dissolved)	291 µg/L at 293 mg/L hardness 332 µg/L at 342 mg/L hardness 316 µg/L at 322 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness 175 µg/L at 161 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness 379 µg/L at >400 mg/L hardness	02/10/2000 – 770 µg/L 09/26/2000 – 510 µg/L 11/07/2000 – 2280 µg/L 01/10/2001 – 3160 µg/L 02/13/2001 – 3500 µg/L 03/23/2001 – 13000 µg/L 04/10/2001 – 2080 µg/L 04/17/2001 – 5040 µg/L 05/10/2001 – 2040 µg/L 06/07/2001 – 5120 µg/L 08/07/2001 – 4400 µg/L 01/28/2002 – 2680 µg/L	Remains impaired – Criteria were exceeded in 7 times during the last 3 years of monitoring (12 of 12 samples during the assessment period.)

	379 µg/L at >400 mg/L hardness A&W/c acute	03/04/2005 – 2400 µg/L	
--	---	------------------------	--

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead, and selenium	Insufficient <i>E. coli</i> bacteria and boron to assess FBC and Agl.		Lab detection limits for selenium and dissolved metals (cadmium, copper, mercury) were higher than A&W/w chronic criteria in at least 6 samples.
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Actions to reduce cadmium, copper, and zinc loadings to the stream will also correct pH; therefore, TMDL development is a low priority. Collect cadmium, copper, zinc, and pH samples to determine effectiveness of TMDL implementation strategies, once implemented. Collect samples during critical conditions when exceedances are likely to occur.</p> <p>Collect additional lead and selenium samples due to exceedances.</p> <p>Collect missing core parameters to represent at least 3 seasons during an assessment period.</p> <p>Use lower lab detection limits for selenium and dissolved metals.</p>	

<b>HASSAYAMPA RIVER</b>  From Copper Creek to Blind Indian Creek 15070103 – 007B 20 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 02/02/2000 – 04/19/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Climax Mine MGHSR102.01 101196	ADEQ TMDL	8-42 total and dissolved: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc  8-20 total and 0-1 dissolved: Boron, manganese	20-39 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, pH, and dissolved oxygen	18 <i>E. coli</i> bacteria 20 Fluoride 18 Total dissolved solids 10 Suspended sediment concentration 18 Turbidity
At intermittent site MGHSR095.83 101193	ADEQ TMDL			
At gaging station MGHSR092.07 100940	ADEQ TMDL			
Walnut Grove School MGHSR089.46 101004	ADEQ TMDL			
At Milk Creek MGHSR086.26 101128	ADEQ TMDL			
Below Milk Creek MGHSR085.79 100464	ADEQ Ambient			
At Blind Indian Creek MGHSR083.94 101003	ADEQ TMDL			

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	9.9 µg/L at 72 mg/L hardness A&Ww acute	11/06/2000 – 84 µg/L	Attaining – No exceedances in the last 3 years of monitoring.
Dissolved oxygen	6.0 mg/L A&Ww	02/02/2000 – 4.8 mg/L 09/08/2000 – 5.8 mg/L	Attaining – Low dissolved oxygen levels are due natural conditions and ground water upwelling.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	06/04/2001 – 530 CFU/100 ml	Attaining – No exceedances in the last 3 years of monitoring.
Zinc (dissolved)	88.7 µg/L at 72 mg/L hardness A&Ww acute	11/06/2000 – 190 µg/L	Attaining – No exceedances in the last 3 years of monitoring.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and dissolved metals (cadmium, mercury) were higher than A&Ww chronic criteria in at least 11 samples.
MONITORING RECOMMENDATIONS		Medium Priority – Collect <i>E. coli</i> bacteria samples due to exceedance. Use lower lab detection limit for selenium and dissolved metals.	

<b>HASSAYAMPA RIVER</b>  From Cottonwood Creek to Martinez Wash 15070103 – 004 32.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2	
		Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 02/11/2000 – 04/19/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At BLM gage, Box Canyon Dam MGHSR058.80 100463	ADEQ and USGS Ambient	16-24 total and dissolved: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc  8 total and dissolved: Barium, nickel, silver, thallium  8-20 total and 0-1 dissolved: Boron, manganese	21-22 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	21 <i>E. coli</i> bacteria 21 Fluoride 19 Total dissolved solids 11 Suspended sediment concentration 21 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	02/17/2004 – 480 CFU/100 ml	Inconclusive – Only 1 exceedance in a 3 year period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria in at least 12 samples.
MONITORING RECOMMENDATIONS		Medium Priority – Collect <i>E. coli</i> bacteria samples due to exceedance.  Use lower lab detection limit for selenium and dissolved mercury.	



<b>HASSAYAMPA RIVER</b>  From Sols Wash to 8 miles below Wickenburg 15070103 – 002A 9.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining AgL -- Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 10/18/2001 – 04/05/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Nature Conservancy MGHSR048.20 100462	ADEQ Ambient	3 total and dissolved: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  3 total and 0-1 dissolved: Boron, lead, manganese, mercury  1 total and 1 dissolved: Barium, nickel, silver, thallium	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 µg/L A&Ww	10/18/2001 – 3.0 mg/L 01/17/2002 – 3.4 mg/L 04/05/2002 – 2.9 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Flow at 0.1 cfs.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	04/05/2002 – 590 CFU/100 ml	Inconclusive – Only 1 exceedance in a 3 year period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Collect <i>E. coli</i> bacteria samples due to exceedance.  Use lower lab detection limit for selenium and dissolved mercury.	

<b>HASSAYAMPA RIVER</b>  <b>From Buckeye Canal to Gila River</b> <b>15070103 – 001B</b> <b>2.3 Miles</b>	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Ww – Inconclusive FBC – Attaining FC – Attaining AgL -- Attaining	Category 2  Attaining some uses		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 11/01/2001 – 09/20/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Gila River MGHSR000.77 101197	ADEQ Ambient	4 total and dissolved: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc 4 total and 0-1 dissolved: Boron, lead, manganese, mercury  1 total and 0-1 dissolved: Barium, nickel, silver, selenium, thallium	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
			<b>Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue</b>
Selenium	2.0 µg/L A&Ww chronic	11/01/2001 – 5.4 µg/L	Inconclusive – Only 1 exceedance during the assessment period. (Lab detection limit problems on other samples – see below.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium, pesticides in fish tissue	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
DISCUSSION OF PESTICIDE IMPAIRMENT		Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>	
MONITORING RECOMMENDATIONS		High Priority – Collect pesticides to support development of pesticide TMDLs. Collect selenium samples due to exceedance. Use lower lab detection limit for selenium and dissolved mercury.	

<b>INDIAN BEND WASH</b>  From headwaters to Salt River 15060106B -- 179 4.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/12/2005 – 01/21/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At 40 <sup>th</sup> Street MGIBW014.04 101520	USGS Special study	4 total metals only: Cadmium, copper, lead, and zinc and mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Lead	15 µg/L PBC	12/04/2001 – 25 µg/L 09/06/2002 – 38 µg/L 01/20/2003 – 25 µg/L	Inconclusive – 3 exceedances in 4 samples. (Binomial approach requires a minimum of 5 exceedances and 20 samples to assess as impaired.)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead	Insufficient dissolved cadmium, copper, zinc to assess A&We.		
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect lead due to exceedances.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>KEARNY LAKE</b>  <b>15050100 – 6666</b> <b>8 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive	Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/15/2000 – 01/07/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid Lake MGKEA - B 102552	AGFD Ambient	3-9 total metals only: Arsenic, barium, cadmium, chromium, copper, lead, manganese, mercury nickel, silver, and zinc	4-9 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	5 Fluoride 9 Total dissolved solids
Boat ramp MCKEA - BR 102550	AGFD Ambient			
At inflow MCKEA - IN 102551	AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria, dissolved cadmium, copper, and zinc and total mercury to assess FBC, A&W, and FC		Lab detection limits for selenium and dissolved mercury were higher than A&W/w chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect core parameters to represent at least 3 seasons. Use lower lab detection limits for selenium and dissolved mercury.	

<b>LAKE PLEASANT</b>  15070102 -- 1100 8000 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/14/2000 – 09/24/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam MGPLE -- A 100067	ADEQ and U of A Ambient	15-23 total and 7-10 dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc	35-45 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 31 Fluoride 20 Total dissolved solids 26 Turbidity 10-15 Benzene, ethylbenzene, toluene, xylene
Mid lake MGPLE -- B 100068	ADEQ and U of A Ambient			
At riverine zone MGPLE -- C 101708	ADEQ and U of A Ambient			
Castle Creek arm MGPLE - CSTL 102554	AGFD Ambient			
Agua Fria arm MGPLE – AGUA 102553	AGFD Ambient			
At marina MGPLE – MAR 101000	ADEQ and U of A Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	11/26/2003 – 5.4 mg/L 09/24/2004 – 4.6 mg/L	Attaining – 2 exceedances in 15 sampling events (9 of 39 samples). (Binomial)
pH	<6.5 SU A&Ww, FBC, AgL	09/05/2001 – 10.5 SU	Attaining – Only 1 exceedance in 15 sampling events (2 of 45 samples) (Binomial)
Selenium	2.0 µg/L A&Ww chronic	05/29/2001 – 3.0 µg/L	Inconclusive – One exceedance during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria in at least 8 samples.
FISH TISSUE MONITORING		Preliminary results indicate that a fish consumption advisory for mercury may be issued based on edible fish tissue results exceeding 0.3 mg/kg. Results from a second round of monitoring are currently being analyzed.	
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limit for selenium and dissolved mercury.	

<b>LITTLE ASH CREEK</b>  From headwaters to Ash Creek 15070102 -- 039 17.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive PBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 04/18/2002		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Near Estler Peak MGLAS004.52 100578	ADEQ Ambient	1 total and dissolved: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc 1 total metals only: Boron, lead, manganese, mercury	1 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters to assess designated uses	Insufficient monitoring events	Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect missing core parameters to represent at least 3 seasons during an assessment period. Use a lower lab detection limit for dissolved mercury.	

<b>LYNX LAKE</b>  <b>15070102 -- 0860</b> <b>50 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Inconclusive FC – Attaining DWS -- Inconclusive Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/25/2000 – 05/23/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam MGLYN - A 100037	ADEQ and AGFD Ambient Weston, Inc Special Inv.	3-6 total and dissolved metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, selenium, silver, and zinc	3-7 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 <i>E. coli</i> bacteria 8 Fluoride 2 Total dissolved solids 6 Turbidity
Mid lake MGLYN – B 100038	ADEQ Ambient			
At Lynx Creek inlet MGLYN – C 100039	Weston, Inc Special Inv			
At boat ramp MGLYN – BR 101399	ADEQ and AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Lead	15 µg/L FBC	03/09/2001 – 53 µg/L	Inconclusive – 1 exceedance in 3 sampling events. (Binomial)
Manganese	980 µg/L DWS	04/25/2000 – 1073 µg/L 03/09/2001 – 2033 µg/L 04/29/2002 – 1280 µg/L 05/22/2002 – 2650 µg/L	Inconclusive – 4 exceedances in 5 sampling events. (Binomial requires a minimum of 5 exceedances and 20 samples to assess as impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead and manganese	Insufficient <i>E. coli</i> bacteria to assess FBC		Lab detection limit for dissolved mercury was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional lead and manganese data due to the exceedances. Use lower lab detection limit for dissolved mercury.	

<b>MARTINEZ CANYON</b>  From headwaters to Box Canyon 15050100 – 080 9.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining AgL – Attaining	Category 2	
		Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 05/16/2002 – 05/27/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Martinez Mine MGMZC006.18 101349	ADEQ Ambient	5 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc  5 total and 0-1 dissolved: Boron, lead, manganese, mercury	5 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	5 <i>E. coli</i> bacteria 5 Fluoride 5 Total dissolved solids 4 Suspended sediment concentration 5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	05/16/2002 – 3.1 mg/L 11/20/2002 – 5.9 mg/L 03/26/2003 – 4.5 mg/L 05/27/2003 – 3.3 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Flow between 0.01-0.05.
Lead	15 µg/L FBC	01/21/2003 – 25 mg/L 03/26/2003 – 40 mg/L	Inconclusive – 2 exceedances in 5 samples. (Binomial approach requires a minimum of 5 exceedances in 20 samples to assess as impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional lead data due to the exceedances.  Use lower lab detection limits for selenium and dissolved mercury.	



MINERAL CREEK  From Devil's Canyon to Gila River 15050100 – 012B 19.6 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Inconclusive FC – Inconclusive AgL – Attaining	Category 5  Impaired	Selenium, copper, and low dissolved oxygen	Adding low dissolved oxygen. Added selenium in 2004. Mine under a consent decree to mitigate copper pollution.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/10/2000 – 06/17/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Indian Gardens MGMIN008.81 103331	ASARCO Effectiveness monitoring	217-218 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, nickel, selenium silver, thallium, and zinc	218 samples: Nitrite/nitrate, pH, dissolved oxygen	217 Fluoride 217 Total dissolved solids 217 Turbidity
At tunnel inlet MGMIN006.99 103332	ASARCO Effectiveness monitoring			
At tunnel outlet MGMIN003.69 103333	ASARCO Effectiveness monitoring			
At channel outlet MGMIN002.65 103334	ASARCO Effectiveness monitoring			
At Highway 177 bridge MGMIN001.38 100472	ASARCO Effectiveness monitoring			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Only reviewed exceedances that occurred after extensive treatment initiated in 2001.			
Copper (dissolved)	8.0 µg/L at 58 mg/L hardness 6.7 µg/L at 48 mg/L hardness 9.1 µg/L at 66 mg/L hardness A&Ww acute	03/06/2003 – 12 µg/L 03/11/2004 – 17 µg/L 2/15/2005 – 20 µg/L	Remains Impaired – 3 exceedances during the last 3 years of monitoring. Copper exceedances occurred during high flows.
Dissolved oxygen	6.0 mg/L A&Ww	Too many to list here. Did not meet standards in 29 samples.	Impaired – Low dissolved oxygen in 29 of 218 samples (binomial). Cause of low dissolved oxygen is unknown, but may be due to natural conditions, such as groundwater upwelling.
Selenium	2.0 µg/L A&Ww chronic	35 sampling events – Too many to list here.	Remains Impaired – 35 exceedances during the assessment period. 28 were at or above 5 µg/L.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> and mercury to assess FBC and FC.		Lab detection limits for dissolved metals (cadmium, copper, lead, nickel, and silver) were higher than A&W chronic criteria in at least 7 samples.
MONITORING RECOMMENDATIONS		High Priority –Collect selenium and dissolved oxygen samples to support TMDL development. Collect copper samples to determine effectiveness of treatment. Use lower detection limits for dissolved metals. Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>MINNEHAHA CREEK</b>  From headwaters Hassayampa Creek 15070103 -- 029 12.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Hassayampa River MGMHA000.24 102955	ADEQ TMDL	1 total and dissolved metal sample: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, manganese, mercury, silver, and zinc  1 total metals only: Lead and nickel	1 Dissolved oxygen and pH	1 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient monitoring events	Lab detection limits for selenium and dissolved metals (lead, mercury, nickel) were higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect additional core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for selenium and dissolved metals.	

PAINTED ROCKS RESERVOIR  15070101 – 1020A 100 Acres (This is a flood retention basin)	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT			
No Current Data			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue

DATA GAPS AND MONITORING NEEDS	
DISCUSSION OF PESTICIDE IMPAIRMENT	Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>
MONITORING RECOMMENDATIONS	High Priority – Collect samples to support pesticide TMDL development.

See also Painted Rock Lake assessment in the Colorado River – Lower Gila Watershed

<b>PAPAGO PARK PONDS</b>  15060106B – 1030 24 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive PBC – Inconclusive FC – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 12/20/2002 and 04/17/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam MGPAP - A 101047	ADEQ Ambient	2 total and dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, copper, lead, mercury, manganese, nickel, selenium, silver, and zinc  2 total and 0-1 dissolved: Chromium	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 2 Fluoride 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters.	Insufficient sampling events	Lab detection limit for dissolved mercury was higher than A&Ww chronic criterion.
MONITORING RECOMMENDATIONS		Low Priority –Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use a lower lab detection limit for dissolved mercury.	

<b>POTTS CANYON</b>  From headwaters to Queen Creek 15050100 – 1856 10.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 08/10/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Queen Creek MGPTC000.01 104438	ADEQ TMDL	1 total and dissolved: Cadmium, chromium, copper, mercury, and zinc  1 total metals only: Arsenic, lead, manganese	1 samples: Dissolved oxygen, and pH	1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	08/10/2005 – 79 µg/L	Inconclusive – Only 1 sampling exceedance. (Binomial)
Copper (dissolved)	29.3 µg/L at >400 mg/L hardness A&Ww chronic	08/10/2005 – 49 µg/L	Inconclusive – Only 1 exceedance during the assessment period. Exceedance occurred during a summer storm and may not represent chronic (4-day average) conditions.
Lead	15 µg/L – FBC	08/10/2005 – 170 µg/L	Inconclusive – Only 1 exceedance. (Binomial)
Mercury	0.6 µg/L FC	08/10/2005 – 1.1 µg/L	Inconclusive – Only 1 exceedance (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	08/10/2005 – 1859 mg/L	Inconclusive – Only 1 sampling date. Insufficient samples to assess, as need a minimum of 4 samples to calculate a geometric mean and compare to standard.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Arsenic, copper, lead, mercury, and suspended sediment	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect arsenic, copper, lead, mercury, and suspended sediment concentration samples due to exceedances.  Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Collect sufficient core parameters to represent at least 3 seasons during an assessment period. Use lower lab detection limits for selenium and dissolved mercury.	

<b>QUEEN CREEK</b>  From headwaters to Superior WWTP discharge 15050100 – 014A 8.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Attaining AgL – Attaining	Category 5  Impaired	Copper	Copper on list since 2002. TMDL being developed.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 04/10/2003 – 08/10/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Headwaters MGQEN045.93 103091	ADEQ TMDL	11-26 total and dissolved: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc  12 total and 4-5 dissolved: Barium, boron, selenium  26 total and 1 dissolved: Manganese	15-25 samples: Nitrite/nitrate, pH, dissolved oxygen	7 <i>E. coli</i> bacteria 13 Fluoride 15 Total dissolved solids 5 Suspended sediment concentration 13 Turbidity
Below Omya Pump Station Spring MGQEN044.42 103092	ADEQ TMDL and Resolution Cu Effectiveness			
Above Oak Flat MGQEN041.74 103093	ADEQ TMDL			
Below Oak Flat MGQEN041.34 103094	ADEQ TMDL			
At boulder hole MGQEN040.17 103463	Resolution Copper Effectiveness			
Below Superior water tank MGQEN039.75 103564	ADEQ TMDL			
Magma Ave and Queen Creek MGQEN038.73 103095	ADEQ TMDL			
Below NPDES Permit discharge MGQEN037.09 103096	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	18.0 µg/L at 76 mg/L hardness 8.7 µg/L at 35 mg/L hardness A&We acute	12/29/2004 – 44 µg/L 08/10/2005 – 49 µg/L	Remains impaired – 2 exceedances during the last 3 years of monitoring. Exceedances are occurring at normal flows (0.6 cfs).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters were collected		
MONITORING RECOMMENDATIONS		High Priority –Collect copper samples to support TMDL development.	

<b>QUEEN CREEK</b>  From Superior WWTP discharge to Potts Canyon 15050100 – 014B 5.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wedw – Impaired PBC – Inconclusive	Category 5  Impaired	Copper	Copper on 303(d) List since 2004. TMDL being developed

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/14/2002 – 08/30/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Boyce Thompson Arboretum MGQEN034.66 100624	ADEQ Ambient and TMDL	4-7 total and dissolved: Antimony, arsenic, beryllium cadmium, chromium, copper, and zinc	4-7 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, nitrite/nitrate, pH, dissolved oxygen	4 <i>E. coli</i> bacteria 6 Fluoride 4 Total dissolved solids 5 Suspended sediment concentration 4 Turbidity 2 Chlorine
State Park logger location MGQEN034.25 103544	ADEQ TMDL	5-7 total and 0-2 dissolved: Boron, lead, manganese, and mercury  2 selenium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Chlorine	11 µg/L A&Wedw acute	03/31/2003 – 90 µg/L	Inconclusive – Only 1 exceedance in 2 samples.
Copper (dissolved)	49.6 µg/L at >400 mg/L hardness A&Wedw acute	11/14/2002 – 50 µg/L	Remains impaired – 1 exceedance during the last 3 years of monitoring.
Copper (dissolved)	29.3 µg/L at >400 mg/L hardness 29.3 µg/L at >400 mg/L hardness 23.5 µg/L at 310 mg/L hardness A&Wedw chronic	11/14/2002 – 50 µg/L 01/13/2003 – 37 µg/L 08/10/2005 – 33 µg/L	Remains impaired – 1 of these 3 exceedances (33 µg/L) was during an elevated flow (2.3 cfs), so may not represent chronic conditions (4 day exposure). Therefore, 2 exceedances in a 3-year period.
Dissolved oxygen	3.0 mg/L (daytime) A&Wedw	05/19/2003 – 1.6 mg/L	Inconclusive – Only 1 exceedance in 7 samples. (Binomial) (Note: sample was collected at 11 am.)
Selenium	2.0 µg/L A&Wedw chronic	11/14/2002 – 5.8 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring. (See note below about lab detection limits)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Chlorine, dissolved oxygen, and selenium	Collected all core parameters		Lab detection limit for selenium and dissolved mercury were higher than A&Wedw chronic criteria in 1 or more samples.
MONITORING RECOMMENDATIONS		High Priority –Collect copper samples to support TMDL development.  Collect chlorine, dissolved oxygen, and selenium samples due to exceedances.  Use lower detection limit for selenium and dissolved mercury.	



<b>QUEEN CREEK</b>  From Potts Canyon to Whitlow Canyon 15050100 – 014C 8.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 08/10/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Queens Station MGQEN030.06 103098	ADEQ TMDL	1 total and dissolved: Cadmium, chromium, copper, mercury, and zinc  1 total metals only: Arsenic, lead, manganese	1 samples: Dissolved oxygen, and pH	1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	08/10/2005 – 52 µg/L	Inconclusive – Only 1 sampling exceedance. (Binomial)
Copper (dissolved)	24.6 µg/L at 190 mg/L hardness A&Ww acute	08/10/2005 – 39 µg/L	Inconclusive – Only 1 exceedance in 3-year period.
Mercury	0.6 µg/L FC	08/10/2005 – 1.1 µg/L	Inconclusive – Only 1 exceedance. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	08/10/2005 – 88 mg/L	Inconclusive – Although sample was marginally above the 80 mg/L criterion, there were insufficient samples to assess, as need a minimum of 4 samples to calculate a geometric mean and compare to standard. Also, the sample was collected during a monsoon rain event, so would not be included in the geometric mean calculation.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Arsenic, copper, mercury, and suspended sediment	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect arsenic, copper, mercury, and suspended sediment concentration samples due to exceedances.  Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Collect sufficient core parameters to represent at least 3 seasons during an assessment period. Use lower lab detection limits for selenium and dissolved mercury.	



<b>SALT RIVER</b>  From Granite Reef Dam for 2 kilometers 15060106B-001A 1.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive Agl – Inconclusive Agl -- Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 07/19/2002 – 12/04/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Granite Reef diversion dam MGSLR041.57 102769	AGFD Ambient	3-4 total metals only: Arsenic, barium, cadmium, chromium, copper, lead, manganese, selenium, and zinc	5-7 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	6 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC, DWS	07/19/2002 – 148 µg/L*	Inconclusive – Only 1 exceedance in 4 samples. (Binomial requires a minimum of 5 exceedances and 20 samples to assess as impaired.) *This exceedance may be related to the Rodeo-Chediski fire (June 18 <sup>th</sup> through July 7 <sup>th</sup> ) which led to increased flow in Salt River during the 2002 monsoon season.
Barium	2000 µg/L DWS	07/19/2002 – 2780 µg/L*	Inconclusive – Only 1 exceedance in 4 samples. (Binomial) *See note above.
Chromium	100 µg/L FBC, DWS	07/19/2002 – 184 µg/L*	Inconclusive – Only 1 exceedance in 4 samples. (Binomial) *See note above.
Lead	15 µg/L FBC, DWS	07/19/2002 – 234 µg/L* 07/31/2002 – 44 µg/L*	Inconclusive – 2 exceedances in 4 samples. (Binomial) *See note above.
Manganese	980 µg/L DWS	07/19/2002 – 7640 µg/L* 07/31/2002 – 1960 µg/L*	Inconclusive – 2 exceedances in 5 samples. (Binomial) *See note above.
Nickel	140 µg/L DWS	07/19/2002 – 218 µg/L*	Inconclusive – Only 1 exceedance in 4 samples. (Binomial) *See note above.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Chromium and lead	Insufficient dissolved metals (cadmium, copper, and zinc), E. coli bacteria, mercury, fluoride, and boron to assess A&Ww, FBC, FC, DWS, Agl.		
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect chromium and lead due to exceedances. Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>SALT RIVER</b>  From 2 kilometers below Granite Reef Dam to Interstate 10 bridge 15060106B-001B 19 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/12/2005 – 01/21/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Priest Drive USGS #09512165 MGSLR022.76 101493	AGFD Ambient	2 total metals only: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc 2 total metals only: Boron, manganese, and selenium	2 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	
MONITORING RECOMMENDATIONS		Low Priority – Collect sufficient core parameters to represent at least 3 seasons during an assessment period.	

<b>SALT RIVER</b>  From Interstate 10 bridge to 23 <sup>rd</sup> Avenue WWTP discharge 15050106B-001C 7.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD: 07/19/2002 – 12/04/2003</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At 19 <sup>th</sup> Avenue bridge MCSLR013.36 102767	AGFD Ambient		1 sample: Ammonia, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	1 Total dissolved solids

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Insufficient core parameters	Insufficient sampling events	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>SALT RIVER</b>  From 23 <sup>rd</sup> Avenue WWTP discharge to Gila River 15060106B-001D 14.1 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wedw – Attaining PBC – Attaining FC – Inconclusive Agl – Attaining AgL – Attaining	Category 2  Attaining Some Uses		
	E P A	FC – Impaired	Category 5  Impaired	DDT, toxaphene, and chlordane in fish tissue.	DDT, toxaphene, and chlordane were listed by EPA in 2002.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/20/2001 – 08/09/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Tres Rios discharge MGSLR003.33 101265	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, mercury, and zinc  4 total metals only: Boron, lead, and manganese	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity 3 Chlorine

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			Fish consumption advisory due to DDT, toxaphene, and chlordane in fish tissue

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Pesticides in fish tissue	Collected all core parameters		Lab detection limit for selenium was higher than A&W chronic criteria.
DISCUSSION OF PESTICIDE IMPAIRMENT		Evidence of potential pesticide impairment: <ul style="list-style-type: none"> <li>A risk assessment completed in 2006 indicates that the fish consumption advisory for these pesticides should remain in effect.</li> <li>A fish consumption advisory issued in 1991 remains in effect.</li> </ul>	
MONITORING RECOMMENDATIONS		High Priority – Collect pesticides data to support TMDL development.  Use a lower detection limit for selenium.	

<b>SKUNK CREEK</b>  From headwaters to Agua Fria River 15070102 -- 003 30.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/29/2002 – 03/16/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At 79 <sup>th</sup> Avenue, north bank MGSKU001.43 101521	USGS Special study	3 total metals only: Cadmium, copper, lead, mercury, and zinc	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Lead	15 µg/L FBC	01/08/2003 – 18 µg/L	Inconclusive – 1 exceedance in 3 samples. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead	Insufficient dissolved metals (cadmium, copper, and zinc), <i>E. coli</i> bacteria, and mercury to assess A&Ww, FBC, and FC		
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional lead data due to the exceedance.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>SYCAMORE CREEK</b>  From Tank Canyon to Agua Fria River 15070102 – 024B 17.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1	
		Attaining	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/21/2001 – 09/20/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Sycamore Ranger Station MGSYD009.13 100704	ADEQ Ambient	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, copper, and zinc  4 total and 0-2 dissolved: Boron, chromium, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium.	

<b>TEMPE TOWN LAKE</b>  <b>15060106B– 1588</b> <b>220 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining	Category 2  Attaining Some Uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/27/2001 – 07/22/2004 Weekly sampling from 01/04/2001 – 03/27/2006		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At downstream dam MGTTTL - A 101316	ADEQ and City of Tempe Ambient	72 total and 0-1 dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc	78 samples: Ammonia, total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen.  280 Dissolved oxygen  1332 pH	352 <i>E. coli</i> bacteria 6 Fluoride 11 Total dissolved solids 1317 Turbidity
Near upstream dam MGTTTL - B 101315	ADEQ and city of Tempe Ambient			
Mid lake MGTTTL - MID 102452	ADEQ and AGFD Ambient			
Mid depth MGTTTL – MDEP (not in ADEQ's database)	City of Tempe Ambient (metals)			
Marina MCTTL – MAR (not in ADEQ's database)	City of Tempe Ambient (bacteria and metals)			
50 feet off shore MCTTL – 50 (not in ADEQ's database)	City of Tempe Ambient (field)			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	>6.0 mg/L A&Ww	After treatment in 2002: 07/15/2004 – 5.4 mg/L 07/22/2004 – 4.1 mg/L 07/29/2004 – 5.1 mg/L 08/05/2004 – 5.1 mg/L 10/22/2004 – 5.4 mg/L 08/29/2005 – 5.7 mg/L	Attaining – 6 low dissolved oxygen samples out of 280 samples (binomial). Dissolved oxygen was collected at only one of the City of Tempe sites (50 feet off shore). It was also collected when ADEQ and AGFD monitored. (Copper sulfate has been added to the lake since 2002 to control algal blooms.)
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	02/14/2003 – 1700 CFU/100 ml 01/25/2005 – 240 CFU/100 ml 07/31/2003 – 900 CFU/100 ml 09/11/2003 – 240 CFU/100 ml	Inconclusive – Although there were four exceedances of standards during the last 3 years of monitoring, weight-of-evidence does not support listing the lake as impaired. See discussion below.
pH (high)	<9.0 SU A&Ww, FBC	After treatment in 2002: 01/09/2006 – 9.3 SU (2 sites) 02/07/2006 – 9.3 SU	Attaining – Only 2 exceedances in 890 samples after treatment was begun in 2002. (Copper sulfate has been added to the lake since 2002 to control algal blooms.)
Mercury	0.6 µg/L FC	08/02/2001 – 0.7 µg/L 12/06/2001 – 0.7 µg/L 06/06/2002 – 0.7 µg/L	Attaining – 3 of 72 samples exceeded the criterion. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals to assess A&W (cadmium, copper, and zinc)		Lab detection limit for dissolved mercury was higher than A&Ww chronic criteria.
DISCUSSION OF <i>E. COLI</i> /BACTERIA EXCEEDANCES		<p>Although four exceedances occurred during the assessment period, ADEQ does not support listing this lake as “impaired” based on the following:</p> <ol style="list-style-type: none"> <li>1. The exceedance on 2/14/2003 (1700 CFU) occurred when raging flood flows topped the upstream dam and entered the lake. The USGS gage on Indian Bend Wash recorded mean daily flow of 625 cfs (normal flow is 0 cfs). Such flood flows are naturally contaminated by bacteria.</li> <li>2. The exceedances on 9/11/2003 and 1/25/2005 were both at 240 CFU. Both of these are below the 300 CFU screening value that must be exceeded for listing decisions.</li> <li>3. Two of the exceedances (2/14/2003 and 1/25/2005) occurred during our coldest months when even incidental swimming while sailing is uncommon.</li> <li>4. ADEQ has proposed changing its assessment methods for bacteria, so that the binomial method would be applied. Out of 352 samples, only 4 exceedances have occurred.</li> <li>5. The City of Tempe is using the bacteria to determine when to restrict swimming. It monitors the lake weekly during the summer when sailing is more frequent and before any swimming events.</li> </ol>	
MONITORING RECOMMENDATIONS		<p>Medium Priority – Continue to collect <i>E. coli</i> bacteria samples.</p> <p>Collect missing core parameters to represent at least 3 seasons during an assessment period. Use a lower lab detection limit for dissolved mercury.</p>	



<b>TURKEY CREEK</b>  From headwaters to unnamed tributary at 341928/1122128 15070102 – 036A 9.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/14/2000 – 12/19/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Forest Road 261 MGTRK030.07 101523	ADEQ TMDL	3-9 total and dissolved metals: Arsenic, beryllium, cadmium, chromium, copper, lead, and zinc  3 total and 0-2 dissolved: Boron  1-2 total and 0-2 dissolved: Antimony, manganese, mercury	7-9 samples: Dissolved oxygen and pH. 1 sample: total nitrogen, nitrite/nitrate, total phosphorus, total Kjeldahl nitrogen	1 Suspended sediment concentration
At Forest Road 706 MCTRK029.80 101524	ADEQ TMDL			
At Goodwin, AZ MGTRK024.35 101626	ADEQ TMDL			
At Senator Weir MGTRK021.52 102519	ADEQ TMDL			
Upstream of 5000 MSL MGTRK021.44 102512	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	<90% A&Ww	12/19/2003 – 58.17%	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Flow 0.003 cfs.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient mercury, <i>E. coli</i> , and manganese to assess FC, FBC, and AgL.		Lab detection limits for selenium and dissolved metals (cadmium, copper, lead, mercury) were higher than A&Ww chronic criteria in at least 2 samples.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect core parameters to represent at least 3 seasons during an assessment period. Use lower lab detection limits for selenium and dissolved metals.	

TURKEY CREEK  From unnamed tributary at 341928/1122128 to Poland Creek 15070102 – 036B 21.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Impaired FC – Inconclusive Agl – Attaining AgL – Impaired	Category 4A  Not Attaining	Copper and lead	TMDL o approved by EPA, in 2008. Delist cadmium and zinc.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/08/2000 – 02/23/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At trail 202 MGTRK016.12 102517	ADEQ TMDL	17-46 total and dissolved metals: Arsenic, boron, cadmium, chromium, copper, lead, manganese, and zinc  37 total and 5 dissolved: Mercury  3-6 total metals only: Beryllium  1 total and dissolved: Antimony	20 Dissolved oxygen 46 pH 17 Total phosphorus 10 Nitrate/nitrite 1 Total nitrogen and total Kjeldahl nitrogen	4 Suspended sediment concentration 9 Cyanide
At corral MCTRK015.90 101538	ADEQ TMDL			
Upstream of Bear Creek MGTRK015.47 102511	ADEQ TMDL			
North of Cleator, at Forest Road 93 MGTRK007.28 101083	ADEQ TMDL			
Crown King Road bridge MGTRK004.42 101627	ADEQ TMDL			
Below Golden Belt Mine MGTRK004.33 102518	ADEQ TMDL			
Below Golden Turkey Mine MGTRK003.89 102510	ADEQ TMDL			
At old bend below Golden Belt and Golden Turkey MGTRK003.71 101082	ADEQ TMDL			
At Silver Cord Mine MGTRK001.53 100587	ADEQ TMDL			
At Poland Creek MGTRK000.09 102513	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L – FBC 200 µg/L – AgL 1450 µg/L – FC 2000 µg/L -- Agl	03/17/2003 – 2800 µg/L 08/14/2003 – 98 µg/L	Attaining – Exceeded the criteria in 2 of 17 events. (Binomial)
Cadmium	50 µg/L – Agl, AgL 84 µg/L – FC	09/09/2003 – 170 µg/L	Attaining – Only 1 exceedance in 46 samples. (Binomial)
Chromium	100 µg/L FBC	08/14/2003 – 147 µg/L	Attaining – 1 exceedance in 17 sampling events (1 in 30 samples). (Binomial)

Copper	500 µg/L – AgL	08/15/2003 – 569 µg/L	Attaining – 1 exceedance in 19 sampling events (1 in 46 samples) (Binomial)
Copper (dissolved)	17.2 µg/L at 130 mg/L hardness 49.6 µg/L at >400 mg/L hardness A&Ww acute	08/15/2003 – 25 µg/L	Remains impaired – 1 exceedances in the last 3 years of monitoring
Dissolved oxygen	6.0 mg/L A&Ww	12/19/2003 – 4.9 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. (Flow 0.001 cfs.)
Lead	14 µg/L – FBC 100 µg/L – AgL	09/11/2002 – 103 µg/L 02/26/2003 – 564 µg/L 03/17/2003 – 4,800 µg/L 08/14/2003 – 1235 µg/L 08/21/2003 – 38 µg/L	Remains impaired – Criterion 14 µg/L was exceeded in 5 of 20 sampling events (15 of 46 samples). Concentrations were greater than AgL criterion (100 µg/L) in 4 of 20 sampling events. (Binomial)
Lead (dissolved)	61.8 µg/L at >400 mg/L hardness A&Ww acute	08/21/2003 – 110 µg/L	Remains impaired – 1 exceedance in last 3 years.
Mercury	0.6 µg/L FC	03/17/2003 – 0.76 µg/L 08/15/2003 – 0.9 µg/L	Inconclusive – 2 of 4 sampling events exceeded the criterion. (7 of 18 samples) (Binomial requires a minimum of 5 exceedances and 20 samples to assess as impaired.)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	13/17/2003 – 490 mg/L	Inconclusive – Exceeded criterion during only sampling event monitored for this parameters. This sample was collected during storm flows, so could not be used in calculating the geometric mean. Insufficient data to calculate a geometric mean.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury, SSC	Need <i>E. coli</i> bacteria to assess FBC.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, zinc) were higher than A&Ww chronic criteria in at least 10 samples.
<b>DELIST CADMIUM AND ZINC</b>		Only one exceedance of cadmium criteria in 45 sampling events. No exceedances of total or dissolved zinc in 45 sampling events.  Samples were collected at multiple sites and represent various conditions of flow, including runoff events.	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect arsenic, mercury and SSC due to exceedances.  Collect metals data to determine effectiveness of TMDL implementation strategies, once implemented. Use lower lab detection limits for dissolved metals.  Collect arsenic and suspended sediment samples due to the exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Collect missing core parameters to represent at least 3 seasons. During the assessment period.	

<b>UNNAMED TRIBUTARY TO LYNX CREEK</b>  From headwaters to Lynx Creek 15070102 -- 124 1.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/11/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Sheldon waste rock MGULN000.75 103428	Weston Inc Special inv for EPA	6 dissolved metal sample at 6 sites: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, manganese, mercury, nickel, silver, thallium, and zinc  (All sites sampled once on the same date.)	None	6 Fluoride 6 Total dissolved solids
At Sheldon waste rock MGULN000.70 103429	Weston Inc Special inv for EPA			
Below Sheldon waste rock MGULN000.64 103430	Weston Inc Special inv for EPA			
Upstream of Blue John trib. MGULN000.23 103419	Weston Inc Special inv for EPA			
At Blue John tributary MGULN000.16 103420	Weston Inc Special inv for EPA			
Downstream of Blue John trib MGULN000.11 103421	Weston Inc Special inv for EPA			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Cadmium (dissolved)	19.12 µg/L at >400 mg/L hardness A&Wc acute	05/11/2001 – 135 µg/L	Inconclusive – Only 1 sampling event with an exceedance (5 sites). High magnitude noted.
Cadmium	84 µg/L FC	05/11/2001 – 135 µg/L	Inconclusive – Only 1 sampling event with an exceedance (2 sites). (Binomial)
Copper (dissolved)	49.6 µg/L at >400 mg/L hardness A&Wc acute	05/11/2001 – 22,200 µg/L	Inconclusive – Only 1 sampling event with an exceedance (5 sites). High magnitude noted.
Copper	1300 µg/L FBC	05/11/2001 – 22,200 µg/L (dissolved portion)	Inconclusive – Only 1 sampling event with an exceedance (5 sites). (Binomial)
Zinc (dissolved)	379.3 µg/L at >400 mg/L hardness A&Wc acute	05/11/2001 – 8730 µg/L	Inconclusive – Only 1 sampling event with an exceedance (5 sites). High magnitude noted.

Pollutant: Assume “total” concentration, unless shown as dissolved.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Cadmium, copper, and lead	Insufficient dissolved oxygen and <i>E. coli</i> bacteria to assess A&Wc and FBC.		Lab detection limits for selenium and dissolved mercury were higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect cadmium, copper, and zinc samples due to the exceedances. Use lower lab detection limits for selenium and dissolved mercury. Collect missing core parameters to represent at least 3 seasons.	

# Salt Watershed

## Watershed Description

This watershed is composed of the Salt River drainage from its headwaters to Granite Reef Dam, excluding the Verde River drainage. This watershed can be divided into four very distinct sub-basins: White River, Black River, Tonto Creek, and the main stem Salt River.

The population of this 6,242 square mile watershed is approximately 40,500 people (2000 census), with most of this population in the Superior-Globe-Miami mining district. Land ownership is approximately: 49% Tribal, 48% federal, 2% private, and 1% state. The principal land uses are open range grazing, recreation, forestry, and mining. Nine wilderness areas have been set aside, which have restricted land uses and activities.

Elevations range from 10,600 feet (above sea level) in the White Mountains, to about 2,000 feet at Granite Reef Dam. The watershed above Roosevelt Lake (White River, Black River, and Tonto Creek) is above 5,000 feet elevation with high desert flora and fauna, and coldwater aquatic communities where perennial waters exist. The area below Roosevelt Lake is below 5,000 feet, and therefore, contains primarily warmwater aquatic communities.

## Water Resources

This Watershed receives more precipitation than most of the state, with approximately 20 inches of rain and 20 inches of snowfall. Roosevelt Lake and a chain of other reservoirs (Apache, Canyon, and Saguaro) were constructed to store perennial flow from this watershed and provide much of the water used in the Phoenix metropolitan area.

An estimate of surface water resources in the Salt Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.


**Estimated Surface Water Resources in the Salt Watershed**

	Perennial	Intermittent	Ephemeral
Stream miles	510	1,190	2,785
	Perennial	Non-perennial	
Lake acres	25,544	0	

### On Tribal Lands – Not Assessed

	Perennial	Intermittent	Ephemeral
Stream miles On Tribal Lands	825	0	4,275
	Perennial	Non-perennial	
Lake acres On Tribal Lands	1,858	0	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.



## Watershed Partnerships

- **The Friends of Pinto Creek**  
This group is dedicated to the preservation of Pinto Creek and its tributaries, which flow through the copper mining area near Globe. They are dedicated to the preservation of Pinto Creek, Powers Gulch and Haunted Canyon. This group meets as needed. Contact Tom Sonandres at (623) 583-6764 or [pintocreek@asu.edu](mailto:pintocreek@asu.edu) for more information.
- **Northern Gila County Water Planning Alliance**  
The watershed of interest is bounded by Mogollon Rim to the north, Roosevelt Lake to the south, Sierra Ancha Mountains to the east, and Mazatzal Mountains to the west. The alliance was formed to develop water strategies for the area around Payson, Pine, and Strawberry (a.k.a. Tonto Creek Basin). This group meets as needed. Contact Steve Besich, Assistant County Gila Manager at [sbesich@co.gila.az.us](mailto:sbesich@co.gila.az.us); Lionel Martinez, rim Trail Water Improvement District at (928) 474-2029; or Howard Matthews, pine-Strawberry Water Improvement District at (928) 476-2142.

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses have been completed, are ongoing, or are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov).

- **Canyon Lake is impaired by low dissolved oxygen.**  
Low dissolved oxygen is generally associated with nutrient loading and eutrophic conditions which can lead to algal blooms and even fish kills. A TMDL is to be initiated in 2010 to determine the cause and controllable sources of the low dissolved oxygen and recommend strategies to meet surface water quality standards.
- **Crescent Lake is impaired due to high pH (alkalinity).**  
High pH readings are also frequently associated with nutrient loading (see Canyon Creek comments). High pH values may represent concerns for most designated uses, but pose the biggest risk to aquatic life.
- **Christopher Creek and Tonto Creek, above Haigler Creek confluence, are impaired by bacteria *Escherichia coli* contamination.**  
Bacteria contamination may pose a risk to humans swimming or even wading in the water. A bacteria TMDL was completed in 2004 for both Christopher Creek and Tonto Creek. Septic and waste disposal systems were identified as the primary source of bacterial loading. The TMDL recommended inspection, repair, and upgrading of these systems, and improving facilities at heavily used recreational sites. The U.S. Forest Service and Gila County Health Department were encouraged to initiate routine bacterial monitoring.
- **Tonto Creek, above Haigler Creek confluence, is also impaired by nitrogen (nutrients).**  
Excess nitrogen can lead to eutrophic conditions and algal blooms. A nitrogen TMDL was approved in 2005. Three sources of excess nutrients were identified: septic systems, insufficient restroom facilities at recreational sites along Tonto Creek, and the Tonto Creek Fish Hatchery. ADEQ will work with the Arizona Game and Fish Department to determine new permit discharge limits for the hatchery and the means for achieving these limits. Inspection, repair, and upgrading of septic systems, along with improving waste facilities at recreational sites, were also recommended actions so that nutrient standards will be met.
- **Pinto Creek is impaired by copper, and the segment of Pinto Creek downstream of Ripper Spring is also impaired by selenium.**  
Both copper and selenium concentrations pose a risk to aquatic life and wildlife. Selenium was added on the 2004 Impaired Waters List for the downstream segment of Pinto Creek and a selenium TMDL is scheduled to be initiated in 2009.



*The Pinto Creek Phase II TMDL Modeling Report*, written by Malcolm Pirnie, Inc. for ADEQ (2006), describes the hydrology and pollutant transport for Pinto Creek basin in support of allocation of copper from discharges to the creek. Natural mineralization in the area has resulted in numerous historic and active mining related disturbances. This model scenario results lead to the following major conclusions:

- Gibson Mine is the single largest source of copper loads to Pinto Creek – over 90% of the copper load. Remediation efforts are necessary at this mining site;
- Remediation at other mining sources is expected to reduce copper;
- Much of upper Pinto Creek would exceed copper criteria even after remediation;
- The Carlotta Copper project (a new mine site being established on Pinto Creek) is not predicted to cause large changes in copper loads or concentrations.

Aggressive remediation activities are being scheduled for the Gibson Mine, an abandoned mine (see Water Quality Improvement Grants below). Site specific standards are also being developed for copper in Pinto Creek because the natural background concentration is higher than the standard in this copper rich mining area.

- The Salt River, from Stewart Mountain Dam (Saguaro Lake) to the Verde River, is impaired by low dissolved oxygen which poses a threat to aquatic life. More data is needed to identify sources and TMDLs have been scheduled to be initiated in 2010.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/environ/water/watershed/fin.html>.

- **Lower Salt River Pollution Prevention, Education, and Monitoring Project**  
The Tonto National Forest (2000)  
Construct three restrooms in the Salt River Recreational Area and monitor bacteria levels in the segment of stream used for tubing and other recreation.
- **Camp Geronimo Boy Scout Camp On-site Sewer Improvement Project**  
Camp Geronimo Boy Scouts (2002 and 2004)  
Add treatment facilities and provide sealed vault and haul toilet units.
- **Trees for the Rim Project**  
Arizona Community Tree Council (2003)  
Provide trees and other vegetation at no cost to those private property owners whose trees and landscape plants were destroyed during the Rodeo-Chediski fire in 2002. These actions are to help restore vegetation and thereby reduce runoff pollution.
- **Gibson Mine Remediation Project**  
Franciscan Friars of California (2005 and 2006)  
Design, construct, and implement a manmade wetland to reduce copper, beryllium, zinc, and turbidity loadings to Pinto Creek and Mineral Creek.
- **Gila County Septic System Project**  
Gila County Health Department and Community Services (2005 and 2006)  
Identify, repair, upgrade, or replace waste water systems that are structurally unsound or failing in the Christopher Creek and Tonto Creek (headwaters) area. These activities support implementation of the nitrogen and bacteria TMDLs established for these waters.
- **R-Bar-C Boy Scout Camp Sewer Facilities Project**  
Boy Scouts of America – Grand Canyon Council (2006)  
Upgrade septic treatment and disposal facilities to prevent contamination of Christopher Creek.



**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Canyon Creek Riparian Restoration Project**  
Arizona Game and Fish Department (2005)  
Temporarily exclude grazing (5 to 10 years) from a half-mile reach of Canyon Creek. The goal of the enclosure is to improve water quality and restore native habitat.

### **Other Water Quality Studies**

- ***Lower Verde / Lower Salt River Management Plan and Restoration Strategy***  
Lower Verde / Lower Salt River Watershed Advisory Group (2000)  
This plan identifies the areas of greatest concern for water resources, initiates pollution source identification, and identifies programs and potential actions to remediate these sources.
- ***Phoenix Metropolitan Reservoir Study***  
David Walker, University of Arizona  
This is an ongoing and comprehensive study of water quality in reservoirs serving the Phoenix metropolitan area. Goal is to collect and analyze data to answer water quality management questions in a proactive manner. A yearly report is produced. In 2005, the report provided information about:
  - Climate and drought effects on water quality,
  - Wildfire effects on water quality,
  - Harmful algal blooms,
  - Atmospheric deposition and the use of sediment to look at accumulation of pollutants, and
  - Endocrine disruption compounds.
- ***Characterization of Hydraulic Conductivity of the Alluvium and Basin Fill, Pinal Creek Basin near Globe, Arizona***  
Cory E. Angereth – U.S. Geological Survey (2002)  
Mining in the Pinal Creek area has resulted in acidic waters containing elevated concentrations of dissolved metals in the ground water. Slug tests were conducted in 1997 and 1998 to better understand contaminant transport through the regional aquifer (i.e., hydraulic conductivity). The tests showed that in the unconsolidated stream alluvium and in the basin fill, the lower the pH of the ground water, the higher the hydraulic conductivity. Likely, the low pH water is causing the dissolution of aquifer material.
- ***Assessment of Selected Inorganic Constituents in Streams in the Central Arizona Basins Study Area, Arizona and Northern Mexico, through 1998***  
David Anning – U.S. Geological Survey, National Water Quality Assessment Program (2003)  
Inorganic chemical data (dissolved solids, suspended sediment, and nutrients) and stream properties (temperature, pH, dissolved oxygen) were analyzed to assess water quality, determine natural and human factors affecting water quality, and compute stream loads.
  - The total annual input fluxes from quantifiable sources of nitrogen and phosphorus (nutrients) were considerably higher for developed basins than for minimally developed basins (such as the Salt Watershed).
  - For minimally developed basins, precipitation was the largest quantifiable source of nitrogen.
  - The amount of nitrogen and phosphorus transported out of the basins was much smaller than the amount of quantifiable inputs. This indicates that most of the nutrients were not transported out in surface water, but were transported to the subsurface (soil or aquifer), released to the atmosphere (volatilized ammonia), or incorporated into the biomass (plants and animals).


## Assessments

The Salt Watershed can be separated into the following drainage areas (subwatersheds):

15060101	Black River
15060102	White River (Tribal land – Not assessed)
15060103	Upper Salt River
15060104	Carrizo Creek (Tribal land – Not assessed)
15060105	Tonto Creek
15060106A	Lower Salt River

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).

## Chapter II – Salt Watershed



<b>APACHE LAKE</b>  <b>15060106A-0070</b> <b>2190 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Impaired FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Low dissolved oxygen	Add low dissolved oxygen to the 303(d) List

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE: 10/30/2000 – 11/05/2004</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam SRAPA-A 100997	ADEQ, AGFD, UA Ambient	9-14 total and 5 dissolved: Cadmium, chromium, copper, lead, nickel, silver, zinc  6-15 total and 0-2 dissolved: Antimony, arsenic, barium, beryllium, boron, manganese, selenium, mercury, and thallium	42-45 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	11 <i>E. coli</i> bacteria 11 Fluoride 14 Total dissolved solids 24 Turbidity
At transition zone SRAPA-B 101712	UA Ambient			
In riverine zone SRAPA-C 102139	ADEQ, AGFD, UA Ambient			
At beach SRAPA-BCH 101704	AGFD, UA Ambient			
At camping area SRAPA-BC 101707	AGFD, UA Ambient			
At Burnt Corral SRAPA-COR 102753	ADEQ, AGFD, UA Ambient			
Mid Lake SRAPA-E 100008	ADEQ, AGFD, UA Ambient			
At marina SRAPA-MAR 100998	AGFD Ambient			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Dissolved oxygen	7.0 mg/L A&Wc	SITES 10/30/2000 – 5.1 mg/L – all 09/05/2001 – 2.3 mg/L – C 10/03/2001 – 4.6 mg/L – C 05/30/2001 – 6.2 mg/L – B and C 08/20/2003 – 6.3 mg/L – A 03/10/2004 – 6.4 mg/L – B and C 04/09/2004 – 6.0 mg/L – C 06/01/2004 – 5.1 mg/L – all 11/05/2004 – 2.9 mg/L – all	Impaired – Low dissolved oxygen in the top meter in 16 of 38 samples in the top meter.) (Binomial) Low dissolved oxygen occurred during 9 of 17 monitoring events in the top meter of lake water.  (Note: ADEQ has proposed changing the designated use at this lake to A&Ww, which has a dissolved oxygen standard of 6.0 mg/L. This would adjust the number of low dissolved oxygen samples to 8 of 38 samples (5 of 17 sampling events), and it would remain impaired.)

pH (high)	<9.0 SU A&Wc, FBC, DWS, Agl, AgL	08/06/2001 – 9.2 SU 03/07/2003 – 9.4-9.8 SU	Attaining – pH exceeded standards in 2 of 15 sampling events. (Binomial)
-----------	--	--	---

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Need composite nitrogen and phosphorus samples to assess A&Wc and FBC		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria in at least 7 samples.
<b>DISCUSSION OF SITE SPECIFIC NUTRIENT STANDARDS</b>		<p>Nitrogen and phosphorus standards established for this lake are based on composite samples collected at the surface, 2 meter, and 5 meter depths. No composite samples were collected and analyzed during this assessment period.</p> <p>This standard is to be replaced by the proposed lake narrative nutrient implementation procedures currently being adopted through the Triennial Review process.</p> <p>The nitrogen criterion (1.0 mg/L) was exceeded in 12 of 42 samples collected. However, since these were not composite samples, the standards did not apply.</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority –Collect more dissolved oxygen samples to support a TMDL.</p> <p>Low dissolved oxygen and high pH may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring based on the dissolved oxygen and pH violation, and elevated nutrients.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

<b>BEAR WALLOW CREEK</b>  From North and South Forks of Bear Wallow to Indian Reservation boundary 15060101 – 023A 5.9 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Inconclusive FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/24/2001 – 08/15/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below South Fork Bear Wallow Creek SRBWL005.79 101198	ADEQ Ambient	3 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, zinc  3 total and 0-1 dissolved: Boron, lead, manganese, mercury  1 total and 1 dissolved: barium, nickel, silver, and thallium	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria samples to assess FBC		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect <i>E. coli</i> bacteria samples to represent at least 3 seasons during the assessment period. Use lower lab detection limits for selenium and dissolved mercury.	

<b>BEAVER CREEK</b>  From headwaters to Black River 15060101 -- 008 13.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/24/2001 – 10/26/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Forest Road #26 SRBEV012.04 102145	ADEQ Special study	3 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, zinc  3 total and 0-1 dissolved: Boron, lead, manganese, mercury  1 total and 1 dissolved: barium, nickel, silver, and thallium	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen  7 Phosphorus, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 3 Fluoride 7 Total dissolved solids 22 Suspended sediment concentration 22 Turbidity
Above Hannagan Creek SRBEV009.66 102140	ADEQ Special study			
Below Hannagan Creek SRBEV009.56 102139	ADEQ Special study			
Above Forest Road 26 bridge SRBEV007.28 102135	ADEQ Special study			
At USGS Gage near Sprucedale SRBEV001.40 100373	ADEQ Ambient and Special study			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/13/2002 – 6.74 mg/L 08/28/2003 – 5.56 mg/L	Inconclusive – On 08/13/2002 low dissolved oxygen was naturally occurring due to low flow (flow as 0.13) due to ground water upwelling. Nitrogen was 0.37, phosphorus = 0.18. Other date was during flood flow at 9 cfs, with phosphorus reading at 13 mg/L. (Binomial)
Phosphorus	0.8 mg/L Single sample maximum A&Wc, FBC	08/27/2003 – 13 mg/L	Inconclusive – Only 1 exceedance in 7 samples. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	08/27/2003 – 4865 mg/L	Attaining – SSC criteria of 80 mg/L was exceeded once in 22 sampling events. Because the sample was collected during flood flows of 9-10 cfs, the value could not be included in the geometric mean calculation. The geometric mean standard was not exceeded. However, the high sediment concentration suggests that sediment may be a problem in this watershed.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Phosphorus and dissolved oxygen	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		<p>Medium Priority –Collect more phosphorus and dissolved oxygen samples due to exceedances.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p> <p>Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted, due to high levels of suspended sediment during flood flows. Note that the old turbidity standard (10 NTU) was exceeded during 8 of 22 sampling events.</p>	



<b>BIG LAKE</b>  15060101 -- 0160 440 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/15/2001 – 06/12/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam SRBIG-A 101322	ADEQ Ambient	3 dissolved and total metals: Antimony, arsenic, barium, boron, beryllium, chromium, selenium, zinc  3 total and 0-1 dissolved: Cadmium, copper, lead, silver, manganese, mercury	3-4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 3 Fluoride 4 Total dissolved solids 3 Turbidity
Mid lake SRBIG-B 101355	ADEQ Ambient			
At boat dock SRBIG-D 100013	ADEQ Ambient			
Shoreline SRBIG-SH 101358	ADEQ Ambient			
West of floating dock SRBIG-SBR 101359	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria and dissolved cadmium and dissolved copper to assess FBC and A&Wc		Lab detection limits for dissolved metals (cadmium copper, lead, mercury, and silver) were higher than the A&W chronic criteria in at least 1 sample.
MONITORING RECOMMENDATIONS		Low Priority –Collect missing core parameters to represent at least 3 seasons during the assessment period. Use lower lab detection limits for dissolved metals.	

<b>BLACK RIVER</b>  From Beaver Creek to Reservation Creek 15060101 – 007 13.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/25/2001 – 08/14/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Forest Road #25 SRBLR102.24 101202	ADEQ Ambient	3 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  3 total 0-1 dissolved: Boron, manganese, lead, mercury  1 total, 1 dissolved Barium, nickel, silver, thallium	3 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria sample to assess FBC		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect <i>E. coli</i> bacteria samples to represent at least 3 seasons during the assessment period. Use lower lab detection limits for selenium and dissolved mercury	

<b>CAMPAIGN CREEK</b>  From headwaters to Pinto Creek 15060103 -- 037 16.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/27/2001 – 09/11/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Superstition Wilderness Boundary SRCGN009.78 100431	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium.	

<b>CANYON CREEK</b>  From headwaters to White Mountain Apache Reservation 15060103 -- 014 8.6 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl -- Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 12/18/2001 – 09/06/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below OW Ranch Road SRCYN046.07 100370	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>CANYON LAKE</b>  <b>15060106A -- 0250</b> <b>450 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Impaired FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Low dissolved oxygen	Added low dissolved oxygen to 303(d) List in 2004

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 07/11/2001 – 10/20/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam SRCAN-A 101697	ADEQ, AGFD, UA Ambient	7-11 total and 7 dissolved: Cadmium, chromium, copper, lead, nickel, silver, zinc  7 total and 0-2 dissolved: Antimony, arsenic, barium, beryllium, boron, manganese, selenium, mercury, thallium	28-30 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	8 <i>E. coli</i> bacteria 16 Fluoride 6 Total dissolved solids 11 Turbidity
At transition zone SRCAN-B 101699	ADEQ, UA Ambient			
Inflow below Horse Mesa Dam SRAPA-1 102538	AGFD Ambient			
Canyon area SRCAN-CAN 102754	AGFD Ambient			
At campground SRCAN-CG1 101700	ADEQ, AGFD, UA Ambient			
At marina SRCAN-MAR 101701	UA Ambient			
Upper middle lake SRCAN-MID 102837	AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	SITES 10/15/2001 – 6.1 mg/L – A and 1 10/18/2002 – 6.7 mg/L – A 06/04/2003 – 4.5 mg/L – A and B 10/15/2003 – 4.4 mg/L – A 01/08/2004 – 5.0 mg/L – A and B 10/20/2004 – 4.2 mg/L – A and B	Impaired – Low dissolved oxygen in 10 of 23 samples in the top meter. (Binomial) Low DO during 6 of 12 sampling events.  (Note: ADEQ has proposed changing the designated use at this lake to A&Ww, which has a dissolved oxygen standard of 6.0 mg/L. This would adjust the number of low dissolved oxygen samples to 5 of 23 samples (4 of 12 sampling events), and it would remain impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Need composite nitrogen and phosphorus samples to assess A&Wc and FBC		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria in at least 2 samples.
<b>DISCUSSION OF SITE SPECIFIC NUTRIENT STANDARDS</b>		<p>Nitrogen and phosphorus standards established for this lake are based on composite samples collected at the surface, 2 meter, and 5 meter depths. No composite samples were collected and analyzed during this assessment period.</p> <p>This standard is to be replaced by the proposed lake narrative nutrient implementation procedures currently being adopted through the Triennial Review process.</p> <p>The nitrogen criterion (1.0 mg/L) was exceeded in 4 of 27 samples collected in the top meter. However, since these were not composite samples, the standard did not apply.</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority –Collect more dissolved oxygen samples to support a TMDL. Low dissolved oxygen may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

<b>CHERRY CREEK</b>  From tributary at 340509 / 110 56004 to Salt River 15060103 -- 015B 40.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgI – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/27/2001 – 09/10/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above road crossing SRCHE032.78 101323	ADEQ Ambient	8 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, zinc	8 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	7 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 8 Turbidity
Half-mile above Leisure Canyon SRCHE004.32	ADEQ Ambient	8 total metals only: Boron, lead, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

CHRISTOPHER CREEK  From headwaters to Tonto Creek 15060105 – 353 8.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Impaired FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 4A ( <i>E. coli</i> ) Not attaining  Category 5 (phosphorus) Impaired	<i>E. coli</i> bacteria and phosphorus	Add phosphorus. <i>E. coli</i> TMDL was approved in 2005. Implementing strategies to reduce loadings.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/23/2000 – 10/25/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above recreation area SRCRS006.20 101027	ADEQ TMDL	3-4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  3-4 total metals only: Barium, boron, lead, manganese, mercury  1 total metals only: Nickel, silver, and thallium	95-102 samples: Total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH 4 samples: Ammonia	68 <i>E. coli</i> bacteria 4 Fluoride 3 Total dissolved solids 163 Suspended sediment concentration 72 Turbidity
Below recreation area SRCRS005.68 101028	ADEQ TMDL			
Above Highway 260 at Christopher Creek, AZ SRCRS004.43 100362	ADEQ TMDL			
Below Christopher Creek, AZ SRCRS002.97 101030	ADEQ TMDL			
Above Christopher Creek Campground SRCRS002.82 100364	ADEQ TMDL			
Below Christopher Creek Campground SRCRS002.25 100365	ADEQ TMDL			
At top of Box Canyon SRCRS001.24 101033	ADEQ TMDL			
Below Box Canyon SRCRS000.34 100367	ADEQ Ambient			
Above Tonto Creek SRCRS000.08 101034	ADEQ TMDL			



EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	05/24/2000 – 6.7 mg/L 09/05/2000 – 6.7 mg/L 05/08/2002 – 6.7 mg/L 06/10/2002 – 6.5 mg/L 07/24/2002 – 6.6 mg/L 07/23/2003 – 6.6 mg/L 08/20/2003 – 6.5 mg/L	Attaining – Low dissolved oxygen normally solely due to natural conditions of low flow and ground water upwelling. (Low flows between 0.03 – 0.5 cfs.) Lowest dissolved oxygen measurement was 6.5 mg/L, which is marginally below the standard.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	09/02/2000 – 689 CFU/100 ml 10/31/2000 – 479 CFU/100 ml 07/22/2003 – 1120 CFU/100 ml 08/20/2003 -- >2419 CFU/100 ml 10/08/2003 – 345 CFU/100 ml	Remains impaired – Exceeded criterion on 5 sampling events during the assessment period. Three exceedances in 2003. Exceedance on one date was associated with flood flows (20 cfs). Exceedances on two other dates were occurred during elevated flows (2-6 cfs).
Phosphorus	0.8 mg/L – Single sample max (SSM) 0.10 mg/L – Annual mean A&Wc and FBC	08/20/2003 – 3.5 mg/L (SSM) 2000 – 0.13 (annual mean) 2003 – 0.44 mg/L (annual mean)	Impaired – Annual mean was exceeded 2 different sites in 2003 and one site in 2000. Single sample maximum (1 mg/L) was exceeded only in 1 of 35 samples (binomial).
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	08/06/2003 – 1603 mg/L 08/20/2003 – 702 mg/L 10/08/2003 – 92 mg/L	Attaining – 3 of 13 sampling events exceeded the 80 mg/L criterion. 1 exceedance occurred during elevated flows (702 mg/L at 5.6 cfs), so was not included in the geometric mean calculation. Using the remaining data, the geometric mean was <u>not</u> exceeded. Note that the old turbidity standard (10 NTU) was also exceeded during 9 sampling events.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		<p>Medium Priority – Actions to <i>E. coli</i> bacteria loadings will also reduce phosphorus loadings; therefore, development of a phosphorus TMDL is a low priority. Collect additional phosphorus and <i>E. coli</i> bacteria data to determine effectiveness of TMDL strategies being implemented.</p> <p>Use a lower lab detection limit for selenium.</p> <p>Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>COON CREEK</b>  From tributary at 334642 / 1105425 to Salt River 15060103 -- 039B 10.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/27/2001 – 09/10/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Forest Road #203 SR00001.92 100379	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>COTTONWOOD GULCH</b>  From headwaters to Pinto Creek 15060103 – 891 1.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIODS:</b> 01/10/2000 – 07/16/2002; 04/05/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below Outfall PV004 SRCTG000.39 103443	BHP Permit	9-19 dissolved and total metals: Arsenic, beryllium, cadmium, copper, magnesium, selenium, and zinc.	9 samples: Dissolved oxygen 19 samples: pH	9 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Dissolved lead needed to assess attainment of A&We.		
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>CRESCENT LAKE</b>  15060101 -- 0420 155 Acres	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining Agl – Inconclusive AgL – Inconclusive	Category 2  Attaining Some Uses		
	E P A	A&Wc – Impaired FBC – Impaired Agl – Impaired AgL – Impaired	Category 5  Impaired	High pH	EPA listed lake due to high pH in 2002

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/14/2001 – 06/12/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid lake SRCRE-B 100993	ADEQ Ambient	3 dissolved and total metals: Antimony, arsenic, barium, boron, beryllium, chromium, manganese, nickel, silver, selenium, zinc	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 3 Fluoride 4 Total dissolved solids
At boat ramp SRCRE-BR 101320	ADEQ Ambient	3 total and 0-2 dissolved: Cadmium, copper, lead, mercury		2 Turbidity

<b>EXCEEDANCES</b>			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
pH	<9.0 SU A&Wc, FBC, Agl, AgL	11/14/2001 – 9.6 SU	Inconclusive – 1 exceedance in 3 samples. (EPA's original listing considered older data.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved cadmium and dissolved copper to assess A&Wc		Lab detection limits for dissolved metals (cadmium, copper, lead, and mercury) were higher than the A&W chronic criteria in at least 1 sample.
<b>DISCUSSION OF HIGH PH IMPAIRMENT</b>		Evidence of potential impairment: <ul style="list-style-type: none"> <li>No newer monitoring data since lake was listed as impaired.</li> </ul>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect pH measurements to support development of a TMDL. High pH may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect missing core parameters to represent at least 3 seasons. Use lower lab detection limits for dissolved metals.	

<b>DEER CREEK</b>  From headwaters to Rye Creek 15060105 -- 018 11.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/10/2002 – 04/23/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Mazatzal Wilderness Boundary SRD4E005.86 100531	ADEQ Ambient	3 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  3 total metals only: Boron, lead, manganese, mercury	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>EAST FORK BLACK RIVER</b>  From headwaters to Black River 15060101 -- 009 26.7 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/24/2001 – 11/19/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below the three Black River forks SREFB011.86 101203	ADEQ Special study	8 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, zinc	8 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	8 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 4 Suspended sediment concentration 12 Turbidity
Above old Buffalo Crossing bridge SREFB000.91 100375	ADEQ Special study	8 total and 0-2 dissolved: Boron, lead, manganese, mercury		
Below Forest Road 24 at USGS gage SREFB000.62 102131	ADEQ Special study	2 total and 2 dissolved: barium, nickel, silver, and thallium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>ELLIS RANCH TRIBUTARY</b>  From headwaters to Pinto Creek 15060103 – 888 1 Mile	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We –Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/05/2004 – 01/12/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Forest Road #349 SRERT000.48 102647	ADEQ TMDL	27 dissolved and 5 total: Copper  5 total and 5 dissolved: Selenium and zinc		
At Forest Road #349 SRERT000.10 102648	ADEQ TMDL	4 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	5.8 µg/L at 23 mg/L hardness 5.8 µg/L at 23 mg/L hardness 7.5 µg/L at 30 mg/L hardness A&We acute	12/29/2004 – 36 µg/L 01/04/2005 – 67 µg/L 01/12/2005 – 37 µg/L	Inconclusive –Field investigations for the Pinto Creek TMDL have concluded that copper loads are due to a combination of natural background conditions, as well as abandoned mines in the sub-watershed. Further monitoring is needed in order to determine natural background levels.
Low pH	<6.5 SU A&We, PBC	03/05/2004 – 6.1 SU	Inconclusive – Did not meet standards in 1 of 4 samples. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
pH	Missing most core parameters	Insufficient sampling events	Lab detection limits for selenium was higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect pH measurements due to the low pH value.  Collect missing core parameters to represent at least 3 seasons during an assessment period. Use lower detection limits for selenium and dissolved mercury.	

<b>FISH CREEK</b>  From headwaters to Black River 15060101 – 032 13.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/25/2001 – 08/14/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Black River SRFIS000.01 101200	ADEQ Ambient	3 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, zinc  3 total and 0-1 dissolved: Boron, lead, manganese, mercury  1 total and 1 dissolved: barium, nickel, silver, and thallium	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria samples		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect <i>E. coli</i> bacteria samples to represent at least 3 seasons during the assessment period. Use lower lab detection limits for selenium and dissolved mercury.	



<b>FIVE POINT MOUNTAIN TRIBUTARY</b>  From headwaters to Pinto Creek 15060103 – 885 2.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Inconclusive	Category 5  Impaired	Copper	Add copper to 303(d) List. (see discussion below)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/30/2001 – 01/04/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At 60W3 ** SRFPM002.24 102657	ADEQ TMDL	6 total and dissolved: Copper	None	1 Fluoride
Below unnamed mine SRFPM001.69 102658	ADEQ TMDL	5 total and dissolved: Selenium, and zinc		
Above Bronx Mine SRFPM000.99 102659	ADEQ TMDL	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, lead, manganese, mercury, nickel, silver, thallium		
Below Bronx Mine SRFPM000.90 102660	ADEQ TMDL	6 pH		

\*\* 60W3 was a natural background site located above any mining or other anthropogenic disturbances.

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	12.5 µg/L at 52 mg/L hardness 7.0 µg/L at 28 mg/L hardness 8.6 µg/L at 35 mg/L hardness 7.7 µg/L at 31 mg/L hardness 5.6 µg/L at 22 mg/L hardness 4.4 µg/L at 17 mg/L hardness A&We acute	03/30/2001 – 380 µg/L 02/26/2003 – 45 µg/L 03/04/2003 – 100 µg/L (02/23/2004 – 62 µg/L)* (12/29/2004 – 72 µg/L)* (01/04/2005 – 46 µg/L)*	Impaired – 3 exceedances within a 3-year period. *These exceedances occurred at the natural background site, and were not used in determining impairment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
DISCUSSION OF EXCEEDANCES		Samples were collected to support the Pinto Creek copper TMDL and site specific copper standard development. Copper loadings from this tributary will be addressed in the Pinto Creek copper TMDL currently being developed.	
MONITORING RECOMMENDATIONS		High Priority –Collect additional samples to support TMDL development as needed.  Use lower detection limits for selenium and dissolved mercury.	

<b>GIBSON MINE TRIBUTARY</b>  From headwaters to Pinto Creek 15060103 – 887 1 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Inconclusive FC -- Inconclusive	Category 4A  Not Attaining	Copper	Currently undergoing a Phase II copper TMDL.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/22/2000 – 03/05/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Pinto Creek SRGIB000.11 101071	ADEQ TMDL	31-50 dissolved and total metals: Copper and zinc 1 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, lead, manganese, mercury, nickel, silver, thallium	4 samples: Dissolved oxygen 17 pH	1 Fluoride 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	4.9 µg/L at 34 mg/L hardness 9.1 µg/L at 66 mg/L hardness 9.3 µg/L at 68 mg/L hardness 78 µg/L at 56 mg/L hardness 12.2 µg/L at 90 mg/L hardness 14.7 µg/L at 110 mg/L hardness 5.5 µg/L at 39 mg/L hardness 6.6 µg/L at 47 mg/L hardness 15.4 µg/L at 140 mg/L hardness 7.5 µg/L at 54 mg/L hardness A&Ww acute	03/05/2004 – 2,400 µg/L 08/26/2003 – 4,200 µg/L 03/04/2003 – 7,000 µg/L 02/27/2003 – 7,400 µg/L 02/15/2003 – 6,000 µg/L 03/30/2001 – 2,300 µg/L 03/08/2001 – 2,100 µg/L 02/16/2001 – 2,500 µg/L 01/12/2001 – 5,600 µg/L 10/22/2000 – 5,900 µg/L	Impaired – Exceeded standards during all 10 monitoring periods – 9 exceedances in the last 3 years of monitoring.
Low pH	<6.5 SU A&Ww, FBC	03/05/2004 – 6.0 SU 08/26/2003 – 5.7 SU 03/04/2003 – 6.2 SU 02/27/2003 – 6.0 SU 02/15/2003 – 5.7 SU 03/08/2001 – 6.4 SU 01/12/2001 – 5.9 SU 10/22/2000 – 5.4 SU	Inconclusive – Did not meet standards in 8 of 10 sampling events (13 of 17 samples). Binomial method requires a minimum of 5 exceedances and 20 samples to list as impaired. (See discussion below)

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
pH	Missing most core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
DISCUSSION OF EXCEEDANCES		Gibson Mine tributary is heavily impacted by mining activities; however, remediation activities are currently trying to address this contamination. Copper loadings from this tributary will be addressed in the Pinto Creek copper TMDL currently being developed.	
MONITORING RECOMMENDATIONS		High Priority –Collect additional samples to support TMDL development as needed. Use lower detection limits for selenium and dissolved mercury.	

<b>GOLD GULCH</b>  From headwaters to Pinto Creek 15060103 – 894 3.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIODS: 01/06/2000 – 04/03/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
North of #3 tailing impoundment SRGDG000.21 103442	BHP Permit	33 total and 3 dissolved metals: Copper, selenium, zinc	21 samples: Dissolved oxygen 42 samples: pH	30 Turbidity
At weir SRGDG000.03 102666	BHP Permit	23-33 total metals only: Arsenic, beryllium, cadmium, and magnesium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Need dissolved lead to assess A&We.		Lab detection limit for selenium was higher than A&W chronic criteria.
<b>DISCUSSION OF EXCEEDANCES</b>		Samples were collected to support the Pinto Creek copper TMDL and site specific copper standard development. Copper loadings from this tributary will be addressed in the Pinto Creek copper TMDL currently being developed.	
<b>MONITORING RECOMMENDATIONS</b>		High Priority –Collect additional samples to support TMDL development as needed.  Collect missing core parameters to represent at least 3 seasons during the assessment period. Use a lower detection limits for selenium.	

<b>GREENBACK CREEK</b>  From headwaters to Tonto Creek 15060105 -- 005 16.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1	
		Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/28/2001 – 05/08/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Conway Ranch SRGRE009.81 101221	ADEQ Ambient	3 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, zinc  3 total and 0-2 dissolved: Boron, lead, manganese, mercury	3 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>HAIGLER CREEK</b>  From headwaters to unnamed tributary at 341223 / 1110011 15060105 – 012A 15.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/18/2001 – 08/29/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Boy Scout Camp SRHAG009.01 100372	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use a lower lab detection limit for selenium.	

<b>HANNAGAN CREEK</b>  From headwaters to Beaver Creek 15060101 -- 034 7.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 04/09/2002 – 03/23/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Highway 181 SRHAN002.27 102149	ADEQ Ambient		5-7 samples: Total phosphorus, dissolved oxygen, pH	7 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity
Above Beaver Creek SRHAN000.06 102141	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/20/2003 – 6.2 mg/L	Attaining -- Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Flow at 0.05 cfs. Nutrient tested showed low concentration (phosphorus 0.068 mg/L).
Phosphorus	0.8 mg/L Single sample maximum A&Wc, FBC	08/27/2003 – 6.2 mg/L	Inconclusive – Only 1 exceedance in 7 samples. (Binomial) Occurred during very high flow (10.3 cfs)
Suspended sediment concentration	Geometric mean 80 mg/L A&Wc	08/27/2003 – 3,500 mg/L 03/10/2004 – 95 mg/L 03/23/2004 – 135 mg/L	Attaining – Exceeded 80 mg/L on 3 of 7 monitoring events. Two of the results were not included in the geometric mean calculation, because flows were elevated (3,500 mg/L and 135 mg/L). Using the remaining samples, the geometric mean standard was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Phosphorus	Insufficient core parameters		
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect more phosphorus and suspended sediment concentration data due to exceedances.  Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted, due to high levels of suspended sediment during flood flows.  Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>HAUNTED CANYON</b>  From headwaters to Pinto Creek 15060103 – 879 6.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/23/2000 – 01/14/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Powers Gulch SRHNC000.45 101131	ADEQ Ambient And TMDL	19 total and 61 dissolved: Copper	5-7 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus	4 <i>E. coli</i> bacteria 9 Fluoride 5 Total dissolved solids 6 Turbidity
At Carlota Weir SRHNC000.14 101072	ADEQ TMDL	3-15 total and dissolved: Antimony, arsenic, barium, beryllium, cadmium, chromium, lead, nickel, selenium, silver, thallium, zinc  8 total and 0-2 dissolved: Boron, manganese, mercury	10 Dissolved oxygen, 26 pH	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	7.6 µg/L at 55 mg/L hardness 13.2 µg/L at 98 mg/L hardness A&Ww acute	12/30/2004 – 22 µg/L 03/10/2004 – 17 µg/L	Inconclusive – ADEQ will collect further monitoring because weight-of-evidence does not support listing this reach as impaired. (See discussion below)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
DISCUSSION OF COPPER EXCEEDANCES		The assessment is supported by the following evidence: <ol style="list-style-type: none"> <li>1. The exceedances are based on calculated hardness. Allowing for a margin of error in the analysis, the acute copper criteria on 03/10/2004 could be as high as 17 µg/L, which would not be an exceedance.</li> <li>2. Both exceedances occurred at the Carlota Weir; however, all five samples collected 3/10 mile upstream (below Power Gulch) were below the lab reporting limit of 10 µg/L. A rich copper ore body is known to exist near the lower site where the exceedances occurred; therefore the exceedances may be due to natural conditions (not a violation of standards). The sample on 03/10/2004 was collected during low flow (less than 1 cfs), which further supports the proposal that it represented natural background for this site.</li> </ol>	
MONITORING RECOMMENDATIONS		Medium Priority – Collect copper data to support Phase II copper TMDL. Use lower lab detection limits for selenium and dissolved mercury.	



<b>HAY CREEK</b>  From headwaters to West Fork Black River 15060101 – 353 4.5 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/15/2001-05/05/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
In Exclusion area SRHAY003.25 102121	ADEQ Special study	2 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc	2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 8 Suspended sediment concentration 8 Turbidity
Above West Fork Black River SRHAY000.04 101299	ADEQ Ambient and Special Study	2 total and 0-1 dissolved: Boron, lead, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium is higher than A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period. Use a lower lab detection limit for selenium.	



<b>HOME CREEK</b>  From headwaters to West Fork Black River 15060101 -- 339 9.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL -- Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 04/16/2003 – 03/23/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above fish barrier SRHOM001.01 102128	ADEQ Special study		1 sample: Total phosphorus, 4 samples: Dissolved oxygen and pH	2 Total dissolved solids 6 Suspended sediment concentration 6 Turbidity
Above West Fork Black River SRHOM000.02 102129	ADEQ Special study			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>HORTON CREEK</b>  From headwaters to Beaver Creek 15060101 -- 036 4.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 04/15/2003 – 03/23/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Forest Road #26 SRHRT002.27 102149	ADEQ Ambient		2 samples: Total phosphorus, dissolved oxygen, pH	1 Total dissolved solids 3 Suspended sediment concentration 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>JK MOUNTAIN TRIBUTARY</b>  From headwaters to West Fork Pinto Creek 15060103 – 873 1.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 03/05/2004; 01/04/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above West Fork Pinto Creek SRJKM000.22 102668	ADEQ TMDL	2 dissolved and total metals: Copper, selenium, zinc 2 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	9.1 µg/L at 37 mg/L hardness 13.9 µg/L at 58 mg/L hardness A&We acute	01/04/2005 – 18 µg/L 03/05/2004 – 28 µg/L	Attaining –Field investigations for the Pinto Creek TMDL have concluded that copper loads are entirely due to natural background conditions. Exceedances entirely due to natural background are not violations of copper criteria and are not used to list a surface water as impaired. This data was used to develop a site-specific standard for Pinto Creek.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameter	Insufficient sampling events	Lab detection limit for selenium was higher than A&W/ chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons during an assessment period.  Use lower detection limits for selenium.	

<b>MEAD CANYON</b>  From headwaters to Pinto Creek 15060103 – 889 2.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 03/05/2004; 12/30/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below MF Ranch SRMEC001.13 102655	ADEQ TMDL	2 dissolved and total metals: Copper and zinc 2 pH		
At Forest Road #349 SRMEC000.53 102656	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	14.2 µg/L at 59 mg/L hardness 9.3 µg/L at 38 mg/L hardness A&We acute	03/05/2004 – 22 µg/L 12/30/2004 – 67 µg/L	Attaining –Field investigations for the Pinto Creek TMDL have concluded that copper loads are entirely due to natural background conditions. Exceedances entirely due to natural background are not violations of copper criteria and are not used to list a surface water as impaired. This data was used to develop a site-specific standard for Pinto Creek.
Low pH	>6.5 SU A&We, PBC	03/05/2004 – 5.3 SU	Inconclusive – Did not meet standards in 1 of 2 sampling events. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
pH	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium was higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect pH samples due to the low pH value.  Collect core parameters to represent at least 3 seasons during an assessment period. Use a lower detection limit for selenium.	

<b>NORTH FORK BEAR WALLOW CREEK</b>  From headwaters to Bear Wallow Creek 15060101 – 022 5.2 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 11/14/2001; 06/11/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Just above South Fork Bear Wallow Creek SRNBE000.10 101262	ADEQ Ambient	2 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, manganese, mercury, zinc  2 total and 0-1 dissolved: Boron, lead, manganese, mercury	2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameter	Insufficient sampling events	Lab detection limit for selenium was higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period. Use a lower lab detection limit for the selenium.	

<b>PINAL CREEK</b>  From Lower Pinal Creek WTP discharge to Salt River 15060103 – 280D 6.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE: 02/16/2000 – 04/28/2005</b>		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Setka Ranch SRPNL006.87 101491	USGS Pinal Group Effectiveness	93-173 total and dissolved metals: Beryllium, cadmium, chromium, copper, manganese, nickel, zinc	22 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	22 <i>E. coli</i> bacteria 11 Fluoride 8 Total dissolved solids 22 Suspended sediment concentration 22 Turbidity
At site Z2.2 SRPNL006.70 101503	USGS Special study	25-60 total and dissolved metals: Antimony, arsenic, barium, boron, lead, thallium,	109 Dissolved oxygen	
At site Z4 SRPNL006.62 101504	USGS Special study	17-25 total and dissolved: Selenium, silver	273 pH	
At site Z4.3 SRPNL006.54 101505	USGS Special study	25 total and 4 dissolved: Mercury		
At site Z4.7 SRPNL006.49 101507	USGS Special study			
At site Z5 SRPNL006.41 101509	USGS Special study			
At site Z5.7 SRPNL006.24 101510	USGS Special study			
At site Z6.2 SRPNL006.17 101511	USGS Special study			
At site Z7 SRPNL005.96 101513	USGS Special study			
At USGS site SRPNL005.82 101515	USGS Special study			
At size Z9A SRPNL005.65 101516	USGS Special study			
At site Z10SW SRPNL005.51 102171	USGS Special study			
At site JJ15 SRPNL005.12 101518	USGS Pinal Group Effectiveness			
At Inspiration Dam SRPNL003.79 100727	USGS Pinal Group Effectiveness			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Excluded metals exceedances and low pH values before treatment initiated in 2001			
Cadmium (dissolved)	6.22 µg/L at >400 mg/L hardness A&Ww chronic	07/14/2004 – 7.0 µg/L	Inconclusive – One exceedance the assessment period. Occurred during normal flow.
Chromium	100 µg/L FBC	12/08/2004 – 140	Attaining – Only 1 exceedance in 70 samples (Binomial)
Dissolved oxygen	6.0 mg/L A&Ww	06/13/2000 – 4.7 mg/L 08/20/2000 – 5.5 mg/L 10/17/2000 – 5.5 mg/L 01/25/2001 – 4.8 mg/L 04/05/2001 – 1.7 mg/L 06/12/2001 – 5.5 mg/L 08/07/2001 – 3.8 mg/L 01/16/2002 – 5.4 mg/L 05/27/2003 – 4.0 mg/L 05/18/2004 – 5.4 mg/L	Attaining -- Low dissolved oxygen due to natural conditions of ground water upwelling in the area.
pH	>6.5 SU A&Ww, FBC, AgL	05/27/2003 – 6.4 SU	Attaining – Surface water treatment in 2001. Only 1 low pH in 63 monitoring events. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved cadmium	Collected all core parameters		Lab detection limits for dissolved metals (beryllium, cadmium, chromium, copper, mercury, nickel, silver, and zinc) and selenium were higher than A&W criteria in at least 6 samples.
MONITORING RECOMMENDATIONS		<p>Medium Priority –Collect additional dissolved cadmium and dissolved zinc samples due to exceedances.</p> <p>Use lower lab detection limits for dissolved metals and total selenium.</p>	

<b>PINTO CREEK</b>  From headwaters to unnamed tributary at 331927 / 1105456 15060103 – 018A 2.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 4A  Not Attaining	Copper	Currently undergoing a Phase II copper TMDL.

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 02/16/2001 – 03/05/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Simpson Dam SRPNT033.02 102428	ADEQ Ambient	7 dissolved and 6 total copper 2 total and 3 dissolved zinc 7 pH	2 samples: Dissolved oxygen and pH	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper	500 µg/L AgL	08/26/2003 – 1300 µg/L 03/05/2004 – 1000 µg/L	Remains impaired – 2 exceedances in 6 samples.
Copper (dissolved)	5.7 µg/L at 40 mg/L hardness 16.0 µg/L at 120 mg/L hardness A&Ww acute	02/27/2003 – 16 µg/L 03/05/2004 – 18 µg/L	Remains impaired – 2 exceedances in the last 3 years of monitoring
pH	>6.5 µg/L A&Ww, FBC, AgL	08/26/2003 – 5.9 µg/L 03/05/2004 – 5.7 µg/L	Inconclusive – Only 2 exceedances in 6 sampling events. (Binomial method requires a minimum of 5 exceedances and 20 samples to assess as impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
pH	Insufficient core parameters		Lab detection limit for selenium was higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		High Priority –Collect copper samples to support development of the Phase II copper TMDL and site specific copper standards.  Collect additional pH samples due to exceedances.  Use a lower lab detection limit for selenium.	



PINTO CREEK  From unnamed tributary at 331927 / 1105456 to West Fork Pinto Creek 15060103 – 018B 15.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 4A  Not Attaining	Copper	Currently undergoing a Phase II copper TMDL.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 02/16/2000 – 04/28/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Henderson Ranch Mines SRPNT032.25 101039	ADEQ TMDL	96 total and 80 dissolved: Copper  58 total and 38 dissolved: Zinc		9 Fluoride 7 Turbidity
At Henderson Ranch Mines SRPNT031.89 102429	ADEQ TMDL	33 total and 8 dissolved: Arsenic, beryllium, cadmium, manganese.  26 total metals only: Selenium		
Below Henderson Ranch Mines SRPNT031.74 101061	ADEQ TMDL	8-9 dissolved and total metals: Antimony, barium, boron, chromium, lead, nickel, silver, thallium		
Above Gibson Mine tributary SRPNT028.85 101062	ADEQ TMDL	8 total metals only: Mercury		
At old Highway 60 SRPNT027.51 101064	ADEQ TMDL	112 pH		
Above Cottonwood Gulch and below Cactus Breccia SRPNT024.85 103311	ADEQ TMDL And BHP Effectiveness			
Above Carlotta Cactus Breccia SRPNT024.04 102430	ADEQ TMDL And BHP Effectiveness			
Below Carlotta Cactus Breccia SRPNT023.29 102431	ADEQ TMDL			
Below Haunted Canyon USGS # 09498501 SRPNT020.12 101068	ADEQ TMDL			
Below USGS gage SRPNT019.77 102432	ADEQ TMDL			
Below Iron Bridge SRPNT019.23 103313	BHP Effectiveness			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Copper	500 µg/L – AgL 1300 µg/L -- FBC	10/23/2000 – 810 µg/L 02/25/2003 – 1172 µg/L 08/26/2003 – 1600 µg/L 03/05/2004 – 1700 µg/L 12/29/2004 – 1600 µg/L	Remains impaired – 3-5 exceedances in 28 sampling events (3-6 of 96 samples). (Binomial method requires a minimum of 10 samples with no exceedances.)
Copper (dissolved)	Varies by hardness between 2.7 to 49.6 µg/L) A&Ww acute	10/23/2000 – 920 µg/L 01/13/2001 – 150 µg/L 02/16/2001 – 210 µg/L 03/06/2001 – 260 µg/L 03/30/2001 – 81 µg/L 02/13/2003 – 530 µg/L 02/25/2003 – 820 µg/L 03/04/2003 – 480 µg/L 03/17/2003 – 340 µg/L 04/21/2003 – 70 µg/L 08/26/2003 – 230 µg/L 02/23/2004 – 93 µg/L 03/05/2004 – 450 µg/L 12/29/2004 – 83 µg/L 01/04/2005 – 77 µg/L	Remains impaired – 15 exceedances in 15 sampling events.
pH	<6.5 SU A&Ww FBC AgL	10/23/2000 – 5.6 SU 02/15/2003 – 5.7 SU 08/26/2003 – 5.9 SU 03/05/2004 – 5.7 SU	Attaining– Only 4 exceedances in 28 sampling events (Binomial method requires a minimum of 6 exceedances in 28 samples.)
Selenium	2.0 µg/L A&Ww chronic	04/22/2003 – 3 µg/L 02/03/2004 – 3 µg/L* 10/18/2004 – 3 µg/L*	Inconclusive – 1 exceedances during the assessment period. *Exceedances may be due to groundwater upwelling.
Zinc (dissolved)	232 µg/L at 224 mg/L hardness 379.3 µg/L at >400 µg/L hardness	10/23/2000 – 390 µg/L 08/26/2003 – 5,100 µg/L	Inconclusive – 2 exceedances; however, exceedances occurred more than 3 years apart. (A minimum of 2 exceedances in a 3-year period are required to determine impairment.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Selenium, dissolved zinc	Insufficient <i>E. coli</i> bacteria, total nitrogen, and total phosphorus to assess FBC and A&Ww		Lab detection limits for selenium and dissolved mercury were higher than the A&Ww chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority –Collect copper samples to support development of the Phase II copper TMDL and site specific copper standards.</p> <p>Collect additional selenium and dissolved zinc samples due to exceedances.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p> <p>The old turbidity criterion (50 NTU) was exceeded in 7 of 39 samples. Collect suspended sediment concentration (SSC) samples. Also, recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

PINTO CREEK  From West Fork Pinto Creek to Roosevelt Lake 15060103 – 018C 17.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Impaired Agl – Attaining Agl – Impaired	Category 5 (Selenium) Impaired Category 4A (Copper) Not Attaining	Copper, selenium	Added selenium in 2004. Currently undergoing a Phase II copper TMDL.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/31/2000 – 01/11/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Pinto Valley Weir SRPNT014.93 102436	ADEQ TMDL	31 total and 35 dissolved: Copper 26 total and 25 dissolved: Zinc 22-23 total and dissolved:	20-21 samples: Ammonia, nitrate-nitrite, total nitrogen, total phosphorus. 24 samples: Dissolved oxygen 33 samples: pH	19 <i>E. coli</i> bacteria 23 Fluoride 20 Total dissolved solids 10 Suspended sediment concentration 21 Turbidity
At Pinto Valley Weir USGS #09498502 SRPNT014.51 101070	ADEQ TMDL	Antimony, arsenic, beryllium, cadmium, chromium, lead manganese. 9-10 dissolved and total metals:		
Above Henderson Ford SRPNT008.48 100346	ADEQ TMDL	Barium, nickel, silver, thallium 22-23 total and 0-2 dissolved:		
At State Route 188 SRPNT004.37 102437	ADEQ TMDL	Boron, manganese, 22 total 4 dissolved: Mercury 1-2 total and dissolved: Selenium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Cadmium	50 µg/L for Agl, AgL 84 µg/L for FC	04/27/2004 – 200 µg/L	Attaining – 1 exceedance in 23 samples. (Binomial)
Copper (dissolved)	20.9 µg/L at 160 mg/L hardness 22.2 µg/L at 170 mg/L hardness A&Ww acute	03/05/2004 – 27 µg/L 01/05/2005 – 32 µg/L	Remains impaired – 2 exceedances in the last 3 years of monitoring. (Chronic criteria also exceeded in 4 samples.)
Dissolved oxygen	6.0 mg/L A&Ww	08/31/2004 – 3.9 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow (0.05 cfs) and ground water upwelling. Nutrients are low (nitrogen 0.28 mg/L and phosphorus 0.024 mg/L)
Selenium	2.0 µg/L A&Ww chronic	01/31/2000 – 7.6 µg/L 01/19/2001 – 9.0 µg/L	Remains Impaired – 2 exceedances during the assessment period. Due to the lab reporting limit for selenium, 16 other samples could not be used to determine attainment (see note below)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		High Priority –Collect copper and selenium samples to support development of TMDLs and site specific copper standards.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>POWERS GULCH</b>  From headwaters to Haunted Canyon 15060103 – 884 3.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 04/17/2002 – 04/28/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Haunted Canyon SRPWG000.15 102665	BHP Ambient ADEQ TMDL	8-9 dissolved and total metals: Copper, selenium, and zinc  8 total metals only: Arsenic, beryllium, cadmium, manganese,  pH 9		8 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	9.8 µg/L at 40 mg/L hardness A&We acute	03/10/2004 – 21 µg/L	Inconclusive – Only 1 exceedance in the last 3 years of monitoring.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	Insufficient core parameters to assess designated uses		Lab detection limit for selenium was higher than A&W/ chronic criteria.
<b>DISCUSSION OF EXCEEDANCES</b>		Samples were collected to support the Pinto Creek copper TMDL and site specific copper standard development. Copper loadings from this tributary will be addressed in the Pinto Creek copper TMDL currently being developed.	
<b>MONITORING RECOMMENDATIONS</b>		High Priority –Collect additional samples to support TMDL development as needed.  Use lower detection limits for selenium.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>ROOSEVELT LAKE</b>  15060103 – 1240 18,350 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/31/2000 – 01/11/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
A dam SRROO-A 100075	UA and AGFD Ambient	9-25 total and 3-6 dissolved: Arsenic, cadmium, chromium, copper, lead, nickel, silver, zinc  9-25 total and 0-2 dissolved: Antimony, beryllium, boron, manganese, selenium, thallium	68-90 samples: Ammonia, nitrate-nitrite, total nitrogen, dissolved oxygen, pH  18 samples: Total phosphorus.	3 <i>E. coli</i> bacteria 24 Fluoride 61 Total dissolved solids 21 Turbidity
At Salt River Inlet SRROO-B 10076	UA and AGFD Ambient			
At Tonto Creek Inlet SRROO-C 100077	UA and AGFD Ambient			
Mid lake SRROO-E 100079	UA and AGFD Ambient			
At Marina SRROO-MAR 101711	UA Ambient			
At Windy Hill SRROO-WIND 102557	AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper	500 µg/L AgL	10/08/2002 – 715 µg/L	Attaining – 1 exceedance in 27 samples. (Binomial)
Dissolved oxygen	6.0 mg/L A&Ww	10/08/2004 – 4.5 mg/L	Attaining – One low dissolved oxygen out of 75 samples. (Binomial)
Lead	15 µg/L DWS and FBC	07/19/2002 – 35 µg/L	Attaining – 1 exceedance in 24 samples. (Binomial)
Manganese	980 µg/L DWS	07/19/2002 – 1680 µg/L 12/17/2003 – 1120 µg/L	Attaining – Only 2 exceedances in 30 samples. (Binomial)
pH	<9.0 SU A&Ww, FBC, Agl, AgL, DWS	03/06/2003 – 9.3 SU 09/30/2004 – 10.4 SU	Attaining – only 2 exceedances in 79 samples. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Need composite nitrogen and phosphorus samples to assess A&Wc and FBC as attaining uses (see comment below)		
<b>DISCUSSION OF SITE SPECIFIC NUTRIENT STANDARDS</b>		<p>Nitrogen and phosphorus standards established for this lake require composite samples collected at the surface, 2 meter, and 5 meter depths. No composite samples were collected and analyzed during this assessment period.</p> <p>This standard is to be replaced by the proposed lake narrative nutrient implementation procedures currently being adopted through the Triennial Review process.</p> <p>The nitrogen criterion (1.0 mg/L) was exceeded in 12 of 89 samples collected in the top meter. At site B, 1.0 mg/L was exceeded in 6 of 23 samples (which is normally impaired). However, since these were not composite samples, the standard did not apply.</p>	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –New methods for implementing the narrative nutrient standard should be applied to this lake once adopted.	

<b>RYE CREEK</b>  From headwaters to Tonto Creek 15060105 -- 014 17.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining AgL – Attaining	Category 2	
		Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/09/2002 – 09/04/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Rye Arizona SRRYE007.56 102832	AGFD Ambient	4 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  4 total metals only: Boron, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity
Below Rye Arizona SRRYE006.15 102833	AGFD Ambient			
Above Bridge SRFYE001.27 101297	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	04/18/2002 – 5.79 mg/L 09/04/2002 – 2.72 mg/L	Attaining – Low dissolved oxygen due to natural conditions related to low flow and ground water upwelling. Flow 0.3 – 0.5 cfs. Low nutrients (nitrogen 0.2 to 0.03 mg/L; phosphorus 0.01 to 0.03 mg/L).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	<i>E. coli</i> bacteria needed to assess FBC		Lab detection limits for selenium was higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Use a lower lab detection limit for selenium.  Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>SAGUARO LAKE</b>  <b>15060106A -- 1290</b> <b>1025 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/30/2000 – 11/05/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam SRSAG-A 100082	ADEQ, AGFD, UA Ambient	6-16 total and 5 dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, and zinc  15 total metals only: Mercury  4 total metals only: Thallium	40-44 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	16 <i>E. coli</i> bacteria 25 Fluoride 14 Total dissolved solids 19 Turbidity
Southeast of Bagley Flat SRSAG-B 101810	UA, AGFD Ambient			
Near Perrigrin Cove SRSAG-2 102559	AGFD Ambient			
At Bagley Flat SRSAG-BAG 101001	AGFD Ambient			
At Butcher Jones SRSAG-BJ 100081	ADEQ, UA Ambient			
At campground SRSAG-MFLAT 101698	AGFD, UA Ambient			
Marina site 1 SRSAG-MAR1 100994	ADEQ, UA Ambient			
Marina site 2 SRSAG-MAR2 100995	ADEQ, AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/27/2001 – 6.0 mg/L – MFLAT 08/06/2001 – 2.2 mg/L – 1 & B 10/15/2001 – 6.1 mg/L – 1 06/04/2003 – 6.6 mg/L – B 08/20/2004 – 6.4 mg/L – A	Inconclusive – Low dissolved oxygen in the top meter at least at one site during 5 of 19 sampling events (7-day periods). Low dissolved oxygen in 6 of 42 samples in the top meter. (Binomial method requires a minimum of 5 exceedances and 20 samples. At 42 samples, impairment occurs at 8 exceedances.)
Fluorine	4000 µg/L DWS	01/18/2001 – 15,800 µg/L	Attaining – Only 1 exceedance in 25 samples. (Binomial) Data reliability is questionable because result was several levels of magnitude higher than other values reported.
pH (high)	<9.0 SU	06/27/2001 – 9.6 SU 05/03/2002 – 9.4 SU	Attaining – pH exceeded standards in 2 of 19 sampling events (2 of 42 samples). (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.



<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Dissolved oxygen	Need composite nitrogen and phosphorus samples to assess A&Wc and FBC		Lab detection limit for dissolved mercury was higher than the A&W chronic criteria.
<b>DISCUSSION OF SITE SPECIFIC NUTRIENT STANDARDS</b>		<p>Nitrogen and phosphorus standards established for this lake require composite samples collected at the surface, 2 meter, and 5 meter depths. No composite samples were collected and analyzed during this assessment period.</p> <p>This standard is to be replaced by the proposed lake narrative nutrient implementation procedures currently being adopted through the Triennial Review process.</p> <p>The nitrogen criterion (1.0 mg/L) was exceeded in 8 of 43 samples collected in the top meter, but since these were not composite samples, the standard did not apply.</p>	
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority –Collect more dissolved oxygen samples due to exceedances. Low dissolved oxygen and high pH may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Use a lower lab detection limit for dissolved mercury.</p>	

<b>SALT RIVER</b>  From Pinal Creek to Roosevelt Dam 15060103 -- 004 7.5 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Suspended sediment concentration	Add Suspended sediment concentration (SSC)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 02/16/2000 – 08/31/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Lake Roosevelt USGS #09498500 SRSLR107.43 100745	USGS Ambient	27-28 dissolved and total metals: Antimony, arsenic, barium, boron, beryllium, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc	22-28 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	23 <i>E. coli</i> bacteria 28 Total dissolved solids 28 Suspended sediment concentration 27 Turbidity 13 Cyanide

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	08/05/2002 – 87.7 µg/L 07/22/2003 – 70 µg/L 08/01/2003 – 91 µg/L	Attaining – Only 3 of 28 samples exceeded criterion. (Binomial) Exceedances appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown in the five samples taken in 2004, as arsenic averaged 6.8 µg/L.
Chromium	100 µg/L FBC	08/07/2002 – 101.3 µg/L 06/03/2003 – 134 µg/L 07/22/2003 – 170 µg/L 08/01/2003 – 218 µg/L	Attaining – Only 4 of 28 samples exceeded criterion. (Binomial) Exceedances appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown in the five samples taken in 2004, as chromium averaged 2 µg/L.
Cyanide	41 µg/L – A&Ww acute 10 µg/L – A&Ww chronic	08/07/2002 – 120 µg/L 07/22/2003 – 30 µg/L 08/01/2003 – 30 µg/L	Inconclusive – Chronic exceedances occurred during elevated flows and may not indicate conditions during a 4-day period. Exceedances appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown in the last 5 samples collected, as cyanide was below the lab detection limit (<10 µg/L).
Dissolved oxygen	6.0 mg/L A&Ww	07/16/2002 – 0.9 µg/L 08/06/2002 – 0.1 µg/L 06/03/2003 – 5.7 µg/L 07/22/2003 – 2.8 µg/L 08/01/2003 – 4.0 µg/L	Inconclusive – 5 of 28 samples showed low DO. (Binomial) Exceedances appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown as all 5 samples taken in 2004 met standards (averaged 8.8 mg/L).
<i>E. coli</i> bacteria	235 CFU/100 ml	07/17/2002 – >2,700 CFU/100 ml 06/03/2003 – 2000 CFU/100 ml 07/22/2003 – 3000 CFU/100 ml 08/01/2003 – 19,000 CFU/100 ml	Inconclusive – 4 exceedances in the past 3 years of monitoring. All appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown in the five samples taken in 2004, <i>E. coli</i> bacteria results ranged from 2.0 to 200 CFU/100 ml.

Lead	15 µg/L – FBC 100 µg/L – Agl	07/16/2002 – 131 µg/L 08/05/2002 – 529.7 µg/L 06/03/2003 – 313 µg/L 07/22/2003 – 300 µg/L 08/01/2003 – 414 µg/L	Inconclusive – 5 exceedances in 28 samples. (Binomial) Exceedances appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown in 5 samples collected in 2004, as Lead averaged 3.8 µg/L.
Manganese	10,000 µg/L – Agl 19,699 µg/L -- FBC Agl	08/05/2002 – 29,733 µg/L 06/03/2003 – 11,000 µg/L 07/22/2003 – 18,100 µg/L	Attaining – 3 of 28 samples exceeded the 10,000 and only 1 exceeded the 19,699. (Binomial) Exceedances appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown in the five samples taken in 2004, as manganese averaged 98 µg/L.
Selenium	2 µg/L A&Ww chronic	08/07/2002 – 2.7 µg/L 07/17/2003 – 3 µg/L 07/22/2003 – 8 µg/L 08/01/2003 – 9 µg/L	Inconclusive – Four exceedances in the assessment period; however, all appear related to the Rodeo-Chediski Wildfire in 2002. Fire recovery shown in the last 4 samples in 2004, as selenium was below the criterion.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	04/18/2001 – 176 mg/L – 1700 cfs* 09/05/2001 – 307 mg/L – 206 cfs 06/12/2002 – 101 mg/L – 75 cfs 07/16/2002 – 5366 mg/L – 624 cfs* 08/05/2002 – 22,850 mg/L – 2030 cfs* 08/19/2002 – 632 mg/L – 172 cfs 06/03/2003 – 15,300 mg/L – 325 cfs 07/22/2003 – 42,500 mg/L – 1120 cfs* 08/01/2003 – 25,800 mg/L – 627 cfs* 03/31/2004 – 273 mg/L – 1010 cfs* 04/21/2004 – 331 mg/L – 804 cfs* 08/31/2004 – 492 mg/L – 130 cfs	Impaired – SSC criterion of 80 mg/L was exceeded in 12 of 28 sampling events. Seven of the exceedances (*) were not included in the geometric mean calculation, because flows were above the 50 <sup>th</sup> percentile of flow. Using the remaining 21 samples, the geometric mean of a minimum of 4 consecutive samples exceeded 80 mg/L four times.  Some of the exceedances were due to the fire in 2002; however, high levels of sediment transport were indicated in 2001 before the fire also. (Note that the old turbidity standard (50 NTU) was also exceeded in 10 of 27 field turbidity samples.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Cyanide, dissolved oxygen, lead, selenium, and <i>E. coli</i> bacteria	Core parameters collected.		Lab detection limit for dissolved mercury was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		<p>High Priority –Collect sediment samples to support development of an SSC TMDL. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p> <p>Collect additional cyanide, dissolved oxygen, lead, selenium, and <i>E. coli</i> bacteria samples due to exceedances.</p> <p>Use a lower lab detection limit for dissolved mercury.</p>	

SALT RIVER	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
From Stewart Mountain Dam (Saguaro Lake) to Verde River 15060106A -- 003 10.1 Miles	A&Wc – Impaired FBC – Inconclusive FC – Attaining DWS -- Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Low dissolved oxygen	Low dissolved oxygen and copper were added to 303(d) List in 2004. Delist copper (see discussion below)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 02/01/2000 – 09/02/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Tubing site --Saguaro Lake Ranch SLSLR054.49 103271	USFS Bacteria only	21-22 dissolved and total metals: Antimony, arsenic, barium, boron, beryllium, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc 22 total metals only: Mercury	22-23 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	22 <i>E. coli</i> bacteria 1 Fluoride (22 dissolved) 22 Total dissolved solids 22 Suspended sediment concentration 21 Turbidity
Below Stewart Mountain Dam USGS #09502000 Tubing Bus Stop 2 SRSLR051.32 100746	USGS Ambient			
Tubing Bus Stop 4 SLSLR047.21 103272	USFS Bacteria only			
Phon D Sutton Picnic Site SLSLR044.95 103273	USFS Bacteria only			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/27/2000 – 5.9 mg/L 07/25/2001 – 5.5 mg/L 10/03/2001 – 6.0 mg/L 05/10/2002 – 6.5 mg/L 08/29/2002 – 6.5 mg/L 04/04/2003 – 5.1 mg/L 06/27/2003 – 5.5 mg/L 08/08/2003 – 4.5 mg/L 04/26/2004 – 6.4 mg/L 05/06/2003 – 6.3 mg/L	Remains impaired – Did not meet standards in 10 of 23 samples. Low flow (4.2-5.8 cfs) associated with only two measurements. Elevated nitrogen (at 1.24 mg/L) in only 1 sample. (Binomial)  (Note: ADEQ has proposed changing the designated use at this lake to A&W/w, which has a dissolved oxygen standard of 6.0 mg/L. This would adjust the number of low dissolved oxygen samples to 5 of 23 samples. It would remain impaired.)
<i>E. coli</i> bacteria	235 CFU/100 ml	08/15/2001 – 300 CFU/100 ml 06/13/2002 – 240 CFU/100 ml	Inconclusive – Exceedances do not exceed the assessment screening value of 300 CFU/100 ml; therefore, ADEQ will do further monitoring before listing the reach as impaired. (See assessment methods concerning this screening value.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limit for dissolved mercury was higher than the A&W chronic criteria.
DISSOLVED COPPER		Delisting copper. In 22 total and 22 dissolved samples, copper did not exceed a surface water quality standard.	
MONITORING RECOMMENDATIONS		<p>High Priority –Collect dissolved oxygen samples to support development of TMDL.</p> <p>Collect additional <i>E. coli</i> samples due to the exceedances.</p> <p>Use a lower lab detection limit for dissolved mercury.</p>	

<b>SNAKE RIVER</b>  From headwaters to Black River 15060101 – 045 6.2 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 11/15/2001; 06/12/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
1.3 miles above Black River SRSNK001.33 101298	ADEQ Ambient	2 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, mercury, zinc  2 total and 0-1 dissolved: Boron, lead, manganese, mercury	2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters to assess any designated uses.	Insufficient sampling events (only 2)	Lab detection limits for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period. Use a lower lab detection limit for the selenium.	

<b>SOUTH FORK BEAR WALLOW CREEK</b>  From headwaters to Bear Wallow Creek 15060101 -- 258 3.8 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 11/14/2001; 06/11/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above pack trail crossing SRSBE000.13 101261	ADEQ Ambient	2 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  2 total and 0-1 dissolved: Boron, lead, manganese, mercury	2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium was higher than A&W/c chronic standards.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period. Use a lower lab detection limit for selenium.	

<b>SPRING CREEK</b>  From headwaters to Tonto Creek 15060105 -- 010 20.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/19/2001 – 09/05/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
West of Young, AZ SRSP1011.54 100380	ADEQ Ambient	3-4 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  3 total and 0-2 dissolved: Boron, lead, manganese, mercury	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	2 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria to assess FBC.		Lab detection limits for selenium was higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period. Use a lower lab detection limit for selenium.	



<b>STINKY CREEK</b>  From headwaters to Fort Apache Reservation 15060101 – 352A 2.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 11/15/2001; 06/10/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above West Fork Black River SRST1000.38 101303	ADEQ Ambient	2 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc  2 total and 0-1 dissolved: Boron, lead, manganese, mercury	2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/10/2002 – 5.5 mg/L	Attaining -- Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Flow 0.46 cfs. Low nutrients (nitrogen 0.4 mg/L, phosphorus 0.06 mg/L)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium is higher than A&Wc chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period. Use a lower lab detection limit for selenium.	

<b>THOMAS CREEK</b>  From headwaters to Beaver Creek 15060101 -- 285 4.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 04/16/2003 – 03/23/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
East Weir #1 SRTHO002.92 102148	ADEQ Special study		2 samples: Total phosphorus, dissolved oxygen, pH	1 Total dissolved solids 3 Suspended sediment concentration 3 Turbidity
East Weir #2 SRTHO002.86 102147	ADEQ Special study			
Above Beaver Creek SRTHO000.05 102138	ADEQ Special study			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/20/2003 – 5.6 mg/L	Attaining -- Low dissolved oxygen due to natural conditions caused by low flow (0.01 cfs) and ground water upwelling. Low nutrients (0.07 mg/L total phosphorus at time)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority --Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>TONTO CREEK</b>  From headwaters to unnamed tributary at 341810 / 1110414 15060105 – 013A 8.1 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Impaired FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 4A ( <i>E. coli</i> ) Not attaining (Impaired) Category 5 (phosphorus and low dissolved oxygen) Impaired	<i>E. coli</i> bacteria, and phosphorus	Add phosphorus and low dissolved oxygen. <i>E. coli</i> and TMDL approved in 2005. Implementing strategies to reduce loadings.
	E P A	A&Wc – Impaired FBC – Impaired	Category 4A (nitrogen) Not attaining (Impaired) Category 5 (Low dissolved oxygen)	Nitrogen and low dissolved oxygen	EPA listed nitrogen and low dissolved oxygen in 2004. Nitrogen TMDL approved in 2005. Implementing strategies to reduce loadings

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/23/2000 – 10/23/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At headwater spring SRTON062.89 101016	ADEQ TMDL	5-26 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, manganese, mercury, silver, thallium, and zinc  25-26 Total metals only: Boron, manganese	156-166 samples: Total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	103 <i>E. coli</i> bacteria 26 Fluoride 23 Total dissolved solids 124 Suspended sediment concentration 167 Turbidity
Below AGFD Hatchery SRTON062.40 100351	ADEQ TMDL & Ambient		26 samples: Ammonia	
Below hatchery mixing zone SRTON062.28 101017	ADEQ TMDL			
Above Baptist Camp SRTON061.37 101018	ADEQ TMDL			
Below Baptist Camp SRTON060.50 100352	ADEQ TMDL			
Above Horton Creek and waterfall SRTON059.65 101759	ADEQ TMDL			
Above Horton Creek SRTON059.53 101020	ADEQ TMDL			
Below Horton Creek SRTON059.49 101761	ADEQ TMDL			
Further below Horton Creek SRTON059.44 101021	ADEQ TMDL			
Upstream from campground SRTON058.93 101629	ADEQ TMDL			

Above Kohl's Ranch SRTON058.63 100354	ADEQ TMDL			
Below Kohl's Ranch SRTON057.70 100929	ADEQ TMDL			
Above Christopher Creek SRTON056.59 101018	ADEQ TMDL			
Below Christopher Creek SRTON056.39 100360	ADEQ & USGS Ambient & TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	05/23/2000 – 6.0 mg/L 05/21/2002 – 6.2 mg/L 06/11/2002 – 4.9 mg/L 06/25/2002 – 6.3 mg/L 07/09/2002 – 6.5 mg/L 07/22/2002 – 6.5 mg/L 07/08/2003 – 6.0 mg/L 07/21/2003 – 6.3 mg/L 08/18/2003 – 6.3 mg/L 10/22/2003 – 6.1 mg/L	Remains impaired – 10 of 166 samples measured low dissolved oxygen. Ground water upwelling may be the primary cause; however, nutrient loading may also contribute to low dissolved oxygen.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	09/03/2000 – 659 CFU/100 ml 07/23/2003 – 613 CFU/100 ml 07/30/2003 – >2419 CFU/100 ml 08/06/2003 – 260 CFU/100 ml 08/12/2003 – 520 CFU/100 ml 08/20/2003 -- >2419 CFU/100 ml	Remains impaired – 6 exceedances during the assessment period.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	07/23/2002 – 166 mg/L 07/23/2003 – 202 mg/L 07/30/2003 – 232 mg/L 08/20/2003 – 561 mg/L	Attaining – 4 samples exceeded the 80 mg/L criterion; however, the geometric mean was <u>not</u> exceeded. Note that the old turbidity standard (10 NTU) was also exceeded during 18 sampling events.
Nitrogen	0.5 mg/L – annual mean A&Wc and FBC	2002 – 0.635 mg/L	Inconclusive – The annual mean was exceeded at one site in 2002.
Phosphorus	0.1 mg/L – annual mean A&Wc and FBC	2000 – 0.21 mg/L annual mean 2003 -- 0.14 mg/L annual mean	Impaired – The annual mean was exceeded at one site in 2000 and at a different site in 2003. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved metals (copper, lead, mercury) were higher than A&Wc chronic criteria.
DISCUSSION OF NITROGEN IMPAIRMENT		Evidence of potential nutrient impairment: 1. The nitrogen TMDL was completed and approved by EPA in 2005; 2. The annual mean was exceeded at one site in 2002; and 3. Monitoring was conducted in 2000-2004.	
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional nutrient and <i>E. coli</i> bacteria data to determine effectiveness of TMDL strategies being implemented. Actions to reduce nitrogen and <i>E. coli</i> bacteria loadings will also reduce phosphorus loadings; therefore, development of a phosphorus TMDL is a low priority. Use lower lab detection limits for selenium and dissolved metals. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>TONTO CREEK</b>  From tributary at 341810 / 1110414 to Haigler Creek 15060105 – 013B 8.5 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Ww – Inconclusive FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 4A  Not attaining (Impaired)	<i>E. coli</i> bacteria	<i>E. coli</i> TMDL approved in 2005. Implementing strategies to reduce loadings.
	E P A	A&Wc – Impaired FBC – Impaired	Category 4A  Not attaining	Nitrogen	EPA listed nitrogen in 2004. Nitrogen TMDL approved in 2005. Implementing strategies to reduce loadings

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/23/2000 – 10/23/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Bear Flats SRTON055.09 100357	ADEQ TMDL	4 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc	32-35 samples: Total nitrogen, total phosphorus, total Kjeldahl nitrogen, dissolved oxygen, pH	23 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids
Below Bear Flats SRTON053.87 100358	ADEQ TMDL & Ambient	4 total and 0-2 dissolved: Boron, lead, manganese, mercury	4 samples: Ammonia	24 Suspended sediment concentration 34 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	09/02/2000 – 524.7 CFU/100 ml 10/31/2000 – 272 CFU/100 ml 07/23/2003 – >2419 CFU/100 ml 08/07/2003 – 299 CFU/100 ml 08/20/2003 -- >2419 CFU/100 ml	Remains impaired – 5 exceedances during the assessment period.
Nitrogen	0.5 mg/L – annual mean 2.0 mg/L – single sample maximum A&Ww and FBC	07/23/2002 – 2.08 mg/L (SSM) 2002 – 0.59 mg/L (annual mean)	Inconclusive – The annual mean was exceeded at one site in 2002. The single sample maximum was exceeded once in 35 samples (17 sampling events). (Binomial)
Phosphorus	0.1 mg/L – annual mean 0.8 mg/L – single sample maximum A&Ww and FBC	08/20/2003 – 1.5 mg/L 2003 – 0.57 mg/L (annual mean)	Inconclusive – The annual mean was exceeded at one site in 2003. (Another site was at the standard 0.101 mg/L in 2002.)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	07/23/2002 – 734 mg/L 08/20/2003 – 1117 mg/L	Attaining – 2 samples exceeded the 80 mg/L criterion; however, both exceedances occurred during elevated flows so the values were not included in the geometric mean calculation.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Phosphorus	Collected all core parameters		Lab detection limit for selenium was higher than A&Wc chronic criteria.
DISCUSSION OF NITROGEN IMPAIRMENT		Evidence of potential nutrient impairment: <ol style="list-style-type: none"> <li>1. The nitrogen TMDL was completed and approved by EPA in 2005;</li> <li>2. The annual mean was exceeded at one site in 2002; and</li> <li>3. Monitoring was conducted in 2000-2004.</li> </ol>	
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional nutrient and <i>E. coli</i> bacteria data to determine effectiveness of TMDL strategies being implemented. Collect samples during critical conditions. Use a lower lab detection limit for selenium.  Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>TONTO CREEK</b>  From Rye Creek to Gun Creek 15060105 -- 008 4.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgI -- Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/31/2000 – 12/01/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Gun Creek and USGS gage SRTON019.37 100349	ADEQ Ambient	7-20 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, silver, thallium, and zinc  20 total and 0-2 dissolved: Boron, manganese	20-21 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	20 <i>E. coli</i> bacteria 20 Fluoride 20 Total dissolved solids 10 Suspended sediment concentration 21 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limit for dissolved mercury and selenium were higher than the A&W chronic criteria in at least 11 samples.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>WEST FORK BLACK RIVER</b>  From Indian Reservation boundary to Black River 15060101 -- 048 14.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/24/2000 – 01/26/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Thompson Creek SRWFB015.22 100692	ADEQ Special study	8 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, zinc	8 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, pH	7 <i>E. coli</i> bacteria 8 Fluoride 7 Total dissolved solids 69 Suspended sediment concentration 95 Turbidity
Above Forest Road #116 SRWFB013.89 102120	ADEQ Special study	8 total and 0-1 dissolved: Boron, lead, manganese, mercury		
Below Forest Road #116 SRWFB013.67 101204	ADEQ Ambient and Special study	2 total and 1 dissolved: Barium, nickel, silver, and thallium		
At Forest Road #88 SRWFB003.45 102126	ADEQ Special study			
Above Home Creek SRWFB001.47 102130	ADEQ Special study			
At Buffalo Crossing SRWFB001.13 100376	ADEQ Ambient and Special study			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	03/24/2004 – 122.8 mg/L	Attaining – SSC criteria of 80 mg/L was exceeded once in 40 sampling events. The geometric mean standard was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.  The old turbidity standard (10 NTU) was exceeded in 10 of 40 sampling events. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	



<b>WEST FORK PINTO CREEK</b>  From headwaters to Pinto Creek 15060103 – 066 11.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/30/2001 – 01/04/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Kennedy Ranch SRWPN004.47 102433	ADEQ TMDL	4-5 dissolved and total: Copper, selenium, and zinc	1 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 Fluoride
At WF SRWPN000.39 102434	ADEQ TMDL	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, lead, manganese, mercury, nickel, silver, thallium.	2 Dissolved oxygen 7 pH	
At Pinto Creek SRWPN000.01 102435	ADEQ TMDL	7 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	7.8 µg/L at 78 mg/L hardness A&We acute	01/04/2005 – 78 µg/L	Inconclusive – 1 exceedance in the last 3 years of monitoring.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
<b>DISCUSSION OF EXCEEDANCES</b>		Samples were collected to support the Pinto Creek copper TMDL and site specific copper standard development. Copper loadings from this tributary will be addressed in the Pinto Creek copper TMDL currently being developed.	
<b>MONITORING RECOMMENDATIONS</b>		High Priority –Collect additional samples to support TMDL development as needed.  Collect core parameters to represent at least 3 seasons during the assessment period.  Use lower detection limits for selenium and dissolved mercury.	

<b>WILLOW CREEK</b>  From headwaters to Beaver Creek 15060101 -- 049 7.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 04/15/2003 – 03/23/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Forest Road #26 SRW1L001.73 102146	ADEQ Special Study		2 samples: Total phosphorus, dissolved oxygen, pH	1 Total dissolved solids 3 Suspended sediment concentration 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons during the assessment period.	

# San Pedro Watershed

## Watershed Description

This watershed encompasses three hydrological areas:

- San Pedro River, which begins in the mountains near Cananea Sonora, Mexico, and flows north about 100 miles through the southeast corner of Arizona to join the Gila River near Winkelman, Arizona;
- Willcox Playa, a terminal basin (does not drain out of the area), which contains a 30,000 acre ephemeral lake (playa); and
- Two relatively short drainages that flow to the Rio Yaqui in Mexico: Whitewater Draw and Black Draw.

It is a 7,015 square mile watershed is lightly populated with only 130,000 people (2000 census). Communities in the area include the rapidly growing Sierra Vista area and several historic towns, such as Tombstone, Douglas, and Bisbee. Grazing is widespread, with significant areas of irrigated agriculture located on the eastern side of the watershed. Historic copper, silver, and gold mining took place across the watershed; however, only a few mines are still active. Land ownership is divided approximately as: 40% private, 40% state, 20% federal (no tribal land). The Bureau of Land Management established a 50,000 acre San Pedro Riparian National Conservation Area in 1988 to protect this critical habitat.

Elevation varies from 4,000 feet (above sea level), with desert grassland and warmwater aquatic communities, to 10,700 feet at Mount Graham, with alpine forest. Areas above 5,000 feet typically support coldwater aquatic communities where perennial waters exist.

## Water Resources

The area gets little precipitation, with 10-15 inches of rain and 0-5 inches of snow. Springs provide perennial flow to segments of the San Pedro River and other streams in this watershed. Concerns have been raised about ground water pumping and water demand in the rapidly growing Fort Huachuca Army Base -- Sierra Vista area and the potential impact on perennial flow in the San Pedro River. In 2003, a Fort Huachuca Preservation Legislation required the Secretary of Interior to develop water use management and conservation measures necessary to restore and maintain the sustainable yield of the aquifer.


An estimate of surface water resources in the Salt Watershed is provided in the following table.

**Estimated Surface Water Resources in the San Pedro Watershed**

	Perennial	Intermittent	Ephemeral
Stream miles	195	665	6,610
	Perennial	Non-perennial	
Lake acres	1,319	29,471	

Estimated miles and acres are based on U.S. Geological Survey digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres. Ambient monitoring focuses on perennial waters; however, special investigations have identified water quality problems on intermittent and even ephemeral waters.

# San Pedro Watershed



## Watershed Partnerships

- **Campomoch-Sacaton Watershed Group**  
This 42,000 acre subwatershed is in the Willcox Playa basin, includes most of Hook Open A Ranch and Redtail Ranch near Willcox, Arizona. The group's primary objective is to implement conservation practices that will improve watershed health and water quality, and reduce downstream flood damages. Projects are specifically aimed at reducing soil erosion and water runoff, increasing ground cover, and improving wildlife habitat to reduce negative economic impacts. The group has quarterly meetings. Contact Donna Matthews at (520) 384-2229 or donna.matthews@az.usda.gov; or Dan Skinner, Chair, d.skinner@goldtechind.com.
- **Upper San Pedro Partnership**  
This 1,875 square mile basin extends along the San Pedro River from Mexico to "the narrows." This partnership coordinates the identification, development, and implementation of policies and projects to meet water needs in the Sierra Vista area. The group meets in Sierra Vista on the second Wednesday of the month. Contact Carol Sanger, Coordinating Manager, carolsang6@cox.net or lhendrickson@co.cochse.az.us; or Bob Strain, Chair, at (520) 459-4763
- **Community Watershed Alliance (Middle San Pedro)**  
The area of concerns extends further north along the San Pedro River, between "the narrows" near Charleston to the Gila River at Winkleman, AZ. This grassroots group works to effect change that will benefit water quantity and quality. It meets on the 4<sup>th</sup> Tuesday of the month in Benson, AZ. Contact Mary McCool at (520) 798-0229; Al Turk, (520) 586-7086, Anna Landis (520) 586-7310, Peter Moran (520) 586-4456 or watgroup@aol.com.

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses have been completed, are ongoing, or are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov).

- **Mule Gulch and several of its tributaries in the Bisbee area are impaired due to copper, cadmium, zinc, and low pH (acidic).**  
Metal concentrations and acid mine conditions primarily pose a risk to aquatic life and wildlife. The TMDLs being developed by ADEQ are complex due to natural background levels of metals and because source loading data is difficult to collect due to slope, intermittent and ephemeral flows, and drought conditions. To account for natural conditions, ADEQ is developing site specific standards. Meanwhile, the mining operation in the area has continued to implement additional management measures to address contamination.
- **San Pedro River between Babocomari Creek and Dragoon Wash is impaired due to *Escherichia coli* bacteria.**  
Exceedances of *E. coli* standards may represent a significant public health concern if people are swimming or even wading in the water. This bacteria TMDL was initiated in 2006.
- **San Pedro River, between Dragoon Wash and Tres Alamos Wash, is impaired due to nitrate.**  
This stretch of river is contaminated by underground flow of groundwater contaminated by nitrates. Remediation activities are occurring as part of a Superfund cleanup site, and the facility is doing monthly ground and surface water monitoring to evaluate the effectiveness. Although water quality continues to improve, will take time for the surface water quality to meet standards as there is significant ground water contamination.
- **San Pedro River, from Aravaipa Creek to the Gila River, is impaired by *Escherichia coli* bacteria and selenium.**  
Exceedances of *E. coli* standards may represent a significant public health concern if people are swimming or even wading in the water. Selenium may negatively impact federally protected birds (bald eagle and Southwest willow flycatcher) found in this area. TMDL initiated in 2006.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **Turbidity Reduction in Aravaipa Creek Project**  
Coronado Resource Conservation and Development Area (2000)  
Divide the area into smaller pastures with fencing and adjust grazing so that a higher concentration of cattle will be on each pasture for a shorter length of time. This should improve soil, allow seed germination, and encourage vegetative regrowth. Add fencing to exclude cattle from the creek to improve riparian condition.
- **Borderlands Storm Water Runoff Control Project**  
Coronado Resource Conservation and Development Area (2001)  
Revegetate using native plantings and provide water spreader dikes on 2,500 acres of severely eroded rangeland along the Mexican border to reduce sediment loading.
- **Peppersauce Cave Water Restoration Project**  
Raymond C. Keeler (2001)  
Remove litter and graffiti from the permanent pools in the cave, disinfect the pools to eliminate the *Escherichia coli* bacteria contamination, and distribute educational materials.
- **Campomochito - Sacaton Storm Water Runoff Control Project**  
The Coronado Resource Conservation and Development Area (2001 and 2005)  
Install sediment retention structures and contouring, and reseed to reestablish vegetation to reduce erosive water velocity and sediment transport during storm events in the Willcox Playa Drainage Area.
- **San Pedro Wildlife Sanctuary Habitat Restoration Project**  
The Nature Conservancy (2001)  
Restore agricultural fields by introducing native plants and improving riparian flood plain condition along the San Pedro River. Provide an outdoor riparian exhibit for education and outreach.
- **Fort Huachuca East Range Road Closure and Stream Crossing Project**  
Engineering and Environmental Consultants, Inc (EEC) (2002)  
Close 81 miles of roadways within the Fort Huachuca East Range and provide various degrees of rehabilitation to these areas. Develop an exhibit, talks, and articles to demonstrate practical and new technologies used in this project.
- **Ramsey Canyon Preserve Parking Lot Runoff Reduction Project**  
The Nature Conservancy (2002)  
Divert water from the roof of the Ramsey Canyon Visitors Center and from the nearby forest road to reduce sediment transport to Ramsey Creek. Install retention systems and recontour parking areas to direct runoff to planted areas.
- **Wisconsin Mound Septic System at the Audubon Research Ranch Project**  
National Audubon Society Appleton-Whittell Research Ranch (2002)  
Replace failed septic system with this alternative system and host workshops on alternative systems.
- **St. David Community River Cleanup Project**  
The San Pedro National Resource Conservation District (2003)  
Work with community partners and clean up heavy trash dumping along the San Pedro River in the north section of the National Riparian Conservation Area.
- **Three Links Farm Riparian Habitat Restoration Project**  
The Nature Conservancy (2003)  
Fence off and enhance riparian habitat along the San Pedro River.

- **Cottonwood Creek Restoration and Sediment Control Project**  
Coronado Resource Conservation and Development Area (2004)  
Reduce stream bank erosion along Cottonwood Creek in the Whitewater Draw Drainage Area by using gabions to stabilize grade, fencing off livestock from riparian areas, and developing alternative water source for grazing.
- **Erosion Control in the Babacomari Project**  
Coronado Resource Conservation and Development Area (2006)  
Construct erosion control mats and waddles and revegetate the riparian area to stabilize two gullies in Lyle Canyon which are contributing sediment to Babacomari River.
- **Manzanita Erosion Control Project**  
Community Watershed Alliance (CWA) (2006)  
Install rip rap, culverts, and gully plugs and revegetate using seedlings to reduce erosion in the San Pedro watershed.

**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Lower San Pedro Watershed Project**  
The Redington National Resources Conservation District (2000)  
Provide a water resource assessment and provide a watershed alternatives plan for improving watershed conditions. The project also brought local communities together to address watershed issues and solicit public involvement.
- **Cooperative Grazing Management for Riparian Improvements Project**  
The Double Check Ranch and the Nature Conservancy (2000)  
Implement a cooperative grazing management plan. Fencing and alternative watering sources were developed to protect riparian areas along the San Pedro River.
- **Cottonwood Creek Restoration Project**  
The Coronado Resource Conservation and Development Area (2003)  
Restore riparian conditions along Cottonwood Creek in Whitewater Drainage Area.

**Other Water Quality Studies** – The following additional water quality related studies were completed since 2000 in this watershed:

- ***Water Issues of the Arizona - Mexico Border: The Santa Cruz, San Pedro, and Colorado Rivers.***  
Terry W. Sprouse, University of Arizona, Water Resources Research Center (2005)  
Summary of water quality and water quantity issues facing this region.
- ***Water Quality Data for Selected National Park Units, Southern and Central Arizona and West-Central New Mexico, Water Years 2003 and 2004***  
U.S. Geological Survey in cooperation with the National Park Service (2005)  
Field measurements and water samples were collected at springs, mine adits, streams, and wells at 30 sites in 9 park units in 2003-2004 to provide baseline (ambient) water quality information. Only 24 of the 30 sites were sampled three times due to drought conditions and lack of water during parts of the year. In the San Pedro Watershed, samples were collected in Coronado National Memorial. Analyses of data collected at these sites indicated:
- ***Assessment of Selected Inorganic Constituents in Streams in the Central Arizona Basins Study Area, Arizona and Northern Mexico, through 1998***  
David Anning – U.S. Geological Survey, National Water Quality Assessment Program (2003)

Inorganic chemical data (dissolved solids, suspended sediment, and nutrients) and stream properties (temperature, pH, dissolved oxygen) were analyzed to assess water quality, determine natural and human factors affecting water quality, and compute stream loads.

- ***Border Crossings – Water and Wastewater at the International Boundary***

R.G. Charles Graf and Craig Tinney (ADEQ) and Tom Konner (EPA Region IX)

September/October 2005 Southwest Hydrology (2005)

This article describes the problems and progress being made in addressing water quality and wastewater infrastructure along the Mexican border with California and Arizona for seven key populations centers: San Diego/Tijuana, Tecate, Calexico/Mexicali, San Luis/San Luis Rio Colorado (Yuma area), Nogales, Naco/Bisbee, and Douglas/Agua Prieta.

## **Assessments**








The San Pedro Watershed can be separated into the following drainage areas (subwatersheds):



15050201	Willcox Playa
15050202	Upper San Pedro
15050203	Lower San Pedro
15080301	Whitewater Draw
15080302	San Bernardino Valley

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).



# San Pedro Watershed 2006/2008 Assessment for Streams & Lakes

- Legend**
-  HUC Watershed Boundaries
  -  Lakes
  -  Streams
  - Assessed Streams and Lakes**
  - ADEQ and EPA Listings**
  -  Attaining
  -  Not Attaining (Category 4A)
  -  Impaired (Category 5)
  -  EPA Impaired



<b>ARAVAIPA CREEK</b>  From Stowe Gulch to end of Aravaipa Wilderness Area 15050203 – 004B 15.5 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 02/28/2000 – 05/15/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At east trail head SPARA019.41 100210	USGS Special study	5-8 dissolved and total metals: Antimony, arsenic, beryllium, barium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc  8 total and 0-1 dissolved: Boron, manganese, mercury	11 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	10 <i>E. coli</i> bacteria 11 Fluoride 10 Total dissolved solids 11 Turbidity
Below Parsons Canyon SPARA017.25 100211	ADEQ Ambient USGS Special study			
At Hells Half Acre Campground SPARA011.92 100716	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved metals (lead, mercury, nickel) were higher than the A&W chronic criteria in at least 2 samples.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved metals.	

<b>ARAVAIPA CREEK</b>  From Aravaipa Wilderness Area to San Pedro River 15050203 – 004C 12.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/19/2000 – 04/06/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Woods Ranch SPARA010.19 100212	USGS Special study	7-9 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc 3-9 total and 0-1 dissolved: Boron, lead, manganese, mercury, nickel 1 total and 1 dissolved: Barium, silver, thallium	9 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 <i>E. coli</i> bacteria 9 Fluoride 9 Total dissolved solids 8 Suspended sediment concentration 9 Turbidity

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved metals (lead, mercury, and nickel) were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved metals.	

<b>BABOCOMARI RIVER</b>  From Banning Creek to San Pedro River 15050202 – 004 32.7 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/28/2000 – 02/01/2006 Included 02/01/2006 data to be able to assess designated uses		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Huachuca City, AZ USGS #09471380 SPBBR018.97 101487	USGS Special study	3 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, lead, zinc  3 total metals only: Boron, chromium, manganese	3-4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Suspended sediment concentration 4 Turbidity
Near Tombstone, AZ USGS #09471400 SPBBR003.49 101488	ADEQ Ambient USGS Special study	3 total and 1 dissolved: Mercury		
At mouth to San Pedro River SPBBR000.06 103548	ADEQ TMDL	1 total: Selenium		

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria in 2 samples.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>BASS CANYON CREEK</b>  From unnamed tributary at 322606 / 1101318 to Hot Springs Canyon Creek 15050203 – 899B 7.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/01/2000 – 08/23/2000; 09/14/2004 – 04/19/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Double R Canyon SPBAS001.64 100215	ADEQ Ambient	6-7 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, and zinc	8 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	7 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 4 Suspended sediment concentration 8 Turbidity
Above Hot Springs Canyon Creek SPBAS000.62 100217	ADEQ Ambient	3-7 total and 0-2 dissolved: Barium, boron, chromium, lead, manganese, mercury, nickel, silver, thallium		

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	09/14/2004 – 2.66 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow. Flow was 0.1 cfs. Low levels of nitrogen (0.13 mg/L) and phosphorus (0.01 mg/L).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved metals (copper, lead, mercury) were higher than the A&W chronic criteria in at least 3 samples.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium and dissolved metals.	

<b>UNNAMED BASS CANYON TRIBUTARY</b>  From headwaters to Bass Canyon Creek 15050203 – 935 1 Mile	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 09/16/2004 – 04/21/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
East of Bass Canyon SPUBS000.22 100224	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, and zinc  3-7 total and 0-2 dissolved: Boron, manganese, mercury	3-4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 3 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected.		Lab detection limits for selenium and half of the dissolved mercury samples were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium and dissolved mercury.	



BREWERY GULCH  From headwaters to Mule Gulch 15080301 -- 337 1 Mile	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&We – Impaired PBC – Inconclusive	Category 5  Impaired	Copper	ADEQ also assesses this reach as impaired by copper.
	E P A	A&We – Impaired	Category 5  Impaired	Copper	EPA listed in 2004 due to copper

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/07/2000 – 10/11/2000; 08/26/2003 – 09/27/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above mineral zone SPBRG000.91 103439	ADEQ TMDL	6-7 dissolved metals: Cadmium, copper, lead, and zinc		
At old Bisbee storm drain SPBRG000.03 103441	ADEQ TMDL	3 total metals: Copper, zinc  2 total metals: Cadmium, lead  6 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	6.3 µg/L at 20 mg/L hardness 10.2 µg/L at 41 mg/L hardness 8.5 µg/L at 35 mg/L hardness 31.3 µg/L at 88 mg/L hardness 20.6 µg/L at 137 mg/L hardness 10.5 µg/L at 43 mg/L hardness 18.4 µg/L at 78 mg/L hardness A&We acute	03/07/2000 – 81 µg/L 08/07/2000 – 150 µg/L 10/11/2000 – 26 µg/L 10/19/2000 – 52 µg/L 08/26/2003 – 65 µg/L 08/14/2004 – 25 µg/L 09/27/2004 – 30 µg/L	Impaired – Exceeded standard 3 times during a 3- year period (7 times during the assessment period).
Lead (dissolved)	51 µg/L at 41.5 mg/L hardness A&We acute	08/14/2004 – 380 µg/L	Inconclusive – 1 exceedance in the last 3 years of monitoring.
Lead (total)	15 µg/L PBC	08/14/2004 – 380 µg/L (d)	Inconclusive – 1 exceedance in 2 samples. (Binomial)
pH	>6.5 SU A&We , PBC	03/07/2000 – 6.2 SU	Inconclusive – Only 1 exceedance in 6 samples. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead and pH	Insufficient core parameters		
DISCUSSION OF EXCEEDANCES		EPA originally listed this reach as impaired by copper in 2004. In the current assessment ADEQ also lists it as impaired based on: 1. Seven exceedances during the assessment period; 2. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed; 3. Three exceedances in the last 3-year period.	
MONITORING RECOMMENDATIONS		High Priority –Collect copper, lead, and pH samples to support TMDL development on Mule Gulch as needed.	

<b>BUEHMAN CANYON CREEK</b>  From headwaters to end of designated unique water 15050203 – 010A 10.5 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 02/29/2000 – 05/01/2002; 11/08/2004 – 04/04/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Bullock Canyon SPBHC004.66 100425	ADEQ Ambient	6-9 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, and zinc	10 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	10 <i>E. coli</i> bacteria 10 Fluoride 10 Total dissolved solids 3 Suspended sediment concentration 10 Turbidity
Below unnamed dry wash SPBHC004.31 101175	ADEQ Ambient	3-4 dissolved and total metals: Barium, nickel, silver, thallium  9 total and 0-1 dissolved: Boron, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	05/16/2000 – 4.4 mg/L 08/22/2000 – 2.4 mg/L	Attaining – Low dissolved oxygen due to natural conditions of ground water upwelling during very low flows.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	



<b>COPPER CREEK</b>  From headwaters to Prospect Canyon 15050203 – 022A 6.6 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 02/29/2000 – 08/22/2000; 11/09/2004 – 09/21/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Bluebird Mine tributary SPCOP011.39 100433	ADEQ Ambient	4-7 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, and zinc	8 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 3 Suspended sediment concentration 8 Turbidity
Below Dark Canyon SPCOP008.37 100944	ADEQ Ambient	4-6 total 0-2 dissolved: Barium, boron, manganese, mercury, nickel, silver, thallium		

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	28.0 µg/L at 380 mg/L hardness A&W/w chronic	03/09/2005 – 31.1 µg/L	Inconclusive – Only 1 exceedance during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved copper	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional dissolved copper due to the exceedance.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>DOUBLE R CANYON CREEK</b>  From headwaters to Bass Canyon Creek 15050203 – 902 5.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/22/2000 – 04/21/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Bass Canyon Creek SPDOU000.18 100223	ADEQ Ambient	5-9 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, and zinc  9 total and 0-2 dissolved: Boron, manganese, mercury  2 total and 1-2 dissolved: Barium, nickel, silver, thallium	8-9 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 3 Suspended sediment concentration 8 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	05/22/2000 – 4.7 mg/L 06/09/2003 – 4.6 mg/L 09/15/2004 – 5.5 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Flows between 0.02-0.06 cfs.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved metals (copper, lead, mercury) were higher than the A&W chronic criteria in at least 4 samples.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved metals.	

<b>DUBACHER CANYON</b>  From headwaters to Mule Gulch 15080301 -- 075 1 Mile	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/12/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above mine area SPDBC000.42 102923	ADEQ TMDL	1 dissolved only: Cadmium, copper, lead, and zinc		
Below Highway 80 at pit outfall SPDBC000.07 102924	ADEQ TMDL	1 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (total)	1300 µg/L PBC	10/12/2000 – 36,000 µg/L (dissolved portion)	Inconclusive – Only 1 sample and it exceeded standards.
Copper (dissolved)	53.2 µg/L At 242 mg/L hardness A&We	10/12/2000 – 36,000 µg/L	Inconclusive – Only 1 sample and it exceeded standards.
pH	>6.5 SU A&We , PBC	10/12/2000 – 2.4 SU	Inconclusive – Only 1 sample and it exceeded standards.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper and pH	Insufficient core parameters	Insufficient sampling events	
<b>DISCUSSION OF EXCEEDANCES</b>		Samples were collected to support the Mule Gulch copper TMDL. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed.	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect additional copper and pH samples to support TMDL development on Mule Gulch as needed.	

<b>GRANT CREEK</b>  From headwaters to unnamed tributary at 323809 / 1095635 15050201 – 033A 6.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining DWS – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/17/2004 – 06/14/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Post Creek SPGRA007.71 100561	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, beryllium.  4 total and 0-2 dissolved: Boron, cadmium, chromium, copper, lead, manganese, mercury, zinc	4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/17/2004 – 4.56 mg/L	Attaining -- Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Low nutrient levels (nitrogen 0.21 mg/L) and low flow (0.09 cfs).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (cadmium, copper, zinc) to assess attainment of A&W.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, and zinc) and total selenium were higher than the A&W chronic criteria in at least 2 samples.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for the dissolved metals and selenium.	

<b>HENDRICKS GULCH</b>  From headwaters to Mule Gulch 15080301 -- 335 0.5 Mile	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 08/07/2000 – 08/27/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At old Bisbee storm drain SPHNG000.01 102922	ADEQ TMDL	3-4 dissolved metals: Cadmium, copper, zinc  2 dissolved metals: Lead  1 total metals: Copper, zinc  4 pH	None	None

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	16 µg/L at 68 mg/L hardness 8.4 µg/L at 44 mg/L hardness A&We	08/07/2000 – 76 µg/L 08/27/2003 – 44 µg/L	Inconclusive – Only 1 exceedance in a 3-year period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	Insufficient core parameters	Insufficient sampling events	
<b>DISCUSSION OF EXCEEDANCES</b>		Samples were collected to support the Mule Gulch copper TMDL. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed.	
<b>MONITORING RECOMMENDATIONS</b>		High Priority –Collect copper samples to support TMDL development on Mule Gulch as needed.	

<b>HOT SPRINGS CANYON</b>  From headwaters to San Pedro River 15050203 – 013 25.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	Sampling Periods: 03/01/2000 – 08/23/2000; 09/14/2004 – 04/19/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Wildcat Canyon SPHSC010.67 100574	ADEQ Ambient	6-7 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, and zinc  3-7 total and 0-2 dissolved metals: Barium, boron, chromium, lead, manganese, mercury, nickel, silver, and thallium.	8 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	7 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 4 Suspended sediment concentration 8 Turbidity

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	9.6 µg/L at 108 mg/L hardness A&Ww acute	04/19/2005 – 15 µg/L	Inconclusive – 1 exceedance in last 3-years of monitoring.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	All core parameters were collected		Lab detection limits for selenium and dissolved metals (lead, mercury) samples were higher than the A&W/ chronic criteria in at least 4 samples.
MONITORING RECOMMENDATIONS		Medium Priority – Collect copper samples due to exceedance.  Use lower lab detection limits for selenium and dissolved metals.	

<b>LESLIE CREEK</b>  From headwaters to Whitewater Draw 15080301-007 24.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&W2 – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/16/2002; 08/18/2004 (other dates no flow)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Leslie Canyon National Wilderness Area SPLES012.75 101500	ADEQ and USGS Ambient	1-2 dissolved and total metals: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, and zinc  1 total metal only: Mercury  1 dissolved metal only: Selenium, uranium, barium	1-2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&W/w	05/16/2002 – 4.5 mg/L 08/18/2004 – 2.6 mg/L	Inconclusive – Elevated nutrients on 05/26/2002 (nitrogen 6.2 mg/L, nitrate 26 mg/L) along with the low dissolved oxygen. Low dissolved oxygen on 08/18/2004 was due to natural conditions of low flow (flow 0.03 cfs) and ground water source of water. Low nutrients (nitrogen 1.03 mg/L, phosphorus 0.06 mg/L, nitrate 0.4 mg/L).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Low dissolved oxygen (with elevated nutrients)	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect dissolved oxygen data due to low dissolved oxygen measurement.  Collect core parameters to represent at least three seasons during an assessment period.  Use lower lab detection limits for the selenium and dissolved mercury.	

<b>MILLER CANYON</b>  From headwaters to Broken Arrow Ranch 15050202 – 409A 4.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 02/23-2005; 03/30/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near headquarters SPMLC012.43 100592	ADEQ Ambient	2 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, lead, and zinc  3 total and 1 dissolved: Mercury  1-2 total metals only: Boron, chromium, manganese, selenium	3-4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 3 Suspended sediment concentration 4 Turbidity

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	03/30/2005 – 5.2 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow (0.5 cfs) and groundwater upwelling.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters.	Insufficient monitoring events	Lab detection limits for selenium and dissolved metal (lead and mercury) samples were higher than the A&W/ chronic criteria in at least 1 sample.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority –Collect core parameters to represent at least 3 seasons.  Use lower lab detection limits for selenium and dissolved metals.	



<b>MORALES CREEK</b>  From headwaters to Mule Gulch 15080301 – 331 2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 10/11/2000		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Highland Park Road SPMOR000.27 102937	ADEQ TMDL	1 dissolved: Cadmium, copper, lead, zinc  1 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	10.7 µg/L at 44 mg/L hardness A&We acute	10/11/2000 – 18 µg/L	Inconclusive – Exceeded criterion in the single sample tested.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	Insufficient core parameters	Insufficient sampling events	
DISCUSSION OF EXCEEDANCES		Samples were collected to support the Mule Gulch copper TMDL. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed.	
MONITORING RECOMMENDATIONS		High Priority –Collect copper samples to support TMDL development on Mule Gulch as needed.	

MULE GULCH  From headwaters to above Lavender Pit 15080301 – 090A 3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired PBC – Attaining FC – Attaining	Category 5  Impaired	Copper	Listed due to copper since 1990. Ongoing TMDL. Establishing site-specific copper standards.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/07/2000 – 08/28/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Spring Canyon SPMLG015.59 102773	ADEQ TMDL	12-19 dissolved and total metals: Copper, zinc 6-8 dissolved and 2 total: Cadmium, lead	1 sample: Ammonia, dissolved oxygen, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 Fluoride 1 Turbidity
At Inn at Castle Rock SPMLG014.59 100506	ADEQ TMDL	1-2 dissolved and/or total metals: Antimony, arsenic, barium, beryllium, boron, chromium, manganese, mercury, nickel, silver, thallium, zinc	15 pH	
At MG - 100 SPMLG014.03 102489	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Cadmium (dissolved)	3.7 µg/L at 198 mg/L hardness 1.9 µg/L at 80 mg/L hardness A&Ww chronic	03/07/2000 – 7.4 µg/L 10/12/2000 – 21 µg/L	Inconclusive – Two exceedances of chronic standards during the assessment period; however, samples may not be representative of a four day condition, as they were collected during rain events.
Cadmium (dissolved)	3.4 µg/L at 80 mg/L hardness A&Ww acute	10/12/2000 – 21 µg/L	Inconclusive – Exceeded the acute standard once.
Copper (dissolved)	14.0 µg/L at 104 mg/L hardness 25.2 µg/L at 195 mg/L hardness 19.7 µg/L at 150 mg/L hardness 17.3 µg/L at 131 mg/L hardness 17.3 µg/L at 131 mg/L hardness 25.7 µg/L at 199 mg/L hardness 36.5 µg/L at 289 mg/L hardness 25.3 µg/L at 196 mg/L hardness 14.5 µg/L at 108 mg/L hardness 13.6 µg/L at 100 mg/L hardness A&Ww acute	03/07/2000 – 160 µg/L 08/08/2000 – 160 µg/L 08/18/2000 – 69 µg/L 10/12/2000 – 260 µg/L 10/07/2002 – 49 µg/L 12/01/2002 – 30 µg/L 01/08/2003 – 44 µg/L 07/20/2003 – 240 µg/L 08/13/2003 – 32 µg/L 08/26/2003 – 20 µg/L	Remains impaired – 6 exceedances during the last 3 years of monitoring (10 exceedances during the assessment period).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Cadmium	Insufficient core parameters	Insufficient sampling events for core parameters	Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		High Priority – Collect samples to support copper TMDL and site specific copper standards. Collect additional cadmium samples due to exceedances. Use lower lab detection limits for selenium and dissolved mercury. Collect core parameters to represent at least 3 seasons.	

MULE GULCH  From above Lavender Pit to Bisbee WWTP discharge 15080301 – 090B 0.8 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&We – Impaired PBC – Impaired	Category 5  Impaired	Copper	Ongoing copper TMDL. Establishing site-specific copper standards.
	E P A	A&We – Impaired PBC – Impaired	Category 5  Impaired	Low pH	EPA listed low pH in 2002. Ongoing copper TMDL will also address low pH.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/07/2000 – 08/26/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Site MG 150 SPMLG012.79 102490	ADEQ TMDL	10 dissolved: Copper and zinc 6 total: Copper and zinc 2-3 dissolved: Cadmium, lead	5 pH	None

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (total)	1300 µg/L PBC	03/07/2000 – 4,000 µg/L 10/11/2000 – 4,000 µg/L 10/07/2002 – 39,000 µg/L 02/20/2003 – 16,725 µg/L 03/16/2003 – 21,000 µg/L 07/20/2003 – 19,200 µg/L 08/26/2003 – 13,000 µg/L	Remains impaired – Exceeded criterion during 7 of 7 sampling events (8 of 15 samples). (Binomial)  (Note: dissolved copper results were compared to standards when total copper was not analyzed.)
Copper (dissolved)	41.0 µg/L at 182 mg/L hardness 36.2 µg/L at 161 mg/L hardness 40.5 µg/L at 182 mg/L hardness 85.9 µg/L at >400 mg/L hardness 41.5 µg/L at 185 mg/L hardness 63.0 µg/L at 288 mg/L hardness 85.9 µg/L at >400 mg/L hardness 85.9 µg/L at >400 mg/L hardness 85.9 µg/L at >400 mg/L hardness 61.3 µg/L at 287 mg/L hardness A&We acute	03/07/2000 – 4,000 µg/L 08/07/2000 – 42 µg/L 10/11/2000 – 4,000 µg/L 10/07/2002 – 40,000 µg/L 02/14/2003 – 67 µg/L 02/20/2003 – 28,000 µg/L 03/16/2003 – 21,000 µg/L 07/20/2003 – 34,000 µg/L 08/26/2003 – 15,000 µg/L	Remains impaired – Exceeded criteria 6 times in the last 3 years of monitoring (9 times during the assessment period).
Lead	15 µg/L PBC	10/11/2000 – 39 µg/L	Inconclusive – Exceeded in 1 of 2 samples. (Binomial)
pH	>6.5 SU A&We, PBC	03/07/2000 – 3.0 SU 08/07/2000 – 6.1 SU 10/11/2000 – 4.4 SU 02/20/2003 – 2.7 SU	Inconclusive – Did not meet criterion in 4 of 5 sampling events (4 of 9 samples); however, insufficient data to list as impaired. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
Lead	Insufficient core parameters	Insufficient sampling events for core parameters	
<b>DISCUSSION OF LOW PH IMPAIRMENT</b>		Evidence of potential pH impairment: <ol style="list-style-type: none"> <li>1. Very low pH during four of 5 sampling events;</li> <li>2. Historic mining in the area is a probable source; and</li> <li>3. ADEQ is currently developing a TMDL that should address low pH as well as copper loadings.</li> </ol>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect samples to support copper and pH TMDLs and site specific copper standards.  Collect additional lead samples due to exceedances.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>MULE GULCH</b>  From Bisbee WWTP discharge to Highway 80 bridge 15080301 – 090C 3.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wedw – Impaired PBC – Impaired	Category 5  Impaired	Cadmium, copper, zinc, low pH	Ongoing TMDL. Establishing site-specific copper standards.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/06/2000 – 08/27/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At MG-200 B (new) SPMLG010.61 102491	ADEQ TMDL	7-21 dissolved only: Copper, lead, and zinc 7-12 total only: Copper, cadmium, manganese, and zinc	1 sample: Ammonia, dissolved oxygen, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 Fluoride 2 Turbidity
Below Elfrida cutoff SPMUG007.81 100225	ADEQ TMDL	1-2 total and 0-2 dissolved: Antimony, arsenic, barium, beryllium boron, chromium, lead, mercury, nickel, silver, thallium 16 pH  (2 sites on 8 dates)		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Cadmium (dissolved)	11.7 µg/L at 254 mg/L hardness 17.1 µg/L at 363 mg/L hardness 8.5 µg/L at 193 mg/L hardness A&Wedw acute	03/07/2000 – 13 µg/L 10/11/2000 – 34 µg/L 12/19/2002 – 86 µg/L	Remains impaired – Exceeded three times during a 3-year period.
Copper (total)	1300 µg/L PBC	08/17/2000 – 3,490 µg/L (d) 10/11/2000 – 6,293 µg/L (d) 10/18/2000 – 1,400 µg/L 07/20/2003 – 8,538 µg/L 08/13/2003 – 2,254 µg/L 08/26/2003 – 2,218 µg/L	Remains impaired – Exceeded criteria 6 of 11 sampling events. (Binomial)
Copper (dissolved)	33.1 µg/L at 254 mg/L hardness 49.6 µg/L at >400 mg/L hardness 49.6 µg/L at >400 mg/L hardness 44.4 µg/L at 364 mg/L hardness 49.6 µg/L at >400 mg/L hardness 24.6 µg/L at 190 mg/L hardness 49.6 µg/L at >400 mg/L hardness 27.0 µg/L at 210 mg/L hardness 25.8 µg/L at 203 mg/L hardness 33.1 µg/L at 264 mg/L hardness 49.6 µg/L at >400 mg/L hardness 9.3 µg/L at 68 mg/L hardness 49.6 µg/L at >400 mg/L hardness A&Wedw acute	03/07/2000 – 70 µg/L 08/08/2000 – 160 µg/L 08/18/2000 – 12,000 µg/L 10/12/2000 – 8,400 µg/L 10/17/2002 – 490 µg/L 05/28/2002 – 25 µg/L 12/18/2002 – 87 µg/L 02/08/2003 – 86 µg/L 02/21/2003 – 100 µg/L 03/06/2003 – 130 µg/L 07/20/2003 – 14,000 µg/L 08/13/2003 – 97 µg/L 08/26/2003 – 4,900 µg/L	Remains impaired – Exceeded criteria 9 times during the last 3 years of monitoring (13 times during the assessment period)
Lead (total)	15 µg/L FBC	10/12/2000 – 49.3 µg/L	Inconclusive – Exceeded during 1 of 3 sampling events (both sites). (Binomial)
Zinc (dissolved)	228 µg/L at 214 mg/L hardness	03/07/2000 – 310 µg/L	Remains impaired – Exceeded criteria 3 times

	379.3 µg/L at >400 mg/L hardness 379.3 µg/L at >400 mg/L hardness 286 µg/L at 287 mg/L hardness 379.3 µg/L at >400 mg/L hardness 379.3 µg/L at >400 mg/L hardness 379.3 µg/L at >400 mg/L hardness A&Wedw acute	08/08/2000 – 1,100 µg/L 08/18/2000 – 2,400 µg/L 10/12/2000 – 1,200 µg/L 10/17/2002 – 4,300 µg/L 07/20/2003 – 4,500 µg/L 08/26/2003 – 3,500 µg/L	during the last 3 years of monitoring (7 times during the assessment period).
pH	>6.5 SU A&Wedw, PBC	08/17/2000 – 2.8 SU 10/11/2000 – 2.8 SU 08/26/2003 – 5.8 SU	Remains impaired – Did not meet standards in 3 of 8 sampling events (at both sites). (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium, dissolved mercury were higher than the surface water quality criteria.
MONITORING RECOMMENDATIONS		<p>High Priority – Collect samples to support TMDLs and site specific copper standards.</p> <p>Collect additional lead samples due to exceedances.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p> <p>Collect core parameters to represent at least 3 seasons during an assessment period.</p>	

<b>MULE GULCH</b>  From Highway 80 bridge to Whitewater Draw 15080301 – 090D 4.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive AgL -- Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 10/11/2000		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Elfrida cutoff road SPMLG005.79 102873	ADEQ TMDL	1 dissolved: Cadmium, copper, lead  1 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (total)	500 µg/L AgL	10/11/2000 – 5,500 (d)	Inconclusive – Exceeded criterion in the single sample tested. (Binomial)
Copper (total)	1300 µg/L PBC	10/11/2000 – 5,500 (d)	Inconclusive – Exceeded criterion in the single sample tested. (Binomial)
Copper (dissolved)	67 µg/L at 307 mg/L hardness A&We acute	10/11/2000 – 5,500	Inconclusive – Exceeded criterion in the single sample tested.
pH	>6.5 SU A&We, PBC, AgL	10/11/2000 – 4.2 SU	Inconclusive – Did not meet criteria in the single sample tested. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

(d) Indicates that the sample result was really the dissolved portion only. Total copper concentration was probably higher.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper and pH	Insufficient core parameters	Insufficient sampling events for core parameters.	
DISCUSSION OF EXCEEDANCES		Samples were collected to support the Mule Gulch copper TMDL. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed.	
MONITORING RECOMMENDATIONS		High Priority –Collect copper and pH samples to support TMDL development.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>MURAL HILL CANYON</b>  From headwaters to Mule Gulch 15080301 – 344 2.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 10/11/2000; 08/14/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Highway 80 SPMHC000.09 103440	ADEQ TMDL	2 dissolved: Cadmium, copper, lead and zinc  1 total: Copper, lead and zinc  1 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (total)	1300 µg/L PBC	10/11/2000 – 1400 µg/L	Inconclusive – Did not meet criterion in the single sample tested. (Binomial)
Copper (dissolved)	8.4 µg/L at 34 mg/L hardness A&We acute	10/11/2000 – 15 µg/L	Inconclusive – Exceeded criterion in 1 of 2 samples (once in a 3-year period).
Lead (total)	15 µg/L PBC	08/14/2004 – 470 µg/L	Inconclusive – Exceeded criterion in the one sample tested. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper and lead	Insufficient core parameters	Insufficient sampling events for core parameters.	
DISCUSSION OF EXCEEDANCES		Samples were collected to support the Mule Gulch copper TMDL. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed.	
MONITORING RECOMMENDATIONS		High Priority –Collect copper samples to support TMDL development on Mule Gulch as needed  Collect lead samples due to the exceedance.	



<b>RAMSEY CANYON CREEK</b>  From headwaters to Forest Road 110 15050202 – 404A 4.4 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	Sampling Periods: 01/26/2000 – 7/12/2000; 12/16/2004 – 06/02/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Nature Conservancy buildings SPRMC011.48 100625	ADEQ Ambient	5-6 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, copper, lead, mercury, zinc	7 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	7 <i>E. coli</i> bacteria 7 Fluoride 7 Total dissolved solids 4 Suspended sediment concentration 7 Turbidity
At Box Canyon SPRMC011.11 101060	ADEQ Ambient	6 total 0-1 dissolved metals: Boron, chromium, manganese  2-1 dissolved and total: Barium, nickel, silver, thallium.		

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Mercury (dissolved)	0.01 µg/L A&Wc chronic	02/23/2005 – 0.055 µg/L	Inconclusive – Only 1 exceedance during the assessment period. Lab detection limit for other samples was higher than the standard so could not be used to assess attainment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional dissolved mercury samples due to exceedance.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>REDFIELD CANYON CREEK</b>  From tributary at 323339 / 1101841 to San Pedro River 15050203 – 014B 32.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 04/20/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Sycamore Canyon SPRDC012.76 100628	ADEQ Ambient	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, chromium, zinc  1 total metal only: Boron, copper, lead, mercury, manganese	1 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved metals (copper, lead, mercury) were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least three seasons during an assessment period. Use lower lab detection limits for the dissolved metals and selenium.	

<b>RIGGS FLAT LAKE</b>  15050201 – 1210 9.2 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 08/11/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam SPRIG-A 100074	ADEQ Ambient	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, boron, chromium, manganese, mercury, zinc  1 total metal only: Cadmium, copper, lead, mercury, silver	1 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 Fluoride 1 Total dissolved solids  1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Ww	08/11/03 – 6.4 mg/L	Attaining -- Low dissolved oxygen due to natural conditions of groundwater upwelling. Low nutrient levels.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, and silver) were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for the dissolved metals.	

<b>RUCKER CANYON CREEK</b>  From headwaters to Whitewater Draw 15080301-288 10.4 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/25/2000 – 06/16/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Campground SPRUC007.81 100938	ADEQ Ambient	5-6 dissolved and total metals: Antimony, arsenic, beryllium, copper, lead.  6 total and 0-2 dissolved: Boron, cadmium, chromium, manganese, mercury, zinc  1-2 total and dissolved: Barium, silver, thallium	7 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	5 <i>E. coli</i> bacteria 7 Fluoride 7 Total dissolved solids 4 Suspended sediment concentration 7 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Ww	06/01/2000 – 6.4 mg/L 06/16/2005 – 5.5 mg/L	Attaining -- Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Low nutrient levels. Flow 0.03-0.07 cfs. Very low nutrients (nitrogen 0.03-0.07 mg/L).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (cadmium, copper, zinc) to assess A&W.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, zinc) and total selenium were higher than the A&W chronic criteria in at least 2 samples.
MONITORING RECOMMENDATIONS		Low Priority –Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for the dissolved metals and selenium.	

SAN PEDRO RIVER  From Mexico border to Charleston 15050202 – 008 28.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Attaining FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses		Copper added in 2004. Remove from list – attaining standards.

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/12/2000 – 03/30/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Palominas Transect USGS #09470490 SPSPR151.28 101485	USGS Ambient	8-18 dissolved and total metals: Antimony, arsenic, barium, beryllium, chromium, cadmium, copper, lead, manganese, nickel, silver, thallium, and zinc 17 total metals 0-2 dissolved: Boron, mercury  2 Selenium	16-17 samples: Ammonia, 48-73 Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	16 <i>E. coli</i> bacteria 15 Fluoride 16 Total dissolved solids  22 Turbidity
At Palominas, AZ USGS 09470500 SPSPR150.09 100275	USGS Ambient			
Near Hereford Road SPSPR144.76 101497	USGS Special study			
Above Highway 90 SPSPR134.35 100288	ADEQ Ambient			
At Route 90, near Lewis Springs SPSPR134.32 101499	USGS Special study			
At Charleston, AZ USGS 09471000 SPSPR127.50 100291	USGS Ambient			

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	07/17/2001 – 86 µg/L	Attaining – Only 1 exceedance in 17 samples. (Binomial)
Copper (dissolved)	6.8 µg/L at 49 mg/L hardness A&Ww acute	07/17/2001 – 21 µg/L	Attaining – 0 exceedance during the last 3-years of monitoring (last exceedance in 2001)
Copper (total)	500 µg/L AgL	07/17/2001 – 1200 µg/L 08/19/2004 – 953 µg/L	Attaining – 2 exceedances in 17 samples. (Binomial)
Dissolved oxygen	6.0 mg/L A&Ww	06/19/2000 – 5.2 mg/L 09/17/2002 – 4.1 mg/L	Attaining – Only 1 sample did not meet standard in 68 samples. (Binomial) Other sample (one on 09/17/2002) was due to natural conditions (flow 0.021 cfs).
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	04/14/2004 – 2,320 CFU/100 ml 08/19/2004 – 35,000 CFU/100 ml	Inconclusive – 2 exceedances within the last 3 years of monitoring. One of these was during a flood flow -- 201 cfs – when surface water bacterial contamination is naturally very high. (See discussion below)
Lead	15 µg/L FBC	07/17/2001 – 230 µg/L 08/19/2004 – 230 µg/L	Attaining – 2 exceedances in 17 samples. (Binomial)
Mercury (dissolved)	0.01 µg/L A&Ww chronic	07/17/2001 – 0.57 µg/L	Inconclusive – Only 1 exceedance during the assessment period.

Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	06/19/2000 – 1250 mg/L – 10 cfs 07/12/2000 – 147 mg/L – 8.3 cfs 10/26/2000 – 430 mg/L – 283 cfs* 08/14/2002 – 240 mg/L – 13 cfs 07/30/2003 – 1880 mg/L – 14 cfs 07/15/2004 – 138 mg/L – 0.6 cfs 08/19/2004 – 6830 mg/L – 201 cfs*	Inconclusive – 7 of 54 samples exceeded the 80 mg/L criterion. Two of the exceedances (*) and 10 other samples were not included in the geometric mean calculation, because flows were above the 50 Percentile of recorded flow. Using the remaining samples, the geometric mean did not exceed 80 mg/L.
Selenium	2.0 µg/L A&W/w chronic	07/17/2001 – 5 µg/L	Inconclusive – Only one of exceedance in the last 3 years of monitoring.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria, mercury, selenium, and suspended sediment concentration	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>BACTERIA CONTAMINATION DISCUSSION</b>		One of the 2 <i>E. coli</i> bacteria exceedances occurred during flood flow (200 cfs). Further monitoring is needed to determine whether bacterial contamination is solely due to natural conditions associated with such runoff events.	
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect copper samples to support TMDL development.</p> <p>Collect additional <i>E. coli</i> bacteria, SSC, and selenium samples due to exceedances.</p> <p>Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

<b>SAN PEDRO RIVER</b>  From Charleston to Walnut Gulch 15050202 – 006 8.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining Agl -- Attaining AgL – Attaining	Category 1  Attaining all uses	

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/26/2000 – 06/10/2003 Included <i>E. coli</i> samples at 2 TMDL sites collected 02/01/2006		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Graveyard Gulch SPSPR126.35 100653	ADEQ Ambient	5-6 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc	7-9 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 <i>E. coli</i> bacteria 7 Fluoride 7 Total dissolved solids 4 Suspended sediment concentration 10 Turbidity
Above Boquillas Ranch SPSPR120.47 104005	ADEQ TMDL	3-6 total and 0-2 dissolved: Barium, boron, lead, mercury, manganese, nickel, silver, thallium		
At Fairbanks, AZ SPSPR117.97 100287	ADEQ TMDL			

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>SAN PEDRO RIVER</b>  From Babocomari Creek to Dragoon Wash 15050202 – 003 17.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Attaining FBC – Impaired Agl – Attaining Agl – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Listed in 2004 due to 2 <i>E. coli</i> bacteria exceedances.

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/26/2000 – 08/03/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
16 sites along this segment.	Hargis and Associates Effectiveness monitoring	4-5 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, lead, zinc  4-5 total and 0-1 dissolved: Boron, chromium, manganese, mercury	6-9 samples: Ammonia, pH, dissolved oxygen, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen  59 Nitrate samples	6 <i>E. coli</i> bacteria 6 Fluoride 8 Total dissolved solids 3 Suspended sediment concentration 4 Turbidity
Near Tombstone, AZ SPSPR115.90 101490	USGS Ambient	1-2 dissolved and total metals: Barium, nickel, silver, thallium,		
At Escalante Crossing SPSPR105.49 103674	ADEQ Ambient			
0.8 miles south of Highway 80 SPSPR102.01 100281	ADEQ Ambient			

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	04/26/2000 – 310 CFU/100 ml 07/13/2000 – 660 CFU/100 ml	Remains impaired – Two exceedances during this assessment period. (2 of 6 samples). Exceedances were during normal/low flows.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Core parameters were collected		Lab detection limit for selenium and dissolved mercury was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		High Priority – Collect <i>E. coli</i> bacteria samples in support of TMDL development.  Continue to collect nitrate samples to determine effectiveness of water quality improvement actions at the Apache Nitrogen Superfund cleanup site upstream.  Use a lower lab detection limit for selenium and dissolved mercury samples.	



SAN PEDRO RIVER  From Dragoon Wash to Tres Alamos Wash 15050202 – 002 15.5 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 5  Impaired	Nitrate	Listed due to nitrate since 1990.

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 06/21/2001 – 02/01/2006		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid Apache Nitrogen Contamination Area SPSPR102.18 103660	Hargis and Associates Effectiveness monitoring	2 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, copper, lead, mercury, zinc  1 total metal only: Boron, chromium, manganese	3-4 samples: Ammonia, pH, dissolved oxygen 2 Total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Suspended sediment concentration 2 Turbidity
North of Highway 80 SPSPR101.25 100276	ADEQ Ambient			
Below Dragoon Wash SPSPR101.10 102712	ADEQ Ambient			
Apache Nitrogen Contamination Area SPSPR100.16 103662	Hargis and Associates Effectiveness monitoring			

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	02/01/2006 – 579 CFU/100 ml	Inconclusive – Only 1 exceedance during this assessment period.
Lead	15 µg/L FBC	02/15/2005 – 20 µg/L	Inconclusive – Only 1 exceedance (only 1 sample tested for total lead) (Binomial)
Mercury (dissolved)	0.01 µg/L A&Ww chronic	02/15/2005 – 0.0104 µg/L	Inconclusive – Only 1 exceedance during the assessment period.
Nitrate	Site specific standard of 10 mg/L A&Ww	10/15/2001 – 24 mg/L 06/21/2001 – 34 mg/L 05/02/2002 – 38 mg/L 08/21/2002 – 44 mg/L 11/21/2002 – 53 mg/L 02/12/2003 – 29 mg/L 05/22/2003 – 51 mg/L 08/06/2003 – 27 mg/L 05/26/2004 – 14 mg/L 05/09/2005 – 24 mg/L 02/01/2006 – 27 mg/L	Remains impaired -- Exceeded criteria in 11 of 16 samples.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	02/15/2005 – 482 mg/L	Inconclusive – Exceeded criterion of 80 mg/L in 1 of 2 samples, but flow (at 22 cfs) above 90% of flow (about 11 cfs), so value could not be used to calculate the geometric mean. Insufficient samples to calculate the geometric mean.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
E. coli bacteria, lead, suspended sediment concentration.	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		High Priority –Continue to collect nitrate samples to determine effectiveness of water quality improvement actions at the Apache Nitrogen Superfund cleanup site.	
		Collect additional <i>E. coli</i> bacteria, lead, and suspended sediment concentration samples due to the exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	
		Collect core parameters to represent at least three seasons during an assessment period.	
		Use lower lab detection limits for the selenium.	

<b>SAN PEDRO RIVER</b>  From HUC boundary 15050202 to Hot Springs Canyon Creek 15050203 -- 012 17.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive Agl -- Inconclusive Agl – Inconclusive	Category 3  Inconclusive	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/20/2003 – 11/29/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
3 Links – River camp SPSPR075.41 102391	319 Grant/ADEQ Effectiveness monitoring		7 samples: pH, dissolved oxygen 3 samples: total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 4 Total dissolved solids 5 Turbidity
3 Links – North field SPSPR074.25 102390	319 Grant/ADEQ Effectiveness monitoring			
3 Links – Upstream crossing SPSPR072.40 102389	319 Grant/ADEQ Effectiveness monitoring			
3 Links – 5 Gap SPSPR071.62 102388	319 Grant/ADEQ Effectiveness monitoring			

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Samples represent 3 seasons.	
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons.  The old turbidity standard (50 NTU) was exceeded in one sample on 04/12/2004 at 74 NTU. Suspended sediment concentration samples should be collected to determine if the new SSC criterion is being met. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>SAN PEDRO RIVER</b>  From Hot Springs Canyon Creek to Redfield Canyon 15050203 -- 011 16.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/02/2000 – 04/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Cascabel, AZ SPSPRO59.21 100289	ADEQ Ambient	5-16 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, mercury, silver, thallium, and zinc  14-16 total metal 0-1 dissolved: Boron, manganese, mercury	16 samples: Ammonia, pH, dissolved oxygen, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	15 <i>E. coli</i> bacteria 17 Fluoride 18 Total dissolved solids 10 Suspended sediment concentration 18 Turbidity

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Chromium	100 µg/L FBC	08/19/2004 – 240 µg/L	Attaining – Exceeded criterion in 1 of 16 samples. (Binomial)
Copper	500 µg/L AgL	08/19/2004 – 900 µg/L	Attaining – Exceeded criterion in 1 of 16 samples. (Binomial)
Copper (dissolved)	22.9 µg/L At 300 mg/L hardness A&Ww Acute	04/05/2005 – 25 µg/L	Inconclusive – Only 1 exceedance in 3-year period. (1 of 4 samples.)
Dissolved oxygen	6.0 mg/L A&Ww	08/23/2000 – 5.6 mg/L	Attaining – Only 1 exceedance in 18 samples. (Binomial) Exceedance occurred during flood flow with extremely high total nitrogen (65 mg/L) and high phosphorus (22 mg/L) reported.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/23/2000 – 16,000 CFU/100 ml 08/19/2004 – 1,000 CFU/100 ml	Inconclusive – Two exceedances within the assessment period, but both occurred during extreme flood flows. (See further discussion below.)
Lead	15 µg/L FBC	08/19/2004 – 620 µg/L	Attaining – Only 1 exceedances in 15 samples. (Binomial)
Lead	100 µg/L AgL	08/19/2004 – 620 µg/L	Attaining – Only 1 exceedance in 15 samples. (Binomial)
Manganese	10,000 µg/L AgL	08/19/2004 – 15,000 µg/L	Attaining – Only 1 exceedance in 15 samples. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	08/17/2004 – 16,880 mg/L	Attaining – Exceeded criterion of 80 mg/L in 1 of 10 samples. Sample was collected during flood flow, so result was not included in geometric mean calculation. Therefore, geometric mean standard was not exceeded. The magnitude of the sediment concentration suggests that sediment may be an issue in this drainage.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved copper and <i>E. coli</i> bacteria.	All core parameters were collected		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
BACTERIA CONTAMINATION DISCUSSION		The two bacteria exceedances occurred during flood flows (27 cfs and 66 cfs). Further monitoring is needed to determine whether bacterial contamination is solely due to natural conditions associated with such runoff events.	
MONITORING RECOMMENDATIONS		<p>Medium Priority –Collect additional dissolved copper and <i>E. coli</i> bacteria due to the exceedances.</p> <p>Use lower lab detection limits for the selenium and dissolved mercury.</p> <p>Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted, due to high levels of suspended sediment during flood flows.</p>	

<b>SAN PEDRO RIVER</b>  From Buehman Wash to Peppersauce Wash 15050203 -- 008 16.4 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining AgL – Inconclusive	Category 2  Attaining some uses	

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/15/2004 – 04/06/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Valley Road near San Manuel SPSPR035.01 100285	ADEQ Ambient	3-5 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, zinc	4 samples: Ammonia, pH, dissolved oxygen, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity
Near San Manuel SPSPR034.66 101843	ADEQ TMDL	5 total and 0-1 dissolved: Boron, manganese, mercury		

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Chromium	100 µg/L FBC	08/17/2004 – 210 µg/L	Inconclusive -- Exceeded criterion in 1 of 4 samples. (Binomial)
Copper	500 µg/L AgL	08/17/2004 – 1100 µg/L	Inconclusive – Exceeded criterion in 1 of 3 samples. (Binomial)
Copper (dissolved)	9.5 µg/L At 69 mg/L hardness A&Ww Acute	01/05/2005 – 11 µg/L	Inconclusive – Only 1 exceedance in 3-year period. (1 of 4 samples.)
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/17/2005 – 4000 CFU/100 ml	Inconclusive – Only 1 exceedance during this assessment period. (Occurred during flood flow)
Lead	15 µg/L FBC	08/17/2004 – 620 µg/L 01/05/2005 – 53 µg/L	Inconclusive – Only 2 exceedances in 4 samples (Binomial requires a minimum of 5 exceedances and 20 samples to list as impaired).
Lead	100 µg/L AgL	08/17/2004 – 620 µg/L	Inconclusive – Only 1 exceedance in 4 samples. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	08/17/2004 – 46,400 mg/L	Inconclusive – Exceeded criterion of 80 mg/L in 1 of 4 samples. However, sample was collected during flood flow, so result was not used to calculate a geometric mean. Insufficient samples left to calculate the geometric mean. Magnitude of the sediment concentration suggests that sediment may be an issue in this drainage.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Chromium, copper, <i>E. coli</i> bacteria, lead, and suspended sediment concentration.	All core parameters were collected		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		<p>Medium Priority –Collect additional chromium, copper, <i>E. coli</i>, lead, and suspended sediment samples due to the exceedances.</p> <p>Use lower lab detection limits for the selenium and dissolved mercury.</p> <p>Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted, due to high levels of suspended sediment during flood flows.</p>	

<b>SAN PEDRO RIVER</b>  From Peppersauce Wash to Arivaipa Creek 15050203 – 003 21.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

## MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Mammoth SPSPRO23.77 103481	ADEQ TMDL	1 dissolved and total metals: Antimony, arsenic, beryllium, boron, chromium, cadmium, copper, lead, manganese, and zinc 1 total metals only: Mercury	1 Ammonia, nitrite/nitrate,	

## EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	9.6 µg/L at 70 mg/L hardness A&Ww acute	01/05/2005 – 16 µg/L	Inconclusive – Only sample exceedance in 3 year period.
Lead	15 µg/L FBC	01/05/2005 – 84 µg/L	Inconclusive – Exceeded lead criterion in only sample analyzed for lead.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

## DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved copper and total lead.	Insufficient core parameters	Insufficient samples	Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect additional lead and dissolved copper samples due to exceedances.  Collect core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for selenium and dissolved mercury.	



SAN PEDRO RIVER  From Aravaipa Creek to Gila River 15050203 – 001 14.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria and selenium	<i>E. coli</i> bacteria and selenium added in 2004

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 02/28/2000 – 04/06/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Eskiminzin Wash SPSPR005.28 100726	ADEQ Ambient	12-18 dissolved and total metals: Antimony, arsenic, beryllium, chromium, cadmium, copper, lead, and zinc	17-19 samples: Ammonia, 48-73 Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	18 <i>E. coli</i> bacteria 19 Fluoride 18 Total dissolved solids
Above Roach Wash SPSPR003.85 101348	ADEQ Ambient	16-17 total metals 0-2 dissolved: Boron, manganese, mercury, and selenium  5-6 total and dissolved: Barium, silver, thallium, nickel		8 Suspended sediment concentration 18 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	01/10/2001 – 63 µg/L	Attaining – Only 1 exceedance in 17 samples. (Binomial)
Chromium	100 µg/L FBC	08/16/2004 – 350 µg/L	Attaining – Only 1 exceedance in 17 samples. (Binomial)
Copper (total)	500 µg/L AgL	08/16/2004 – 930 µg/L	Attaining – Only 1 exceedance in 16 total copper samples. (Binomial)
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/21/2000 – 600 CFU/100 ml 01/10/2001 – 3636 CFU/100 ml 09/10/2003 – 740 CFU/100 ml 01/15/2004 – 740 CFU/100 ml 08/16/2004 – 4100 CFU/100 ml	Remains impaired – 4 exceedances within the last 3 years of monitoring. (5 exceedances within the assessment period)
Lead	15 µg/L – FBC 100 µg/L – AgL	01/10/2001 – 140 µg/L 09/10/2003 – 42 µg/L 08/16/2004 – 980 µg/L	Attaining – Only 3 exceedances in 16 samples. (Binomial method requires a minimum of 5 exceedances and 20 samples to assess as impaired.)
Mercury	0.6 µg/L FC	04/17/2001 – 0.67 µg/L	Attaining – Only 1 of 16 samples exceeded the standard (Binomial)
Mercury (dissolved)	0.01 µg/L A&Ww chronic	04/17/2001 – 0.46 µg/L	Inconclusive – One exceedance during the assessment period.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	09/10/2003 – 664 mg/L – 6.9 cfs 08/16/2004 – 29,000 mg/L – 54 cfs*	Inconclusive – 2 of 8 samples exceeded 80 mg/L criteria. One of those could not be included in the geometric mean calculation, because it occurred during high flow event (*). Using the remaining samples, the geometric mean standard was <u>not</u> exceeded.
Selenium	2.0 µg/L A&Ww chronic	01/10/2001 – 11 µg/L	Remains impaired – Because of lab detection limits, only 1 sample could be used for this assessment, and that one exceeded the selenium criterion by a high magnitude.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Suspended sediment concentration and dissolved mercury	Core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		<p>High Priority – Collect <i>E. coli</i> bacteria and selenium samples to support TMDL development.</p> <p>Collect additional SSC and dissolved mercury samples due to exceedances. Very high suspended sediment concentrations indicate excessive sediment transport in this drainage. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. (The old turbidity criterion (50 NTU) was exceeded in 4 of 18 samples (1000 to 7267 NTU).)</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

<b>SNOW FLAT LAKE</b>  15050201 – 1420 0.5 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 08/11/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam SPSNO-A 100084	ADEQ Ambient	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, boron, chromium, copper, lead, manganese, mercury, zinc  1 total metals only: Cadmium, copper, mercury, silver	1 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 Fluoride 1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for dissolved metals (cadmium, copper, lead, mercury and silver) were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least three seasons during an assessment period.  Use lower lab detection limits for the dissolved metals.	

<b>SPRING CREEK</b>  From headwaters to Mule Gulch 15080301 – 333 1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 10/11/2000		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Highway 80 SPSPC000.11 102921	ADEQ TMDL	1 dissolved: Cadmium, copper, lead, zinc  1 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	16 µg/L at 68 mg/L hardness 8.4 µg/L at 35 mg/L hardness A&We acute	08/07/2000 – 76 mg/L 08/27/2003 – 44 mg/L	Inconclusive – Exceeded twice during the assessment period, but only once in a 3-year period.
pH	>6.5 SU A&We and PBC	08/07/2000 – 5.7 SU	Inconclusive – 1 of 4 samples did not meet standards. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper and low pH	Insufficient core parameters	Insufficient sampling events for core parameters, as only 2 seasons were represented.	
DISCUSSION OF EXCEEDANCES		Samples were collected to support the Mule Gulch copper TMDL. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed.	
MONITORING RECOMMENDATIONS		Medium Priority –Collect additional copper and pH samples due to exceedances and to support TMDL development on Mule Gulch as needed.	

<b>TURKEY CREEK</b>  From headwaters to Rock Creek 15050201 – 002A 13.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/17/2004 – 06/16/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above upper campground SPTUR028.53 102113	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, beryllium.  4 total and 0-2 dissolved: Boron, cadmium, chromium, copper, lead, manganese, mercury, zinc	4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&W/w	06/15/2005 – 3.24 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Low nutrient levels (nitrogen – 0.5 mg/L, phosphorus = >0.02 mg/L). Low flow = 0.1 cfs.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (cadmium, copper, zinc) to assess A&W.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, zinc) and total selenium were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for the dissolved metals and selenium.	

<b>TWIN POND</b>  In San Bernardino National Refuge 15080302 – 0001 1 Acre	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/16/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam SPTWP-USGS 101581	USGS Ambient	1 dissolved metals only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, lead, silver, uranium and zinc	1 sample: Dissolved oxygen and pH (Nutrients were dissolved portion only)	1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least three seasons during an assessment period.	

<b>WARD CANYON</b>  From headwaters to Turkey Creek 15050201 – 433 3.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/17/2004 – 06/15/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Saulsbury Canyon SPWRC000.09 102892	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, beryllium.  4 total and 0-2 dissolved: Boron, cadmium, chromium, copper, lead, manganese, mercury, zinc	4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&W/w	06/15/2005 – 6.0 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Low nutrient levels. Flow 0.01 cfs.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (cadmium, copper, zinc) to assess A&W.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, zinc) and total selenium were higher than the A&W chronic criteria in at least 2 samples.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for the dissolved metals and selenium.	

<b>WHITEWATER DRAW</b>  Gadwell Canyon to unnamed reach # 15080301-003 15080301 -- 004 22.2 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/11/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Double Adobe Bridge SPW/HD015.66 100230	ADEQ TMDL	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, manganese, mercury, nickel, silver, thallium, and zinc	1 samples pH	1 Fluoride 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for lead, dissolved lead, and selenium were higher than the criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least three seasons during an assessment period.  Use lower lab detection limits for the lead (including dissolved lead) and selenium.	



<b>WHITEWATER DRAW</b>  From unnamed tributary at 312036 / 1093446 to Mexico border 15080301 – 002B 0.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 03/07/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Site WD-1A (at border) SPW/HD000.04 100512	ADEQ TMDL	1 total and dissolved metals: Arsenic, beryllium		

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters.	Insufficient sampling events.	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect core parameters to represent at least three seasons during an assessment period.	

<b>WINWOOD CANYON</b>  From headwaters to Mule Gulch 15080301 -- 340 1 Mile	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 10/11/2000; 09/28/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Tributary from Mural Hill above mineralized zone SPWNC000.67 102926	ADEQ TMDL	2 dissolved metals: Cadmium, copper, lead, and zinc  1 total metals: Copper, lead, zinc		
Above old mill site SPWNC000.35 102927	ADEQ TMDL	2 pH		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	11.9 µg/L at 49 mg/L hardness A&We acute	09/28/2004 – 49 µg/L	Inconclusive – 1 exceedance in a 3-year period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	Insufficient core parameters	Insufficient sampling events.	
<b>DISCUSSION OF EXCEEDANCES</b>		Samples were collected to support the Mule Gulch copper TMDL. Copper loadings from this tributary will be addressed in the Mule Gulch copper TMDL currently being developed.	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect copper samples as needed to support TMDL development.	

# Santa Cruz Watershed

## Watershed Description

This watershed is composed of two hydrological areas: 1) the Santa Cruz River which flows north to the Gila River, and 2) a series of streams that flow south and eventually into the Rio Magdalena and Rio Sonoyta in Mexico. Most of the population in this 11,100 square mile watershed is clustered around metropolitan Tucson (approximately 844,000 people in the 2000 census) and Nogales in Arizona and Sonora Mexico (370,000 people, mostly in Mexico). Land ownership is approximately: 40% Tribal, 25% federal, 20% private, and 15% state.

Grazing is the dominant land use, with irrigated crop production near streams. Active and abandoned mines are scattered throughout the watershed. There are eight wilderness areas along with national forest and national monuments with restricted land uses.

Elevations range from 9,156 feet (above sea level) at Mount Lemmon to about 1,100 feet at the Gila River. Except for a string of high mountains in the east, most of the watershed is below 5,000 feet, with low Sonoran desert flora and fauna and warmwater aquatic communities where perennial waters exist.

## Water Resources

This watershed obtains about 15 inches of rain and up to 1 inch of snow per year. Ground water pumping has eliminated natural perennial flow in most of the mainstem Santa Cruz River. Treated wastewater effluent provides perennial flow below discharges from the cities of Nogales and Tucson.

An estimate of surface water resources in the Santa Cruz Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.


**Estimated Surface Water Resources in the Santa Cruz Watershed**

	Perennial	Intermittent	Ephemeral
Stream miles	85	500	7,245
	Perennial	Non-perennial	
Lake acres	1,366	0	

### On Tribal Land – Not Assessed

	Perennial	Intermittent	Ephemeral
Stream miles	0	50	3,795
	Perennial	Non-perennial	
Lake acres	9,523	11,119	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.



## Watershed Partnerships

- **The Friends of the Santa Cruz River (FOSCR)**

FOSCR focuses on the upper Santa Cruz River near Nogales Arizona/Mexico. Its mission is to ensure continued flow in the river, promote the highest water quality achievable, and protect and restore the riparian ecosystem and diversity of life along the stream. It accomplished this goal through education, partnerships, and advocacy for the benefit of present and future generations. They meet monthly on the 3<sup>rd</sup> Thursday. Contact Sherry Sass (President) at (520) 398-9093 or [admin@friendsofsantacruzriver.org](mailto:admin@friendsofsantacruzriver.org), or [sushis@aol.com](mailto:sushis@aol.com).

- **Pima County Association of Government's (PAG) Watershed Planning Subcommittee.**

This group provides a forum for exchanging information among stakeholders, concerning projects that may affect water quality or quantity in Pima County (much of the Santa Cruz Watershed). Public participation is encouraged. No regularly scheduled meetings. Information concerning the group's activities can be obtained at their website: <http://www.pagnet.org/WQ/participation.htm>, at [wq@pagnet.org](mailto:wq@pagnet.org); or (520) 792-1093.

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses have been completed, are ongoing, or are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov).

- Alum Gulch and a tributary (Humboldt Canyon) are impaired by cadmium, copper, zinc, and low pH (acidity). Pollution by these metals and acid mine drainage pose a risk to aquatic life and wildlife. TMDL analyses were completed and approved in 2003. Based on this study, primary loading originates from the World's Fair Mine area and Humboldt Canyon with relatively minor contributions from Trench Camp Mine and the January Adit. It appears that the remediation efforts at Trench Camp and the January Adit have been relatively successful. To achieve standards, ADEQ will be working with landowners and interested stakeholders to implement the following remediation actions and strategies recommended in the TMDL:
  - Remove mine residue dumps from the stream banks,
  - Remove mine-waste sediments from the streambeds, and
  - Isolate and treat mine-impacted ground water discharges (springs and adits).
- Arivaca Lake is impaired by mercury. A fish consumption advisory concerning mercury in fish tissue has been issued at this lake because mercury poses a health problem to humans. Mercury also poses risks to other species that eat the fish. EPA collaborated with ADEQ and completed a mercury TMDL in 1999. The primary sources of mercury were identified as: atmospheric deposition (particulates in the air) and natural deposition from local substrates. Because atmospheric deposition is not readily controllable, and the primary land use is grazing, improvements in livestock management to reduce soil erosion were targeted in the TMDL implementation plan. ADEQ is working with interested landowners and stakeholders to implement these improvements.
- Harshaw Creek is impaired by copper and low pH (acidity). Copper and acid mine drainage may negatively impact aquatic life and wildlife. TMDL loading analyses were completed in 2003. This report identified abandoned or inactive mines that were the primary sources of the copper and acid mine waste. To achieve standards, ADEQ will be working with landowners and interested stakeholders to implement the following remediation actions and strategies recommended in the TMDL:
  - Remove mine residue dumps from the stream banks,
  - Remove mine-waste sediments from the streambeds, and
  - Isolate and treat mine-impacted ground water discharges (springs and adits).
- Lakeside Lake in Tucson is impaired by nutrients, ammonia, high pH, and low levels of dissolved oxygen. Excess nutrients (nitrogen) may result in low dissolved oxygen and high pH and potentially toxic algal blooms and fish kills. High levels of ammonia may also pose a risk to aquatic life. TMDL analyses were completed in 2005 and indicated that the water sources supplying the lake were the primary source of nutrients to the lake. Lakeside

Lake receives secondary-treated reclaimed effluent, ground water, Central Arizona Project (CAP) water from the Colorado River, and occasional storm water runoff from Atterbury Wash.

ADEQ has been working with the city of Tucson, Pima County Wastewater Management Department, and other interested stakeholders to mitigate these problems. The city of Tucson has been testing aerators that physically increase dissolved oxygen levels in the water column. However, increased agitation and vertical mixing stimulated greater algal productivity, high pH levels, and did not reduce the ammonia concentration. Tucson is also testing the use of alum to reduce phosphorus loading in the lake.

- Three R (3R) Canyon and Cox Gulch are impaired by beryllium, cadmium, copper, zinc, and low pH (acidity). These metals and acid mine drainage represent a risk to aquatic and wildlife. TMDLs were completed in 2003 and quantified contributions from 3R Mine and unnamed springs. However, a Phase II TMDL is needed to determine if there are other significant contributions in the basin. To achieve standards, ADEQ will be working with landowners and interested stakeholders to implement the following remediation actions and strategies recommended in the TMDL:
  - Remove mine residue dumps from the stream banks,
  - Remove mine-waste sediments from the streambeds, and
  - Isolate and treat mine-impacted ground water discharges (springs and adits).
- Pena Blanca Lake is impaired by mercury.

A fish consumption advisory concerning mercury in fish tissue has been issued at this lake because mercury poses a health problem to humans. Mercury also poses risks to other species that eat the fish. EPA collaborated with ADEQ and completed a mercury TMDL in 1999. The study identified three sources of mercury: atmospheric deposition (particulates in the air), St. Patrick Mine ball mill site, and generalized natural deposition from local substrates. To meet standards, the TMDL analysis and implementation plan indicated that the tailings and sediment should be removed from the ball mill site. ADEQ is to conduct further monitoring on fish tissue to determine whether these measures were sufficient.
- Nogales Wash is impaired by ammonia, *Escherichia coli*, copper, and chlorine.

Exceedances of the *E. coli* standard may represent a significant public health concern if people are swimming or even wading in the water. Ammonia, chlorine and copper pose a threat to aquatic life and wildlife. Wastewater infrastructure has deteriorated in Mexico and must be replaced. To protect the human health, chlorine is added directly to the wash continuously via drip systems and manual introduction of chlorine tables. Chlorine residuals are monitored daily in an attempt to keep chlorine residuals at or above 1 mg/L at the US and Mexico border (which is 100 times above the standard for aquatic life use). Although these conditions pose significant threats to human health and aquatic life, actions to correct the situation are dependent on ongoing international negotiations between several government officials (representing the United States, Arizona, Mexico, the cities of Nogales Arizona and Nogales Sonora, and the Mexican state of Sonora). The source loadings are known and the technical means to correct the problem have been determined. These TMDLs will be developed if needed after facility upgrades are completed.
- Santa Cruz River from Mexico to the Nogales International Wastewater Treatment Plant discharge is impaired by *Escherichia coli* bacteria.

Exceedances of the *E. coli* standard may represent a significant public health concern if people are swimming or even wading in the water. Completing this TMDL may be complex due to probable sources in Mexico and intermittent stream flow. Drought conditions have slowed collection of adequate data to determine source loadings. A TMDL will be initiated when flow resumes.
- Sonoita Creek is impaired by zinc in the 14-mile segment just above its confluence with the Santa Cruz River. The federally protected Gila topminnow occurs in this reach and could be negatively impacted by dissolved zinc. Sources of the zinc have not been investigated but are likely related to transport of zinc during storm flows from its tributaries (e.g., Alum Gulch and 3R Canyon). Monitoring will be used to determine if strategies implemented on these tributaries reduce zinc transport sufficiently to eliminate exceedances on Sonoita Creek.

- **Parker Canyon Lake is impaired by mercury.**  
A fish consumption advisory concerning mercury in fish tissue has been issued at this lake because mercury poses a health problem to humans. Mercury also poses risks to other species that eat the fish. A TMDL is scheduled to be initiated in 2006.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **BMPs to Control Sedimentation on the Santa Cruz River Project**  
The Coronado Resource Conservation and Development Area (2000)  
Implement management practices to control sedimentation along a thousand feet of the Santa Cruz River.
- **Riverfront Residence Green Roof Project**  
A private consultant (2001)  
Install a 3400 square feet “green roof” (waterproofing, soil, and vegetative cover) to demonstrate how to mitigate impacts of urban runoff by slowing and absorbing runoff from the roof. The landscaping acts as a filter strip, minimizing pollutant transport. The reduction of runoff should also reduce soil erosion on-site and downstream.
- **Best Management Practices: A Balancing Act Project**  
Pima Natural Resource Conservation District (2001)  
Demonstrate agricultural practices that will minimize crop amendment (fertilizers, pesticides) loss. Losses frequently occur due to deep percolation, erosion, runoff, evaporation, and drift.
- **Palo Alto Runoff Control Project**  
Coronado Resource Conservation and Development Area (2002)  
Implement Best Management Practices on high priority areas in the Alter Valley subwatershed to control runoff that contributes sediment to the Santa Cruz River system. The objective is to reduce sediment production from gully erosion and headcutting on the Palo Alto Ranch along Alter Wash.
- **Enhanced Implementation of Deferred Rotational Grazing on C6 Ranch Project**  
Rancher in collaboration with the University of Arizona Extension Service (2002)  
Project will build fences to exclude livestock, develop alternative water sources for livestock, construct erosion control dams in gullies, and implement a comprehensive plan for monitoring effectiveness. Project is also a teaching opportunity.
- **Santa Cruz River Riparian Re-vegetation Project**  
Montessori De Santa Cruz Charter School (2003)  
Repair riparian habitat and provide community education and outreach. This is a collaborative project between the Montessori School, Tumacacori National Historical park Service, and the Friends of the Santa Cruz River.
- **Santa Cruz River Sediment Control Project**  
Coronado Resource Conservation and Development Area (2004)  
Install 800 feet Kellner jacks and revegetate with native species along the south river road bank of the Santa Cruz River to improve stream bank stability.
- **Redrock Canyon and Upper Santa Cruz Watershed Improvement Project**  
Coronado Resource Conservation and Development Area (2005 and 2006).  
Work with the five grazing allotments in the Red Rock Canyon (a tributary to Sonoita Creek) control erosion and sediment transport by implementing best grazing practices. Project excluded cattle from riparian areas using fencing, revegetation of riparian areas, and development of alternative sources of water.

**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Riparian Restoration on the Santa Fe Ranch Project**  
The Coronado Resource Conservation and Development Area (2000)  
Revegetate degraded riparian areas along the Santa Cruz River. The project would erect fencing to exclude cattle. The project would also develop a teacher's guide to riparian restoration, provide site tours, and a photo display of techniques used.
- **Tucson Audubon Society's North Simpson Ranch Riparian Recovery Project**  
Tucson Audubon Society (2000 and 2004)  
Increase vegetative diversity and increase stream bank stability along the Santa Cruz River. Management measures included rainwater harvesting, mulching, and fencing out cattle and unauthorized vehicles. The project would also provide a long-range strategy for habitat connectivity, human access, and a sustainable riparian habitat.
- **Riparian Restoration on the San Xavier District Project**  
San Xavier District of the Tohono O'odham Indian Community (2002)  
This was a cooperative riparian restoration and management project sponsored by the San Xavier District of the Tohono O'odham, Mark Briggs (an ecologist), the Sonoran Joint Venture, and the U.S. Fish and Wildlife Service.
- **Esperanza Ranch Riparian Restoration Project**  
The Tucson Audubon Society (2005)  
Restore the riparian area in a 300 acre ranch along the Santa Cruz River and Chivas Wash.

**U.S. Army Corps of Engineers' Ecosystem Restoration Projects** – Ecosystem restoration, environmental stewardship, and radioactive site cleanup projects are funded through the annual federal Energy and Water budget. The purpose of ecosystem restoration is to re-establish attributes of a natural functioning and self-regulating system.

- **Ed Pastor Kino Environmental Restoration Project**  
The Tucson (Ajo) Detention Basin and Tucson Diversion Channel has been expanded to include 141 acres, including: 50 acres of wetlands, 12 acres of wildlife and open water areas, and 38 acres of mesquite bosque and ephemeral grassland. The project uses stormwater runoff and reclaimed water.
- **Agua Caliente Spring**  
The project has multiple objectives that will improve ecosystem function, restore the natural structure and function of the spring, improve habitat, and create education and recreational opportunities. The recommended plan would keep one pond and create a native cienega-type wetland (eliminating pond 2 and 3).
- **Rillito River Riparian Area (Swan Wetlands)**  
The plan is to restore riparian vegetative communities along the south bank of the Rillito River, between Craycroft Road and Columbus Boulevard (61 acres), to a more natural state. Improvements in the riparian condition will increase functional habitat and minimize sediment and organic accumulation.
- **Paseo de las Iglesias**  
The objective is to increase the functional riparian and floodplain habitat along the Santa Cruz River, the West Branch of the Santa Cruz River, and Los Reales Road. Increased riparian area will increase wildlife habitat, provide passive recreation opportunities, reduce flood damage, reduce bank erosion and sedimentation, and improve water quality. Irrigated planting of mesquite and riparian shrub will be placed on terraces above the low flow channel and in the historic floodplain, with small areas of emergent marsh and cottonwood-willow habitat. Water will be provided by water harvesting and reclaimed wastewater.
- **El Rio Antiguo**  
Restore riparian vegetative communities along the Rillito River, between Craycroft Road and Campbell Avenue. Cottonwood-willow, mesquite, shrub and grasses will be planted in the channel, in tributary mouths, and in water harvesting basins on the tributaries. A culvert and pipeline will allow water to flow behind the soil cement during 2-year and higher flood events to provide water to riparian plant communities along the north bank in the upstream study area.



- **Tres Rios del Norte**

This project is located along the Santa Cruz River between Prince Road to Sanders Road, West Moore Road and West Avra Valley Road. It will restore 19 miles of wetland and riparian vegetative communities along the Santa Cruz River and its adjacent floodplains. The restoration would vastly improve mesquite, cottonwood-willow, and emergent wetland habitats to a condition supportive of wildlife, and for the benefit of residents and visitors to the area.

**Other Water Quality Studies** – The following additional water quality related studies were completed since 2000 in this watershed:

- ***The Water Quality of Priority Streams in Pima County***

Pima Association of Governments (2002)

This report compiles the existing water quality data and other pertinent information for the streams that have been identified as priorities in Pima County.

- ***Water Issues of the Arizona - Mexico Border: The Santa Cruz, San Pedro, and Colorado Rivers.***

Terry W. Sprouse, University of Arizona, Water Resources Research Center (2005)

Summary of water quality and water quantity issues facing this region.

- ***Water Quality Data for Selected National Park Units, Southern and Central Arizona and West-Central New Mexico, Water Years 2003 and 2004***

U.S. Geological Survey in cooperation with the National Park Service (2005)

Field measurements and water samples were collected at springs, mine adits, streams, and wells at 30 sites in 9 park units in 2003-2004 to provide baseline (ambient) water quality information. Only 24 of the 30 sites were sampled three times due to drought conditions and lack of water during parts of the year. Analyses of data collected at these sites indicated:

- Dissolved uranium was elevated at Williams Spring in Organ Pipe National Monument at 32 µg/L; and
- Concentrations of nitrate and nitrite (nutrients) were elevated at Dripping Springs in Organ Pipe Cactus National Monument, Fern Grotto on Coronado National Memorial, and Wild Horse Mine in the Tucson Mountain District of Saguaro National Park.

- ***Simulated Water Level Responses, Ground Water Fluxes, and Storage Changes for Recharge Scenarios along Rillito Creek, Tucson, Arizona***

John P. Hoffmann and S.A. Leake, U.S. Geological Survey (2004)

The amount of water currently recharging the aquifers within the Tucson area is insufficient to meet current and projected demands. Ground water in this area has dropped more than 200 feet since the middle of the 20<sup>th</sup> Century (causing streams to become ephemeral). A local ground water flow model is used to simulate four recharge scenarios along Rillito Creek in northern Tucson to evaluate mitigating effects on ground water deficits and water level declines in Tucson's Central Well Field.

- ***Assessment of Selected Inorganic Constituents in Streams in the Central Arizona Basins Study Area, Arizona and Northern Mexico, through 1998***

David Anning – U.S. Geological Survey, National Water Quality Assessment Program (2003)

Inorganic chemical data (dissolved solids, suspended sediment, and nutrients) and stream properties (temperature, pH, dissolved oxygen) were analyzed to assess water quality, determine natural and human factors affecting water quality, and compute stream loads.

- ***Border Crossings – Water and Wastewater at the International Boundary***

R.G. Charles Graf and Craig Tinney (ADEQ) and Tom Konner (EPA Region IX)

September/October 2005 Southwest Hydrology (2005)


This article describes the problems and progress being made in addressing water quality and wastewater infrastructure along the Mexican border with California and Arizona for seven key populations centers: San Diego/Tijuana, Tecate, Calexico/Mexicali, San Luis/San Luis Rio Colorado (Yuma area), Nogales, Naco/Bisbee, and Douglas/Aguia Prieta.

## Assessments

The Santa Cruz Watershed can be separated into the following drainage areas (subwatersheds):

15050301	Upper Santa Cruz
15050302	Pantano Wash
15050302	Lower Santa Cruz
15050304	Brawley Wash
15050305	Aguirre Wash
15050306	Santa Rosa Wash
15080101	San Simon Wash (On Tribal Land – Not Assessed)
15080102	Rio Sonoyta
15080103	Tule Desert
15080200	Rio Asuncion

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).



ALUM GULCH	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
From headwaters to 312820 / 1104351 (to beginning of intermittent flow) 15050301 – 561A 0.8 Miles	A&We – Impaired PBC – Impaired AgL -- Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	TMDL completed in 2003. Need to implement improvements at mining sites.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 01/11/2000; 06/08/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At January Mine Adit SCALG005.45 102952	USGS Ambient	1 total and 2 dissolved metals: Cadmium, copper, zinc 1 dissolved only: Barium, beryllium, boron, chromium, lead, manganese, nickel, silver	2 samples: Dissolved oxygen and pH	
Below January Mine Adit, above Humboldt Canyon SCALG005.35 100838	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Cadmium	50 µg/L AgL	01/11/2000 – 170 µg/L 06/08/2004 – 208 µg/L	Remains impaired -- Exceeded in 2 of 2 samples (Binomial)
Copper (dissolved)	85.8 µg/L at >400 mg/L hardness A&We acute	01/11/2000 – 400 µg/L	Remains impaired -- Exceeded once in the last 3 years of monitoring
Lead	15 µg/L PBC	06/08/2004 – 143 µg/L	Inconclusive – Exceeded in only sample tested for lead concentration. (Binomial)
Zinc (dissolved)	3,599 µg/L at >400 mg/L hardness A&We acute	01/11/2000 – 56,000 µg/L 06/08/2004 – 99,300 µg/L	Remains impaired -- Exceeded twice in the last 3 years of monitoring
Zinc (total)	25,000 µg/L AgL	01/11/2000 – 56,000 µg/L 06/08/2004 – 99,300 µg/L	Remains impaired -- Exceeded in 2 of 2 samples (Binomial)
pH	<6.5 SU A&We, PBC, AgL	01/11/2000 – 4.7 SU 06/08/2004 – 4.5 SU	Remains impaired -- Exceeded in 2 of 2 samples (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead	Insufficient core parameters	Insufficient monitoring events	
MONITORING RECOMMENDATIONS		Medium Priority – Collect samples during crucial conditions to determine effectiveness of improvements at mine sites in this watershed once improvements are completed. Collect additional lead samples due to exceedance. Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>ALUM GULCH</b>  From 312820 / 1104351 to 312917 / 1104425 (intermittent flow) 15050301 – 561B 1.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Impaired AgL – Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	TMDL completed in 2003. Need to implement improvements at mining sites.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 01/11/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below World's Fair Mine SCALG004.45 100870	ADEQ TMDL	1 total and dissolved metal samples: Cadmium, copper, zinc	1 sample: Dissolved oxygen and pH	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Cadmium	50 µg/L – AgL 84 µg/L – FBC	01/11/2000 – 290 µg/L	Remains impaired – Exceeded criterion in only sample collected. (Binomial)
Cadmium (dissolved)	19.1 µg/L at >400 mg/L hardness A&Ww acute	01/11/2000 – 220 µg/L	Remains impaired – Exceeded criterion in only sample collected.
Copper	500 µg/L – AgL 1300 µg/L – FBC	01/11/2000 – 2100 µg/L	Remains impaired – Exceeded criterion in only sample collected. (Binomial)
Copper (dissolved)	49.6 µg/L at >400 mg/L hardness A&Ww acute	01/11/2000 – 2000 µg/L	Remains impaired – Exceeded criterion in only sample collected.
Zinc	25,000 µg/L AgL	01/11/2000 – 53,000 µg/L	Remains impaired – Exceeded criterion in only sample collected. (Binomial)
Zinc (dissolved)	Calculated as 379.3 µg/L A&Ww acute	01/11/2000 – 54,000 µg/L	Remains impaired – Exceeded criterion in only sample collected.
pH	<6.5 SU A&Ww, FBC, AgL	01/11/2000 – 3.2 SU	Remains impaired – Exceeded criterion in only sample collected. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient monitoring events	
MONITORING RECOMMENDATIONS		Medium Priority – Collect samples during crucial conditions to determine effectiveness of improvements at mine sites in this watershed once improvements are completed.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>ARIVACA CIENEGA</b>  <b>15050304 -- 0001</b> <b>3 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive	Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 05/15/2002		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Mid lake SCACL-USGS 101583	USGS Ambient	1 dissolved metal only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, uranium, and zinc. (0 total metals)	1 sample: Dissolved oxygen and pH	1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Missing all core parameters	Insufficient sampling events.	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>ARIVACA LAKE</b>  <b>15050304 -- 0080</b> <b>118 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Inconclusive FBC – Attaining FC – Impaired Agl – Attaining AgL – Attaining	Category 4A  Not attaining	Mercury in fish tissue	Mercury TMDL completed in 1999

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/19/2000 – 05/21/2001; 09/17/2003; 04/06/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam SCARI-A 100000 (main site sampled)	ADEQ, U of A, AGFD Ambient	6-7 total and 4 dissolved: Cadmium, chromium, lead, nickel, zinc	6-7 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 7 Fluoride 3 Total dissolved solids 7 Turbidity
Mid lake SCARI-B 101734	U of A Ambient	7 total and 1 dissolved metals: Antimony, arsenic, barium, beryllium, boron, copper, manganese, mercury		
At boat ramp SCARI-C 102534	AGFD Ambient			
At Chimney Canyon SCARI-CHIM 102535	AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	09/17/2003 – 4.2 mg/L	Attaining – Did not meet dissolved oxygen criteria in 2 of 10 samples (1 of 7 sampling events). (Binomial)
Selenium	2.0 µg/L A&Ww chronic	05/21/2001 – 4.0 µg/L	Inconclusive – Exceeded 1 time during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	Insufficient dissolved copper needed to assess A&W		Lab detection limits for selenium and dissolved metals (cadmium, copper, lead, and mercury) were higher than A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect samples to determine the effectiveness of water quality improvement actions.</p> <p>Collect selenium samples due to the exceedance.</p> <p>Collect core parameters to represent at least 3 seasons during an assessment period.</p> <p>Use lower lab detection limit for dissolved metals and selenium.</p>	



<b>BIG CASA BLANCA CANYON</b>  From headwaters to Sonoita Creek 15050301 – 606 3 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/03/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At long pool SCBCC006.33 103031	AGFD Ambient	2 total metal: Arsenic, barium, beryllium, cadmium, chromium, copper, manganese, nickel silver, and zinc.  (Both sites sampled on same date)		
At frog pool SCBCC006.74 103032	AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium, mercury, and lead were higher than the applicable water quality criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limit for selenium, mercury, and lead.	



<b>CARPENTER TANK</b>  15050304 -- 0002 3 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive	Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 05/15/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Mid lake SCCAR-USGS 101582	USGS Ambient	1 dissolved metal only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, uranium, and zinc. (0 total metals)	1 sample: Dissolved oxygen and pH	1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>CHIMENEA CREEK</b>  From headwaters to Rincon Creek 15050302 – 140 8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 05/14/2002 – 10/31/2003; 09/14/2005 – 11/16/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Saguaro National Park SCCHM004.75 101593	USGS Ambient	0-1 total metals and 4-5 dissolved: Antimony, beryllium, boron, cadmium, chromium, copper, lead, manganese, and zinc.	1 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen 3 samples: Dissolved oxygen 4 samples: Total phosphorus 7 samples: pH	1 Fluoride 4 Total dissolved solids 1 Suspended sediment concentration 1 Turbidity
Near Madrona Ranger Station SCCHM002.01 101584	USGS	0-1 total and 0-1 dissolved: Arsenic, barium, mercury, nickel, selenium, silver, uranium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient total metals and <i>E. coli</i> bacteria to assess FBC and AgL.		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limit for selenium.	

<b>CIENEGA CREEK</b>  From headwaters to Gardner Canyon 15050302 – 006A 18.08 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/11/2000 – 03/20/2002; 09/27/2005 – 02/16/2006 (Included 02/16/2005 to have sufficient samples to assess designated uses)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Cedar Canyon SCCIE026.68 101176	ADEQ Special study	14-15 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.	10-13 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 14 Fluoride 14 Total dissolved solids 1 Suspended sediment concentration 14 Turbidity
At Stevenson Canyon SCCIE022.42 100266	ADEQ Ambient			
Below Pump Canyon SCCIE020.88 101177	ADEQ Special Study	15 total and 0-2 dissolved: Boron, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	09/27/2005 – 5.0 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Low nutrient levels. Flow 0.5 cfs.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters.		Lab detection limits for selenium and dissolved mercury and nickel were higher than the A&W chronic criteria in at least 5 samples.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium, dissolved mercury, and dissolved nickel.	

<b>CIENEGA CREEK</b>  From Gardner Canyon to USGS gage station (Pantano Wash) 15050302 – 006B 28.8 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/12/2000 – 03/20/2002; 9/26/2005 – 2/14/2006 (Added in 2006 data to assess more uses)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
SW of bench mark #3490 SCCIE006.69 101178	ADEQ Special study	10-14 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.	13-14 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 14 Fluoride 14 Total dissolved solids 2 Suspended sediment concentration 15 Turbidity
Above Davidson Canyon SCCIE0004.25 101179	ADEQ Ambient and Special study	14-15 total and 0-2 dissolved: Boron, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	09/18/2001 – 5.4 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and ground water upwelling. Low nutrient levels. Flow 0.7 cfs.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limits for selenium and dissolved mercury.	

<b>COX GULCH</b>  From headwaters to Three R Canyon 15050301 – 560 16.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Impaired FC – Inconclusive AgL-- Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	Samples were collected on this reach in support of the Three R Creek TMDL. TMDL completed in 2003

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/11/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below tributary to European Mine SCCXG000.81 100869	ADEQ TMDL	1 total and dissolved metal sample: Beryllium, cadmium, copper, and zinc	pH – 1 sample	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Beryllium (total)	5.3 µg/L A&Ww chronic	01/10/2000 – 9.4 µg/L	Inconclusive – Exceeded in only sample collected.
Copper (total)	500 µg/L – AgL 1300 µg/L -- FBC	01/10/2000 – 18,000 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period. (Binomial)
Copper (dissolved)	49.6 µg/L at >400 mg/L hardness A&Ww acute	01/10/2000 – 18,000 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period.
Cadmium (dissolved)	19.1µg/L at >400 mg/L hardness A&Ww acute	01/10/2000 – 60 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period.
Zinc (dissolved)	379 µg/L at >400 mg/L hardness A&Ww acute	01/10/2000 – 11000 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period.
pH	<6.5 SU A&Ww, FBC, AgL	01/10/2000 – 3 SU	Remains impaired – Exceeded in only sample collected during this assessment period. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient monitoring events	
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional beryllium samples due to exceedance. Schedule follow up monitoring to determine effectiveness of improvements at mine sites in this watershed once improvements are completed.  Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>UNNAMED TRIBUTARY TO COX GULCH</b>  From headwaters to Cox Gulch 15050301 – 890 1 miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	Samples were collected on this reach in support of the Three R Creek TMDL. TMDL completed in 2003

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
No current data.				
Site file 100875				

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Medium Priority – Need to implement corrective actions at mine sites along this tributary and its tributaries and then do effectiveness monitoring.	

<b>HARSHAW CREEK</b>  From headwaters to Sonoita Creek 15050301 – 025 14.4 miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Impaired AgL – Impaired	Category 4A  Not attaining	Copper and pH	TMDL completed in 2003 for copper, zinc and pH. Zinc delisted as a result.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
No current data.				
Site files: 100318, 100319, and 100848				

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Medium Priority – Need to implement corrective actions at mine sites along Harshaw Creek and its tributaries and then do effectiveness monitoring.	

<b>UNNAMED TRIBUTARY TO HARSHAW CREEK</b>  (Endless Chain Mine tributary) 15050301 – 888 2 miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Impaired	Category 4A  Not attaining	Copper and pH	Samples were collected on this reach in support of the Harshaw Creek TMDL. TMDL completed in 2003 for copper, pH and zinc. Zinc was delisted as a result.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
No current data  Site files: 100850, 100851				

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Missing all core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Medium Priority – Need to implement corrective actions at mine sites along this unnamed tributary and then do effectiveness monitoring.	

<b>HUMBOLT CANYON</b>  From headwaters to Alum Gulch 15050301 – 340 2 miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Inconclusive	Category 4A  Not attaining	Copper	Copper loading was assigned to this reach during the Alum Gulch TMDL.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
No current data  Site files:100840, 100841, and 100871				

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Medium Priority – Need to implement corrective actions at mine sites along Humboldt Canyon and its tributaries and then do effectiveness monitoring.	

<b>KENNEDY LAKE</b>  15050301 – 0720 10 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 07/18/2002; 09/19/2002		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Mid Lake SCKEN-B 101052	AGFD Ambient	1 dissolved metals only: Cadmium, chromium, copper, lead, nickel, selenium and zinc. or mercury	2 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect core parameters to represent at least three seasons during the assessment period.  Use lower lab detection limit for selenium and dissolved mercury.	



<b>LAKESIDE LAKE</b>  <b>15050302 -- 0760</b> <b>15 Acres</b>	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	<b>A D E Q</b>	A&Ww – Impaired PBC – Impaired FC – Inconclusive	Category 4A Not attaining (Impaired)	Ammonia, dissolved oxygen, and pH	TMDL completed in 2005 for nutrient related pollutants.
	<b>E P A</b>	A&Ww – Impaired PBC – Impaired FC – Inconclusive	Category 4A Not attaining	Chlorophyll, nitrogen, and phosphorus	TMDL completed in 2005 for nutrient related pollutants.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B & Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 01/09/2002 – 10/29/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At dam SCLAK-A 100034	ADEQ, U of A Ambient	1 dissolved and total metals: Cadmium, chromium, copper, lead, manganese, and zinc.	46-55 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, pH	2 Fluoride 46 Total dissolved solids 46 Turbidity 46 Algal samples 46 Chlorophyll samples
Mid lake SCLAK-B 100035	ADEQ, U of A Ambient	1 total metals only: Antimony, arsenic, barium, boron, lead, mercury, nickel, selenium, silver		
At boat ramp SCLAK-R 102294	U of A Ambient			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
Ammonia	0.21 mg/L at pH 8.9 and 31.9 C A&Ww chronic	08/18/2003 – 0.43 mg/L	Remains impaired – 1 exceedance in the last 3 years of monitoring
Dissolved oxygen	6.0 mg/L A&Ww	07/18/2002 – 3.8 mg/L 08/12/2002 – 4.6 mg/L* 09/10/2002 – 5.3 mg/L* 05/01/2003 – 4.6 mg/L 06/11/2003 – 3.9 mg/L 06/18/2003 – 3.1 mg/L 06/26/2003 – 5.0 mg/L 08/11/2003 – 4.9 mg/L* 09/08/2003 – 3.9 mg/L	Remains impaired – Samples in 9 of 23 sampling events had low dissolved oxygen concentration. (Binomial) Conditions were generally the same at both site A and B. * Indicates that on these dates the dissolved oxygen was too low at 1 meter, but meeting standards at 0.5 meters or surface. Proposing changing designated use to “effluent dependent water, which has lower dissolved oxygen requirements.
pH	<9.0 SU A&Ww, PBC	08/12/2002 – 9.3 SU 08/27/2002 – 9.3 SU 09/25/2002 – 9.5 SU 10/09/2002 – 9.4 SU 10/24/2002 – 9.3 SU 08/11/2003 – 9.4 SU	Remains impaired – 6 of 23 sampling events had high pH values. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium and dissolved mercury were higher than A&W chronic criteria.
DISCUSSION OF IMPAIRMENT		<p>Lake remains impaired due to ammonia, dissolved oxygen, and pH but is moved to Category 4A (from 5) due to completion of the nutrient TMDLs.</p> <p>Evidence of potential impairment by phosphorus, nitrogen, or chlorophyll:</p> <ol style="list-style-type: none"> <li>1. Nutrient TMDL completed in 2005. Nutrient load reductions should address these pollutants;</li> <li>2. Corrective actions are being taken by the City of Tucson to improve water quality at the lake; and</li> <li>3. ADEQ has proposed narrative nutrient implementation guidance that indicates the following limits for an urban lake: <ul style="list-style-type: none"> <li>Chlorophyll-a &lt; 50 µg/L</li> <li>Total nitrogen &lt;1.9 mg/L</li> <li>Total phosphorus &lt; 0.160 mg/L</li> </ul> </li> </ol> <p>At Lakeside Lake:</p> <ul style="list-style-type: none"> <li>Chlorophyll-a was above 50 µg/L on 12 dates.</li> <li>Nitrogen was routinely above 2.0 and as high as 5.9 mg/L.</li> <li>Phosphorus was routinely above 0.16 and as high as 0.51 mg/L</li> </ul>	
MONITORING RECOMMENDATIONS		<p>High Priority – Schedule follow-up monitoring to determine the effectiveness of water quality improvement actions taken at the lake.</p> <p>Collect core parameters to represent at least three seasons during an assessment period.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p>	

<b>LOMA VERDE</b>  From headwaters to Tanque Verde Wash 15050302 – 268 4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 05/14/2002 – 10/15/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
In Saguaro National Park SCLMV003.51 101585	USGS Ambient	4 dissolved metals only: Antimony, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, silver, uranium, and zinc.  1 dissolved metals: Arsenic, selenium  (0 total metals)	4 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and pH	4 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	05/14/2002 – 2.2 mg/L	Inconclusive – Only 1 of 4 samples did not meet criterion; however, nutrients were extremely high (15.2 mg/L nitrogen, 1.8 mg/L phosphorus).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient total metals and <i>E. coli</i> bacteria		
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional dissolved oxygen samples due to exceedance.  Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>MADERA CANYON CREEK</b>  From headwaters to unnamed tributary at 314342/1105250 15050301 – 322A 2.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Inconclusive AgL -- Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/25/2001; 09/21/2005-01/09/2006 Included 01/09/2006 data to assess additional designated uses		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Sprung Spring SCMAD012.71 100588	ADEQ	3 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, copper, and zinc.  1-2 total and dissolved metals: barium, mercury, silver, thallium  3 total only: Boron, manganese  1 total and 3 dissolved: Lead	3 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 2 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient total lead and mercury to assess FC and AgL.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria in at least 1 sample.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limit for selenium and dissolved mercury	

<b>MADRONA CREEK</b>  From headwaters to Rincon Creek 15050302 -- 138 7 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3  Inconclusive	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/08/2002 – 10/31/2003; 09/14/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Madrona Ranger Station SCMDN001.51 101628	USGS Ambient	3-4 dissolved and 0-1 total metals: Antimony, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, and zinc. 0-1 total and 0-1 dissolved metals: Arsenic,, mercury, selenium, nickel, silver, uranium	1 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen 2 samples: Dissolved oxygen 4 samples: Total phosphorus 7 samples: pH	1 Fluoride 3 Total dissolved solids 2 Suspended sediment concentration

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient total metals, <i>E. coli</i> bacteria, and dissolved oxygen to assess designated uses.		
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>NOGALES WASH</b>  From Mexico border to Potrero Creek 15050301 – 011 6.2 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired PBC – Impaired	Category 5  Impaired	<i>E. coli</i> bacteria, chlorine, ammonia, copper	On the 303(d) list due to <i>E. coli</i> bacteria, chlorine, ammonia, copper.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/07/2000 – 11/16/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Morley Street Tunnel SCNGW004.87 100251	ADEQ Ambient	17-25 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc. 10-11 dissolved and total metals: Barium, nickel, silver, thallium 8 total only: Boron, manganese 1 Selenium	23-24 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	19 <i>E. coli</i> bacteria 23 Fluoride 23 Total dissolved solids 12 Suspended sediment concentration 24 Turbidity 3 Solvents and petroleum products

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Ammonia	Varies based on pH and water temperature A&Ww chronic	08/09/2000 – 6.1 mg/L 04/23/2001 – 3.3 mg/L 01/15/03 – 13 mg/L 09/09/03 – 6.2 mg/L 01/14/04 – 3.6 mg/L 09/15/04 – 1.2 mg/L	Remains impaired – 4 exceedances in last 3 years of monitoring (6 in the assessment period).
Chlorine	11 µg/L A&Ww acute	03/07/2000 – 210 µg/L 05/24/2000 – 130 µg/L 08/09/2000 – 130 µg/L 04/24/2001 – 480 µg/L	Remains impaired -- Chlorine exceeded criterion all 4 times measured (4 times within a 3 year period). Chlorine is being added to the stream flow to reduce risks due to high bacterial contamination.
Copper (dissolved)	22.2 µg/L at 180 mg/L hardness A&Ww acute	01/15/2003– 24 µg/L	Remains impaired – One exceedance in last 3 years of monitoring.
Dissolved oxygen	6.0 mg/L A&Ww	12/19/2001 – 5.0 mg/L 09/09/2003 – 3.1 mg/L 12/01/2003 – 4.6 mg/L 01/14/2004 – 4.7 mg/L	Inconclusive – 4 of 22 samples did not meet the dissolved oxygen standards. Binomial method requires at least 5 exceedances to be listed as impaired with 22 samples.
<i>E. coli</i> bacteria	235 CFU/100 ml PBC	Too many exceedances to list here. Maximum was 4,810,000 CFU/100 ml	Remains impaired – 11 exceedances during the assessment period. (Noted fewer exceedances in 2004 and 2005.)
Lead	15 µg/L PBC	03/07/2000 – 190 µg/L 09/09/03 – 100 µg/L	Attaining – Only 2 exceedances in 22 samples. (Binomial)
Selenium	2 µg/L A&Ww chronic	09/09/2003 – 5.2 µg/L	Attaining – Only 1 exceedance in 23 samples. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	09/09/2003 – 972 mg/L	Attaining – Criterion was exceeded once in 1 sample, but geometric mean was not exceeded. (The old turbidity standard (50) was exceeded in 5 of 24 samples.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Collected all core parameters		Lab detection limits for selenium and dissolved metals (lead, mercury, and nickel) were higher than the A&W chronic criteria in at least 3 samples.
COMMENTS CONCERNING EXCEEDANCES		Bacterial contamination and high ammonia levels are due to insufficient wastewater infrastructure in Mexico. The chlorine tablets are added to the stream to kill the bacteria; however, the chlorine is toxic to aquatic life.	
MONITORING RECOMMENDATIONS		<p>High Priority – Collect samples to support TMDL development for <i>E. coli</i> bacteria, ammonia, chlorine, and copper.</p> <p>Collect dissolved oxygen samples due to exceedances.</p> <p>Use lower lab detection limit for selenium and dissolved metals.</p>	

<b>PARKER CANYON CREEK</b>  From Parker Canyon Dam to tributary at 312417 / 1102844 15050301 – 234A 3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive	Category 3	
		Inconclusive	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/27/2005 – 12/07/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Parker Canyon Lake Dam SCPRK010.26 103524	ADEQ Ambient	1 total and dissolved metal samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, and zinc	2 samples: Dissolved oxygen and pH 1 sample: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 1 Fluoride 2 Total dissolved solids 2 Turbidity 2 Suspended sediment concentration

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	09/27/05 – 2.6 mg/L 12/07/2005 – 5.8 mg/L	Attaining – Low dissolved oxygen due to low flow conditions and groundwater upwelling. Flow around 0.2 cfs. Low nutrient levels.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium was higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period.  Use lower lab detection limit for selenium.	



<b>PARKER CANYON LAKE</b>  15050301 – 1040 130 Acres	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Inconclusive FBC – Attaining FC – Inconclusive Agl -- Attaining AgL -- Attaining	Category 2  Attaining Some Uses		
	E P A	FC – Impaired	Category 5  Impaired	Mercury in fish tissue	EPA listed mercury in 2004 due to fish consumption advisory

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B & Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/29/2000 – 11/22/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam SCPAK-A 100057	ADEQ Ambient	6-7 total and 4 dissolved: Cadmium, chromium, lead, nickel, zinc	6-7 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 7 Fluoride 3 Total dissolved solids 7 Turbidity
At boat ramp SCPAK-D	ADEQ Ambient	7 and 1 dissolved metals: Antimony, arsenic, barium, beryllium, boron, copper, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	<7.0 mg/L A&Wc	11/29/2000 – 6.5 mg/L 10/09/2003 – 5.1 mg/L 11/22/2005 – 6.2 mg/L	Inconclusive – Did not meet dissolved oxygen criteria in 3 of 6 sampling events. (Binomial requires a minimum of 5 exceedances and 20 samples to be listed as impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen, mercury	Insufficient dissolved copper to assess A&W.		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, and silver) and selenium were higher than the A&W chronic criteria in at least 1 sample.
DISCUSSION OF MERCURY IMPAIRMENT		Evidence of potential mercury impairment: 1. Mercury fish consumption advisory issued in 2002 still exists; and 2. Two other lakes in this watershed are impaired by mercury (Pena Blanca and Arivaca lakes) which may indicate common source contributions.	
MONITORING RECOMMENDATIONS		High Priority – Collect mercury samples to support TMDL development. Collect dissolved oxygen samples due low levels. Elevated turbidity and low dissolved oxygen may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring. Use lower lab detection limit for selenium and dissolved metals.	

<b>PATAGONIA LAKE</b>  15050301 – 1050 230 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining DWS -- Attaining Agl -- Attaining AgL – Attaining	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/28/2000 – 08/30/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam SCPAT-A 100060	ADEQ Ambient	4 total and 0-1 dissolved: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc	3-4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 3 Fluoride 1 Total dissolved solids 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	<7.0 mg/L A&Wc	08/30/2001 – 6.2 mg/L	Inconclusive – Did not meet dissolved oxygen criterion in 1 of 4 sampling events. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient metals (dissolved cadmium, copper, and zinc) and <i>E. coli</i> bacteria to assess A&W and FBC.		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority –Collect more total dissolved oxygen samples due to exceedance. Low dissolved oxygen may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Use lower lab detection limit for selenium and dissolved mercury.	

<b>PENA BLANCA LAKE</b>  <b>15050301 – 1070</b> <b>50 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Inconclusive FBC – Inconclusive FC – Impaired Agl -- Inconclusive AgL – Inconclusive	Category 4A  Not attaining	Mercury in fish tissue	TMDL for mercury was completed in 1999.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIODS: 11/28/2000 – 08/28/2001; 09/18/2003; 01/08/2004 – 09/28/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam SCPEN-A 100064	ADEQ and U of A Ambient	7-11 total and 3-5 dissolved: Cadmium, chromium, lead, nickel, silver, thallium, zinc	12 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 10 Fluoride 4 Total dissolved solids 10 Turbidity
At boat ramp SCPEN-FR 102761	AGFD Ambient	7-11 total and 0-1 dissolved metals: Antimony, arsenic, barium, beryllium, boron, copper, manganese, mercury, selenium		
Mid Lake SCPEN-B 100065	ADEQ and U of A Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	<7.0 mg/L A&Wc	09/12/03-09/18/03 – 2.5 mg/L	Inconclusive – Did not meet dissolved oxygen criterion in 1 of 8 sampling events (multiple sites). (Binomial)
pH	<9.0 SU A&Wc, FBC, Agl, AgL	09/28/2005 – 12.5 SU	Inconclusive – Did not meet pH criteria in 1 of 6 sampling events (multiple sites). (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen, pH	Insufficient dissolved copper		Lab detection limits for dissolved metals (cadmium, copper, lead, mercury, and silver) and selenium were higher than the A&W chronic criteria in at least 1 sample.
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect samples to determine the effectiveness of TMDL load reduction strategies for mercury.</p> <p>Collect more total dissolved oxygen and pH samples due to exceedances. The old turbidity standard (10 NTU) was slightly exceeded on 2 dates. Low dissolved oxygen, high pH, and elevated turbidity may be symptoms of excess nutrient loadings. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.</p> <p>Use lower lab detection limit for selenium and dissolved metals.</p>	

<b>POTRERO CREEK</b>  From Interstate 19 to Santa Cruz River 15050301 – 500B 4.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/25/2000 – 01/11/2006 Included 01/11/2005 data to be able to assess more designated uses.		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Ruby Road SCPOT001.62 100571	ADEQ and Friends of the Santa Cruz River	3 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, and zinc. 3 total only: Boron, manganese 2 total and 3 dissolved: Mercury 1 total and 3 dissolved: Lead, copper	17-23 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 2 Fluoride 3 Total dissolved solids 2 Suspended sediment concentration 19 Turbidity

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	11/16/2005 – 648 CFU/100 ml	Inconclusive – Only 1 exceedance within the assessment period (3 samples).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Insufficient dissolved and total copper, total lead, and total mercury to assess A&W, FC and AgL		Lab detection limits for selenium were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional <i>E. coli</i> bacteria due to the exceedance.  Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limit for selenium.	

<b>REDROCK CANYON</b>  From headwaters to Harshaw Creek 15050301 – 576 12.7 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/13/2000 – 09/19/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Patagonia, AZ SCREDO05.58 101080	ADEQ Ambient	4-5 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc. 4 total only: Boron, manganese 4 total metals only: Mercury	4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids  4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	<6.0 mg/L A&Ww	09/19/2001 – 5.2 mg/L	Attaining -- Low dissolved oxygen is naturally occurring due to low flows and ground water upwelling. Very low nutrients.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limit for selenium and dissolved mercury.	

<b>RINCON CREEK</b>  From headwaters to Pantano Wash 15050302 – 008 16.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 04/25/2001; 09/21/2005-01/09/2006 Included 01/09/2006 data to assess additional designated uses		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Near Tucson, AZ SCRIN008.97 102170	AGFD Ambient	1 dissolved metal: Antimony, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, silver, and uranium. (0 total metals)	1 sample: Dissolved oxygen, pH	1 Suspended sediment

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>ROSE CANYON LAKE</b>  15050302 – 1260 7 Acres	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining	Category 2  Attaining some uses		
	E P A	A&Wc – Impaired FBC – Impaired	Category 5 Impaired	pH	EPA added pH to 303(d) List in 2004 (Older data included in original listing)

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 10/04/2000 – 08/14/2001		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam SCROS-A 100183	ADEQ Ambient	4 total metal samples: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, and zinc.	4 samples: Ammonia, total nitrogen, nitrate/nitrate, total phosphorus, total Kjeldahl nitrogen. 3 samples: Dissolved oxygen 5 samples: pH	1 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity
At top of lake inlet SCROS-IN 101266	ADEQ Ambient			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
pH	<6.5 SU A&Wc, FBC	06/27/2001 – 6.1-6.3 SU 08/14/2001 – 6.0-6.3 SU	Inconclusive – 2 low pH values in 3 sampling events (4 samples).

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
	Insufficient dissolved metals and <i>E. coli</i> bacteria to assess A&W and FBC		
<b>PH IMPAIRMENT DISCUSSION</b>		Evidence of potential pH impairment: <ol style="list-style-type: none"> <li>All low pH values occurred below 4 meters deep in this seven acre lake, which may be associated with natural conditions;</li> <li>No newer data since the original listing; and</li> <li>A major wildfire occurred in this area in 2003 that may have further impacted water quality.</li> </ol>	
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect additional pH to support TMDL Low pH and turbidity may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring. Collect missing core parameters.	



<b>SABINO CANYON</b>  From unnamed tributary at 322328 / 1104700 to Tanque Verde Wash 15050302 – 014B 14.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining DWS – Inconclusive Agl – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/14/2000 - 09/13/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above East Fork Sabino Canyon SCSAB009.77 100635	ADEQ Ambient	6-9 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.  7 total and 0-1 dissolved: Boron, manganese, mercury  1 Selenium	8-9 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> /bacteria 8 Fluoride 7 Total dissolved solids 1 Suspended sediment concentration 8 Turbidity 1 Cyanide
Above bridge 9 SCSAB007.15 102835	AGFD Ambient			
Near Tucson SCSAB005.40 101152	ADEQ Ambient			
Above bridge 1 SCSAB005.21 102834	ADEQ and AGFD Ambient			
At USGS gage SCSAB004.49 100260	USGS Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Cyanide	41 µg/L A&Ww acute	07/23/2003 – 120 µg/L	Inconclusive-- Exceeded in the only sample that was tested for cyanide. See "Aspen Fire" discussion below.
Dissolved oxygen	<6.0 mg/L A&Ww	09/20/2001 – 5.7 mg/L	Attaining – Low dissolved oxygen due to natural conditions. Very low flow (0.01 cfs) and ground water upwelling.
Lead	15 µg/L FBC and DWS	07/23/2003 – 202 µg/L 02/19/2004 – 1250 µg/L	Inconclusive – 2 exceedances in 8 samples. (Binomial method requires a minimum of 5 exceedances and 20 samples.) See "Aspen Fire" discussion below.
Manganese	980 µg/L DWS	07/23/2003 – 7820 µg/L	Attaining – Exceeded criteria in 1 of 7 samples (Binomial) Exceedance occurred immediately after "Aspen Fire" – see below.
Selenium	2.0 µg/L A&Ww chronic	07/23/2003 – 4.0 µg/L	Inconclusive – Exceeded in 1 sample during the last 3 years of monitoring. The lab detection limit on 6 other samples was above the criteria so could not be used to determine attainment. See "Aspen Fire" discussion below.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.



DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Cyanide	Collected all core parameters		Lab detection limits for dissolved mercury and selenium were above the A&W/w chronic criteria.
<b>ASPEN FIRE of 2003</b>		A major wildfire burned 84,750 acres in the Coronado National Forest, including a major portion of Sabino Canyon's watershed. The fire started on 06/17/2003. Samples collected on 07/23/2003 reflect the impact of this fire on water quality with exceedances of cyanide, lead, manganese, and selenium criteria. The old turbidity criterion (50 NTU) was also exceeded on 07/23/2003 at 2800 NTU. Subsequent monitoring on 02/19/2004 and 09/13/2005 contained only a lead exceedance.	
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect additional cyanide, lead, manganese, and selenium samples due to exceedances to determine any long term impacts of the fire.</p> <p>Use lower lab detection limits for dissolved mercury and selenium.</p> <p>Longer term impacts of erosion and sedimentation should be studied. Collect suspended sediment concentration (SSC) samples. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>SANTA CRUZ RIVER</b>  From headwaters to Mexico border 15050301 – 268 13.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS -- Attaining Agl -- Attaining AgL -- Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 12/13/2000 – 09/19/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Lochiel SCSCR169.35 100242	ADEQ Ambient	4 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.  4 total metals only: Boron, manganese, mercury	4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limit for selenium and dissolved mercury.	

<b>SANTA CRUZ RIVER</b>  From Mexico border to Nogales Intl WWTP discharge 15050301 – 010 17.0 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Attaining FBC – Impaired FC – Inconclusive Agl -- Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Listed due to <i>E. coli</i> bacteria since 2002. TMDL has been delayed because drought has resulted in no stream flow.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/25/2000 – 12/09/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At International boundary with Mexico SCSCR128.27 100239	ADEQ Ambient	7-8 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.	15-17 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 <i>E. coli</i> bacteria 8 Fluoride 8 Total dissolved solids 18 Turbidity
At Guavai Ranch SCSCR119.01 100246	ADEQ and Friends of the Santa Cruz River Ambient	8 total metals only: Boron, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	<6.0 mg/L A&Ww	02/29/2000 – 5.5 mg/L 05/24/2000 – 5.4 mg/L 08/09/2000 – 4.3 mg/L	Attaining -- Low dissolved oxygen levels are naturally occurring due to ground water upwelling and low flows was less than 0.5 cfs.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/09/2000 – 10,000 CFU/100 ml	Remains impaired – One exceedance last 3 years monitored.
Mercury	0.6 µg/L FC	09/18/2000 – 0.8 µg/L	Inconclusive -- 1 exceedance in 8 samples. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Mercury	Collected all core parameters		Lab detection limits for selenium and dissolved metals (lead, mercury, and nickel) were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		<p>High Priority – Collect <i>E. coli</i> bacteria samples to support TMDL development.</p> <p>Collect mercury samples due to exceedance. Use lower lab detection limit for selenium and dissolved metals.</p> <p>The old turbidity standard (50 NTU) was exceeded in 2 samples out of 11 (53 and 100 NTU). Collect SSC samples to determine if excessive suspended sediment is occurring. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>SANTA CRUZ RIVER</b>  From Nogales Intl WWTP discharge to Josephine Canyon 15050301 – 009 9.1 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wedw – Inconclusive PBC – Attaining AgL -- Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/25/2000 – 11/15/2005 (Full suite only on 09/21/2005)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Rio Rico SCSCR111.66 100238	ADEQ and Friends of the Santa Cruz River Ambient	1 dissolved and total metals: Antimony, arsenic, cadmium, and zinc. 1 total only: Beryllium, boron, manganese 1 dissolved only: Chromium, copper, lead 4 total metals only: Mercury	17-32 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration 34 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved and total metals.	Insufficient sampling events.	Lab detection limits for selenium were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use a lower lab detection limit for selenium.	

<b>SANTA CRUZ RIVER</b>  From Josephine Canyon to Tubac Bridge 15050301 – 008A 4.8 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wedw – Inconclusive PBC – Attaining AgL -- Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/25/2000 – 10/01/2001; 09/29/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Santa Gertrudis Lane SCSCR103.45 100247	ADEQ and Friends of the Santa Cruz River Ambient	4 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.	20-24 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 35 Turbidity 2 Chlorine (free residual)
At Tubac, AZ SCSCR103.39 USGS #09481740 101002	ADEQ Special Inv	4 total metals only: Boron, manganese, mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Chlorine	11 µg/L – A&Wedw acute	02/27/2001 – 90 µg/L	Inconclusive – One of 2 chlorine residual samples exceeded water quality criterion.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Chlorine	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Collect more total chlorine residual samples due to exceedance.  Use lower lab detection limit for selenium and dissolved mercury.	

<b>SANTA CRUZ RIVER</b>  From Tubac Bridge to Sopori Wash 15050301 – 008B 8.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive AgL -- Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/25/2000 – 09/29/04; 09/21/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Tubac Bridge SCSCR099.40 100243	ADEQ and Friends of the Santa Cruz Ambient	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, and zinc. 1 total only: Boron, manganese, selenium	18-46 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration 44 Turbidity
North of Chaves Siding Road SCSCR096.72 100244	ADEQ and Friends of the Santa Cruz Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	09/21/2005 – 650 CFU/100 ml	Inconclusive – Criterion exceeded in the only sample tested. Sample had very high nutrient levels, and site is just downstream of where the Effluent Dependent Water classification ends.
pH	<6.5 SU A&We, PBC, AgL	02/29/2000 – 2.6 SU	Attaining – Only 1 exceedance in 46 samples. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Insufficient core parameters	Insufficient sampling events.	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect more <i>E. coli</i> bacteria samples due to exceedance.  Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>SANTA CRUZ RIVER</b>  From Canada del Oro to HUC boundary 15050301 15050301 – 001 8.6 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wedw – Inconclusive PBC – Attaining	Category 2	
		Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIODS: 01/03/2001 – 10/02/2001; 09/12/2005 – 11/15/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Marana SCSCR034.56 101081	ADEQ Ambient	4-5 dissolved and total metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc. 5 total only: Boron, manganese 5 total metals only: Mercury	5 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 5 Fluoride 5 Total dissolved solids 1 Suspended sediment concentration 4 Turbidity 3 Chlorine (free residual)

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Chlorine	11 µg/L A&Wedw acute	02/26/2001 – 480 µg/L 10/02/2001 – 70 µg/L	Inconclusive – 2 exceedances in a 3-year period; however, wastewater treatment facility had a permit variance at the time.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Chlorine	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Medium Priority – Collect more total chlorine residual samples due to the exceedance.  Use lower lab detection limit for selenium and dissolved mercury.	

<b>SONOITA CREEK</b>  From 750 feet below Patagonia WWTP discharge to Patagonia Lake 15050301 – 013C 9.03 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl -- Attaining AgL -- Attaining	Category 5  Impaired	Zinc and low dissolved oxygen	Added zinc to 303(d) list in 2004. Moved low DO from 4B back to 5

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD 12/12/2000 – 09/19/2001; 09/28/2005 – 12/08/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Circle Z Ranch SCSON014.52 101154	ADEQ Ambient	4-5 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.  4 total and 0-1 dissolved: Boron, manganese, mercury	5 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	6 <i>E. coli</i> bacteria 5 Fluoride 6 Total dissolved solids 1 Suspended sediment concentration 6 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Zinc	379 µg/L at >400 hardness A&Ww acute	12/12/2000 – 800 µg/L 04/13/2001 – 860 µg/L 09/28/2005 – 760 µg/L	Remains impaired -- Two exceedances in a 3 year period (2000-2001) Site is downstream of a WWTP discharge and downstream of several historic mining sites.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
LOW DISSOLVED OXYGEN IMPAIRMENT		Low dissolved oxygen is occurring in the reach just below the reach receiving Patagonia’s WWTP effluent discharge. The discharge rapidly goes subsurface. ADEQ is lengthening the reach designated as A&Wedw to include the site where low dissolved oxygen was measured.	
MONITORING RECOMMENDATIONS		High Priority – Collect zinc samples to support TMDL development. Collect dissolved oxygen samples in the reach below the proposed EDW.  Use lower lab detection limit for selenium and dissolved mercury.	



<b>SYCAMORE CANYON</b>  From headwaters to Mexico border 15080200 -- 002 9.9 miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL -- Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 04/24/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Penasco Canyon SCSYR004.21 100660	ADEQ Ambient	1 dissolved and total metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.  1 total metals only: Boron, manganese, mercury,	1 sample: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, pH	1 Fluoride 1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury are higher than the A&Ww criteria.
MONITORING RECOMMENDATIONS		Low Priority –Collect core parameters to represent at least three seasons during an assessment period.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>THREE R CANYON</b>  From headwaters to 312835 / 110 4619 (latitude/longitude where intermittent flow begins) 15050301 – 558A 2.3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Impaired AgL – Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	TMDL completed in 2003. Need to implement improvements at mining sites.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE:		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
No current data				
Data files: 100852				

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters		
MONITORING RECOMMENDATIONS		Low Priority – Additional monitoring should be scheduled to determine effectiveness of improvements at mine sites in this watershed once improvements are completed.	

<b>UNNAMED TRIBUTARY TO THREE R CANYON</b>  From headwaters to Three R Canyon 15050301 – 889 2 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	TMDL completed in 2003. Need to implement improvements at mining sites.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE:		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
No current data				
Data file: 100874				

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters		
MONITORING RECOMMENDATIONS		Low Priority – Additional monitoring should be scheduled to determine effectiveness of improvements at mine sites in this watershed once improvements are completed.	

<b>THREE R CANYON</b>  From 312835 / 110 4619 to 312827 / 1104712 (intermittent flow) 15050301 – 558B 1 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Impaired FC -- Inconclusive AgL -- Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	TMDL completed in 2003. Need to implement improvements at mining sites.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATE: 01/11/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below uppermost spring SCTHC003.83 100872	ADEQ TMDL	1 total and dissolved metal sample: Beryllium, cadmium, copper, and zinc	pH – 1 sample	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper	500 µg/L – AgL 1300 µg/L – FBC	01/11/2000 – 50,000 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period. (Binomial)
Copper (dissolved)	8.7 µg/L at 63 mg/L hardness A&W acute	01/11/2000 – 49,000 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period.
Cadmium (dissolved)	2.6 µg/L at 63 mg/L hardness A&W acute	01/11/2000 – 47 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period.
Zinc (dissolved)	79 µg/L at 63 mg/L hardness A&W acute	01/11/2000 – 1400 µg/L	Remains impaired – Exceeded in only sample collected during this assessment period.
pH	<6.5 SU A&W/w, FBC, AgL	01/11/2000 – 2.9 SU	Remains impaired – Exceeded in only sample collected during this assessment period. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient monitoring events	
MONITORING RECOMMENDATIONS		Medium Priority – Collect samples during critical conditions to determine effectiveness of improvements at mine sites in this watershed once improvements are completed.  Collect missing core parameters to represent at least 3 seasons during an assessment period.	

<b>THREE R CANYON</b>  From 312827 / 1104712 to Sonoita Creek (ephemeral segment) 15050301 – 558C 3 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&We – Impaired PBC – Impaired AgL – Impaired	Category 4A  Not attaining	Cadmium, copper, zinc, and pH	TMDL completed in 2003. Need to implement improvements at mining sites.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE # No current data	AGENCY PURPOSE	SAMPLING DATE:		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters		
MONITORING RECOMMENDATIONS		Low Priority – Collect samples during critical conditions determine effectiveness of improvements at mine sites in this watershed once improvements are completed.  Collect missing core parameters to represent at least 3 seasons during an assessment period.	

# Upper Gila Watershed

## Watershed Description

The Upper Gila Watershed in Arizona is defined by the Gila River drainage area, from the New Mexico border to Coolidge Dam (San Carlos Reservoir). This 7,354 square mile watershed is occupied by only 51,500 people (2000 census), mostly living in the Safford and Clifton areas. Land ownership is approximately: 47% federal, 28% tribal, 15% state, and 10% private. Agriculture is a primary land use in the Safford area. Outside of this area, land use is primarily open range grazing and recreation, with a minor amount of forestry in the national forests. A major mining facility is located in the Clifton-Morenci area along the San Francisco River. Five wilderness areas and the Gila Box Riparian National Conservation Area are located in this watershed and have restricted uses.

Elevations range from 10,028 feet (above sea level) on Mount Graham to 2,990 feet at Coolidge Dam. Except for a few sky islands (mountains located in the desert), most of the watershed is below 5,000 feet, with low desert flora and fauna and warm water aquatic communities where perennial waters exist.

## Water Resources

Precipitation is limited with only 10 inches of rain and up to 2 inches of snow in some locations. Perennial flow is limited to the Gila River above Safford, the San Francisco River and its tributaries, Eagle Creek, portions of Bonita Creek, the San Carlos River, and short segments of tributaries on Mount Graham and in the Chiricahua Mountains. In the Safford area, irrigated agriculture uses a high percentage of the Gila River flow.

An estimate of surface water resources in the Upper Gila Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.

### Estimated Surface Water Resources in the Upper Gila Watershed


#### Not on Tribal Land

	Perennial	Intermittent	Ephemeral
Stream miles	445	970	6,305
	Perennial	Non-perennial	
Lake acres	2,289	0	

#### On Tribal Land – Not Assessed

	Perennial	Intermittent	Ephemeral
Stream miles	105	50	3,795
	Perennial	Non-perennial	
Lake acres	9,523	11,119	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.



## Watershed Partnerships

- **Gila Watershed Partnership**  
The Upper Gila River watershed is about 6,000 square miles, extending from New Mexico to Coolidge Dam and includes the San Carlos Reservation. The objectives of this watershed group are to conserve natural resources, enhance the environment, and maintain or improve the economy and recreational opportunities. It encourages collaboration with both the San Carlos Apache Tribe and southwestern New Mexico. The group meets on the 2<sup>nd</sup> Tuesday of the month in Safford. Contact Jan Holder (928) 348-4577 or watershedholder@yahoo.com.
- **Eagle Creek Watershed Partnership**  
This subwatershed within the Gila Watershed Partnership, is also meeting. Its goal is to work together as a community to preserve ranching and rural traditions, improve and preserve the watershed and valuable resources, protect and enhance habitat for wildlife and domestic animals, and find a sustainable economic survival for the community. They meet on the 2<sup>nd</sup> Friday of month. Contact Chase Caldwell at (480) 635-1245 or chase.caldwell@cox.net.

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses have been completed, are ongoing, or are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov).

- Cave Creek, from its headwaters to the South Fork of Cave Creek, is impaired by selenium. Selenium, at the concentration found, may pose a risk to aquatic life and prey that feed on them, but does not pose a problem to humans even if they consume the fish. A selenium TMDL was initiated in 2006, as this water is classified as a "unique water" or an "outstanding Arizona water" where degradation of water quality is not allowed (i.e., Antidegradation Rule R18-11-107 tier 3 water).
- Blue River was found to be no longer impaired by turbidity based on a TMDL study in 2002. ADEQ showed that the lower Blue River, from KP Creek to the San Francisco River, was in compliance with its standards based on 10 years of samples -- 44 samples collected between 1992 through 2001.
- Gila River, upstream of the San Francisco River for 15 miles, is also impaired by selenium. Selenium, at the concentration found, may pose a risk to aquatic life and prey that feed on them, but does not pose a problem to humans even if they consume the fish. A selenium TMDL is scheduled to be initiated in 2006.
- Gila River, upstream of Bonita Creek confluence for 6 miles, is impaired by *Escherichia coli* bacteria and suspended sediment. Exceedances of the E. coli standard may represent a significant public health concern if people are swimming or even wading in the water. Suspended sediment may negatively impact aquatic communities. The drainage area is nearly 8,000 square miles, so determining the sources of contamination may be complex and is expected to require substantial monitoring data to identify sources. TMDLs are scheduled to be initiated in 2006.
- Luna Lake, near Alpine, is impaired by excess nutrient loading and frequently has not met dissolved oxygen or pH standards. Nutrient enrichment may lead to algal blooms, low dissolved oxygen, high pH, and even fish kills. A nutrient TMDL, approved in 2000, indicated that external inputs of nutrients (nitrogen and phosphorus) to the lake, along with current lake nutrient cycling (algae and macrophyte growth and die-offs), have resulted in a highly productive (eutrophic) system that repeatedly fails to meet surface water quality standards. To meet standards watershed management measures are aimed at reductions in nutrient loading from the following sources: septic systems, residential areas, grazing (livestock and wildlife), and macrophyte

decomposition. Reduction in sediment transport is also advised because nutrients are frequently attached to sediments. Several management measures have been initiated in this watershed and monitoring is scheduled to determine their effectiveness.

- San Francisco River, near Luna Lake, is impaired due to suspended sediment. Suspended sediment may negatively impact aquatic communities. A TMDL is scheduled to be initiated in 2009.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/enviro/water/watershed/fin.html>.

- **Alpine – Luna Lake Improvement Project**  
Apache County (2001)  
Dredge accumulated sediment and harvest weeds from Luna Lake to decrease nitrogen recycling. Collect water quality samples to help identify faulty septic systems. Provide financial assistance to repair or replace faulty septic systems.
- **Road Rehabilitation in San Simon Wash**  
Coronado Resource Conservation and Development Area (2001)  
Rehabilitate 14 miles of unimproved roads within the watershed using structures to decrease sediment entering the San Simon River. Provide educational materials concerning erosion and sediment controls.
- **Coal Creek Riparian Corridor**  
Apache-Sitgreaves National Forest Clifton Ranger District (2002)  
Restore a 2.5 mile, 265 acre, riparian corridor along Coal Creek. Construct fencing to exclude cattle and wildlife and revegetate using native plants. Site to be used for riparian education field trips for local schools.
- **Maylay Pasture Improvement**  
4 Drag Ranch (2002)  
Rehabilitate riparian area along East Eagle Creek and Robinson Creek by developing an alternative livestock watering source and adding fencing. (Water Protection Fund matching funds)
- **Martinez Ranch Water Quality Improvement Project**  
Hero Consulting (2002)  
Restore riparian conditions along the San Francisco River by fencing to exclude wildlife and cattle, revegetating, and installing erosion control structures. Develop an information kiosk to explain the project's goals and accomplishments.
- **Trees for the Rim Project (2003)**  
Arizona Community Tree Council  
Provide trees and other vegetation at no cost to those private property owners whose trees and landscape plants were destroyed during the Rodeo-Chediski fire in 2002. These actions are to help restore vegetation and thereby reduce runoff pollution.
- **Peterson Wash Stabilization Project**  
Gila Watershed Partnership (2004)  
Rehabilitate Peterson Wash to reduce erosion and sedimentation transport to the Gila River.
- **San Simon Soil Restoration Project**  
Gila Watershed Partnership (2004)  
Restore an area of eroded and unproductive land along the San Simon River by reducing animal impacts in the riparian area.



- **Point of Pines Crossing Rehabilitation Project**  
Gila Watershed Partnership (2004)  
Repair the Point of Pines gate and fencing to reduce stream bank erosion and sediment load caused by livestock, wildlife, and vehicles.
- **Central Detection Dam Rehabilitation Project**  
Gila Watershed Partnership (2005)  
Rehabilitate the Central Detection Dam, a 27-foot high earthen flood control dam built in 1948, which reduces erosion during heavy rainfall. Clean the spillway, remove debris and sediment, clear excessive vegetation in the outlet structure and emergency spillway, and repair damage caused by off-highway vehicles. A fence was installed as a vehicle deterrent, and signage was posted to provide education and outreach.
- **Kaler Ranch Erosion Control Project**  
Gila Watershed Partnership (2005 and 2006)  
Extend and improve road drainage culverts and construct stream bank protection structures along the roads in the San Francisco River drainage. Provide education and outreach for the community.
- **Gila River Clean Up Project**  
Gila Watershed Partnership (2006)  
Remove approximately 6,000 tons of illegally dumped debris along the Gila River.
- **Upper Eagle Creek Watershed Restoration Project**  
Upper Eagle Creek Watershed Partnership (2006)  
Construct fencing and provide alternative water sources for to exclude livestock from Eagle Creek. Apply intensive grazing management techniques such as rotational grazing to reduce erosion and sediment transport.

**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Gila Reference Riparian Area Discovery Park Project**  
Mount Graham International Science and Cultural Foundation (2000)  
Propagate native vegetation in a 65 acre area of this 125 acre scientific, historic, and cultural theme park. Continue exotic weed eradication in the revegetation areas.
- **Upper Eagle Creek Restoration on Four Drag Ranch Project**  
4 Drag Ranch (2000)  
Rehabilitate the riparian area along East Eagle Creek and Robinson Creek by developing an alternative livestock watering source and adding fencing. Work completed in cooperation with the U.S. Forest Service. (Water Protection Fund matching funds)
- **Georges Lake Riparian Restoration Project**  
National Wild Turkey Federation (2005)  
Rehabilitate Georges Lake, a wet meadow, by fencing out cattle and livestock. Work in cooperation with the U.S. Forest Service, Alpine Ranger District

**Other Water Quality Studies** – The following additional water quality related studies were completed since 2000 in this watershed.

- ***A Watershed at a Watershed: The Potential for Environmentally Sensitive Area Protection in the Upper San Pedro Drainage Basin (Mexico and USA)***  
Frederick Steiner, Fohn Blair, Laurel McSherry, Subhrajit Guhathakurta, Juquin Marruffo, Mathew Holm, ASU, School of Planning and Landscape Architecture, Landscape and Urban Planning 49 (2000) 129-148

In the upper San Pedro River rapid urbanization, cattle ranching, and irrigated agricultural pumping in the drainage basin are having negative environmental consequences, including water quality and supply problems, increased soil erosion, threats to wildlife habitats, and degradation of scenic resources. Copper mining, just outside the watershed, potentially impacts ground water and the San Pedro riparian system. This paper focuses on the design of a framework for the identification of environmentally sensitive areas in a watershed and an analysis of existing governmental plans to protect such areas.

- ***Watershed Based Plan for the Campomoch/Sacaton Watershed, a sub-watershed of the Willcox Playa in Southeastern Arizona***  
 Campomoch/Sacaton Watershed Group (2002)  
 A multi-partner local watershed group identified this area as a high priority focus area for watershed improvements. The primary land use is rangeland, with rural residences and farms just outside the area. Lands ownership is approximately: 85% state, 10% U.S. Forest Service, and 7% private land. Problems identified include soil erosion, poor soil condition, poor vegetative cover, excessive water runoff, sedimentation, reduced forage production, low plant diversity, impaired wildlife habitat, flood damages, and human health and safety concerns. The plan identified management practices that would improve watershed health and water quality.
- ***Walnut Gulch Experimental Watershed – Tombstone, Arizona***  
 Southwest Watershed Research Center, USDA, Tucson (2003)  
 The Walnut Gulch Experimental Watershed encompasses the 150 square kilometers that surrounds the historical western town of Tombstone in the upper San Pedro Watershed. Research is focused on quantifying the influence of upland conservation on downstream water supply (water appropriation questions) and water quality erosion and soil transport concerns in a normally dry river bed. Research was initiated in the 1950's. Information can be obtained by contacting the research leader at (520) 670-6380 or [www.tucson.ars.ag.gov](http://www.tucson.ars.ag.gov).
- ***Water Quality Data for Selected National Park Units, Southern and Central Arizona and West-Central New Mexico, Water Years 2003 and 2004***  
 U.S. Geological Survey in cooperation with the National Park Service (2005)  
 Field measurements and water samples were collected at springs, mine adits, streams, and wells at 30 sites in 9 park units in 2003-2004 to provide baseline (ambient) water quality information. Only 24 of the 30 sites were sampled three times due to drought conditions and lack of water during parts of the year.
- ***Status of Federal and State Listed Warm Water Fishes of the Gila River Basin, with Recommendations for Management***  
 Desert Fishes Team Report Number 1 (2003)  
 This report reviews the status of 12 federal and state listed native warm water fishes in the Gila River basin and the post 1967 recovery and conservation actions taken by all agencies, organizations, or parties.
- ***San Carlos/Safford/Duncan Watershed 10-year Plan***  
 Advisory Group for the San Carlos/Safford/Duncan Watershed (currently the Gila Watershed Partnership)  
 This plan provides a description of existing conditions and issues in the Upper Gila Watershed, describing on-going, future, and completed projects initiated by this watershed group.
- ***Ambient Surface Water Quality for Rivers and Streams of the Upper Gila River Basin: Water Year 2000***  
 Doug McCarty, Steve Pawlowski and Patti Spindler with ADEQ (2004)  
 A regional study of ambient surface water quality of the Upper Gila River Watershed was conducted by ADEQ to characterize chemical and biological conditions based on chemical samples, field measurements, and macroinvertebrate bioassessments.

## Assessments




The Santa Cruz Watershed can be separated into the following drainage areas (subwatersheds):

15040002	Mangus Creek Drainage Area
15040003	Animas Valley Drainage Area
15040004	San Francisco River Drainage Area
15040005	Upper Gila River Drainage Area
15040006	San Simon River Drainage Area
15040007	San Carlos River Drainage Area (Tribal Land – Not Assessed)

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).

# Upper Gila Watershed 2006/2008 Assessment for Streams & Lakes



## Legend

-  HUC Watershed Boundaries
-  Lakes
-  Streams

## Assessed Streams and Lakes

### ADEQ and EPA Listings

-  Attaining
-  Not Attaining (Impaired)
-  Impaired
-  EPA Impairment



<b>ASH CREEK</b>  From unnamed tributary at 234537 / 1095222 to Gila River 15040005 – 040B 14.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL -- Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/16/2000 – 09/29/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At end of Forest Road #307 UGA1H011.08 100830	ADEQ Ambient	3-4 total metals only: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc.  4 total and 0-1 dissolved: Boron, manganese, lead, mercury	6 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	5 <i>E. coli</i> bacteria 6 Fluoride 6 Total dissolved solids 6 Turbidity 4 Suspended sediment concentration

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 µg/L A&Ww	09/29/2005 – 3.7 mg/L	Attaining – Low dissolved oxygen due to natural conditions with low flow (0.004 cfs) and ground water source.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved metals (cadmium, copper, mercury, and zinc) were higher than the A&W chronic criteria in at least 1 sample.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limit for selenium and dissolved metals.	

<b>BLUE RIVER</b>  From New Mexico border to KP Creek 15040004 -- 026 21.4 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Inconclusive FBC – Attaining FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 06/13/2000, 09/19/2000, 08/17/2005, 10/26/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Jackson Box UGBLR046.35 100419	ADEQ Ambient	1-2 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc. 2 total only: Boron, manganese	3-4 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen and pH	4 <i>E. coli</i> bacteria 4 Fluoride 2 Suspended sediment concentration 4 Turbidity
Bobcat Flat UGBLR050.44 101184	ADEQ TMDL		4 Dissolved oxygen and pH samples at each of the 9 sites (36 samples)	4 turbidity 3 Suspended sediment concentration samples at each of the 9 sites
Lazy YJ Ranch UGBLR044.30 101185	ADEQ TMDL			
Below Nolan Creek UGBLR0043.45 101186	ADEQ TMDL			
Above Blue crossing UGBLR0042.52 101188	ADEQ TMDL			
Below Blue crossing UGBLR0041.37 101187	ADEQ TMDL			
Above Balke crossing UGBLR036.37 101189	ADEQ TMDL			
Below Balke crossing UGBLR036.02 101190	ADEQ TMDL			
Above Box UGBLR031.69 101191	ADEQ TMDL			
Below Box UGBLR030.77 101192	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD (UNIT) DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	06/13/2000 – 6.0 mg/L 08/17/2005 – 6.5 mg/L	Attaining – Only 2 samples did not meet criterion in 20 samples. (Binomial)

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Missing metals needed to assess A&W, FC, Agl, and AgL		Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority: Collect missing core parameters to represent at least 3 seasons. Use lower lab detection limits for selenium.	

<b>BLUE RIVER</b>  From KP Creek to Strayhorse Creek 15040004 – 025A 3.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Inconclusive AgI – Inconclusive AgL – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 03/29/2000 – 10/25/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below KP Creek UGBLR028.99 100835	ADEQ Ambient	1-2 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc.  2 total metals only: Boron, manganese	2-3 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Total dissolved solids 2 Suspended sediment concentration 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient metal samples to assess FC, AgI, AgL	Only two seasons were represented by samples	Lab detection limit for selenium was higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority: Collect missing core parameters to represent at least 3 seasons during the assessment period.  Use lower lab detection limits for selenium.	



<b>BLUE RIVER</b>  From Strayhorse Creek to San Francisco River 15040004 – 025B 25.4 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Inconclusive FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Add <i>E. coli</i> bacteria to the 303(d) List.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/28/2000 – 10/25/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Fritz Ranch UGBLR011.55 100835	ADEQ TMDL	4-24 total and dissolved metals samples: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, silver, thallium, and zinc.	23 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen, dissolved oxygen, and pH	20 <i>E. coli</i> bacteria 23 Fluoride 21 Total dissolved solids 18 Suspended sediment concentration 24 Turbidity
At Juan Miller Road UGBLR008.19 100398	ADEQ Ambient			
Near Clifton, AZ USGS #09444200 UGBLR008.09 100770	USGS Ambient ADEQ TMDL	23 total only: Boron, manganese		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	07/28/2004 – 14400 CFU/100 ml 10/27/2004 – 750 CFU/100 ml 08/09/2005 – 620 CFU/100 ml	Impaired -- Three exceedances during the assessment period (out of 20 samples).
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	07/28/2004 – 2700 mg/L 10/27/2004 – 92 mg/L 03/02/2005 – 93 mg/L 08/29/2005 – 109 mg/L	Inconclusive -- 4 of 18 samples exceeded 80 mg/L. One of the results was not included in the geometric mean calculation, because flows were above the 85 <sup>th</sup> percentile of recorded flow (93 mg/L). Using the remaining 17 samples, the geometric mean exceeded 80 mg/L one time. (Two exceedances of the geometric mean are required to list as impaired.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Suspended sediment concentration (SSC)	Collected all core parameters		Lab detection limits for selenium and dissolved metals (cadmium, copper, lead, mercury, and zinc) were higher than A&Ww chronic criteria in at least 1 sample.
MONITORING RECOMMENDATIONS		Medium Priority: Collect additional SSC samples due to exceedances. Note that the old turbidity standard (50 NTU) was also exceeded in 2 of 24 field turbidity samples (>999 and 79 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted  Use lower lab detection limits for selenium and dissolved metals.	



<b>BONITA CREEK</b>  From Park Creek to Gila River 15040005 – 030 14.6 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIODS: 01/11/2000 – 05/14/2002; 09/28/2005-12/13/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below San Carlos Apache Reservation UGBON014.47 100188	ADEQ Ambient	7 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, and zinc.	11 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	9 <i>E. coli</i> bacteria 11 Fluoride 11 Total dissolved solids 1 Suspended sediment concentration 11 Turbidity
Above Gila River UGBON000.17 100185	ADEQ Ambient	4-7 total and 0-1 dissolved: Barium, boron, manganese, mercury, nickel, silver, thallium.		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority: Use lower lab detection limits for selenium and dissolved mercury.	

<b>CAMPBELL BLUE RIVER</b>  From headwaters to Blue River 15040004 – 028 19.7 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/28/2000 – 08/28/2001; and 08/16/2005 – 10/26/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above KE Canyon UGCMB004.23 100522	ADEQ Ambient	3-4 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc.  4 total and 1-2 dissolved: Chromium, mercury  1-2 total and dissolved samples: Barium, nickel, silver, thallium.	4 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen  11-17 samples: Dissolved oxygen and pH	4 <i>E. coli</i> bacteria 5 Fluoride 5 Total dissolved solids 2 Suspended sediment concentration 17 Turbidity
Above Turkey Creek UGCMB002.62 101181	ADEQ TMDL			
Below Turkey Creek UGCMB001.83 101182	ADEQ TMDL			
Above Dry Blue Creek UGCMB000.49 101183	ADEQ TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/17/2001 – 5.5 mg/L 08/28/2001 – 6.4 mg/L	Attaining – Low dissolved oxygen results due to natural conditions with ground water upwelling, drought conditions, and very low flows (less than 0.5 cfs).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority: Use lower lab detection limits for selenium and dissolved mercury.	

<b>CAVE CREEK</b>  From headwaters to South Fork Cave Creek 15040006 – 852A 7.5 Miles  Unique Water	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Wc – Impaired FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Selenium	Selenium listed in 2004.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/24/2000 – 05/29/2002; and 08/30/2005 – 11/09/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Herb Martyr Campground UGCAV016.84 101108	ADEQ Ambient	4-9 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc.	10-12 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	10 <i>E. coli</i> bacteria 10 Fluoride 12 Total dissolved solids 1 Suspended sediment concentration 11 Turbidity
Below North Fork Cave Creek UGCAV-014.44 100933	ADEQ Ambient	4-6 total metals only: Boron, manganese, mercury  1 Selenium		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2.0 µg/L A&Wc chronic	01/24/2000 – 6.7 µg/L	Inconclusive – 1 exceedance in this assessment period. Because the lab detection limit (5 µg/L) is higher than the standard (2 µg/L), the other selenium samples collected could not be used to determine attainment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		High Priority – Collect selenium samples to support development of a TMDL.  Use lower lab detection limit for selenium and dissolved mercury.	

<b>CAVE CREEK</b>  From South Fork Cave Creek to Coronado National Forest boundary 15040006 – 852B 1.5 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgI – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/25/2000 – 12/12/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Coronado Ranger Station UGCAV011.45 100937	ADEQ Ambient	3-4 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, copper, and zinc.  4 total 0-2 dissolved metals: Barium, boron, chromium, lead, manganese, mercury, nickel, silver, thallium,	5 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	5 <i>E. coli</i> bacteria 5 Fluoride 5 Total dissolved solids  5 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limit for selenium and dissolved mercury.	

<b>CLUFF RANCH POND #3</b>  15040005 – 0370 15 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 03/03/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam UGCRC-A 102755	AGFD Ambient	1 total metals only: Copper, mercury	1 sample: Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	0 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for mercury was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period.  Use lower lab detection limit for mercury.	

<b>COLEMAN CREEK</b>  From headwaters to Campbell Blue Creek 15040004 – 040 7.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 08/16/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Turkey Creek UGCOL003.48 100523	ADEQ Ambient	1 total and dissolved metal samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, and zinc.  1 total metals only: Boron, manganese	1 sample: Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period.  Use lower lab detection limits for selenium.	

<b>DANKWORTH PONDS</b>  15040006 – 0440 8 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive	Category 2	
	FBC – Inconclusive FC – Attaining	Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 02/15/2000 – 12/22/2000; and 03/03/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam UGDAN-A 100018	ADEQ Ambient	3-5 total metals only: Arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, and zinc.	3-7 samples: Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	6 Fluoride 7 Total dissolved solids 2 Turbidity
At Pond UGDAN-POND 100988	ADEQ Ambient	1 total: Selenium, nickel		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	20 µg/L – A&Wc acute	08/20/2000 – 25 µg/L	Inconclusive – Only 1 sample exceeded the criterion. Very high magnitude of concentration. Because the lab detection limits in 3 other samples were higher than standard, they so could not be used to determine attainment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	Insufficient dissolved metals and <i>E. coli</i> bacteria to assess A&W and FBC		Lab detection limits for selenium were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect selenium data due to the exceedance.  Use lower lab detection limit for selenium.  Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>DIX CREEK</b>  From headwaters to San Francisco River 15040004 – 1575 2.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive	Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 08/08/2005 – 11/02/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above diversion dam UGDIX000.78 103416	ADEQ Ambient	2 total and dissolved metals sample: Antimony, arsenic, beryllium, boron, cadmium, copper, lead, mercury, and zinc.  2 total metals only: Boron, chromium, manganese, selenium	2 samples: Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids 2 Suspended sediment concentration 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period.	



<b>EAGLE CREEK</b>  From headwaters to tributary at 332324 / 1092935 15040005 – 028A 11.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/12/2000 – 07/25/2000; 08/09/2005 – 11/01/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Above Honeymoon Campground UGEAG056.85 100535	ADEQ Ambient	3 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, copper, lead and zinc. 3 total and 0-2 dissolved: Boron, chromium, manganese, mercury  1 dissolved and total metal: Barium, nickel, silver, thallium.	5 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 5 Fluoride 5 Total dissolved solids 2 Suspended sediment concentration 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority: Use lower lab detection limits for selenium and dissolved mercury.	

<b>EAGLE CREEK</b>  From Willow Creek to Sheeps Wash 15040005 – 027 5.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/12/2000 – 11/01/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Sheeps Wash UGEAG040.33 100536	ADEQ Ambient	3-7 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc.  7 total and 2 dissolved: Mercury  1 total and dissolved: Barium, nickel, silver, thallium.	9 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 <i>E. coli</i> bacteria 9 Fluoride 9 Total dissolved solids 6 Suspended sediment concentration 9 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority: Use lower lab detection limits for selenium and dissolved mercury.	

<b>EAGLE CREEK</b>  From Sheeps Wash to Gila River 15040005 – 025 41.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/11/2000 – 05/19/2003		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below Gold Gulch UGEAG010.12 100806	ADEQ Ambient	4 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, and zinc.  4 total and 0-1 dissolved: Boron, lead, manganese, mercury  1 total and dissolved: Barium, nickel, silver, thallium.	6 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 6 Fluoride 6 Total dissolved solids 3 Suspended sediment concentration 6 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority: Use lower lab detection limits for selenium and dissolved mercury.	

<b>EAST TURKEY CREEK</b>  From headwaters to terminus (San Simon Wash drainage) 15040006 – 837A 7.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL -- Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 08/30/2005, 11/08/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Forest Road #42 UGETK011.80 100545	ADEQ Ambient	1 total and dissolved metal samples: Antimony, arsenic, beryllium, cadmium, and zinc.  1 total metals only: Boron, chromium, copper, lead, manganese, mercury,	1-2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 1 Suspended sediment concentration. 2 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient monitoring events	Lab detection limits for selenium and dissolved metals (copper, lead, and mercury) were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limit for selenium and dissolved metals. Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>FRYE CANYON CREEK</b>  From headwaters to Frye Mesa Reservoir 15040005 – 988A 5.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATES:</b> 03/14/2000, 09/27/2000, 09/29/2005		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Forest Road #36 UGFRY009.52 100720	ADEQ Ambient	1 total and dissolved metal samples: Antimony, arsenic, beryllium, cadmium, copper, lead, mercury, and zinc.  1 total metals only: Boron, chromium, manganese	3 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 3 Fluoride 3 Total dissolved solids 1 Suspended sediment concentration. 3 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient monitoring events	Lab detection limits for selenium, were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limit for selenium.	

<b>GILA RIVER</b>  From New Mexico border to Bitter Creek 15040002 – 004 16.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Suspended sediment concentration (SSC) and <i>E. coli</i> bacteria	Add both SSC and <i>E. coli</i> bacteria

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/15/2000 – 11/30/2005		
		NUMBER AND TYPES OF SAMPLES		
Near Duncan UGGLR505.96 USGS #09442000 103656	USGS Ambient	Metals	Nutrients – Related	Other
		10-15 total and dissolved metals samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, and zinc.  1-2 total: Barium, nickel, selenium, silver, thallium.	16-19 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	16 <i>E. coli</i> bacteria 16 Fluoride 18 Total dissolved solids 11 Suspended sediment concentration 19 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper	500 µg/L – AgL 1300 µg/L – FBC	07/27/2004 – 2800 µg/L	Attaining – Standard was exceeded only once in 12 samples. (Binomial)
Copper (dissolved)	47.3 µg/L at 360 mg/L hardness A&Ww chronic	05/15/2000 – 170 µg/L	Inconclusive – Only 1 exceedance during the assessment period
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	07/28/2004 – 828 CFU/100 ml 10/27/2004 – 5700 CFU/100 ml	Impaired – 2 exceedances in a 3-year period. Results above than the 300 CFU/100 ml screening value.
Lead	15 µg/L – FBC 100 µg/L – AgL	07/28/2004 – 280 µg/L 10/27/2004 – 210 µg/L	Attaining – Only 2 exceedances in 12 samples. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	11/03/2003 – 92 mg/L – 15 cfs 02/09/2004 – 123 mg/L – 92 cfs* 07/27/2004 – 4560 mg/L – 70 cfs 10/27/2004 – 9400 mg/L – 67 cfs 03/01/2005 – 630 mg/L – 2000 cfs* 05/23/2005 – 85 mg/L – 87 cfs*	Impaired – 6 of 13 samples exceeded 80 mg/L. Three of the results (*) were not included in the geometric mean calculation, because flows were above the 50 Percentile of recorded flow (78 cfs). Using the remaining 10 samples, the geometric mean exceeded 80 mg/L two times.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		
MONITORING RECOMMENDATIONS		High Priority: Collect SSC and <i>E. coli</i> bacteria data to support development of TMDLs.  Note that the old turbidity standard (50 NTU) was also exceeded in 7 of 12 field turbidity samples. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>GILA RIVER</b>  From Skully Creek to San Francisco River 15040002 – 001 15.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Inconclusive FC – Attaining Agl – Attaining AgL -- Attaining	Category 5  Impaired	Selenium	Added selenium in 2004

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/13/2000 – 11/29/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Safford Bridge UGGLR471.49 100809	ADEQ Ambient	10-15 total and dissolved metals samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, and zinc.  1-2 total: Barium, nickel, selenium, silver, thallium.	16-19 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	16 <i>E. coli</i> bacteria 16 Fluoride 18 Total dissolved solids 11 Suspended sediment concentration 19 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	15.9 µg/L at 140 mg/L hardness A&Ww acute	05/13/2003 – 98 µg/L	Inconclusive – One exceedance during the assessment period. Total copper in this sample was reported as <10 µg/L; therefore, this dissolved copper result has low reliability.
Dissolved oxygen	6.0 mg/L A&Ww	08/02/2002 – 5.6 mg/L	Attaining – Standard was not met only once in 17 samples. (Binomial)
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	07/26/2004 – 4300 CFU/100 ml	Inconclusive – One exceedance during the last 3 years of monitoring.
Lead	15 µg/L – FBC 100 µg/L – AgL	8/12/2002 – 110 µg/L 7/26/04 – 79 µg/L	Attaining – Only 2 exceedances in 16 samples. (Binomial)
Selenium	2 µg/L A&Ww chronic	08/12/2002 – 7 µg/L 10/30/2002 – 5 µg/L	Remains impaired -- 2 exceedances in a 3-year period. (Lab detection limits in 16 other samples were higher than standard, so could not be considered for this assessment.)
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	02/10/2004 – 113 mg/L – 110 cfs 07/26/2004 – 17,200 mg/L – 175 cfs 03/03/2005 – 672 mg/L – 1100 cfs 08/04/2005 – 323 mg/L – 36 cfs	Inconclusive – 4 of 11 samples exceeded 80 mg/L. Normal flow data was not available at this site; therefore, a geometric mean of at least 4 consecutive SSC readings at normal flow could not be calculated. (Note that the old turbidity standard (50 NTU) was also exceeded in 6 of 16 field turbidity samples.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria, dissolved copper, and suspended sediment concentration	Collected all core parameters		Lab detection limits for selenium were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		<p>High Priority: Collect selenium data to support development of a TMDL.</p> <p>Collect dissolved copper, suspended sediment concentration, and <i>E. coli</i> bacteria data due to exceedances. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted</p> <p>Use lower lab detection limit for selenium.</p>	



GILA RIVER  From Bonita Creek to Yuma Wash 15040005 – 022 5.8 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Ww – Inconclusive FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Added <i>E. coli</i> bacteria in 2004.
	E P A	A&Ww – Impaired	Category 5 Impaired	Sediment	EPA added sediment in 2004.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/30/2000 – 08/11/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Bonita Creek UGGLR452.43 100814	ADEQ Ambient	18-20 total and dissolved metals samples: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, thallium, and zinc.	19-20 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	19 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 20 Suspended sediment concentration 19 Turbidity
At head of Safford Valley USGS #0948500 UGGLR448.61 100729	USGS Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Copper (dissolved)	7.7 µg/L at 177 mg/L hardness A&Ww chronic	10/13/2000 – 9 µg/L	Attaining – Only 1 exceedance during the assessment period.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/30/2000 – 2300 CFU/100 ml 10/13/2000 – 2100 CFU/100 ml 08/11/2004 – 350 CFU/100 ml	Remains impaired -- 3 exceedances during the assessment period.
Lead	15 µg/L FBC	08/30/2000 – 94 µg/L 10/13/2000 – 46 µg/L 08/11/2004 – 20.2 µg/L	Attaining – Only 3 exceedances in 20 samples. (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	08/30/2000 – 6410 mg/L – 334 cfs* 10/13/2000 – 3060 mg/L – 3220 cfs* 03/28/2001 – 88 mg/L – 578 cfs* 09/06/2001 – 197 mg/L – 149 cfs 08/22/2002 – 579 mg/L – 103 cfs 03/27/2003 – 150 mg/L – 628 cfs* 09/10/2003 – 473 mg/L – 74 cfs 03/28/2004 – 313 mg/L – 545 cfs* 08/11/2004 – 884 mg/L – 162 cfs	Inconclusive -- 9 of 20 samples exceeded 80 mg/L. Five of the results (*) were not included in the geometric mean calculation, because flows were above the 50 <sup>th</sup> Percentile of recorded flow (176 cfs). Using the remaining 15 results, the geometric mean exceeded 80 mg/L 1 time.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for dissolved mercury were higher than A&W/w chronic criteria.
DISCUSSION OF SUSPENDED SEDIMENT IMPAIRMENT		<p>Evidence of potential sediment impairment:</p> <ol style="list-style-type: none"> <li>1. Only exceeded geometric mean standard once (using a minimum of 4 consecutive samples, and excluding data collected during higher flows);</li> <li>2. During higher flows, suspended sediments were measured as high as 6410 mg/L; and</li> <li>3. Suspended sediment routinely exceeds the 80 mg/L criteria (9 of 20 samples), which seems to indicate a high level of sediment transport.</li> </ol>	
MONITORING RECOMMENDATIONS		<p>High Priority: Collect suspended sediment and <i>E. coli</i> data to support development of TMDLs.</p> <p>Note that the old turbidity standard (50 NTU) was also exceeded in 7 of 19 field turbidity samples. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p> <p>Use lower lab detection limits for dissolved mercury.</p>	

<b>KP CREEK</b>  From headwaters to Blue River 15040004 – 029 12.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/29/2000 – 10/25/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Blue River UGKPK000.12 100889	ADEQ Ambient	3-6 total and dissolved metals: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, and zinc.  6 total and 0-1 dissolved: Boron, lead, manganese, and mercury	7-9 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	6 <i>E. coli</i> bacteria 8 Fluoride 9 Total dissolved solids 6 Suspended sediment concentration 9 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	09/19/2000 – 6.65 mg/L	Attaining – Low dissolved oxygen due to natural conditions and ground water upwelling. Low stream flow (0.01 cfs).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved copper were higher than the A&W chronic criteria in at least 2 samples.
MONITORING RECOMMENDATIONS		Low Priority –Use lower lab detection limit for selenium and dissolved copper.	

<b>LUNA LAKE</b>  15040004 -- 0840 120 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Impaired FBC – Impaired FC – Inconclusive AgL – Impaired	Category 4A  Not attaining	Low dissolved oxygen, high pH, narrative nutrients	TMDL completed in 2000.

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/17/2001 – 11/03/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At dam UGLUN-A 100036	ADEQ Ambient HERO Consulting 319 Grant	2 total metal samples only: Antimony, arsenic, barium, boron, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, thallium, and zinc.	4 samples: Ammonia, nitrite/nitrate, total Kjeldahl nitrogen 44-49 samples: Dissolved oxygen and pH 25 samples: total nitrogen and total phosphorus.	2 <i>E. coli</i> bacteria 4 Fluoride 3 Total dissolved solids 5 Turbidity
Mid lake UGLUN-B 100979	ADEQ Ambient HERO Consulting 319 Grant			
North of fishing dock UGLUN-2 103292	HERO Consulting 319 Grant			
South of fishing dock UGLUN-1	HERO Consulting 319 Grant			

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	08/17/2001 – 4.0 mg/L 08/26/2001 – 6.4 mg/L 07/15/2002 – 3.1 mg/L 07/28/2002 – 2.0 mg/L 08/13/2002 – 3.4 mg/L	Remains impaired -- 5 of 11 samples at one site (mid lake) in the upper meter of water had low dissolved oxygen. (Binomial)
pH	<9.0 SU A&Wc, FBC, AgL	08/17/2001 – 9.3 SU 08/26/2001 – 9.4 SU 11/11/2001 – 9.3 SU 06/17/2002 – 9.5 SU 06/15/2002 – 9.4 SU	Remains impaired -- 5 of 11 samples at one site (mid lake) in the upper meter of water had high pH. (Binomial)
Lead	15 µg/L FBC	11/03/2004 – 20 µg/L	Inconclusive -- 1 of 2 lead samples exceeded standards. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Lead	Insufficient metals samples to assess FC, and AgL	Missing seasonal distribution	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect samples during critical conditions to determine the effectiveness of TMDL strategies in the watershed. Low dissolved oxygen and high pH may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring based on the pH and dissolved oxygen violations. Collect lead samples due to exceedance. Collect missing core parameters.	

<b>NORTH FORK CAVE CREEK</b>  From headwaters to Cave Creek 15040006 -- 856 5.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive	Inconclusive	

### MONITORING USED IN THIS ASSESSMENT

SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 08/30/2005, 11/09/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Cave Creek UGNCV000.04 101129	ADEQ Ambient	1 total and dissolved metals sample: Arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, and zinc.  1 total metal only: Boron, manganese.	1-2 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 1 Fluoride 2 Total dissolved solids 1 Suspended sediment concentration 2 Turbidity

### EXCEEDANCES

POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7 mg/L A&Wc	08/30/2005 – 6.4 mg/L	Attaining – Naturally occurring low dissolved oxygen due to ground water upwelling and very low flows (less than 1 cfs).

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

### DATA GAPS AND MONITORING NEEDS

EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	Lab detection limits for selenium and dissolved mercury were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Use lower lab detection limits for selenium and dissolved mercury. Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>ROPER LAKE</b>  <b>15040006 -- 1250</b> <b>25 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/16/2000 – 11/22/2000; 05/04/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam UGROP-A 100080	ADEQ Ambient and TMDL	3-5 total metals only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, and zinc.  1 Selenium, nickel	8-11 samples: Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 Fluoride 8 Total dissolved solids 3 Turbidity
Mid lake UGROP-B 100975	ADEQ and AGFD Ambient and TMDL			
At canal UGROP-CANAL 100978	ADEQ TMDL			
At pond UGROP-POND 100976	ADEQ TMDL			
At boat ramp UGROP-BR 102762	ADEQ and AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (cadmium, copper, and zinc) and <i>E. coli</i> bacteria to assess A&W and FBC		Lab detection limit for selenium was higher than the A&W chronic criterion.
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium. Collect missing core parameters to represent at least 3 seasons during the assessment period.	

<b>SAN FRANCISCO RIVER</b>  From headwaters to New Mexico border 15040004 -- 023 13.1 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses		
	E P A	A&Wc – Impaired  (Affected use only)	Category 5 Impaired		EPA added sediment in 2004 (See discussion below)

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/28/2000 – 10/26/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Luna Lake UGSFR151.22 100381	ADEQ Ambient	9-14 total and dissolved metals samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, manganese, and zinc. 4 total samples: Barium, boron, nickel, silver, thallium. 16 total and 4 dissolved: Mercury	14 samples: Ammonia, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen 27 samples: Dissolved oxygen and pH	13 <i>E. coli</i> /bacteria 15 Fluoride 15 Total dissolved solids 9 Suspended sediment concentration 11 Turbidity
Below dam spillway UGSFR149.44 103293	HERO Consulting 319 Grant		12 samples: temperature and pH	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L FBC	12/29/2004 – 5.0 mg/L 06/08/2005 – 5.0 mg/L	Attaining – Naturally occurring low dissolved oxygen as stream was drying down to relatively stagnant pools.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium were higher than A&W/w chronic criteria.
SUSPENDED SEDIMENT AND TURBIDITY		Evidence of potential sediment impairment: 1. Suspended sediment concentration (SSC) criterion of 80 mg/L was <u>not</u> exceeded in 18 samples (9 sampling events); therefore, ADEQ assessed as 'attaining'; 2. SSC values ranged between non-detect to 18 mg/L and would not exceed the proposed standard of 25 mg/L; and 3. The old turbidity standard (10 NTU) was exceeded in 11 of 15 samples; however, the maximum turbidity value was 29 NTU.	
MONITORING RECOMMENDATIONS		Medium Priority: Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. Use lower lab detection limits for selenium.	



<b>SAN FRANCISCO RIVER</b>  From New Mexico border to Blue River 15040004 -- 004 20.9 Miles	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/27/2000 – 11/02/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Martinez Ranch UGSFR0034.57 100834	USGS Ambient	3-7 total and dissolved metals samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, and zinc.  1 total sample: Barium, nickel, silver, thallium.  4 total and 1 dissolved: Mercury	9 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	6 <i>E. coli</i> bacteria 9 Fluoride 9 Total dissolved solids 6 Suspended sediment concentration 9 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/08/2005 – 630 CFU/100 ml	Inconclusive – Only 1 exceedance within the assessment period. Elevated flow and slightly elevated nutrients.
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	08/08/2005 – 343 mg/L	Attaining – 1 of 6 samples exceeded the SSC criterion (80 mg/L); however, the geometric mean standard was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria in at least 2 samples.
MONITORING RECOMMENDATIONS		Medium Priority: Collect <i>E. coli</i> bacteria data due to exceedance.  Note that the old turbidity standard (50 NTU) was exceeded once also (at 74 NTU) when SSC was exceeded. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use lower lab detection limits for selenium and dissolved mercury.	



<b>SAN FRANCISCO RIVER</b>  From Blue River to Limestone Gulch 15040004 -- 003 18.7 Miles	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Inconclusive FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Add <i>E. coli</i> bacteria to 303(d) List.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/10/2000 – 11/30/2005		
		NUMBER AND TYPES OF SAMPLES		
Above Clifton, AZ UGSFR019.04 100708	ADEQ Ambient	Metals	Nutrients – Related	Other
		12-24 total and 7-24 dissolved metals samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, and zinc.  7 total metals only: Barium, nickel, silver, and thallium.	23-24 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	21 <i>E. coli</i> bacteria 24 Fluoride 24 Total dissolved solids 13 Suspended sediment concentration 24 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/13/2002 – 500 CFU/100 ml 07/27/2004 – 480 CFU/100 ml	Impaired – 2 exceedances within the assessment period. Nutrients were very elevated (0.5-1.2 mg/L nitrogen, 0.3-1.2 mg/L phosphorus).
Mercury (dissolved)	0.6 µg/L FC	12/10/2002 – 0.75 µg/L	Inconclusive – Only 1 exceedance during the assessment period. Result in a duplicate sample taken that day was <0.5 µg/L
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	07/27/2004 – 188 mg/L	Attaining – 1 of 13 samples exceeded the SSC criterion (80 mg/L); however, the geometric mean standard was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved mercury	Collected all core parameters		Lab detection limits for selenium and dissolved metals (lead and mercury) were higher than A&Ww chronic criteria in at least 2 samples.
MONITORING RECOMMENDATIONS		High Priority: Collect <i>E. coli</i> bacteria to support TMDL development.  Collect dissolved mercury due to the exceedance.  Use lower lab detection limits for selenium and dissolved metals.  Note that the old turbidity standard (50 NTU) was exceeded on four dates (>999 NTU, 143, 187, and 59 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>SAN FRANCISCO RIVER</b>  From Limestone Gulch to Gila River 15040004 -- 001 12.8 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/10/2000 – 11/30/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Clifton, AZ UGSFR006.42 USGS #0944500 100382	USGS Ambient	5-28 total and dissolved metals samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, and zinc.  7-8 total metals only: Barium, nickel, silver, thallium.	22-24 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	21 <i>E. coli</i> bacteria 24 Fluoride 22 Total dissolved solids 13 Suspended sediment concentration 23 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/13/2002 – 545 CFU/100 ml	Inconclusive – Only 1 exceedance within the assessment period. Very elevated nutrients on that date (1.94 mg/L nitrogen, 1.6 mg/L phosphorus) and lead exceedance occurred on the same date (normal flow.)
Lead	15 µg/L FBC	08/13/2002 – 35 µg/L	Attaining – Only 1 exceedance in 24 samples. (Binomial)
Suspended sediment concentration	Geometric mean 80 mg/L A&Ww	09/18/2003 – 87 mg/L 07/28/2004 – 161 mg/L	Attaining – 2 of 13 samples exceeded the SSC criterion (80 mg/L); however, the geometric mean standard was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&Ww chronic criteria in at least 12 samples.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority: Collect <i>E. coli</i> bacteria data due to exceedance.  Note that old turbidity standard (50 NTU) was exceeded on four dates. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>SOUTH FORK CAVE CREEK</b>  From headwaters to Cave Creek 15040006 -- 849 8.1 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/24/2000 – 12/12/2001; 08/29/2005 – 11/09/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above South Fork Campground UGSCV002.56 100018	ADEQ Ambient	3-6 total and dissolved metals: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, silver, thallium, and zinc.  4-6 total metals only: Barium, boron, manganese, mercury	7-8 samples: Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	8 <i>E. coli</i> bacteria 6 Fluoride 8 Total dissolved solids 1 Suspended sediment concentration 8 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	01/24/2000 – 5.4 mg/L 05/30/2000 – 5.5 mg/L 12/12/2001 – 4.6 mg/L 08/29/2005 – 6.3 mg/L 11/09/2005 – 6.5 mg/L	Attaining – Low dissolved oxygen levels are naturally occurring due to ground water upwelling and very low flows (<0.5 cfs). Very low nutrients.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	07/11/ 2000 – 240 CFU/100 ml	Attaining – 3 years of monitoring after the exceedance with no further exceedances. (Note exceedance was not above the screening value of 300 CFU/ 100 ml.)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved metals (copper, lead, and mercury) were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limit for selenium and dissolved metals.  Old turbidity standard was exceeded only 1 of 8 samples (July 11, 2000 at 35 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>TURKEY CREEK</b>  From headwaters to Campbell Blue Creek 15040004 – 060 4.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 10/30/2002 (field measurements on other dates)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Campbell Blue UGTRY000.18 101180	ADEQ TMDL	1 total and dissolved metal samples: Antimony, arsenic, beryllium, cadmium, copper, lead, mercury, and zinc.  1 total metals only: Boron, chromium, and manganese	5 samples: Dissolved oxygen, pH 1 sample: Total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids 4 Suspended sediment concentration 4 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	Lab detection limits for selenium were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons. Use lower lab detection limit for selenium.	

# Verde Watershed

## Watershed Description

This watershed is defined by the Verde River drainage that flows into the Salt River, including Big Chino Wash and its tributaries. This 6,624 square mile watershed has an approximate population of 153,000 people (2000 census), but is growing rapidly. Although this is only 3% of the state population, several communities are located in this watershed: Payson, Sedona, Cottonwood, Verde Valley, Prescott, and the southern outskirts of Flagstaff. Land ownership is 65% federal, 23% private, 10% state, and 2% tribal. Primary land uses are open range grazing, irrigated agriculture, recreation, forestry, and some mining.

Elevations range from more than 12,000 feet (above sea level) in the San Francisco Mountains to about 1,600 feet as the Verde River flows into the Salt River. The watershed is split between warmwater communities below 5,000 feet and coldwater communities above 5,000 feet where perennial waters exist.

## Water Resources

The Verde Watershed receives slightly more precipitation than most watersheds in this state, with some areas receiving about 20 inches of rain and 3 inches of snow. Therefore, the Verde River and many of its tributaries are perennial waters.

An estimate of surface water resources in the Verde Watershed is provided in the following table. Waters on Tribal lands are not assessed by ADEQ; therefore, those statistics are shown separately.

**Estimated Surface Water Resources in the Verde Watershed**

	Perennial	Intermittent	Ephemeral
Stream miles	450	2,115	5,990
	Perennial	Non-perennial	
Lake acres	4,603	3,636	

### On Tribal Land – Not Assessed

	Perennial	Intermittent	Ephemeral
Stream miles	15	5	230
	Perennial	Non-perennial	
Lake acres	6	0	

Ambient monitoring focuses on perennial waters; however, special investigations may identify water quality problems on intermittent and even ephemeral waters. Estimated miles and acres are based on USGS digitized hydrology at 1:100,000 and have been rounded to the nearest 5 miles or 5 acres.

## Verde Watershed



## Watershed Partnerships

The following watershed groups are active in this watershed:

- **Citizens Water Advocacy Group**  
The area of concern includes the upper Verde River and Prescott Active Management Area. Its primary objective is to promote sustainable water resources into the future. The group meets on the 2<sup>nd</sup> Saturday of each month in Prescott. For information, contact (928) 443-5353 or [water@commspeed.net](mailto:water@commspeed.net).
- **Hyde Mountain Vista Group**  
The Walnut Creek stream reaches between Apache Creek and Juniper Mesa Wilderness. Goal is to maintain the diversity, ecological integrity, historic value, and undeveloped nature of the public and private lands in and around the Santa Maria and Juniper Mountains, while maintaining economic viability. Focus is on restoration of the upper Walnut Creek drainages, tributaries to Big Chino Wash and Verde River. Group meets as needed. Contact Susan Brook, Administrative Assistant, (928) 541-7538, [hydemountainvista@yahoo.com](mailto:hydemountainvista@yahoo.com).
- **North Central Arizona Regional Watershed Consortium (NCARWC)**  
The area of concern is the Verde Watershed within Yavapai County. The group was formed to accomplish cooperative regional water management and water rights. NCARWC believes that a unified and knowledgeable voter base in rural Arizona may be able to effect needed changes in Arizona's water laws and statutes. Contact Anita Rochelle (President) at [anitar772002@yahoo.com](mailto:anitar772002@yahoo.com) or [riverwoman@verdenet.com](mailto:riverwoman@verdenet.com); or Bill Goss at [bill@billgoss.net](mailto:bill@billgoss.net).
- **Oak Creek Canyon Task Force**  
The Task Force was created to conserve and enhance natural resources and recreational opportunities, sustain and improve recreational opportunities, improve water quantity and quality, reduce damage due to storms, floods, human activities, or natural disasters, and engage public and government involvement through outreach and education. Meetings occur on the 2<sup>nd</sup> Thursday of the month in Sedona. Contact Barry Allen (623) 551-8804, [nelsenallan@earthlink.net](mailto:nelsenallan@earthlink.net), or Morgan Stine at [morgan@hughes.net](mailto:morgan@hughes.net).
- **Prescott Creeks Preservation Association (Prescott Creeks)**  
The mission of Prescott Creeks is to protect and celebrate the ecological integrity of Granite Creek Watershed riparian systems and associated wetlands through conservation, restoration, and education. This is accomplished through programs that include: Watson Woods Riparian Preserve, Prescott Creek Watch Network and watershed monitoring. Meetings dates and times vary. Contact (928) 445-5699, [info@prescottcreeks.org](mailto:info@prescottcreeks.org), [mbyrd@prescottcreeks.org](mailto:mbyrd@prescottcreeks.org), or [www.prescottcreeks.org](http://www.prescottcreeks.org).
- **Stewards of Public Lands**  
Area of concern is the upper portion of the middle Verde (HUC 15060202). Area citizen volunteers are partnering with businesses, municipalities, State Lands Department, and the US Forest Service to clean up illegal dumping areas on public lands and to improve watershed and stream health. They meet on the first Monday of the month in Cottonwood, AZ. Contact Diane Jones, (928) 634-4112, [dianej@sedona.net](mailto:dianej@sedona.net), or [www.verdeconnections.com](http://www.verdeconnections.com).
- **Stoneman Lake Property Owners Association**  
Stoneman Lake is a 900 acre lake drainage area 40 miles south of Flagstaff Arizona. The association's mission is to preserve the pristine environment and foster harmony and cooperation among neighbors. Contact Chris Estes, President at (480) 585-5772, [cklestes@msn.com](mailto:cklestes@msn.com), or Bill McPeters, Vice President, (602) 431-1513, [wedigit@juno.com](mailto:wedigit@juno.com).
- **Verde River Citizens Alliance**  
This corporation was formed for philanthropic, educational, and scientific purposes. Its main objectives are to assure an adequate flow of water throughout the Verde and preserve and restore riparian habitat along



the Verde River and its tributaries. It meets on Saturdays in Cottonwood, AZ. Contact Bill Goss, President, at (928) 649-2422, [vrca@verdenet.com](mailto:vrca@verdenet.com), [billgoss@cableone.net](mailto:billgoss@cableone.net), or [www.verdevirervca.org](http://www.verdevirervca.org).

- **Verde Watershed Association**  
This group works to conserve, sustain, and improve the diversity of natural resources and recreational opportunities, while reducing impacts from human activities, across the Verde Watershed. It uses outreach and education to engage public and government involvement in water related issues. The Verde Watershed Association meets on the 3<sup>rd</sup> Wednesday of the month. Contact Loyd Barnett, President, (928) 284-0161, [lbarnettaz@npgcable.com](mailto:lbarnettaz@npgcable.com) or [verdewatershed@yahoo.com](mailto:verdewatershed@yahoo.com), or <http://vwa.southwest-water.org>.
- **Yavapai County Water Advisory Committee**  
This committee is committed to preserving sustainable water resources for future generations while enhancing the economic viability of Yavapai County. The objective is develop and enact a water management and conservation strategy to ensure sustained use of water resources, while protecting base flows in rivers and streams. The committee meets on the 3<sup>rd</sup> Wednesday of the month. Contact John Rasmussen at [john.rasmussen@co.yavapai.az.us](mailto:john.rasmussen@co.yavapai.az.us), (928) 442-5199, or <http://www.co.yavapai.az.us/orggroups/wac/wachome.asp>.

## Special Studies and Water Quality Improvement Projects

**Total Maximum Daily Load Analyses** – The following TMDL analyses have been completed, are ongoing, or are scheduled to be completed in this watershed. Further information about the status of these investigations or a copy of the TMDL, if completed, can be obtained at ADEQ’s website: [www.azdeq.gov](http://www.azdeq.gov).

- **East Verde River is impaired by arsenic, boron, and selenium.**  
Arsenic and boron present public health risks to people using the water as a domestic drinking source. There is evidence that the exceedances are more likely to occur during low flow periods when groundwater is the main contributing factor, but further investigation is needed to fully determine source loadings. The TMDL for arsenic and boron is scheduled to be completed in 2011. Selenium concentrations represent a risk to aquatic life and animals that prey on them, but does not pose a risk to human health at levels found. Further monitoring and investigation is needed to determine source loadings and contribution from natural sources. The TMDL investigation is scheduled to be initiated in 2009.
- **Granite Basin Lake was investigated due to low dissolved oxygen and potentially excess nutrients.**  
A TMDL study in 2004 found that the low dissolved oxygen levels were naturally occurring, and therefore, the lake was delisted.
- **Oak Creek is impaired by *Escherichia coli* bacteria.**  
Exceedances of *Escherichia coli* bacteria standard may represent a significant public health concern if people are swimming or even wading in the water. To protect the public, Slide Rock State Park closes their swimming area when bacteria standards are exceeded.

A TDML for *E. coli* on Oak Creek was approved in 1999. To meet standards, the following strategies were to be implemented:

- Reduce sediment loading to Oak Creek, as bacteria were associated with the sediment;
- Identify failing septic systems and repair or replace these systems;
- Reduce recreation impacts on water quality (e.g., improved public restroom and shower facilities, improved trash management); and
- Reduce animal waste impacts on water quality (e.g., control drainage from pastures and trails, control litter and other wastes that attract skunks and raccoons).

Many of these strategies have been implemented through the efforts of the Oak Creek Task Force using Water Quality Improvement Grants and other funding sources (see projects below). For example, “Keep Oak Creek Canyon Beautiful” campaign arranges for volunteers to hand out litter bags and discuss waste



disposal with summer holiday visitors who flock to Oak Creek during the big summer holidays. Hikers and picnickers are encouraged to haul out trash when they leave the creek area.

ADEQ initiated a Phase II TMDL in 2004 to measuring the effectiveness of the implemented management measures to reduce bacterial loading in Oak Creek, and further delineate the extent of the contamination, further study sources and loadings within the watershed. The TMDL study is also look at how lowering the *E. coli* standard in 2002 will impact achieving bacterial standards in Oak Creek.

- **A phosphorus and nitrogen (nutrient) TMDLs were completed on Oak Creek and Munds Creek in 1999.**

The loading analyses indicated that Oak Creek's status as a Unique Water and the existing discharge limits to Oak Creek are sufficient protection. Using modeling, few nutrient standard violations would be predicted. No new nutrient limits were needed for septic system loadings on Oak Creek. Improvements to wastewater treatment systems on Munds Canyon had also been effective in eliminating nutrient exceedances.

- **Pecks Lake impairment by high pH and low dissolved oxygen (narrative nutrients).**

A narrative nutrient TMDL was completed in 2000 for this 95 acre lake. Low dissolved oxygen and high pH were primarily caused by aquatic weed growth (macrophytes), which at times cover 90% of the lake surface. The TMDL concluded that a 25% reduction in nitrogen and phosphorus is needed through weed harvesting and reducing sediment transport into the lake.

- **Stoneman Lake is impaired by low dissolved oxygen and high pH (narrative nutrients).**

The TMDL was completed in 2001 for this 120-acre natural lake. The nutrient TMDL was calculated for average hydrologic conditions, with critical conditions being summer, with high temperatures and peak macrophyte growth. Both dissolved oxygen and pH standards should be met with a 35% reduction in biomass density and biological oxygen demand. Due to an extensive state-wide drought, the lake went dry soon after the TMDL. Monitoring will be initiated when the lake refills and stabilizes. Some management actions were implemented to reduce potential loadings from septic systems and suspended sediment flowing into the lake during runoff events.

- **The Verde River impairment by suspended sediments/turbidity.**

A turbidity TMDL was completed in 1999. Turbidity impairment appears to be directly correlated to large storm events, and no load reduction is necessary during average or base flow conditions (when exceedances do not occur). A variety of management actions were identified in the implementation plan to reduce sediment loading to the Verde River, including:

- Improve livestock management practices
- Designate off-highway vehicle areas and employ best management practices at these sites to reduce sediment transport;
- Implement the "Red Rock Passport," a comprehensive recreation plan for the Sedona area where recreational opportunities would be limited on some heavily used areas to reduce soil compaction and erosion;
- Establish grassland restoration projects to increase infiltration and reduce soil erosion by reducing pinyon and juniper densities and increasing vegetative ground cover.
- Sponsor educational opportunities and public involvement in decisions regarding long-term management of the watershed;
- Acquire land adjacent to the Verde River through land exchanges to reduce development in the active flood plain;
- Use fire treatments to reduce adverse watershed effects from uncontrolled wildfire; and
- Maintain and modify water catchment structures to reduce the amounts of fine sediments traveling through the system.

- **Watson Lake is impaired due to nitrogen, low dissolved oxygen, and pH.**

Watson Lake has excess nutrient loading (nitrogen) which is also causing low dissolved oxygen and high pH. Further monitoring and investigation is needed to determine source loadings and contribution from natural sources. The TMDL investigation is scheduled to be initiated in 2008.

- **Whitehorse Lake is impaired due to low dissolved oxygen.**  
Low concentrations of dissolved oxygen may represent a risk to aquatic life and may indicate excess nutrient loading to the lake. A TMDL was initiated in 2006 to determine the cause of the low dissolved oxygen.

**Water Quality Improvement Grant Projects** – ADEQ awarded the following Water Quality Improvement Grants (319 Grants) in this watershed. More information concerning these grants or projects can be obtained at: <http://www.azdeq.gov/environ/water/watershed/fin.html>.

- **Verde River Headwaters Riparian Restoration Demonstration Project**  
Blue Ridge and Long Valley Ranger Districts (2000)  
Revegetate the riparian area along West Clear Creek to stabilize banks and decrease channel cutting, thereby reducing sediment.
- **Cornville Watershed Project**  
Yavapai County Flood Control (2000)  
Revegetate the riparian area with native vegetation, provide rip rap and other structures, and reconstruct the Greenwell Slough to catch sediment and slow storm water flow. Greenwell Slough is adjacent to Oak Creek.
- **Water Quality Guardian Program**  
Oak Creek Task Force (2001)  
Install public restrooms, public showers, and sediment reduction facilities to reduce impacts of human activities on Oak Creek and reduce bacteria loading to the stream.
- **Sedona Gun Range Lead Removal and Site Restoration Project**  
Coconino National Forest (2002)  
Remove lead and aromatic hydrocarbon contamination from the Sedona Gun Range which is located along Mormon Wash, which flows into Oak Creek.
- **Fecal Coliform and Sediment Reduction for Oak Creek Project**  
Coconino National Forest (2002)  
Stabilize and restore 10 acres of bare ground at five sites to reduce erosion and improve long-term soil productivity. Install three restrooms at popular trailhead sites to eliminate potential for fecal coliform contamination. Public outreach will include interpretive signs near the toilet facilities.
- **Upper Verde Collaborative Watershed Restoration Project**  
EcoResults! Inc. (2002)  
Create new pastures for grazing, remove juniper trees, and reclaim gullied roadways and eroding rangelands through hay trampling. Public outreach provided through education workshops to educate ranchers, agency personnel, and other individuals in the Prescott and Chino Valley area.
- **West Clear Creek Project**  
M Diamond Ranch (2003)  
Reduce runoff on rangeland adjacent to West Clear Creek by installing fences, a corral, and an alternative water system as part of a rotational grazing management plan.
- **Keep Oak Creek Beautiful Campaign**  
Oak Creek Task Force (2004)  
Provide toilets and wastewater treatment system at Indian Gardens Visitor Center. Provide sediment control structures throughout Oak Creek Canyon. Develop a Task Force webpage. Expand the “Keep Oak Creek Canyon Beautiful” campaign for waste removal by people enjoying the canyon during holidays.

- **Ash Creek Watershed Project**  
Henry Dahlberg Foundation (2004)  
Remove sedimentation caused by road and steep side drainages along Ash Creek. Mitigate erosive effects of planned forest thinning and prescribed burns.
- **Upper Verde River Wildlife Area Turbidity Reduction Project**  
Arizona Game and Fish Department (2004)  
Exclude livestock from riparian areas using fencing, remove old roads and add barriers to control off-highway vehicle travel, adjust stream bank slope, and revegetate using native plants along flood plain terraces, close stream banks and other vulnerable areas to off-highway vehicles.
- **West Clear Creek Tributary Watershed Project**  
M Diamond Management LLC (2004)  
Collaborative project to reduce sediment loading and restore watershed function by improving ephemeral stream channels in tributaries to West Clear Creek.
- **Granite Creek Watershed Water Quality Improvement and Monitoring Project**  
Prescott Creeks Preservation Association (2006)  
Implement four management strategies to improve water quality:
  - Redesign and construct a faulty stormwater runoff basin,
  - Apply stenciling to storm drains to inform the public about the consequences of dumping waste down the storm drains,
  - Develop management strategies for ranchers and other owners of riparian areas and
  - Monitor for metals and bacteria to assess water quality improvement.
- **Hart Prairie Sediment Control Project**  
The Nature Conservancy (2006)  
Install French drains, water bars and elevated roadways within the Hart Prairie Preserve near Flagstaff to improve and protect rare Bebb willow wetlands.

**Water Protection Fund Projects** – The following Water Protection Fund Projects were awarded by the Arizona Department of Water Resources. More information about these funds or projects can be obtained from the ADWR web site at: <http://www.azwater.gov>.

- **Verde River Riparian Restoration Partnership Project**  
Mingus High School (2003)
- **Verde Headwaters 3-D Hydrogeological Model Project**  
Northern Arizona University (2004)  
Create and present a hydrogeological visualization of the Verde River headwaters area to help educate the public concerning ground water resources.
- **Watson Woods Riparian Preserve Restoration Feasibility Project**  
Prescott Creeks Preservation Association (2004)  
Conduct a feasibility study to rehabilitate 1-mile segment of Granite Creek in the Watson Woods Riparian Preserve.
- **Verde Wild and Scenic River Fence Enclosure Project**  
Prescott National Forest (2005)  
Add fencing to exclude livestock in the Brown Springs allotment to implement the Verde Wild and Scenic River Comprehensive River Management Plan.

**Other Water Quality Studies** – The following additional water quality related studies were completed since 2000 in this watershed.

- ***Preliminary Ecological Assessment of Four Mogollon Rim Watersheds***  
Grand Canyon Wildlands Council, Inc.  
Conduct a preliminary ecological assessment of the invertebrates, vegetation, small mammals, and herptofauna on East Clear Creek, West Clear Creek, Wet Beaver Creek, and Chevelon Creek. This assessment is to provide management recommendations for non-native species control, habitat protection, resource potential, and abundance, distribution, and type of species observed. The data collection occurred in 2005 and reports are to be produced in 2006.
- ***Oak Creek Canyon Escherichia coli Genotyping Project***  
Paul Keim and Christine Keys, Northern Arizona University (2000)  
*Escherichia coli* bacteria were isolated from water and sediment samples collected at different sites along Oak Creek. These bacteria samples were then genotyped to differentiate the source of this fecal pollution (human, horse, deer). This study made the following conclusions:
  - Fecal contamination was higher during the summer months;
  - Fecal pollution came from multiple sources: elk, cow, human, dog, deer, raccoon, horse, skunk, llama, beaver, bear, and mountain lion;
  - Fecal pollution in Oak Creek is not a re-growth phenomenon;
  - Most of the fecal pollution comes from natural populations in the canyon (e.g., elk, deer), with seasonal impacts from human activities (human, horse, dog);
  - Genotypes in the water and in the sediment do not match at a site; therefore, they include bacteria being transported down the river; and
  - *E. coli* populations do over winter in sediment at a site, but are not a major contribution to the *E. coli* population found at that site during the summer.
- ***Verde River Assimilative Capacity – Data Summary Report***  
Tetra Tech, Inc. submission to ADEQ (2000)  
Significant population growth is projected for some portions of the watershed. This growth will increase nutrient loads from runoff in residential areas and contributions of on-site wastewater disposal via ground water. In addition, several cities and towns within the watershed have proposed new wastewater discharges to the Verde River or its tributaries. This is a study of the river's ability to accept additional nutrient loading and maintain water quality standards. The area of focus was from Perkinsville to Childs, a 90 mile stretch of the Verde River.
- ***Sources of Springs Supplying Base Flow to the Verde River Headwaters, Yavapai County, Arizona***  
Laurie Wirt and H.W. Hjalmarson, U.S. Geological Survey (2000)  
Multiple lines of evidence were used to identify source aquifers, quantify their contributions, and trace the ground water flow paths that supply base flow to the uppermost reach of the Verde River. The research showed that the interconnected aquifers in Big Chino Valley are the primary source of Big Chino Springs, presently supplying at least 80% of the upper Verde River's base flow.
- ***Verde Watershed Restoration Action Strategy***  
Verde Watershed Association (2000)  
This plan provides a description of the existing conditions and issues in the Verde Watershed and proposes ongoing and future projects and implementation actions. It will be updated periodically as projects are implemented and evaluated, making it a continuous, forward-looking plan. Potential implementation actions are identified and prioritized based on available resources and people or agencies willing to implement them.
- ***Lower Verde / Lower Salt River Management Plan and Restoration Strategy***  
Lower Verde / Lower Salt River Watershed Advisory Group (2000)  
This plan identifies the areas of greatest concern for water resources, initiates pollution source identification, and identifies programs and potential actions to remediate these sources.
- ***Occurrence and Quality of Surface Water and Ground Water within the Yavapai Prescott Indian Reservation, Central Arizona, 1994-98.***

G.R. Littin, Margot Truini, H.A. Pierce, and B.M. Baum, US Geological Survey (2000)  
The Yavapai-Prescott Indian Reservation includes about 2 square miles near the City of Prescott. This is a study of the water resources provided by Granite Creek, which bisects this reservation, springs, and other ground water.

- ***Oak Creek Canyon Watershed Based Plan***

Oak Creek Canyon Task Force (2002)

This plan characterizes this sub-watershed, identifies pollutant sources and strategies to reduce these pollutants and agencies or individuals who should be involved in these actions. This plan focuses on nutrient and bacterial contamination issues.

- ***Contaminants in Fish and Birds of Watson Lake, Arizona 2000-2001***

Carrie L.H. Marr and H. Maaik Schotborgh, U.S. Fish and Wildlife Service (2003)

A wood treatment facility located on Yavapai-Prescott Indian Tribe land, near Prescott, released pentachlorophenol (PCP), arsenic, and chromium into the environment from 1961-1985. Sediment, water, fish crayfish, eggs, tadpoles, and frogs were sampled for trace elements, organochlorine insecticides, polyaromatic hydrocarbons, total polychlorinated biphenyls, dioxins, and furans. The report concluded that the former Southwest Forest Industries had minimal effect on Granite Creek and Watson Lake. Arsenic and chromium levels were elevated in fish; however the consequences of this elevation in fish tissue are unknown. Fish tissue PCP concentrations were lower than expected, probably due to removal and clean up of the PCP treatment pond from the site. Elevated levels of mercury in the fish tissue from Granite Creek and Watson Lake warrant further monitoring and evaluation to determine sources of the mercury and potential for reductions.

- ***Water Quality Data for Selected National Park Units, Southern and Central Arizona and West-Central New Mexico, Water Years 2003 and 2004***

U.S. Geological Survey in cooperation with the National Park Service (2005)

Field measurements and water samples were collected at springs, mine adits, streams, and wells at 30 sites in 9 park units in 2003-2004 to provide baseline (ambient) water quality information. Only 24 of the 30 sites were sampled three times due to drought conditions and lack of water during parts of the year.

- ***Assessment of Selected Inorganic Constituents in Streams in the Central Arizona Basins Study Area, Arizona and Northern Mexico, through 1998***

David Anning – U.S. Geological Survey, National Water Quality Assessment Program (2003)

Inorganic chemical data (dissolved solids, suspended sediment, and nutrients) and stream properties (temperature, pH, dissolved oxygen) were analyzed to assess water quality, determine natural and human factors affecting water quality, and compute stream loads.

- ***Reservoir Studies***

David Walker, University of Arizona

This is an ongoing and comprehensive study of water quality in reservoirs serving the Phoenix metropolitan area. The goal is to use monitoring data to answer water quality management questions in a proactive manner. A yearly report is produced. In 2005, the report provided information about:

- Climate and drought effects on water quality,
- Wildfire effects on water quality,
- Harmful algal blooms,
- Atmospheric deposition and the use of sediment to look at accumulation of pollutants, and
- Endocrine disruption compounds.

## **Assessments**


The Verde Watershed can be separated into the following drainage areas (subwatersheds):

- 15060201 Big Chino Wash Drainage Area
- 15060202 Upper Verde River Drainage Area

#### 15060203 Lower Verde River Drainage Area

These drainage areas and the surface waters assessed as “attaining” or “impaired” are illustrated on the following watershed map. Methods used to complete these assessments are described in the “Surface Water Assessment Methods and Technical Support” document (2006).

# Verde Watershed (Hydrologic Unit 15060202) 2006/2008 Assessments for Streams & Lakes



## Legend


- HUC Boundary
- Lakes
- Streams

## Assessed Streams and Lakes


### ADEQ and EPA Listings

- Attaining
- Not Attaining (Category 4A)
- Impaired (Category 5)
- EPA Impaired

0 2.5 5 10 15 20 Miles



**Verde Watershed  
(Hydrologic Unit 15060203)  
2006/2008 Assessments for  
Streams & Lakes**





<b>ASHBROOK WASH</b> <b>(Previously identified as Grande Wash)</b>  <b>From Grande Wash to Verde River</b> <b>15060203 – 989</b> <b>2 Miles</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&We – Inconclusive PBC – Inconclusive	Category 3  Inconclusive		Delist <i>E. coli</i> . Wastewater discharge no longer occurring.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/06/2000		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Fountain Hills, AZ VRGRW001.64 101596	USGS Special investigation	1 dissolved sample: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, zinc.	1 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 1 Total dissolved solids 1 Pesticides 1 VOCs (solvents) 1 Petroleum products

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	576 CFU/100 ml PBC	03/06/2000 – 1000 CFU/100 ml	Inconclusive – 1 exceedance during the last 3 years of monitoring. Occurred during an illegal discharge of wastewater into what would be a dry wash. This discharge has not been occurring for more than 3 years.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Low Priority – Collect core parameters to represent at least three seasons during the assessment period.	

<b>BARTLETT LAKE</b>  15060203 – 0110 2375 Acres	USE SUPPORT	OVERALL ASSESSMENT	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLE PERIOD: 03/02/2000 – 07/12/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam VRBAR-A 100009	ADEQ and U of A Ambient	17-19 total metals and 5 -11 dissolved metals: Antimony, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, and zinc.	31-40 Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, total Kjeldahl nitrogen	12 <i>E. coli</i> bacteria 6 Benzene, ethylbenzene; toluene, xylene 28 Fluoride; 15 Total dissolved solids; 31 Temperature; 27 Turbidity
At Bartlett Flats VRBAR-FLAT 102536	ADEQ Special Study			
At Marina – site 1 VRBAR-MAR1 100986	ADEQ Ambient	7-19 total metals only: Mercury, thallium		
Mid lake VRBAR-B 10010	ADEQ and U of A Ambient			
Riverine Zone VRBAR-C 10011	ADEQ and U of A Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
None	All core parameters collected.		
MONITORING RECOMMENDATIONS		Low Priority – Note that the old turbidity standard (25 NTU) was exceeded in only 1 of 11 samples (129 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted	

<b>BEAVER CREEK</b>  From Dry Beaver Creek to Verde River 15060202 – 002 9.3 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/26/2002 – 10/07/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Montezuma Castle National Park VRBEV005.74 101542	USGS Ambient	1 total and 3-4 dissolved samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, and zinc	3-4 samples: Dissolved oxygen, pH, phosphorus  1 sample: Ammonia, nitrite/nitrate, nitrogen, TKN	1 <i>E. coli</i> bacteria 1 Fluoride 1 Total dissolved solids; 1 Turbidity 1 Suspended sediment concentration
Above Verde River VRBEV000.72 100722	ADEQ Ambient	3 dissolved metals: Barium, silver, uranium  1 total and dissolved: mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
None	Insufficient total nitrogen and phosphorus, mercury, <i>E. coli</i> , copper, and lead to assess A&W, FBC, and AgL.		Lab detection limits for selenium and dissolved mercury were higher than A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period. Use lower lab detection limits for selenium and dissolved mercury.</p> <p>Beaver Creek had been impaired due to turbidity until the turbidity standard was replaced by the suspended sediment concentration (SSC) criteria. Suspended sediment samples should be collected in Beaver Creek. Also, recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	

<b>BITTER CREEK</b>  From Jerome WWTP to Yavapai Apache Indian Reservation 15060202 – 066B 1.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wedw – Inconclusive	Category 2	
	PBC – Attaining AgL – Attaining	Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/12/2003 – 06/21/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
0.5 miles below Jerome WWTP VRBIT003.93 100424	ADEQ Ambient	3-4 dissolved and total metal samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, manganese, zinc  4 total metals samples only: Boron, manganese  4 total and 2 dissolved: Lead, mercury  1 total: Selenium	4 samples: Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Suspended sediment concentration 4 Turbidity 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2 µg/L A&Wedw chronic	05/04/2004 – 11 µg/L	Inconclusive – Only 1 exceedance during the assessment period. Lab detection limit on other selenium samples was too high to determine attainment.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&W/ chronic criteria
MONITORING RECOMMENDATIONS		Medium Priority – Collect additional selenium data due to the exceedance. Use lower laboratory detection limits for selenium and dissolved mercury.	

<b>COLONY WASH</b>  From headwaters to Verde River 15060203 – 998 4.9 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&We – Inconclusive PBC – Inconclusive	Category 3	
		Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/24/2000 and 02/03/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Fort McDowell boundary VRCLW002.11 101519	USGS Special Study	1-2 dissolved metal samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, mercury, manganese, nickel, and zinc, selenium, silver, zinc	1-2 samples: Dissolved oxygen, pH, phosphorus 1 sample: Ammonia, nitrite/nitrate, nitrogen, TKN	1 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids; 1 Turbidity 1-2 Pesticides 1-2 VOCs

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	Lab detection limits for selenium and dissolved mercury were higher than A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least three seasons during an assessment period.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>DRY CREEK</b>  From headwaters to Oak Creek 15060202 – 021 22.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive	Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/11/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Yavapai County stage logger VRDRY007.02 100656	ADEQ TMDL	1 dissolved metal sample: Antimony, arsenic, boron, cadmium, chromium, copper, lead, manganese, mercury, zinc.	1 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 1 Suspended sediment concentration 1 Turbidity

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient monitoring events	
MONITORING RECOMMENDATIONS		Low Priority – Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>EAST VERDE RIVER</b>  From headwaters to Ellison Creek 15060203 – 022A 8.1 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Attaining FC – Inconclusive DWS – Inconclusive Agl – Attaining AgL – Inconclusive	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/24/2003 – 05/03/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above 2 <sup>nd</sup> Crossing VREVR045.50 100786	ADEQ Fixed site	3 dissolved and total: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, manganese, zinc  3 total only: Chromium  2 total and 3 dissolved: Copper, mercury, lead	3 Ammonia, dissolved oxygen, pH, nitrite/nitrate,  2 Total nitrogen, total phosphorus, and total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 3 fluoride 3 suspended sediment concentration, 3 turbidity, 3 total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	05/03/2004 – 6.4 mg/L	Inconclusive – 1 of 3 dissolved oxygen samples did not meet standards at 6.4 mg/L. (Binomial) (This is only slightly below the standard and is likely due to natural conditions and groundwater upwelling.)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient copper, lead, mercury, nitrogen, and phosphorus are needed to assess AgL, FC, A&W, and DWS		Lab detection limit for selenium higher than the A&W chronic criterion.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect dissolved oxygen due low dissolved oxygen concentration in one sample.  Collect missing core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limit for selenium samples.	

<b>EAST VERDE RIVER</b>  From Ellison Creek to American Gulch 15060203 – 022B 20.3	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	Selenium	Selenium listed in 2004

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/01/2000 – 05/31/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Hwy 87 Bridge near Payson VREVR034.80 100474	ADEQ Fixed site	6-23 dissolved and total: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, silver, thallium, and zinc.  1 Selenium	21-22 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	18 <i>E. coli</i> bacteria 22 Fluoride 12 Suspended sediment concentration, 17 Turbidity, 21 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Selenium	2.0 µg/L A&Ww chronic	01/18/2001 – 5.3 µg/L	Remains impaired – 1 exceedance during the assessment period. Lab detection limit for other samples were higher than chronic criteria so could not be used to determine attainment.
Mercury	0.6 µg/L FC	4/17/2002 – 1.2 µg/L	Attaining – Only 1 exceedance in 11 sampling events. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Selenium	All core parameters collected		Lab detection limits for selenium and dissolved mercury were higher than A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Data needed to support selenium TMDL development.</p> <p>Use lower lab detection limits for selenium and dissolved mercury samples.</p> <p>Note that the old turbidity standard (50 NTU) was exceeded in 2 of 21 samples (56 and 97 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.</p>	



<b>EAST VERDE RIVER</b>  From American Gulch to Verde River 15060203 – 022C 25.8 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Attaining FBC – Impaired FC – Attaining DWS – Impaired Agl – Impaired AgL – Impaired	Category 5  Impaired	Arsenic and boron	Adding arsenic and boron to the 303(d) List

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/26/2000 – 06/09/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Near Childs 15060203-022C VREVR002.62 100739	USGS Fixed site	18-19 samples of dissolved and total metals: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, zinc.  19 total metals only: Mercury	18-19 samples: Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	18 <i>E. coli</i> bacteria 19 Fluoride 19 Suspended sediment concentration, 18 Turbidity, 19 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L – DWS, FBC 200 µg/L – AgL	05/30/2000 – 100 µg/L 09/27/2000 – 120 µg/L 03/26/2002 – 51 µg/L 06/26/2002 – 394 µg/L 08/28/2002 – 326 µg/L 10/29/2002 – 127 µg/L 06/25/2003 – 226 µg/L 08/27/2003 – 200 µg/L 10/29/2003 – 202 µg/L 03/29/2004 – 58 µg/L 06/24/2004 – 390 µg/L 08/27/2004 – 168 µg/L	Impaired – Exceeded 50 µg/L criterion in 12 of 22 samples. Magnitude of exceedance should also be noted. High arsenic concentrations may be due to natural conditions. Note that exceedances occur when flow is less than 5 cfs.
Boron	630 µg/L – DWS* 1000 µg/L – AgL	05/30/2000 – 1000 µg/L 06/26/2002 – 1730 µg/L 08/28/2002 – 1630 µg/L 10/29/2002 – 756 µg/L 06/25/2003 – 1270 µg/L 08/27/2003 – 969 µg/L 10/29/2003 – 959 µg/L 06/24/2004 – 1890 µg/L 08/27/2004 – 642 µg/L	Impaired-- 9 of 22 samples exceeded the 630 µg/L criterion. Magnitude of exceedances should also be noted. High boron levels also occur when flow is less than 5 cfs. *Standard will be revised to 1,400 ug/L for boron.
Dissolved oxygen	6.0 mg/L A&Ww	05/30/2000 – 5.6 mg/L 08/27/2004 – 5.5 mg/L	Attaining – Low dissolved oxygen due to natural conditions with low flows and ground water upwelling.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/27/2003 – 270 CFU/100 ml	Inconclusive – Only 1 exceedance during the last 3 years of monitoring. The exceedance is below ADEQ's screening value of 300 CFU/100 ml. The screening value is used for impairment decisions rather than the standard because laboratories provide an estimate of bacteria density.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Boron and <i>E. coli</i> bacteria	All core parameters collected.		Lab detection limit for dissolved mercury was higher than the A&Ww chronic criterion.
MONITORING RECOMMENDATIONS		<p>High Priority – Collect boron and arsenic samples to support TMDL development.</p> <p>Collect <i>E. coli</i> bacteria samples due to the exceedance.</p> <p>Use lower lab detection limits for dissolved mercury.</p>	

<b>FOSSIL CREEK</b>  From headwaters to Verde River 15060203 – 024 19.9 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/15/2003 – 08/11/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above sunfish barrier VRFO5015.22 102852	AGFD Ambient	4 - 9 dissolved and total samples: Antimony, arsenic, boron, cadmium, chromium, copper, lead, zinc  4-9 total and 0-1 dissolved: Beryllium, manganese, and mercury	8-10 samples: Ammonia, dissolved oxygen, pH, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen  5 samples: Phosphorus	4 <i>E. coli</i> bacteria 9 Fluoride 4 Suspended sediment concentration, 5 Turbidity, 9 Total dissolved solids
Below Irvine Power Plant VRFO5013.98 102766	AGFD Ambient			
Above Irvine Power Plant VRFO5010.73 102764	AGFD Ambient			
Above Salley Mae Wash VRFO5007.36 100785	ADEQ Ambient			
Below Salley Mae Wash VRFO5007.62 102765	AGFD Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters	.	Lab detection limit for selenium was higher than A&W chronic criterion
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium.	

<b>GAP CREEK</b>  From Government Springs to Verde River 15060203 – 774B 5.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/01/2003 – 04/27/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
One-half mile above Salt Mine Road VRGAP000.92 100557	ADEQ Fixed site	3-4 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, copper, lead, mercury, manganese, zinc.  4 total metals only: Boron, chromium, manganese	4 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration, 4 Turbidity, 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected		Lab detection limit for selenium was higher than A&W/ chronic criterion.
MONITORING RECOMMENDATIONS		Low Priority – Use a lower lab detection limit for selenium samples .	

<b>GRANITE BASIN LAKE</b>  15060202 – 0580 7 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Attaining Agl – Inconclusive AgL – Inconclusive	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/28/2002 – 03/08/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam VRGLB-A 100024	ADEQ Ambient	3-5 samples of dissolved and total metals: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, zinc.	5 samples: Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 5 Fluoride 5 Turbidity, 4 Total dissolved solids
At Boat Ramp VRGLB-BR 101398	ADEQ Ambient	5 total mercury (no dissolved)		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Ammonia	4.6 at pH 7.2 and water temperature 17.2 A&Ww chronic	08/28/2002 – 7.65 mg/L	Inconclusive – Only 1 exceedance during the last 3 years of monitoring. (1 of 5 sampling events.)
Arsenic	50 µg/L FBC	08/28/2002 – 60 µg/L	Inconclusive – 1 of 6 samples exceeded the arsenic criterion of 50 µg/L. (Binomial)
Dissolved oxygen	6.0 mg/L A&Ww	08/28/2002 – 3.63 mg/L	Attaining – Low dissolved oxygen due to natural conditions during lake “turn over.”
Manganese	10,000 µg/L Agl	08/28/2002 – 12,000 µg/L	Inconclusive – Only 1 of 6 samples exceeded criterion. (Binomial)
pH	<9.0 SU A&Ww, Agl, AgL, FBC	05/22/2002 – 9.3 SU	Inconclusive – Only 1 of 6 samples exceeded criterion (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Ammonia, arsenic, dissolved oxygen, manganese, pH	All core parameters collected.		Lab detection limit for dissolved mercury was higher than the A&Ww chronic criterion.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect arsenic, manganese, and pH samples due to exceedances. Low dissolved oxygen and elevated pH may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Use a lower lab detection limit for dissolved mercury.	

GRANITE CREEK  From headwaters to Willow Creek 15060202 – 059A 13.4 Miles	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl -- Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	A&Wc – Impaired )	Category 5 Impaired	Dissolved oxygen	EPA listed dissolved oxygen in 2004

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 04/10/2000 – 02/13/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Prescott, AZ VRGRA029.64 USGS #09502960 101580	USGS Ambient	3-4 dissolved samples only: Arsenic, barium, beryllium, boron, chromium, copper, manganese, selenium, silver, zinc.	0 total nutrients (all were dissolved only)	4 <i>E. coli</i> bacteria 2 Susp. sediment conc 1 Total dissolved solids
Above Watson Lake VRGRA028.50 102565	AGFD Special investigation	1 or 2 dissolved metals: Antimony, lead, mercury, silver. No total metals and dis. cadmium.		4 Pesticides 4 VOCs (solvents) 4 Petroleum products

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	07/16/2000 – 6.2 mg/L	Inconclusive – 1 exceedance in 4 sampling events.
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	04/10/2000 – 240 CFU/100 ml 08/25/2000 – GT 04/11/2001 – 300 CFU/100 ml	Inconclusive – 3 exceedances, but only one of them was above the screening value of 300 CFU/100 ml. (Note GT = greater than lab detection limit)
Mercury (dissolved)	0.01 µg/L Chronic A&Wc	08/25/2000 – 0.3 µg/L	Inconclusive – Only one exceedance. Laboratory detection limits were above standards in other samples.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria, dissolved mercury,	Insufficient core parameters	Insufficient sampling events.	Laboratory detection limit for dissolved mercury were higher than water quality standards.
DISCUSSION OF LOW DISSOLVED OXYGEN IMPAIRMENT		Evidence of potential impairment: 1. Elevated nitrogen at the time of low DO; 2. One low dissolved oxygen in four samples; and 3. Stream is intermittent and low dissolved oxygen may be due groundwater upwelling or other natural conditions.	
MONITORING RECOMMENDATIONS		High Priority – Collect dissolved oxygen data to support TMDL development. Collect <i>E. coli</i> and dissolved mercury data due to exceedances. Collect core parameters to represent at least 3 seasons. Use a lower lab detection limit for dissolved mercury.	

<b>HORSESHOE RESERVOIR</b>  15060203 – 0620 1980 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 09/23/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At boat ramp VRHSR-BR 102758	ADEQ Fixed site		1 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	1 Turbidity, 1 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6 mg/L A&Ww	09/23/2004 – 2.8 mg/L	Inconclusive – Only 1 sample, but result well below required minimum concentration.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient core parameters	Insufficient monitoring events.	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect more dissolved oxygen samples due to exceedance. Note that the old turbidity standard (25 NTU) was exceeded in the 1 sample (09/23/2994 at 179 NTU). Turbidity and low dissolved oxygen may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>JD DAM LAKE</b>  <b>15060202 – 0700</b> <b>28 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining Agl – Attaining AgL – Attaining	<b>Category 2</b>  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/21/2001 – 10/31/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam VRJDD-A 101286	ADEQ Ambient	4 total metal samples only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, zinc.	4 samples: Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	1 <i>E. coli</i> bacteria 4 Turbidity 4 Total dissolved solids
Mid Lake VRJDD-B 102549	ADEQ Ambient			
At Boat Ramp VRJDD-BR 101318	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient <i>E. coli</i> bacteria and dissolved metals (cadmium, copper, and zinc) assess A&Ww and FBC.		
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons.  Note that the old turbidity standard (10 NTU) was exceeded in 1 of 4 samples (07/26/2001 at 23 NTU). Turbidity may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	



<b>MUNDS CREEK</b>  From headwaters to Oak Creek 15060202 – 415 17.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/12/2003 – 05/25/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Indian Gardens VRMUN000.27 100500	ADEQ Ambient	3-5 Total and dissolved metal samples: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, zinc.  4 total metals only: Boron, manganese	4-5 samples: Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	5 <i>E. coli</i> bacteria 5 Suspended sediment concentration 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters	All seasons were represented.	
MONITORING RECOMMENDATIONS		Low Priority – Collect samples during the next watershed cycle.	

<b>OAK CREEK</b>  From headwaters to West Fork Oak Creek 15060202 – 019 7.4 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Attaining FBC – Impaired FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Add to 303(d) List. Expand Phase II bacteria TMDL to include this reach of Oak Creek

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/1/2003 – 01/11/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Sterling Springs Fish Hatchery VROAK 050.55 101882	ADEQ TMDL	3-5 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, manganese, zinc.	18-27 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	26 <i>E. coli</i> bacteria 4 Fluoride 27 Suspended sediment concentration, 27 Turbidity, 4 Total dissolved solids
At Coconino County stage logger VROAK050.30 101863	ADEQ TMDL	4 total metals samples: Boron, manganese		
Below Pine Flats Subdivision VROAK049.28 101864	ADEQ TMDL	1 total metals: Nickel		
Below Pine Flat Campground VROAK048.81 100607	ADEQ Ambient and TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	07/30/2003 – 517 CFU/100 ml 09/04/2004 – 1203 CFU/100 ml	Impaired – 2 exceedances during the last 3 years of monitoring
Dissolved oxygen	7 mg/L A&Wc	05/29/2004 – 6.2 mg/L	Attaining – Low dissolved oxygen in 1 of 12 sampling events. (Low DO occurred at two sites on that day.) (Binomial)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	01/11/2005 – 182 mg/L	Attaining – The 80 mg/L criterion was exceeded only in 1 of 26 samples. The geometric mean was not exceeded.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters	Collected samples during at least 3 seasons.	Lab detection limit for selenium was higher than the A&W chronic criterion.
MONITORING RECOMMENDATIONS		High Priority – Collect <i>E. coli</i> bacteria samples to support development of a TMDL. Use lower lab detection limit for selenium. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>OAK CREEK</b>  From West Fork Oak Creek to tributary at 345709/1114513 15060202 – 018A 5.0 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Wc – Attaining FBC – Impaired FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Add to 303(d) List. Expand Phase II bacteria TMDL to include this reach of Oak Creek.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/01/2003 – 07/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Bootlegger Campground VROAK046.10 101866	ADEQ TMDL	3-4 total and dissolved metals: samples: Chromium, copper	10-11 samples: ammonia, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus	25 <i>E. coli</i> bacteria 3 Fluoride
At Banjo Bill Campground VROAK044.98 101867	ADEQ TMDL	3-4 total and 0-2 dissolved: Arsenic, boron, lead, manganese, mercury	28 samples: Dissolved oxygen and pH	26 Suspended sediment concentration,
Above Slide Rock State Park VROAK044.46 101869	ADEQ TMDL	1 total and dissolved: Antimony 1 total, 3 dissolved: Cadmium, zinc		28 Turbidity,

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	07/30/2003 – 1733 CFU/100 ml 09/04/2004 – 517 CFU/100 ml 07/02/2005 – 517 CFU/100 ml	Impaired – 3 exceedances during the last 3 years of monitoring
Dissolved oxygen	7 mg/L A&Wc	05/29/2004 – 6.1 mg/L 07/02/2005 – 6.7 mg/L	Attaining – Low dissolved oxygen is due to natural conditions of low flow and groundwater upwelling. Low nutrient levels on two dates with low DO.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters	None	Lab detection limits for selenium was higher than the A&Wc chronic criteria.
MONITORING RECOMMENDATIONS		High Priority – Collect <i>E. coli</i> bacteria samples to support TMDL development.  Use lower lab detection limits for selenium.	

<b>OAK CREEK</b>  From tributary at 345709 / 1114513 to downstream boundary of Slide Rock State Park 15060202 – 018B 1 Mile Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Attaining FBC – Impaired FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Phase II TMDL being developed.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/09/2000 – 07/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Slide Rock VROAK044.04 101868	ADEQ TMDL & Friends of the Forest	3-5 total and dissolved: Chromium, copper,	15-22 samples: Ammonia, total nitrogen, nitrite/nitrate, total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and pH	938 <i>E. coli</i> bacteria 3 Fluoride 17 Suspended sediment concentration, 22 Turbidity,
Upstream of Slide VROAK043.88 102695	ADEQ TMDL & State Park Ambient	3-5 total metals only: Arsenic, boron, lead, manganese, mercury, zinc		
Mid Slide VROAK043.83 102694	ADEQ TMDL & State Park Ambient	3-5 dissolved metals only: cadmium, zinc		
Large Pool at Slide VROAK043.81 102693	ADEQ TMDL & State Park Ambient	0-1 total and 0-1 dissolved: Antimony, arsenic, beryllium, cadmium, lead, mercury, and zinc		
At Foot Bridge VROAK043.79 102692	ADEQ TMDL & State Park Ambient			
At Highway Bridge VROAK043.73 100609	ADEQ TMDL & State Park Ambient			
Below Slide Rock VROAK042.86 101870	ADEQ TMDL & State Park Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	Too many to list here.	Impaired – 58 exceedances (aggregating all sites within a 7-day period) during the assessment period. 20 exceedances in the last 3 years.
Suspended Sediment Concentration (SSC)	Geometric mean 80 mg/L A&Ww	03/10/2004 – 133 mg/L 01/11/2005 – 369 mg/L	Attaining – Although 2 exceedances of the 80 mg/L criterion, the geometric mean was not exceeded.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
None	Collected all core parameters		Lab detection limits for dissolved mercury and total selenium were higher than A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		High Priority – Collect <i>E. coli</i> bacteria to support development of Phase II TMDL. Use lower lab detection limits for selenium and dissolved mercury. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>OAK CREEK</b>  <b>From Slide Rock to Dry Creek</b> <b>15060202 – 018C</b> <b>20.0 Miles</b>  <b>Unique Water</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Attaining FBC – Impaired FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Add to 303(d) List. Expand Phase II bacteria TMDL to include this reach on Oak Creek

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/15/2001 – 07/05/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Manzanita Campground VROAK042.78 101871	ADEQ TMDL	7-22 total and dissolved samples: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, silver, thallium, and zinc  21 total and 0-2 dissolved: Boron, manganese, and mercury	28-30 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus  81 samples: Dissolved oxygen and pH	276 <i>E. coli</i> bacteria 20 Fluoride 63 Suspended sediment concentration, 75 Turbidity, 18 Total dissolved solids
Below Encinoso Picnic Area VROAK041.69 101872	ADEQ TMDL			
Below Rainbow Trout Farm VROAK039.92 101873	ADEQ TMDL			
At Ladders VROAK039.54 103111	Friends of the Forest Ambient			
At Crescent Moon VROAK038.67 101876	Friends of the Forest Ambient			
Above Grasshopper Point VROAK038.52 101875	ADEQ TMDL			
Below Highway 179 VROAK035.79 100460	ADEQ TMDL			
At Chavez VROAK034.02 100461	ADEQ TMDL and Friends of the Forest			
At Grasshopper Point VROAK031.52 101874	Friends of the Forest Ambient			
At Red Rock Crossing VROAK031.38 100926	ADEQ TMDL			

<b>EXCEEDANCES</b>			
<b>POLLUTANT</b>	<b>STANDARD UNIT DESIGNATED USES</b>	<b>DATES EXCEEDANCES</b>	<b>DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS</b>
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	23 7-day periods with exceedances (Too many to list here)	Impaired – At least one exceedance in the 10 sites during 23 7-day periods. 276 samples were collected at all 10 sites to support a TMDL being developed.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	07/30/2003 – 514 mg/L 01/11/2005 – 166 mg/L 07/01/2005 – 253 mg/L	Attaining – Although there were 3 exceedances of the 80 mg/L criterion, the geometric mean of 4 consecutive samples was not exceeded.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site

<b>DATA GAPS AND MONITORING NEEDS</b>			
<b>EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS</b>	<b>MISSING CORE PARAMETERS</b>	<b>MISSING SEASONAL DISTRIBUTION</b>	<b>DETECTION LIMITS NOT LOW ENOUGH</b>
None	All core parameters collected.		Lab detection limits for dissolved mercury and total selenium were higher than the A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		<p>High Priority – Collect <i>E. coli</i> bacteria samples to support TMDL development.</p> <p>Use lower lab detection limits for selenium and dissolved mercury.</p> <p>Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted</p>	

<b>OAK CREEK</b>  From Dry Creek to Spring Creek 15060202 – 017 10.0 Miles  Unique Water	USE SUPPORT	OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A&Ww – Attaining FBC – Impaired FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Add to the 303(d) List. Expand Phase II bacteria TMDL to include this reach of Oak Creek

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 01/10/2001 – 05/24/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Dry Creek VROAK022.58 101878	ADEQ TMDL	3-4 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc	7-9 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus	102 <i>E. coli</i> bacteria 4 Fluoride 12 Suspended sediment concentration 12 Turbidity
Below Page Springs VROAK016.70 100613	ADEQ TMDL	4 total and 0-2 dissolved: Boron, lead, manganese, mercury	12 samples: Dissolved oxygen and pH	4 Total dissolved solids
At Mormon Crossing VROAK013.95 101880	Friends of the Forest TMDL			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	8/15/2001 – GT 10/21/2001 – 1348 CFU/100 ml 11/21/2001 – 1809 CFU/100 ml 12/07/2001 – 308 CFU/100 ml 09/11/2002 – 1011 CFU/100 ml 08/06/2003 – 921 CFU/100 ml 08/27/2003 – 613 CFU/100 ml 09/03/2003 – 830 CFU/100 ml 06/22/2004 – 687 CFU/100 ml 07/20/2004 – 461 CFU/100 ml 09/21/2004 – 613 CFU/100 ml 01/11/2005 – 365 CFU/100 ml	Impaired – The <i>E. coli</i> criterion was exceeded in 12 of 102 samples. Sampling was conducted to determine the extent of impairment on Oak Creek (upstream reach was already assessed as impaired 15060202-018B).  (GT = “greater than,” which is more colonies than could be counted)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	03/09/2004 – 144 mg/L 01/11/2005 – 460 mg/L	Attaining – Although 2 samples exceeded the 80 mg/L criterion, both exceedances occurred during high flows, so can not be included in the geometric mean calculation. Geometric mean was not exceeded.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for dissolved mercury, dissolved lead, and total selenium were higher than the criteria.
MONITORING RECOMMENDATIONS		High Priority – Collect <i>E. coli</i> bacteria to support TMDL development. Use lower lab detection limits for dissolved mercury, lead, and total selenium. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted	



<b>OAK CREEK</b>  From Spring Creek to Verde River 15060202 – 016 12.7 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/11/2003 – 05/24/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Cornville Bridge VROAK008.90 101881	ADEQ TMDL	3-4 dissolved and total samples: Antimony, arsenic, cadmium, chromium, copper, lead, zinc	3-10 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and pH	10 <i>E. coli</i> bacteria 4 Fluoride 10 Suspended sediment concentration 10 Turbidity, 4 Total dissolved solids
Near Cornville VROAK000.21 USGS #09504500 100493	ADEQ Ambient	4 total and 0-1 dissolved metals: Boron, manganese, and mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	03/08/2004 – 106 mg/L	Attaining – Exceeded 80 mg/L in one of 10 samples; however, exceedance was during a high flow event, so value could not be included in geometric mean calculation. Geometric mean did not exceed criterion.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
None	All core parameters collected.		Lab detection limits for dissolved mercury and total selenium were higher than the criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium and dissolved mercury.  Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	



<b>PECKS LAKE</b>  15060202 – 1060 95 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Impaired FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 4A  Not attaining	Low dissolved oxygen and high pH.	TMDL approved in 2000.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 01/13/2000, 03/12/2002, 03/31/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam VRPEC-AA 100511	ADEQ Ambient	3 total and 0-1 dissolved sample: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, zinc	3: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and pH	2 <i>E. coli</i> bacteria 3 Fluoride 3 Turbidity 3 Total dissolved solids
Mid Lake VRPEC-A 100063	ADEQ Ambient			
At Inlet VRPEC-F 100513	ADEQ Ambient			
At Verde River Inlet VRPEC-IN 100827	ADEQ Ambient			
East of Cement Bridge VRPEC-OUT 100828	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7 mg/L A&Wc	01/13/2000 – 2.1 mg/L	Remains impaired – Insufficient data to change impairment status. (Binomial)

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (cadmium, copper, and zinc) and <i>E. coli</i> bacteria to assess A&W and FBC.	Only 2 season represented (January and March samples)	Lab detection limit for dissolved mercury was above A&W chronic criterion.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect samples during critical conditions to determine the effectiveness of watershed improvements to reduce nutrient loadings. The old turbidity standard (10 NTU) was exceeded in 1 of 3 samples (16 NTU). Elevated turbidity and low dissolved oxygen may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine effectiveness of TMDL load reduction strategies.  Collect core parameters during at least 3 seasons.  Use a lower lab detection limit for dissolved mercury.	

<b>PERKINS LAKE</b>  <b>15060202 – 1080</b> <b>4 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	<b>Category 3</b>  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 05/22/2001 – 09/06/2001		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At Dam VRPER-A 101295	ADEQ Ambient	1-2 total metals samples:: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, zinc (0 dissolved metals)	3 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, and pH 2 Dissolved oxygen 1 Phosphorus	3 Fluoride 3 Turbidity 2 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7 mg/L A&Wc	09/06/2001 – 6.2 mg/L 05/22/2001 – 4.6 mg/L	Inconclusive – Low dissolved oxygen in the top meter of the lake during both sampling events.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient dissolved metals (cadmium, copper, and zinc) and <i>E. coli</i> bacteria to assess A&W and FBC.	Only 2 season represented (January and March samples)	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional dissolved oxygen data due to low measurements. Low dissolved oxygen may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>RED CREEK</b>  From headwaters to Verde River 15060203 – 818 13.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/29/2003 – 04/28/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above second road crossing VRRED004.17 100626	ADEQ Ambient	3-4 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, copper, lead, manganese, mercury, zinc.  4 total metals samples only: Boron, chromium, manganese	3-4 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration, 4 Turbidity, 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
None	All core parameters collected		Lab detection limit for selenium was higher than A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium data.	

<b>ROUNDTREE CANYON CREEK</b>  From headwaters to Tangle Creek 15060203 – 853 10.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/29/2003 – 04/28/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
3 miles above Tangle Creek VRROU002.93 100631	ADEQ Fixed site	3-4 dissolved and total samples: Antimony, arsenic, beryllium, boron, cadmium, copper, lead, manganese, mercury, zinc.  4 total metals samples only: Boron, chromium, manganese samples	3-4 samples: Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration, 4 Turbidity, 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	09/29/2003 – 5.5 mg/L	Attaining – Exceedance due to natural conditions with flow less than 0.1 cfs and ground water upwelling the source of water.
Copper (dissolved)	18.9 µg/L at 240 mg/L hardness A&Ww chronic	01/27/2004 – 20 µg/L	Inconclusive – 1 exceedance during the assessment period.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Copper	All core parameters collected		Lab detection limit for selenium was higher than the A&W chronic criterion.
MONITORING RECOMMENDATIONS		Medium Priority – Collect copper samples due to exceedances.  Use a lower lab detection limit for selenium samples.	

<b>SCHOLZE LAKE</b>  15060202 – 1350 22 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Attaining FC – Attaining AgL – Attaining	Category 2  Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 07/27/2001-6/20/2002		
		NUMBER AND TYPES OF SAMPLES		
At Dam VRSCH-A 101295	ADEQ Ambient	Metals	Nutrients – Related	Other
		3 total and 0-1 dissolved sample:: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, zinc	4 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and Ph	1 <i>E. coli</i> bacteria 4 Fluoride 3 Turbidity 3 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6 mg/L A&Ww	10/29/2001 – 4.8 mg/L	Inconclusive – Low dissolved oxygen in 1 of 3 sampling events. (Binomial)

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Dissolved oxygen	Insufficient dissolved metals (cadmium, copper, and zinc), total hardness, and <i>E. coli</i> bacteria to assess A&W and FBC.	Only 2 season represented (Sept-Oct and May samples)	Lab detection limits for dissolved metals (cadmium, copper, mercury, and silver) were higher than A&W chronic criteria.
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect dissolved oxygen measurements due to the low dissolve oxygen.  Collect core parameters during at least three different seasons during the assessment period. The old turbidity standard (25 NTU) was exceeded in 1 of 3 samples (09/07/2001 at 77 NTU). Low dissolved oxygen and elevated turbidity may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring  Use lower lab detection limits for dissolved metals.	

<b>SPRING CREEK</b>  From Coffee Creek to Oak Creek 15060202 – 022 6.4 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Attaining FBC – Impaired FC – Attaining Agl – Attaining AgL – Attaining	Category 5  Impaired	<i>E. coli</i> bacteria	Add to the 303(d) List. Expand Phase II bacteria TMDL to include this tributary to Oak Creek

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/15/2001 – 01/11/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Willow Point Road VRSPN002.09 101879	Friends of the Forest Bacteria	3-4 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, copper, lead, and zinc.	3-7 samples: Total phosphorus, total Kjeldahl nitrogen, total nitrogen, nitrite/nitrate, ammonia, dissolved oxygen, and pH	97 <i>E. coli</i> bacteria 4 Fluoride 7 Suspended sediment concentration, 7 Turbidity, 4 Total dissolved solids
Near Road Crossing VRSPN002.04 100650	ADEQ Ambient TMDL	4 total metals and 0-2 dissolved metals: Boron, chromium, manganese, and mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/15/2001 – 3629 CFU/100 ml 10/10/2001 – 387 CFU/100 ml 07/31/2002 – 461 CFU/100 ml 08/21/2002 – 248 CFU/100 ml 08/28/2002 – 328 CFU/100 ml 09/11/2002 – 1011 CFU/100 ml 09/03/2003 – 308 CFU/100 ml 09/10/2003 – 548 CFU/100 ml 07/20/2004 – 291 CFU/100 ml	Impaired – 7 exceedances during the last 3 years of monitoring (9 during the assessment period). Of these, 7 were above the 300 CFU/100 ml screening value.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Ww	01/11/2005 – 310 mg/L	Attaining – 80 mg/L was exceeded in one sample; however, that sample was collected during a high flow event, so could not be included in the geometric mean calculation. Geometric mean standard was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected		Lab detection limit for selenium and dissolved mercury were higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		High Priority – Collect <i>E. coli</i> bacteria samples to support development of a TMDL.  Use lower detection limits for selenium and dissolved mercury. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>STERLING CANYON</b>  From headwaters to Oak Creek 15060202 – 424 3.0 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining	Category 2	
	FBC – Inconclusive FC – Inconclusive	Attaining some uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 01/28/2004, 05/24/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Sterling Spring Hatchery VRSTC000.10 101923	ADEQ Ambient	1 dissolved and total metal samples: Cadmium, chromium, copper, lead, thallium, zinc  1 total metals only: Antimony, arsenic, barium, beryllium, boron, manganese, mercury, nickel, selenium	2-3 samples: Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	2 <i>E. coli</i> bacteria 1 Turbidity

EXCEEDANCE			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	6.0 mg/L A&Ww	05/24/2005 – 4.5 mg/L	Attaining – Low dissolved oxygen is naturally occurring due to low flow conditions and groundwater upwelling. Nutrients were very low.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events	
MONITORING RECOMMENDATIONS		Low Priority – Collect core parameters to represent at least 3 seasons during an assessment period.	

<b>STONEMAN LAKE</b>  <b>15060202 – 1490</b> <b>125 Acres</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Wc – Impaired FBC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 4A  Not attaining	Low dissolved oxygen and high pH	TMDL approved in 2000. Several watershed improvements completed.

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 03/29/2001- 06/01/2001		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam VRSTN-A 100086	ADEQ Ambient	1-2 total metals samples: only: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, selenium, silver, zinc (0 dissolved metals)	3 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus. 2 pH (0 Dissolved oxygen)	2 Fluoride 2 Turbidity 1 Total dissolved solids
Mid Lake VRSTN-B 100698	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L FBC	03/29/2001 – 70.6 µg/L 05/09/2001 – 107 µg/L	Inconclusive – Exceeded in 2 of 2 samples collected. (Binomial requires a minimum of 5 exceedances and 20 samples to assess as impaired.) Lake was drying down at that time and has been totally dry most of the time since 2001.
pH	<9.0 SU A&Wc, FBC, Agl, AgL	06/01/2001 – 9.4 mg/L	Attaining – Low pH was a natural condition as lake evaporated.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
Arsenic	Missing core parameters.	Only 2 season represented (March, May, June samples)	
<b>MONITORING RECOMMENDATIONS</b>		<p>Medium Priority – Collect samples to determine the effectiveness of implemented strategies to reduce nutrient loading to the lake once the lake refills and water quality stabilizes. (Note that the lake has been completely dry for the past 3 years.) New narrative nutrient implementation procedures are being adopted and should be applied to this lake once water in the lake has been reestablished.</p> <p>Collect arsenic samples due to exceedances.</p> <p>Collect core parameters to represent at least three seasons during an assessment period.</p>	



<b>SYCAMORE CREEK</b>  From Cedar Creek to Verde River 15060202 – 026 11.7 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining Agl - Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/14/2000; 11/13/2003 - 06/22/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Summer Springs VRSYW001.72	ADEQ Ambient	3-4 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, copper, lead, zinc	3-4 samples: Ammonia, dissolved oxygen, pH, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration, 4 Turbidity, 3 Total dissolved solids
At mouth to Verde River VRSYW000.05 101558	USGS Special study	4 total and 0-1 dissolved: Boron, chromium, manganese, and mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limits for selenium and dissolved mercury were higher than A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – The old turbidity standard (50 NTU) was exceeded in only 1 of 4 samples (05/13/2004 at 97 NTU). Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use lower lab detection limits for selenium and dissolved mercury.	

<b>SYCAMORE CREEK</b>  From headwaters to Verde River 15060203 – 055 13.2 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 09/30/2003 – 04/29/2004		
		NUMBER AND TYPES OF SAMPLES		
Above Sheeps Bridge VRSYH000.25 100656	ADEQ Fixed site	Metals	Nutrients – Related	Other
		3-4 dissolved and total samples: Antimony, arsenic, beryllium, boron, cadmium, copper, lead, manganese, mercury, zinc.  4 total metals samples only: Boron, chromium, manganese	3-4 Ammonia, dissolved oxygen, pH, nitrite/nitrate, total nitrogen, total phosphorus, and total Kjeldahl nitrogen	4 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration, 4 Turbidity, 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected		Lab detection limit for selenium was higher than the A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium.	

<b>VERDE RIVER</b>  <b>From Granite Creek to Hell Canyon</b> <b>15060202 – 052</b> <b>16.4 miles</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining Agl - Attaining AgL – Attaining	Category 1  Attaining all uses	

<b>MONITORING USED IN THIS ASSESSMENT</b>				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/13/2000 – 06/23/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Granite Creek VRVER187.15 101556	USGS Special Study	3-5 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, chromium, zinc  5 total and 1-2 dissolved metals: Boron, copper, lead, manganese, mercury	4-7 samples: Ammonia, dissolved oxygen, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus  16 samples: pH	4 <i>E. coli</i> bacteria 5 Fluoride 6 Suspended sediment concentration, 7 Turbidity, 5 Total dissolved solids
At Inscription Point VRVER185.21 100764	USGS and ADEQ Special Study			
Above Muldoon Cyn. VRVER181.03 102172	USGS Special Study			
Below Muldoon Cyn. VRVER180.99 102173	USGS Special Study			
At gage near Pauldin VRVER179.25 USGS # 09503700 100488	USGS Ambient			
At Bull Basin Canyon VRVER177.42 101566	USGS Special Study			
Above Duff Spring VRVER175.01 101564	USGS Special Study			
Below Duff Spring 2 VRVER174.73 101563	USGS Special Study			
Above Hell Canyon VRVER171.11 101571	USGS Special Study			

<b>EXCEEDANCES</b>			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

<b>DATA GAPS AND MONITORING NEEDS</b>			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters	None	Lab detection limits for dissolved mercury and selenium were higher than chronic A&W criteria.
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Use lower lab detection limits for selenium and dissolved mercury.	

<b>VERDE RIVER</b>  From unnamed tributary (15060202-065) to Railroad Draw 15060202 – 037 10.7 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl - Attaining AgL – Attaining	Category 4A  Not attaining	Turbidity	Turbidity TMDL completed in 2002. (See comment below)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/02/2000 – 04/20/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Perkinsville Bridge VRVER164.63 100487	ADEQ & USGS Ambient	7-24 dissolved and total samples: Antimony, arsenic, barium, beryllium, cadmium, chromium, copper, lead, nickel, silver, thallium, and zinc  21-24 total metals only: Boron, manganese  2 Mercury dissolved	21-24 samples: Ammonia, dissolved oxygen, pH, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus	20 <i>E. coli</i> bacteria 22 Fluoride 12 Suspended sediment concentration, 22 Turbidity, 18 Total dissolved solids
Below Spring at Perkinsville Bridge VRVER163.19 101569	USGS Special Study			
Below Orchard fault VRVER162.32 101567	USGS Special Study			
Above Mormon Pocket VRVER159.89 101565	USGS Special Study			
Near bench mark #1813 VRVER154.70 101562	USGS Special Study			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Arsenic	50 µg/L – FBC 200 µg/L – Agl	02/02/2000 – 240 µg/L	Attaining – Only 1 exceedance in 22 samples. (Binomial)
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/27/2002 – 600 CFU/100 ml	Attaining – No exceedances in the last 3 years of monitoring (only 1 during the assessment period).
Mercury	0.6 µg/L FC	04/16/2002 – 0.79 µg/L	Attaining – Only 1 exceedance in 20 samples. (Binomial)

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
<i>E. coli</i> bacteria	Collected all core parameters		Lab detection limits for dissolved mercury and selenium were higher than the chronic A&W criteria.
<b>TURBIDITY IMPAIRMENT</b>		Need to re-evaluate the turbidity TMDL developed in 2002 in terms of the new suspended sediment concentration (SSC) standard. None of the 12 SSC samples exceeded 80 mg/L, although 4 samples marginally exceeded the old turbidity standard (50 NTU).	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect more <i>E. coli</i> bacteria samples due to the exceedance. Continue to evaluate turbidity and suspended sediment. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. Use lower lab detection limits for dissolved mercury and selenium.	

<b>VERDE RIVER</b>  From Sycamore Creek to Oak Creek 15060202 – 025 25.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl - Attaining AgL – Attaining	Category 4A  Not attaining	Turbidity	Turbidity TMDL completed in 2002. (See comment below)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 06/14/2000 – 09/09/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Half-mile below Sycamore Creek VRVER151.95 101555	USGS Special study	19-20 total and dissolved samples: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc 20 total mercury (no dissolved)	19-20 samples: Ammonia, dissolved oxygen, pH, total phosphorus, total nitrogen, TKN, nitrite/nitrate	20 <i>E. coli</i> bacteria 20 Fluoride 20 Suspended sediment concentration 19 Turbidity 20 Total dissolved solids
Near Clarkdale VRVER150.65 USGS # 09504000 100738	USGS Ambient			
Above Railroad Trestle VRVER147.23 101554	USGS Special study			
Below Railroad Trestle VRVER146.91 101553	USGS Special study			
Above diversion dam VRVER142.16 101551	USGS Special study			
Below diversion dam VRVER140.64 101547	USGS Special study			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	11/01/2000 – 240 CFU/100 ml	Attaining – No exceedances in last three years (16 samples since exceedance). (Screening value of 300 CFU was not exceeded.)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	01/12/2000 – 84 mg/L	Attaining – Exceeded 80 mg/L criterion in 1 of 20 samples. Geometric mean was not exceeded.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected.		Lab detection limit for selenium was higher than the A&W chronic standard.
TURBIDITY IMPAIRMENT		Need to re-evaluate the turbidity TMDL developed in 2002 in terms of the new suspended sediment concentration (SSC). Only 1 of 20 SSC samples exceeded the 80 mg/L.	
MONITORING RECOMMENDATIONS		Medium Priority – Continue to evaluate turbidity and suspended sediment. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted. Use a lower lab detection limit for selenium.	

<b>VERDE RIVER</b>  From Oak Creek to Beaver Creek 15060202 – 015 12.2 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl - Attaining AgL – Attaining	Category 4A  Not attaining	Turbidity	Turbidity TMDL completed in 2002. (See comment below)

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 11/12/2003 – 06/22/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
At 1000 Trails Mobile Home Park VRVER127.02 100481	ADEQ Ambient	3-4 total and dissolved samples: Antimony, arsenic, beryllium, cadmium, and zinc 4 total only: Boron, manganese 4 total and only 2 dissolved: Chromium, copper, lead, mercury	3-4 samples: Ammonia, dissolved oxygen, pH, total phosphorus, total nitrogen, TKN, nitrite/nitrate	4 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration 3 Turbidity 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
No exceedances	Insufficient dissolved copper to assess A&W		Lab detection limit for selenium was higher than the A&W chronic criteria.
<b>TURBIDITY IMPAIRMENT</b>		Need to re-evaluate the turbidity TMDL developed in 2002 in terms of the new suspended sediment concentration (SSC). The SSC samples did not exceed 80 mg/L.	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Continue to evaluate turbidity and suspended sediment. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Collect missing core parameters (dissolved copper) to represent at least 3 seasons during the assessment period.  Use a lower lab detection limit for selenium.	

<b>VERDE RIVER</b>  From 15060203 boundary to West Clear Creek 15060203 – 027 6.4 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl - Attaining AgL – Attaining	Category 4A  Not attaining (Impaired)	Turbidity	Turbidity TMDL completed in 2002. (See comment below)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/08/2003 – 06/21/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above West Clear Creek VRVER107.68 100723	ADEQ Ambient	3-4 dissolved and total: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, zinc.  4 total and 2 dissolved: Mercury.  1 Barium	4 Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, and total Kjeldahl nitrogen	3 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration, 4 Turbidity, 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected.		Lab detection limits for selenium and dissolved mercury were higher than A&W chronic criteria.
TURBIDITY IMPAIRMENT		Need to re-evaluate the turbidity TMDL developed in 2002 in terms of the new suspended sediment concentration (SSC). The SSC samples did not exceed 80 mg/L.	
MONITORING RECOMMENDATIONS		Medium Priority – Continue to evaluate turbidity and suspended sediment concentration. Use lower lab detection limits for dissolved mercury and total selenium.	



<b>VERDE RIVER</b>  From West Clear Creek to Fossil Creek 15060203 – 025 23.6 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Impaired FBC – Attaining FC – Attaining Agl - Attaining AgL – Attaining	Category 4A  Not attaining	Turbidity	Turbidity TMDL completed in 2002. (See comment below)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/01/2000 – 04/21/2005		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Beasley Flat VRVER103.73 100677	USGS Ambient	5-24 dissolved and total: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, mercury, nickel, silver, thallium, and zinc.	22-24 Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, and total Kjeldahl nitrogen	20 <i>E. coli</i> bacteria 22 Fluoride 11 Suspended sediment concentration, 17 Turbidity, 18 Total dissolved solids
At Beasley Flat VRVER103.60 100477	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/26/2002 – 307 CFU/100 ml	Attaining – No exceedances in the last 3 years of monitoring. (11 samples since the 1 exceedance)
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	12/15/2004 – 105 mg/L	Attaining – Only 1 of 11 samples exceeded the 80 mg/L criterion. The geometric mean of 4 consecutive samples was not exceeded.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected.		Lab detection limits for dissolved mercury and total selenium higher than A&W chronic criteria.
TURBIDITY IMPAIRMENT		Need to re-evaluate the turbidity TMDL developed in 2002 in terms of the new suspended sediment concentration (SSC). Only 1 of 11 SSC samples exceeded the 80 mg/L.	
MONITORING RECOMMENDATIONS		Medium Priority – Continue to evaluated turbidity and suspended sediment concentration impacts in this reach. Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.  Use lower lab detection limits for dissolved mercury and total selenium.	



<b>VERDE RIVER</b>  <b>From Tangle Creek to Ista Flat</b> <b>15060203 – 018</b> <b>4.1 miles</b>	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 03/29/2000 – 08/13/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Sheep Bridge VRVER053.70 100678	ADEQ Ambient	18-23 dissolved and total: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc.  22 total metals and 4 dissolved: Mercury	22-23 Ammonia, dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, and total Kjeldahl nitrogen	22 <i>E. coli</i> bacteria 22 fluoride 23 suspended sediment concentration, 22 turbidity, 22 total dissolved solids
Below Tangle Creek VRVER053.21 USGS #09508500 100740	USGS Fixed site			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
<i>E. coli</i> bacteria	235 CFU/100 ml FBC	08/30/2000 – 770 CFU/100 ml	Attaining – No exceedances in the last 3 years or monitoring (21 samples).
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L	08/30/2000 – 106 mg/L 08/13/2004 – 103 mg/L	Attaining – 2 of 23 samples exceeded the 80 mg/L criterion. The geometric mean of 4 consecutive samples did not exceed the standard.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected.		
MONITORING RECOMMENDATIONS		Low Priority – Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	

<b>VERDE RIVER</b>  From Horseshoe Dam to Alder Creek 15060203 – 008 10.7 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive DWS – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES ID # DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING DATE:</b> 09/23/2004 (both sites)		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		Metals	Nutrients – Related	Other
Below Horseshoe Dam VRVER044.71 102836	AGFD Ambient		1 samples: Ammonia, total nitrogen, total Kjeldahl nitrogen, nitrite/nitrate, dissolved oxygen, pH	1 Turbidity, 1 Total dissolved solids
Below Horseshoe Dam VRVER040.13 100831	ADEQ Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Insufficient sampling events.	
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect core parameters to represent at least 3 seasons during the assessment period.	

<b>VERDE RIVER</b>  From Bartlett Dam to Camp Creek 15060203 – 004 6.85 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A&Ww – Attaining FBC – Attaining FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses		Delist copper and selenium. (See comments below)

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 02/02/2000 – 08/18/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Below Bartlett Lake VRVER022.53 USGS #09510000 100741	USGS Ambient	22 dissolved and total: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, thallium, and zinc. 22 total mercury.	15-18: Ammonia, total nitrogen, total Kjeldahl nitrogen, total phosphorus, nitrite/nitrate, pH, dissolved oxygen	21 or more: suspended sediment concentration, total dissolved solids, turbidity, temperature, <i>E. coli</i> bacteria

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	All core parameters collected.		Lab detection limit for dissolved mercury was higher than the A&W chronic criteria.
DISCUSSION OF COPPER IMPAIRMENT		Delist copper. No exceedances in 22 total and dissolved copper samples. No known probable sources of copper in this reach or on its tributaries.  Delist selenium. No exceedances in 22 total selenium samples. No reported selenium exceedances in the entire watershed.	
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limit for dissolved mercury.	

<b>WALNUT CREEK</b>  From Apache Creek to Big Chino Wash 15060201 – 017 20.1 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Inconclusive	Category 3	
	FBC – Inconclusive FC – Inconclusive AgL – Inconclusive	Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 03/01/2004 – 05/03/2004 (dry in summer)		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above Forest Road #95 VRWAL018.97 100681	ADEQ Ambient	1-2 dissolved and total samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, zinc.	2 samples: Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, and total Kjeldahl nitrogen.	2 <i>E. coli</i> bacteria 2 Fluoride 2 Suspended sediment concentration, 2 Turbidity, 2 Total dissolved solids
		1 total metal only: Mercury	4 samples: Ammonia	

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient core parameters	Only 2 seasons represented	Lab detection limits for dissolved metals (copper, lead, mercury) and selenium were higher than A&W chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Collect core parameters to represent at least 3 seasons during an assessment period.  Use lower lab detection limits for dissolved mercury, dissolved copper, dissolved lead, and total selenium.	

<b>WATSON LAKE</b>  15060202 – 1590 150 Acres	<b>USE SUPPORT</b>		<b>OVERALL ASSESSMENT</b>	<b>POLLUTANTS CAUSING IMPAIRMENT</b>	<b>IMPAIRMENT STATUS</b>
	A D E Q	A&Ww – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive		
	E P A	A&Ww – Impaired FBC – Impaired Agl – Impaired AgL – Impaired	Category 5  Impaired	Nitrogen, dissolved oxygen, and pH	EPA listed lake as impaired in 2004.

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

<b>MONITORING USED IN THIS ASSESSMENT</b>				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/06/2000 – 08/06/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam VRWAT-A 101353	ADEQ & AGFD Ambient	4 total and dissolved metals samples: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, zinc	5 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and pH	4 <i>E. coli</i> bacteria 4 Fluoride 4 Turbidity 5 Total dissolved solids
At south end of lake VRWAT-SO 102564	AGFD Fish Kill Investigation			
At boat ramp VRWAT-BR 101397	AGFD & AGFD Ambient	4 total metals only: Mercury		

<b>EXCEEDANCES</b>			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES – EXCEEDANCE	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	<6 mg/L A&Ww	05/23/2002 – 5.6 mg/L	Inconclusive – Dissolved oxygen was too low in 1 of 4 sample dates at 2 sites. (Binomial)
Total Nitrogen	>3 mg/L A&Ww, FBC	07/06/2000 – 4.05 mg/L 05/23/2002 – 3.1 mg/L 08/29/2002 – 4.85 mg/L	Inconclusive – 3 of 6 samples exceeded the criterion. (Binomial) Nitrogen exceedance on 07/06/2000 occurred during a fish kill investigation.
pH	<9.0 SU A&Ww, FBC, Agl, AgL	07/06/2000 – 9.8 SU	Inconclusive -- High pH readings at several sites during the fish kill investigation on 07/06/2000.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Collected all core parameters		Lab detection limit for dissolved mercury is higher than A&W chronic criterion.
DISCUSSION OF IMPAIRMENTS		Evidence of potential nutrient impairment (nitrogen, low DO, and pH): <ol style="list-style-type: none"> <li>1. No additional data since the last assessment;</li> <li>2. Exceedances occurred during a fish kill investigation; and</li> <li>3. Repeated elevated nitrogen values compared to standards.</li> </ol>	
MONITORING RECOMMENDATIONS		High Priority –Collect samples to support TMDL development. Low dissolved oxygen, high pH, and elevated nutrients may be symptoms of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.	

<b>WEST CLEAR CREEK</b>  From Meadow Canyon to Verde River 15060203 – 026B 23.5 miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Ww – Attaining FBC – Attaining FC – Attaining AgI – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
<b>SITE NAMES</b> <b>ID #</b> <b>DATABASE #</b>	<b>AGENCY PURPOSE</b>	<b>SAMPLING PERIOD:</b> 01/11/2000 – 08/18/2004		
		<b>NUMBER AND TYPES OF SAMPLES</b>		
		<b>Metals</b>  3-4 dissolved and total samples: Antimony, arsenic, beryllium, boron, cadmium, chromium, copper, lead, manganese, zinc.  4 total and 0-1 dissolved: Boron, beryllium, and mercury	<b>Nutrients – Related</b>  26-33 samples: Dissolved oxygen, pH, total nitrogen, total phosphorus, nitrite/nitrate, and total Kjeldahl nitrogen.  4 samples: Ammonia	<b>Other</b>  3 <i>E. coli</i> bacteria 4 Fluoride 4 Suspended sediment concentration, 4 Turbidity, 4 Total dissolved solids 8 Pesticides (e.g. DDE, carbofuran, etc)
Near Camp Verde VRW/CL010.66 USGS #09505800 100749	USGS Ambient			

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
No exceedances	All core parameters collected		Lab detection limits for dissolved mercury and total selenium were higher than A&W/ chronic criteria.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for dissolved mercury and total selenium.	

<b>WEST FORK OAK CREEK</b>  From headwaters to Oak Creek 15060202 – 020 15.8 Miles  Unique Water	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 08/13/2003 – 05/27/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
Above 4 <sup>th</sup> trail crossing VRWOK000.82 100693	ADEQ Ambient	3-4 dissolved and total samples: Antimony, arsenic, beryllium, cadmium, chromium, copper, zinc	4-7 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus, dissolved oxygen and pH	7 <i>E. coli</i> bacteria 4 Fluoride 7 Suspended sediment concentration 7 Turbidity 4 Total dissolved solids
At Mouth VRWOK000.10 101865	ADEQ TMDL	4 total and 0-2 dissolved: Boron, manganese, mercury, lead		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7.0 mg/L A&Wc	8/13/2003 – 6.3 mg/L	Attaining – Low dissolved oxygen due to natural conditions of low flow and groundwater upwelling. (Drought conditions and flow reduced to 0.5 cfs.) Low nitrogen and phosphorus levels.
Suspended sediment concentration (SSC)	Geometric mean 80 mg/L A&Wc	01/11/2005 – 524 mg/L	Attaining – The 1 sample that exceeded the 80 mg/L was collected during a high flow event, so the value could not be used in the geometric mean calculation. The geometric mean of 4 consecutive samples did not exceed the standard.

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
None	All core parameters collected.		Lab detection limit for selenium was higher than the A&W chronic criterion.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limit for selenium.  Recommend using biocriteria assessments and bottom deposits implementation procedures in this reach, when they are adopted.	



<b>WET BEAVER CREEK</b>  From Long Canyon to Rarick Creek 15060202 – 004 6.5 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Attaining FBC – Attaining FC – Attaining Agl – Attaining AgL – Attaining	Category 1  Attaining all uses	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 10/08/2003 – 05/18/2004		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At USGS gage near Rimrock #09505200 VRW/BV012.35 100497	USGS Ambient	3-4 dissolved and total samples: Antimony, barium, boron, cadmium, chromium, copper, lead, manganese, zinc.  4 total and 1 dissolved: Beryllium	3-4 samples: Ammonia, dissolved oxygen, pH, total phosphorus, total nitrogen, total phosphorus, nitrite/nitrate	3 E. coli bacteria 3 Suspended sediment 4 Turbidity 4 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
No exceedances	All core parameters collected.		Lab detection limits for selenium and dissolved metals (copper, lead, and mercury) were higher than A&W chronic criteria in at least 1 sample.
MONITORING RECOMMENDATIONS		Low Priority – Use lower lab detection limits for selenium and dissolved metals.	

<b>WET BEAVER CREEK</b>  From Rarick Creek to Dry Beaver Creek 15060202 – 003 6.6 Miles	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 11/26/2002 – 09/05/2003		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
In Montezuma Castle National Monument VRW/BV006.50 101543	USGS Ambient	3 dissolved metal samples: Antimony, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, silver, uranium, zinc. (No total metals samples)	3 samples: Dissolved oxygen, pH, total phosphorus	3 Suspended sediment 3 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USES	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
No Exceedances			

Pollutant: Assume "total" concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient nitrogen, phosphorus, <i>E. coli</i> bacteria, boron, copper, lead, manganese, and mercury to assess A&W, FC, FBC, Agl and AgL		
<b>MONITORING RECOMMENDATIONS</b>		Low Priority – Collect core parameters to represent at least three seasons during an assessment period.	

WHITEHORSE LAKE  15060202 – 1630 40 Acres	USE SUPPORT		OVERALL ASSESSMENT	POLLUTANTS CAUSING IMPAIRMENT	IMPAIRMENT STATUS
	A D E Q	A&Wc – Inconclusive FBC – Inconclusive FC – Attaining DWS – Attaining Agl – Attaining AgL – Attaining	Category 2  Attaining some uses		
	E P A	A&Wc – Impaired	Category 5  Impaired		EPA listed in 2004 due to low dissolved oxygen. (See discussion below)

Light blue highlights indicate EPA impairments based on EPA assessment and listing criteria. This listing may change when EPA reviews and approves the 2006/2008 impaired waters list. Such listings do not satisfy requirements established in ADEQ's Impaired Water Identification Rule; therefore, they are not included in the list of ADEQ's Impaired waters (Appendix B and Appendix C).

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING PERIOD: 07/26/2000 – 03/18/2002		
		NUMBER AND TYPES OF SAMPLES		
		Metals	Nutrients – Related	Other
At Dam VRWHH-A 100090	ADEQ Ambient	10-11 total and 1 dissolved metals samples: Antimony, arsenic, barium, beryllium, boron, cadmium, chromium, copper, lead, manganese, nickel, selenium, silver, zinc	10-11 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and pH	2 <i>E. coli</i> bacteria 10 Fluoride 9 Total dissolved solids
At boat ramp VRWHH-BR 101317	AGFD & AGFD Ambient	4 total metals only: Mercury		

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USE	DATES – EXCEEDANCE	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
Dissolved oxygen	7 mg/L A&W/w	07/26/2000 – 4.7 mg/L	Attaining – Dissolved oxygen was below standards in only 1 of 11 sampling events. (Binomial) No indication of impairment. Remove from 303(d) List.
Nickel (total)	140 mg/L DWS	03/28/2001 – 210 µg/L	Attaining – Only one of eleven samples exceeded the standard. (Binomial)

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample per site.

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
	Insufficient dissolved metals (cadmium, copper, zinc) and <i>E. coli</i> bacteria to assess A&W and FBC.		Lab detection limits for selenium and dissolved metals (cadmium, copper, lead, mercury) were higher than A&W chronic criteria for at least 1 sample.
DISCUSSION OF DISSOLVED OXYGEN IMPAIRMENT		Evidence of potential impairment: Newer data does not show impairment as only 1 low dissolved oxygen measurement in the top meter in 11 samples. (Original listing was based on 5 of 10 samples not meeting DO standards.)	
MONITORING RECOMMENDATIONS		Low Priority – Collect missing core parameters to represent at least 3 seasons during the assessment period. Use lower lab detection limits for dissolved metals and selenium.	

<b>WILLOW CREEK RESERVOIR</b>  15060202 – 1660 295 Acres	<b>USE SUPPORT</b>	<b>OVERALL ASSESSMENT</b>	
	A&Wc – Inconclusive FBC – Inconclusive FC – Inconclusive Agl – Inconclusive AgL – Inconclusive	Category 3  Inconclusive	

MONITORING USED IN THIS ASSESSMENT				
SITE NAMES ID # DATABASE #	AGENCY PURPOSE	SAMPLING DATES: 02/11/2004, 06/22/2004		
		NUMBER AND TYPES OF SAMPLES		
At Dam VRW/IC-A 101922	ADEQ Ambient	Metals	Nutrients – Related	Other
		2 total and 2 dissolved metals samples: Cadmium, chromium, copper, lead, nickel, silver, zinc  2 total only metals: Antimony, arsenic, barium, beryllium, boron, manganese, mercury, selenium, thallium	2 samples: Ammonia, total nitrogen, nitrite/nitrate, and total Kjeldahl nitrogen, total phosphorus, dissolved oxygen, and pH	3 <i>E. coli</i> bacteria 2 Fluoride 2 Total dissolved solids

EXCEEDANCES			
POLLUTANT	STANDARD UNIT DESIGNATED USE	DATES EXCEEDANCES	DESIGNATED USE SUPPORT SUPPORTING EVIDENCE AND COMMENTS
pH	<9.0 SU A&Wc, FBC, DWS, Agl, AgL	06/22/2004 – 9.5 SU	Only 1 exceedance in 2 samples. Need more monitoring data to assess.

Pollutant: Assume “total” concentration, unless shown as dissolved.

Frequency Exceed = Samples collected within a 7-day period are aggregated and counted as one sample (see assessment methods).

DATA GAPS AND MONITORING NEEDS			
EXCEEDANCES NEEDING MORE SAMPLES TO ASSESS	MISSING CORE PARAMETERS	MISSING SEASONAL DISTRIBUTION	DETECTION LIMITS NOT LOW ENOUGH
pH	Insufficient core parameters	Insufficient sampling events	
<b>MONITORING RECOMMENDATIONS</b>		Medium Priority – Collect additional pH measurements due to an exceedance. Elevated pH may be a symptom of excess nutrient loading. New methods for implementing the narrative nutrient standard should be applied to this lake once adopted, to determine whether narrative nutrient violations are occurring.  Collect core parameters to represent at least three seasons during the assessment period.	

# CHAPTER III

## SUMMARY INFORMATION




This chapter provides a summary of assessed surface waters. Progress and comparisons with previous assessments are illustrated in the following chapter. Statewide summary statistics can provide a general sense of the status of water quality in Arizona.

The assessments and statistics in this chapter exclude surface waters on tribal lands. Also, the statistics *include* waters that EPA listed in previous assessment.

### Attaining or Impaired Waters

**Assessed Waters 2006/2008**

USE SUPPORT CATEGORY	LAKES (Acres)	STREAMS (Miles)
Attaining Uses (Category 1 and 2)	79,493	1,735
Impaired (Category 4 and 5)	9,179	1,072
Inconclusive (Category 3)	12,986	629
<b>Total Assessed</b>	<b>101,658</b>	<b>3,435</b>
Total Assessed as Attaining or Impaired (excluding Category 3)	88,672	2,806



About 78% of the lake acres and 50% of the stream miles assessed are attaining their uses.

If sites had been randomly selected across the state, this could be used to infer water quality throughout Arizona. However, sites are not randomly selected. They were selected by different programs and agencies for a variety of purposes, some with a bias towards finding pristine or impaired conditions. Therefore, inferences about water quality in general in Arizona should be limited. (See future monitoring discussion in Chapter IV.)


**Designated Use Support** – Narrative and numeric criteria were developed to protect uses shown to be occurring on a surface water – aquatic life, swimming, fishing, drinking water supply – therefore, designated use support should indicate whether our water is safe for use. (See explanation of standards and designated uses in the Assessment Methods document.)


The following table and graph illustrate the relative use support for each of the designated uses.

**Designated Use Support Statistics – 2006/2008**

SUPPORT TYPE	LAKES				STREAMS		
	Attaining (acres)	Impaired (acres)	Total (acres)		Attaining (miles)	Impaired (miles)	Total (miles)
Aquatic and Wildlife	3,024	5,152	101,658		1,491	765	3,406
Fish Consumption	62,417	5,626	101,658		2,316	100	3,236
Body Contact	33,250	2,040	101,658		1,616	393	3,406
Dom. Water Source	60,214	0	71,112		388	26	562
Irrigation	82,949	417	96,990		1,403	72	1,815
Livestock Watering	83,891	2,004	100,542		2,122	150	2,918

\*Total miles and acres include miles and acres assessed as “inconclusive.”





These statistics can be used to answer the following questions:

- Is it Safe for Aquatic and Wildlife Uses?** – Aquatic life is most at risk due to degraded water quality, as the fish and other aquatic critters are living in the water. This is reflected in surface water quality criteria, as water quality criteria are frequently more protective (lower criteria were established) than even human health criteria. In this assessment, therefore, the aquatic life use has the lowest percentage of attainment and the highest percentage of impairment. This indicates that protection of aquatic life is generally fair in the waters assessed as 11% of the lakes and 40% of the streams are attaining this use. However, these water quality criteria are the most likely to be exceeded and result in impairment -- 5% of the lakes and 22% of the streams.

Several large reservoirs were assessed as inconclusive when it came to this use, resulting in an unusually low proportion of attaining and impaired lake acres. These reservoirs, Lake Mohave, Lake Powell, Lake Havasu, and Roosevelt Lake, account for nearly 80% of assessed lake acres.

Lakes Mohave and Havasu in the Colorado-Lower Gila watershed were inconclusive due to selenium concerns, while Lake Powell in the Colorado-Grand Canyon lacked core parameter monitoring. Roosevelt Lake in the Salt watershed lacked core nutrient parameters. More monitoring is planned for all of these reservoirs, and new narrative nutrient implementation guidance will be applied to the Salt River reservoirs by the next assessment.

When it comes to streams, the primary cause of impairment was selenium, which can be found in local bedrock at natural high levels in some areas of the state. More studies will be done in association with TMDL development to determine whether or not the loadings are natural.

- Is it Safe to Swim in the Water?** – Full Body Contact (swimming) or Partial Body Contact (wading) was shown to be attaining in 28.6% of the lakes and 46.0% of the streams assessed. The cause of impairment for this use in 10.9% lakes and 50.7% of streams is due primarily to *Escherichia coli* bacteria contamination.

Studies suggest that swimming should be avoided during storm water runoff and in stagnant water where bacteria contamination is likely. Waters classified as “effluent dependent waters” and many shallow urban

lakes are also not designated for swimming or even wading.

Routine bacteria monitoring occurs at a few frequently visited swimming areas:

- Slide Rock State Park on Oak Creek,
- Beaches along Lake Havasu,
- Beaches along Lake Powell, and
- The Salt River Recreation Area (for part of this assessment period).

Of these monitored beaches, only Slide Rock state Park closed for swimming during the assessment period due to bacterial contamination. Slide Rock closes its swimming area when sampling results exceed water quality standards and the area remains closed until standards are met. (See TMDL discussion in the Verde Watershed.)


- **Should We Eat The Fish?** – Fish consumption advisories have been issued in 14 areas (see table below). These advisories are issued to inform the public about possible adverse health effects and they contain recommendations for how many fish meals can safely be consumed. Advisories may be directed at a specific subset of the population because some people are at greater risk (pregnant women and children). Additional information about fish tissue screening and fish advisories can be obtained by contacting ADEQ at (602) 771-4536 or Arizona Game and Fish Department at (602) 789-3260.



### Fish Consumption Advisories (2006/2008)

SURFACE WATER	SIZE	POLLUTANT AND PROBABLE SOURCES	ADVISORY AND DATE ISSUED
<b>Bill Williams Watershed</b>			
1. <b>Alamo Lake</b>	1414 acres	Mercury. Mining and atmospheric deposition	2004. Meal = up to 8 ounces of largemouth bass or black crappie <ul style="list-style-type: none"> <li>• Children under age 6: no consumption</li> <li>• Women of childbearing age: 1 meal/month</li> <li>• Women not childbearing age: 5 meals/month</li> <li>• Adult men: 6 meals/month</li> </ul>
2. <b>Coors Lake</b>	229 acres	Mercury. Mining and atmospheric deposition.	2004. Meal = up to 8 ounces of largemouth bass or black crappie <ul style="list-style-type: none"> <li>• Children under age 6: no consumption</li> <li>• Women of childbearing age: 1 meal/month</li> <li>• Women not childbearing age: 5 meals/month</li> <li>• Adult men: 6 meals per month</li> </ul>
<b>Colorado – Lower Gila Watershed</b>			
3. <b>Painted Rock Borrow Pit Lake</b>	185 acres	DDT metabolites, toxaphene, and chlordane from historic pesticide application on agricultural lands.	1991. Do not consume fish and other aquatic organisms
<b>Little Colorado Watershed</b>			
4. <b>Lake Mary, Upper &amp; Lower</b>	1625 acres	Mercury. Atmospheric deposition	2002 Do not consume walleye fish and limit consumption of other fish to one 8-ounce fillet per month.
5. <b>Long Lake</b>	594 acres	Mercury. Atmospheric deposition	2003. Do not consume fish.
6. <b>Lyman Lake</b>	1500 acres	Mercury. Atmospheric deposition.	2004. Meal = up to 8 ounces fish <ul style="list-style-type: none"> <li>• Children under age 6: no consumption</li> <li>• Women of childbearing age and children under age of 16: 1 meal/month</li> <li>• Women not childbearing age: Consult health care provider</li> <li>• Adult men: 5 meals/month</li> </ul>
7. <b>Soldiers Lake</b>	28 acres	Mercury. Atmospheric deposition	2003 Do not consume fish
8. <b>Soldiers Annex Lake</b>	122 acres	Mercury. Atmospheric deposition	2003. Do not consume fish.
<b>Middle Gila Watershed</b>			
9. <b>Painted Rocks Reservoir</b>	100 acres	DDT metabolites, toxaphene, chlordane from historic pesticide application on crops	1991. Do not consume fish and other aquatic organisms
10. <b>Portions of the Gila, Salt, and Hassayampa rivers</b>	140 miles	DDT metabolites, toxaphene, chlordane from historic pesticide application on crops.	1991. Do not consume fish and other aquatic organisms
11. <b>Dysart Drain (drains to Agua Fria River in Phoenix metropolitan area)</b>	3 miles	DDT metabolites. From historic pesticide application on crops.	1995 Do not consume fish or other aquatic organisms.
<b>Santa Cruz Watershed</b>			
12. <b>Arivaca Lake</b>	120 acres	Mercury. Mine tailings and atmospheric deposition	1996. Do not consume fish or other aquatic organisms.
13. <b>Parker Canyon Lake</b>	130 acres	Mercury. Sources to be investigated.	2002 <ul style="list-style-type: none"> <li>• Women of childbearing age and children under 16: no consumption</li> <li>• Women not of childbearing age: Consult health care provider.</li> <li>• Adult men (above 15): Up to five 8-ounce meals/month.</li> </ul>
14. <b>Pena Blanca Lake</b>	50 acres	Mercury. Sources historic mining and atmospheric deposition	1995 Do not consume fish or other aquatic organisms.

## 2006/2008 Statewide Fish Consumption Advisories



A national fish consumption advisory has also been issued by EPA. This advisory recommends that pregnant women (or who may become pregnant), nursing mothers, and young children should limit fish consumption. The women should limit fish to one six-ounce meal per week (8 ounces uncooked fish) and the young children to one two-ounce meal per week. (See further discussion of mercury later in this chapter.)

- **Can We Drink the Water?** – Of the waters assessed, only 0.04% of the lakes and 4.61% of streams were impaired and 83.2% of the lakes and 69.2% of the streams were attaining this use. Keep in mind that these samples were of the source water (the raw water) and do not reflect the quality of water being provided at the tap to the customer. At a minimum, surface water must be disinfected and filtered before it is used for drinking.

The quality of water delivered by public water systems is strictly regulated and monitored to ensure that federal and state standards established to protect public health are met. Drinking water advisories are issued by the supplier when monitoring confirms that a drinking water standard has been exceeded. Contact the supplier to request a consumer confidence report to learn more about the quality of your public drinking water system.

When water is supplied by a private water system (a system serving fewer than 15 connections and 25 people), it is the user's responsibility to test and protect the quality of their drinking water. General water quality information and ways to protect drinking water sources can be obtained by contacting a county health department.


Never drink untreated lake or stream water. At a minimum, back packers must filter and disinfect the water before drinking it.

**Pollutants Causing Impairments and Probable Sources** – The pollutants causing impairments are summarized in the following table and graphs.


**Pollutants or Stressors Causing Impairments in 2006/2008**

POLLUTANT STRESSOR CATEGORY	LAKES (acres)	STREAMS (miles)
Nutrients (nitrogen, phosphorus, high pH, dissolved oxygen, or ammonia)	9,190	230
Metals (cadmium, chromium, copper, lead, silver, zinc or low pH) (Excluding mercury, boron, selenium)	62	410
Selenium	0	271
Mercury	5,341	40
Boron	0	59
Suspended sediment, turbidity, or sedimentation	0	288
<i>E. coli</i> bacteria	12	232
Pesticide (DDT metabolites, chlordane, toxaphene)	285	99
Other (Nitrate from explosives and chlorine)	0	22


\*Cannot total miles or acres because some waters are impaired by multiple stressors




\*A high percentage of Arizona's lakes are stressed by nutrient pollutants. The primary cause of impairment for lakes is high pH and the natural alkalinity of Arizona's surface waters may be contributing to this cause.



Based on past investigations, the probable sources contributing significant loadings are shown in the following tables and graphs. More than one source may be impacting a given stream reach or lake. These statistics are based on best available information, knowledge of land uses and activities in the watershed, and geology of the watershed.





#### Nutrient-related Impairments and Sources

Low dissolved oxygen and high pH are generally related to nutrient enrichment problems in lakes. Excess nutrients (nitrogen and phosphorus) can result in eutrophic or even hyper-eutrophic conditions, with high concentrations of algae and aquatic weeds during highly productive summer days. These conditions negatively impact recreational activities such as swimming and boating. If the algae suddenly die off, the resulting dissolved oxygen sag and high pH can result in fish kills. Excess algal growth can also impair public water supplies by imparting taste and odor problems, or by resulting in high concentrations of algal toxins.

Recent TMDL investigations have shown that the primary sources of nutrients affecting lakes and streams in Arizona are:

- Inadequate septic systems
- Inadequate toilet and waste disposal facilities in recreational areas
- Attached to sediments being transported in from the watershed (from grazing, wildlife, urban development, irrigated crop production)
- Animal wastes near the surface water (dog droppings, geese and ducks).

The potential for excess nutrient problems is further exacerbated by natural conditions, such as sunny days and hot temperatures that increase algae and aquatic plant production, nutrient cycling in the lake, and even shallow lake design and maintenance.

#### Pathogen-related Impairments and Potential Sources

ADEQ uses *Escherichia coli* (*E. coli*) bacteria as an indicator of pathogens in the water. While pathogens occur naturally in the environment, high concentrations of *E. coli* in waters used for swimming or even wading can pose a threat to human health.

Pathogens are frequently attached to sediment; therefore, water with heavy sediment loads is likely to have high levels of pathogens. Flood waters carry pathogens into our surface waters at high concentrations; therefore, swimming should be curtailed during runoff events. Murky, sediment loaded water, is also difficult to effectively



disinfect for drinking water purposes. This can be a problem for public systems using surface waters or for backpackers who need to filter and disinfect the water for drinking purposes.

The sources of *Escherichia coli* and other pathogens are generally the same as the sources of nutrients discussed above: inadequate septic systems, inadequate toilet and waste disposal facilities at recreational areas, sediments, animal wastes attributed to grazing, dog droppings, ducks and other animals being fed at lakes. Watershed control strategies frequently focus on restoring natural vegetation filters, reducing erosion and sedimentation, improving waste management, and improving septic systems.

#### Sediment-related Impairments and Potential Sources

Arizona adopted a suspended sediment concentration (SSC) standard in 2002 to replace its turbidity standard. The SSC criterion is intended to protect fish coldwater and warmwater aquatic communities in perennial streams. Because sediments also contain the other pollutants of concern (metals, nutrients, bacteria), reducing suspended sediment loadings is a priority.



**Big Sandy River Storm Flow**

Although some suspended sediment will occur naturally, SSC and sedimentation can be reduced by stabilizing stream banks, reducing and directing storm runoff flow, and improving the riparian conditions or constructing other vegetative filters. Watershed management strategies are being implemented in Arizona to reduce sediment loadings from construction sites, grazing, silviculture, urban development, crop production, mining, recreation (off-highway vehicles), and more.

#### Metals-related Impairments and Potential Sources

High concentrations of metals, especially dissolved metals, primarily pose a risk to aquatic life because even low concentrations can be toxic to critters that live in the water. Metal pollutants can impair each one of our designated uses if at a high enough concentration.

Arizona has extensive areas of mineralized rock, and therefore, a high potential for metals pollution. Metals leach more readily from soil or mineralized rock that has been exposed by mining or even road building and land development activities. Ore bodies and springs that recharge our streams can also naturally contribute metals to our streams.



**Worlds Fair Mine and Stream Below**

Acidic conditions occur near mining activities. The lower the pH of the water (more acidic), the more likely metals will be in their more toxic dissolved state. The more neutral or alkaline the water conditions, the more metals adhere to sediment and are less toxic. Fortunately, most of Arizona's lakes and streams are relatively alkaline. When metal-contaminated sediment is transported downstream to a lake, the water slows and the sediments drop to the bottom of the lake, where the contamination becomes buried under layers of sediment. Therefore, most metal exceedances occur near mines and seldom occur in lakes.

Mercury and selenium have a different fate and transport, so they are discussed separately.

#### Mercury Impairments and Potential Sources

Mercury bioaccumulates in the food chain, with top predator fish having higher mercury concentrations than forage fish. Mercury poses a serious health concern to humans and other animals that prey on fish contaminated with mercury. When the mercury concentration in the edible portion of a fish exceeds 0.3 mg/kg, ADEQ establishes a Fish Consumption Advisory for the lake, in conjunction with the Arizona Department of Health Services and the Arizona Game and Fish Department. These advisories have been issued at a number of lakes in Arizona.

Mercury is naturally present in rock formations in Arizona. If not stabilized, crushed rock mine tailings piles can erode and add mercury and other metals into the surface water. Such abandoned and inactive mine tailings piles are scattered across Arizona. Also, mercury was used in the gold mining process before the introduction of cyanidation technology at the beginning of the 20<sup>th</sup> Century. In this process mercury was used to amalgamate with the mercury. Then the mercury was evaporated off in a furnace. Some mercury loss occurred in the many steps in this process.

Significant potential point sources of airborne mercury have been shown to be the source of mercury across the United States (*Mercury Study Report to Congress*, EPA, 1997). These sources include coal-fired power plants, waste incinerators, cement and lime kilns, smelters, pulp and paper mills, and chlor-alkali factories. ADEQ is currently developing a number of mercury TMDLs for lakes and is collecting data to quantify the mercury contribution from atmospheric deposition.

#### Selenium Impairments and Potential Sources

Selenium bioaccumulates and can cause reproductive effects to fish and waterfowl. Selenium is a naturally occurring metalloid. It has a complex biogeochemistry in the aquatic environment as it can exist in and transform between several oxidation states, each with varying bioavailability and toxicity. It also has a very narrow concentration range between nutritional requirements and toxicity. Therefore, assessing the risk posed by selenium exceeding chronic criteria requires extensive site-specific studies, with the primary focus on documenting reproductive effects to exposed fish and waterfowl.

Anthropogenic sources of selenium in Arizona may include: irrigated agriculture return flows and drainage, combustion of fossil fuels, coal mining, sulphide ore mining (copper, lead, zinc mines) and animal feed supplements.

#### Pesticide-related Impairments and Potential Sources

The historic use of banned pesticides is still the primary source of pesticide contamination problems in Arizona. Banned pesticides such as DDT take a long time to degrade. Meanwhile, relatively small concentrations can bioaccumulate in the food chain, passing higher concentrations on to offspring and predators, including humans. The presence of pesticides in fish tissue has lead fish consumption advisories being posted for the Gila River, Salt River, and Hassayampa River below the Phoenix Metropolitan area down to Painted Rocks Dam. These pesticides were used on cotton and citrus fields and are transported into our streams and lakes attached to sediments from the historic crop land.

#### **Comparison of Point Source and Nonpoint Sources of Pollutants**

-- Water pollution is often discussed in terms of “point” and “nonpoint” sources. Thirty years ago, federal and state regulations primarily governed point source discharges through the National Pollution Discharge Elimination System (NPDES) permit requirements. Point sources come from a discrete discharge point or pipe (e.g., a wastewater treatment plant discharge). However, pollution also comes from more diffuse sources that are referred to as “nonpoint sources,” such as runoff from urban areas, farm fields, or mining operations.

Differentiating between point and nonpoint sources is not





always clear. For example, are septic systems or stormwater runoff from mine tailings, construction sites, urban areas, or concentrated animal feeding operations considered point sources or nonpoint sources? All of these require permits. The stormwater runoff examples require an NPDES general permit. However, reductions in stormwater loadings are handled by application of nonpoint source management practices. For this assessment, these sources were differentiated as follows:

- Septic systems were considered nonpoint sources.
- Stormwater runoff from constructions sites was considered nonpoint sources.
- Stormwater runoff from urban areas was considered nonpoint sources.
- Stormwater runoff from concentrated animal feeding operations was considered a nonpoint source.
- Active mine sites that are required to obtain a general NPDES permit were considered point sources, while inactive or historic mine sites were considered nonpoint sources. For this assessment, only historic mine tailings were considered sources of impairments.

**Estimated Contributions from Point and Nonpoint Sources – 2006/2008**

	Point Source	Nonpoint Source
Streams (miles)	46	3,245
Lakes (acres)	520	30,504

\*Miles include intermittent and ephemeral streams, canals, and washes.

Most pollution in Arizona's surface waters is contributed by nonpoint or diffuse sources of pollution. This may indicate the effectiveness of the state and federal regulatory programs working with point source discharges. The control of nonpoint source contributions largely remains non-regulatory, based on education and funding of mitigation projects.

# CHAPTER IV

## ACTION PLAN

How do we get from assessments to water quality improvements? This chapter will discuss programs involved in mitigating water pollution problems. It will also discuss water quality research, including research into new standards, monitoring, and assessment techniques.

### Impaired Waters → Now What

Monitoring and assessments are part of a process to identify impaired waters and then reduce discharges of pollutants in the watershed. Surface waters in **Appendix B** categories 4 and 5 are not attaining or impaired for their designated uses. Impaired waters that require a Total Maximum Daily Load Analysis (on the 303(d) List) are in Category 5. Waters that are not attaining a use and do not require a TMDL (at this time) are in Category 4. For example, once the TMDL is completed, the surface water is moved to Category 4A. Surface waters that are not attaining standards solely due to natural conditions are in Category 4N. If actions are being taken so that surface water standards will be met, ADEQ and EPA may agree to place the surface water in Category 4B. (See the Assessment Methods document for further information).

It is important to recognize that all waters in Category 4 and 5, even waters that are solely impaired due to natural conditions, are protected under Arizona's Antidegradation Rule (Arizona Administrative Code R18-11-107), as a "Tier 1" waters. No further degradation by that pollutant is allowed. Potential pollutant loadings must be considered by ADEQ and several federal agencies before permits or certification are issued (e.g., NPDES/AZPDES discharge permits, grazing permits).

**Total Maximum Daily Load Analyses** – Usually, if an assessment unit is identified as impaired, a Total Maximum Daily Load (TMDL) must be developed. A TMDL is a written analysis that determines the maximum amount of a pollutant that a surface water can assimilate (the "load"), and still attain water quality standards during all conditions.

Sources of pollutants are identified in the initial phase of the TMDL. Pollutant loading can originate from two types of sources: point and nonpoint. Point sources are discrete conveyances of pollutants discharged directly to a surface water, such as wastewater treatment plant outfalls. Nonpoint sources are non-discrete discharges, including runoff generated by activities such as grazing, agriculture, mining and forestry.

Waste load reductions from point sources can be managed through permitting programs such as Arizona's Pollutant Discharge Elimination System. However, there are few regulatory actions available to control nonpoint pollution, so load reductions from these sources are primarily voluntary. Nonpoint source pollution may include excessive sediment caused by the denudation of grasslands, the location of roads, construction, bacteria from wildlife and/or recreation, metals from historic mining practices and road cuts through ore bodies, and pesticides from historic agricultural practices.

**TMDL Schedule and Prioritization** – A schedule for TMDL development is provided in **Appendix C**. Criteria for this ranking is established in the Impaired Waters Rule (R18-11-606) (see Assessment Methods document). In general, waters with "high priority" factors are scheduled to be initiated within two years following EPA's approval of the 303(d) List, as these have a substantial threat to health and safety to humans, aquatic life, or wildlife. However, some "low priority" factors actually take precedence over high priority factors when completing the TMDL at this time would either not be appropriate or an effective use of resources (e.g., standard change is proposed).

The published schedule may be revised due to changes in resources to complete TMDLs or new information obtained while developing the TMDL. Such changes are formally negotiated with EPA and would be made known to the public through the TMDL status page on ADEQ's website: [www.azdeq.gov](http://www.azdeq.gov). Currently TMDLs have been approved on least 38 assessment units since 1998.

**TMDL Implementation Plans (TIPs)** – After load allocations are established in the TMDL, strategies must be implemented in the watershed so that these allocations will be met in the future. Normally the TIP is included in the TMDL and it identifies generic strategies, agencies or groups who will be involved in implementation, a tentative schedule, and how effectiveness will be determined. The table in **Appendix F** also indicates the status of TMDL Implementation Plan development.

Landowners, governmental agencies, nonprofit organizations, and other stakeholders are actively encouraged by ADEQ to help develop these management strategies. Implementation of strategies or projects rely on the cooperation of stakeholders that live within the watershed or have management responsibilities for the lands and the surface and ground water resources within the watershed.

To reduce nonpoint source pollution, ADEQ works with federal, state, and local agencies, tribes, nonprofit organizations, the environmental community, and local citizens to develop and implement watershed management strategies. ADEQ's Nonpoint Source Program aims to address water quality issues primarily through public education and involvement – development of a commitment to watershed stewardship.



**Implementation on Nutrioso Creek**

The Nonpoint Source Control Program relies on this type of cooperation, education and partnership as the primary method to reduce nonpoint source pollution and improve the state's water quality.

**Watershed Partnerships** – Watershed protection groups (partnerships) were first organized in Arizona by the Department of Water Resources to address water quantity issues – limited water resources, high water demands, and water rights. ADEQ is now working with these groups, along with groups established during TMDL development, to address water quality issues. Active watershed partnerships and contact information is provided in the watershed discussions in Chapter II.

**Water Quality Improvement Grants** – These funds (Clean Water Act Section 319(h) Funds) implement on-the-ground water quality improvement projects that address nonpoint sources of pollution. ADEQ administers these grants. Watershed Protection Funds, administered by the Arizona Department of Water Resources, also fund projects that enhance or restore surface waters, associated riparian resources and wildlife habitat. Projects that received these funds since 2000 are described in the watershed reports in Chapter II. Projects designed to reduce loadings of pollutants causing impairment are given highest priority. As documented in the table in **Appendix F**, even before a TMDL can be developed, funds are often distributed to implement projects that will reduce pollutant loadings!

The Water Quality Improvement Grant Manual provides details about the grant process. A copy of the manual and other information about this program can be obtained by contacting the grant coordinator at (602) 771-4635 or toll free at (800) 234-5677 (extension 771-6535) or from the internet at [www.azdeq.gov/environ/water/mgmt/planning](http://www.azdeq.gov/environ/water/mgmt/planning). Information about the Arizona Water Protection Fund can be obtained by contacting the commission at (602) 417-2400 extension 7016.

**Watershed Based Plans** – Watershed plans are needed to properly allocate limited resources in mitigating water quality issues. Several watershed partnerships have developed such plans, identifying critical water quality problems in their areas. A good watershed plan includes the following elements:

Critical water quality issues, probable sources of pollutants, strategies to reduce or eliminate such problems – and who will take these actions, technical and financial assistance to implement actions, a schedule (milestones), and how effectiveness will be measured.

The Nonpoint Source Education for Municipal Officials (NEMO) Project, funded by EPA, has been working with ADEQ and the local watershed groups to develop watershed based plans. Their plans go even further by adding the following elements to these watershed plans:

- Characterize the watershed,
- Prioritize sub-watersheds according to risk.



Watershed plans developed by NEMO can be downloaded from their web site at: [www.srnar.arizona.edu/nemo](http://www.srnar.arizona.edu/nemo).

**Master Watershed Steward Program** – The mission of the Master Watershed Steward Program is to educate and train citizens across Arizona to serve as volunteers in the protection, restoration, monitoring, and conservation of their water and watersheds. This new program is a partnership of the University of Arizona Cooperative Extension and ADEQ. Classes are being taught across the state.

To become a Master Watershed Steward, participants attend the required 50 hours of course and field work and provide a minimum of 40 hours of volunteer service to their communities and watersheds. Stewards learn about:

- Watersheds and hydrology
- Local geology and soils
- Arizona climate
- Water quality and quantity issues
- Regional, state, and local water management
- Mapping and geospatial technology (GPS)
- Watershed fauna and flora
- How to work together



More information can be obtained from the Arizona Extension Service at their website: [cals.arizona.edu/watershedsteward](http://cals.arizona.edu/watershedsteward).

**Volunteer Monitoring** – Volunteer monitoring groups can monitor the condition of surface and ground water. Gateway Community College in Phoenix, in cooperation with ADEQ, has developed a one-credit course on water quality sampling to train Arizona's volunteers and provide further opportunities for watershed stewards. Information about these classes can be obtained at the college website:



**Monitoring Nutrioso Creek**

[environment.gatewaycc.edu/resources/volunteermonitoring/default.htm](http://environment.gatewaycc.edu/resources/volunteermonitoring/default.htm).

**Determining Water Quality Improvements** – Once a TMDL has been developed, the surface water is removed from the 303(d) list, but usually the water is still impaired and simply moves from the Category 5 to the Category 4 list of impaired waters. To determine that a water is no longer impaired by a pollutant, ADEQ must do further monitoring. These new samples need to be collected during critical conditions – those environmental factors

(stream flow, season, runoff events, location, runoff events) during which an exceedance of a water quality standard or criterion is most likely based on past exceedances or modeling results. There may also be critical locations or sites where exceedances are most likely to occur. Critical conditions and locations are identified in **Appendix E**. This list is constantly being revised as new information is analyzed.

The number of samples required to establish that a surface water is no longer impaired varies by type of pollutant, but the factors are specified in the Impaired Water Identification Rule (see draft 2006/2008 Assessment Methods document). The delisting criteria vary depending on the criteria used during the listing.

This assessment showed that a number of pollutants could be removed from the impairment tables. A list of pollutants no longer impairing waters and waters that are no longer impaired is provided in **Appendix D**.

**Potential Impacts on Permitted Discharges** – Although assessments are not compliance based actions, once an assessment unit is identified as impaired, there are indirect consequences on dischargers or potential activities in the drainage area. For example, any entity seeking a permit for a new discharge or renewing an existing permitted discharge under the National (or Arizona) Pollutant Discharge Elimination System (NPDES/AZPDES) Program must demonstrate that it will not increase loadings for the parameter identified as causing the impairment. During the permit review cycle, additional monitoring may be required for the pollutant of concern. If discharge monitoring data or ambient in-stream monitoring data is available from a permitted facility, it may be used to model the discharge load during the TMDL. Such data can be used to accurately quantify the contribution from waste loads. After the TMDL is completed, ADEQ may renegotiate the permit discharge levels if the TMDL indicates that a waste load reduction is necessary. Discharge monitoring and ambient in-stream monitoring is invaluable in developing realistic discharge limitations.

Another example is that federally approved actions, such as grazing permits, may also be restricted when a stream is listed as impaired, if those actions would contribute pollutant loadings. ADEQ actively coordinates with the U.S. Forest Service and the Bureau of Land Management to identify strategies that would minimize load reductions especially to impaired waters.

## Future Assessments and Monitoring

Assessments are based on standards and standards are based on scientific studies. New monitoring and assessment methods being developed are based primarily on regional studies. Arizona has taken the forefront in developing physical integrity and bioassessment methods appropriate for an arid region. Current monitoring and assessment methods are discussed in detail in the Assessment Methods document (draft 2006).

The following table indicates the existing basis of water quality assessments and the assessment tools being developed. Several rule revisions are being proposed during the current Triennial Review that will provide new tools for assessments.

**Future Basis of Assessments**

	<b>AQUATIC AND WILDLIFE</b>	<b>HUMAN HEALTH</b>			
		<b>Body Contact</b>	<b>Fish Consumption</b>	<b>Water Source</b>	<b>Agriculture</b>
<b>BIOLOGICAL</b>					
Escherichia coli (bacteria)		Existing			
Narrative nutrients (chlorophyll-a, algae, phytoplankton in lakes)	Proposed standards	Proposed standards	Proposed standards	Proposed standards	
Macroinvertebrate community	Proposed standards				
<b>PHYSICAL/HABITAT</b>					
Narrative bottom deposits	Proposed standards				
Suspended sediment concentration	<b>Existing and Proposed revisions</b>				
Stream channel stability	Developing standards				
<b>CHEMICAL</b>					
Water column chemicals (nutrients, metals, pesticides, VOCs, radiochemicals, etc)	<b>Existing</b>	<b>Existing</b>	<b>Existing</b>	<b>Existing</b>	<b>Existing</b>
Tissue samples			Developing standards		
Physical chemicals (pH, dissolved oxygen, temperature)	<b>Existing</b>	<b>Existing</b>	<b>Existing</b>	<b>Existing</b>	<b>Existing</b>
Narrative nutrients (DO, pH, ammonia in Lakes)	Proposed standards	Proposed standards		Proposed standards	
Narrative toxicity	Developing implementation procedures	Developing implementation procedures	Developing implementation procedures	Developing implementation procedures	
Contaminated sediment	Need to develop standards	Need to develop standards	Need to develop standards	Need to develop standards	Need to develop standards

**Probability-based Monitoring in Streams** – In 2006, ADEQ began using Regional Environmental Monitoring and Assessment Program (REMAP) methods developed by EPA to determine the status and regional-scale trends in water quality in streams. These methods use statistical-based site selection and an array of analytical tests and field measurements to estimate the current status, extent, changes, and trends in water quality on a regional basis. Using this method, sites would be selected randomly, so inferences can be made concerning regional water quality based on samples collected.

The following types of analytical tests and field measurements are used at each site to provide a broad assessment of condition and stressors:

- Water chemistry – To identify stressors (e.g., nutrient enrichment, metals) and classify water type
- Physical habitat – Degradation of riparian condition, channel stability, or stream bank stability acts to reduce the complexity and abundance of aquatic habitat and aquatic species.



- Benthic macroinvertebrate assemblage – Macroinvertebrates in streams reflect overall biological integrity. They also respond differently to stressors, so it may be possible to determine the type of pollutant causing the stress.

Where appropriate, fish tissue contaminants may also be collected to measure bioaccumulation of toxic chemicals in fish and indicates regional risks to humans and wildlife.

**Biocriteria Development** -- ADEQ has developed methods for assessing the biological integrity of perennial, wadeable streams in Arizona. Regional reference conditions were established and used to develop macroinvertebrate indexes of biological integrity.

**Index of Biological Integrity**

Biological integrity is the capability of maintaining a balanced, integrated, adaptive community of organisms. This community has a species composition, diversity, and functional organization comparable to that of the natural or least impacted habitat of the region. This least impacted diversity becomes the “reference conditions” used to measure and assess water quality.

The biological integrity of a stream reach can be determined by comparing its community characteristics to those of the reference community. Currently warmwater and coldwater community indexes have been established for perennial, wadeable streams.


The following reports have been produced by the Biocriteria Program and can be obtained by contacting ADEQ at (602) 207-4543 or on-line at the ADEQ website at [www.azdeq.gov/envirom/water/assessment/bio.html](http://www.azdeq.gov/envirom/water/assessment/bio.html):

- ***Using Ecoregions for Explaining Macroinvertebrate Community Distribution Among Reference Stream Sites in Arizona***  
Patrice Spindler, ADEQ (1996)  
This study provides a classification system for warmwater and coldwater communities based on elevation to differentiate among aquatic communities in Arizona.
- ***Macroinvertebrate Community Distribution Among Reference Sites in Arizona***  
Patrice Spindler, ADEQ (2001)  
A “regional reference site” approach to bioassessments, based on warmwater communities below 5000 foot elevation and coldwater communities above 5000 feet.
- ***Biocriteria Program Quality Assurance Program Plan (QAPP)***  
Patrice Spindler, ADEQ (2006, in-press)  
Documents the bioassessment methods and protocols ADEQ is following. These methods need to be used when collecting samples in order to use the macroinvertebrate Index of Biological Integrity. Methods for measuring physical-habitat to support bioassessments are also included in this document.
- ***Development and Testing of a Biological Index for Warmwater Streams in Arizona***  
Gerritsen and Leppo, Tetra Tech Inc. (1998)  
This provides the statistical support for Arizona’s warmwater macroinvertebrate Index of Biological Integrity -- perennial, wadeable streams below 5000 feet elevation.



- ***Development and Testing for Biological Index for coldwater Streams in Arizona***  
Leppo and Gerritsen, Tetra Tech, Inc. (2000)  
This provides the statistical support for Arizona's coldwater macroinvertebrate Index of Biological Integrity – perennial, wadeable streams above 5000 feet elevation.
- ***Stream Channel Morphology and Benthic Macroinvertebrate Community Associations in the San Pedro River and Verde River basins of Arizona, 1999-2002***  
P. Spindler (2004)  
This study evaluated relationships between stream channel geomorphology measurements and the metrics that describe the macroinvertebrate community. The study found that the macroinvertebrate community responded to particle size changes and embeddedness of the substrate, with loss of taxa or shifts to more tolerant taxa at low levels of fines in the Verde and moderately high levels in the San Pedro River basin. Macroinvertebrate communities respond to sedimentation but the sensitivity may be different between hydro-physiographic provinces across Arizona.
- ***Narrative Biocriteria Standard Implementation Procedures for Wadeable, Perennial Streams***  
Patrice Spindler and Steve Pawlowski, ADEQ (Draft 2006)  
Documents ADEQ's approach to determining an exceedance of the narrative biocriteria standard for wadeable, perennial streams based on a warmwater and coldwater Indexes of Biological Integrity. ADEQ will use the 25<sup>th</sup> percentile of reference condition as the minimum threshold needed to attain the biocriteria standard. A verification sample will be required when the Index score falls between the 10<sup>th</sup> and 25<sup>th</sup> percentiles of reference conditions.
- ***Index of Biological Integrity Technical Support Documentation for the Narrative Biocriteria Standard***  
Patrice Spindler, ADEQ (Draft 2006)  
This document provides a detailed rationale for development and selection of metrics and thresholds for the Indexes of Biological Integrity.

**Physical Integrity Criteria Development** -- The physical integrity of a stream channel means that a dynamic equilibrium in stream channel stability is maintained over time. Rosgen (1996) provides a good definition of dynamic stability which can be defined as the ability of a stream to carry the water and sediment of its watershed while maintaining a stable dimension, pattern, and profile such that, over time, stream channel features are maintained and the stream system neither aggrades nor degrades. Dave Rosgen has developed a system for classifying streams into one of seven stream types and assessing stream channel stability, including bank stability. ADEQ is testing and calibrating Rosgen's channel stability assessment methods for use in evaluating physical integrity conditions in Arizona streams.



**Bed Load Monitoring**

These classification and assessment methods are being applied and tested in Arizona's streams and have lead to the following publications:

- ***Regional Relationships for Bankfull Stage in Natural Channels for Central and Southern Arizona***  
Moody and Odem (1999)  
Sites on perennial, intermittent, and ephemeral streams in central and southern Arizona were chosen to determine regional relationships of bankfull stage in natural channels. Watershed area and channel characteristics (width, depth, cross-section) were used to create "regional curves." These regional curves can then be used to identify bankfull in any other natural channel. Bankfull determinations are necessary for classifying streams according to Rosgen (1996).



- ***Integrating Regional Relationships for Bankfull Stage in Natural Channels of Arizona and New Mexico***  
Moody, Wirtanen, Knight, and Odem, Northern Arizona University (2000)  
This report integrates data from 139 study sites in Arizona and New Mexico to create regional curves for shared surface water drainages and ecoregions. These curves are the broad-scale regional curves that are currently used by ADEQ monitoring programs.
- ***Validating the Bank Erodibility Hazard Index in Central and Southern Arizona***  
Moody, Wirtanen, and Yard (2003)  
The purpose of this research document was to test and calibrate Rosgen's "Bank erodibility hazard index (BEHI)" for use in Arizona. This tool is an integral part of the Rosgen stream stability assessment method. The analysis found that the BEHI model produced reasonably accurate predictions of annual bank erosion when compared with measured erosion rates at more than 40 sites in the San Pedro and Verde River basins.
- ***Channel Stability Assessment of Biocriteria Sites in the Verde River Watershed***  
Moody, Wirtanen, and Yard (2003)  
This analysis documents the first application of the complete Rosgen stream channel stability assessment methodology to streams in Arizona. It provides physical integrity assessments for 10 sites in the Verde River Basin and recommendations for further research in calibrating the Rosgen method for Arizona.
- ***Lower Cienega Creek Restoration Evaluation Project: an Investigation into Developing Quantitative Methods for Assessing Stream Channel Physical Condition***  
Lin Lawson and Hans Huth, ADEQ (2003)  
This research effort evaluated a 10-mile reach of the Lower Cienega Creek basin for potential stream stabilization projects and developed quantitative techniques for assessing physical stream channel condition. Quantitative techniques used to evaluate sedimentation included the "Linear habitat complexity index" and "pool facet slope".
- ***Comparative Sediment Rating Curves for Two Gage Stations in the Upper Salt River Basin of Arizona***  
Patrice Spindler, ADEQ (2005), Wetlands VIII Grant from EPA  
This research effort evaluated whether sediment rating curves could be used to compare "reference" and study sites to set sediment load reduction targets in sediment impaired streams. However, during the study period, the flows for Beaver Creek (the impaired stream) were only 40% of flows in West Fork of Black River (reference stream), so less sediment transport occurred in Beaver Creek due to low flow. The study showed that sediment loads can be accurately and comprehensively estimated using remote automatic sampling of turbidity and flow data at gaging stations.
- ***Draft Fluvial Geomorphology Field Survey and Assessment Procedures***  
ADEQ (2004)  
Field methods for conducting stream surveys and Rosgen stability assessments are provided in this draft document.
- ***A Manual of Procedures for the Sampling of Surface Waters in Arizona***  
Lin Lawson (2005)  
Currently used field procedures for conducting water quality, biological and physical integrity/geomorphology/Rosgen surveys are provided in this new methods document.
- ***Narrative Bottom Deposits Standard Implementation Procedures***  
Patrice Spindler and Steve Pawlowski, ADEQ (Draft 2006)  
This paper documents ADEQ's approach to determine compliance with the narrative bottom deposits surface water quality standard in Arizona Administrative Code R18-11-108(A)(1). Exceedances will be determined based on the percentage of fine sediments (<2mm) in riffle / run habitats in perennial streams using a Wolman pebble count procedure. An exceedance occurs when the percentage of fines in riffle habitats is >35%. An exceedance also occurs if the percentage of fines in the riffle habitats is between 20% and 35%, and a bioassessment index score indicates impairment of a biological community.

- ***Analysis of Water Quality Functions of Riparian Vegetation***  
Engineering Science (1994)  
This is a technical review of existing scientific knowledge on the functional roles of riparian vegetation in controlling surface water quality and characteristics of the riparian or wetland type that enables it to perform each function.
- ***A Guidance Document for Monitoring and Assessing the Physical Integrity of Arizona's Streams***  
Graf and C. Randall (1998)  
Basic scientific principles for understanding and describing physical integrity in terms of indicator measurements: channel width, channel depth, channel gradient, hydraulic roughness, flow velocity, water discharge, sediment discharge, sediment particle size, channel sinuosity, channel pattern, shear stress, stream power, and bankfull conditions.

**Narrative Nutrient Implementation Procedures Development** – In response to EPA's National Nutrient Strategy, ADEQ is revising nutrient standards. It is starting with nutrients for lakes and reservoirs, as these waters are more likely to be impaired by nutrients than streams. ADEQ also needed to develop clear implementation procedures to apply the narrative nutrient standard in Arizona Administrative Code R18-11-108(A)(7).

To derive and implement nutrient criteria, lakes were separated into categories based on natural or inherent characteristics that cause lakes to respond to nutrients in a similar manner, and secondly, based on similar management objectives and public expectations. The following lake categories will be used in conjunction with lake nutrient standards:

- Deep lakes and reservoirs – Average depth over 18 feet.
  - These deep reservoirs have low nutrient and chlorophyll-a concentrations and higher Secchi depths (clarity), probably due to relatively high flushing rates, deep settling of nutrients, and sedimentation in upstream reservoirs.
- Shallow lakes – Average depth less than three meters, maximum depth of four meters.
  - These lakes are susceptible to macrophyte domination because much of the lake bottom is in the photic zone (light available). Such lakes can have relatively high Secchi depths and low-moderate chlorophyll-a concentrations.
- Urban lakes – Lakes in urban settings.
  - Urban lakes have different management objectives than other lakes. For example, they are not used or water supply or for swimming. They may have high sediment and nutrient loads from urban land uses that are impractical to control completely. Urban lakes generally have relatively poor clarity, and high chlorophyll-a and nutrient concentrations.
- Igneous and sedimentary lakes – The remaining lakes
  - These lakes are managed primarily for fishing and other recreational purposes. Data indicates that igneous watersheds are more likely to experience high chlorophyll-a and nitrogen concentrations than sedimentary lakes.



**Roosevelt Lake**

Work on developing nutrient standards has lead to the following publications:

- ***Draft - Potential Nutrient Related Targets for Lakes and Reservoirs in Arizona***  
Malcolm Pirnie, Inc for ADEQ (2005)  
Derivation of numeric nutrient water quality targets to assess lakes. Uncertainty and variability in relations

between nutrients, response variables, and designated uses was addressed by expressing the nutrient targets as a range. These nutrient targets are to be incorporated into the narrative nutrient implementation guidance document.

- **Statistical Modeling Analysis Report of Lakes and Reservoirs**  
Malcolm Pirnie, Inc for ADEQ (2004)  
This report provides the statistical basis for the narrative nutrient matrix and the lakes classification. Results can be used to determine realistic and appropriate water quality targets for different lake categories.
- ***Narrative Nutrient Standard Implementation Procedures for Lakes and Reservoirs***  
Susan Fitch, ADEQ (2006)  
This paper documents ADEQ's approach to determining and exceedance of the narrative nutrient standard in Arizona Administrative Code R18-11-108(A)(7). An exceedance is determined based on a matrix of threshold values for: chlorophyll-a, Secchi depth, blue-green algae, phosphorus, nitrogen, dissolved oxygen, and pH. In most cases, supporting evidence is needed to determine an exceedance.
- ***An Exploration of Nutrient and Community Variables in Effluent Dependent Streams in Arizona***  
David Walker (University of Arizona), Christine Goforth (University of Arizona), and Samuel Rector (ADEQ). EPA Grant Number X-828014-01-01 (2006)  
Samples were collected from five effluent dependent waters (EDWs) in 2003 – 2004. Each site was sampled once during the summer and winter, as close to the respective effluent outfalls as possible, and at some distance downstream. The downstream site was determined by attempting to find a recovery zone where dissolved oxygen increased to "normal" levels, although a recovery zone was not found in some of these EDWs.

Diversity and pollution tolerance of aquatic macroinvertebrate assemblages are inversely related to increasing levels of pollutant loading to the receiving stream. Elevated concentration of reduced and organic forms of nitrogen, combined with low levels of dissolved oxygen, were of particular detriment to macroinvertebrates.

## Other Studies and Projects

- **A Manual of Conservation Practices to reduce Pollution Loads Generated from Nonpoint Sources**  
Tetra Tech, Inc and Natural Channel Design, Inc (2004)  
The implementation appendix is a manual designed to assist landowners, managers, and technicians in adopting effective and appropriate practices to reduce nonpoint source pollutants entering streams and watercourses. In general practices described are meant to be implanted in areas immediately adjacent to the surface water; however, some treatments can be utilized effectively in uplands and other areas.
- **Assessment of Selected Inorganic Constituents in Streams in the Central Arizona Basins Study Area, Arizona and Northern Mexico, through 1998**  
David W. Anning, U.S. Geological Survey, Water-Resources Investigations Report 03-4063 (2003)  
Stream properties and water chemistry constituent concentrations were analyzed to assess water quality, determine natural and human factors affecting water quality, and compute stream loads in the Central Arizona Basins study area. Data was collected at 41 sites through 1998.
- **Use of Sediment Coring to Analyze Past Response to Disturbance**  
David Walker and Owen Davis - University of Arizona and Paul Gremillion – Northern Arizona University (Start project in 2006)  
To collect core samples from Roosevelt Lake to quantify long-term water quality trends in Roosevelt Reservoir and the Salt River watershed. The project will also determine how these watershed variables define water quality within the reservoir and how aquatic biota respond to these water quality changes.
- **Algal Toxins in the Salt River Reservoirs**

David Walker – University of Arizona , Paul Zimba – USDA, and Jo Ann Burkholder – North Carolina State University. (Start project in 2006)

Monitoring of algal and cyano-toxins in all of the Salt River Reservoirs (Roosevelt, Saguaro, Canyon, and Apache lakes) is to be expanded into a study of environmental factors needed to encourage toxin production in algae.

- **Effects of Endocrine Disrupting Compounds and Pharmaceuticals on Fish**

David Walker (ag.arizona.edu/limnology/0306report.pdf)

Examining the effect of endocrine disrupting compounds and pharmaceuticals left in treated wastewater effluent on relatively pollution-tolerant fish (bonytail chub) has shown that severe detrimental impacts on the population is likely due to significantly lowered 17B-estradiol levels in female fish. The study also found feminization of male fish. Very low concentrations of typical wastewater compounds were present (e.g., nutrients) in the treated effluent. Results are to be presented at the National Groundwater Associations 5<sup>th</sup> International Conference on Pharmaceuticals and Endocrine Disrupting Chemicals in water on March 13, 2006.

- **Draft Guidance for Implementing January 2001 Methylmercury Water Quality Criterion**

EPA (August 2006)

This document describes methods for measuring mercury and methylmercury in both tissue and water samples. This document describes how to interpret the data collected and assess designated use support.

- **Monitoring Mercury Deposition**

Jennifer Hickman – ADEQ

Arizona's first Mercury Deposition Network (MDN) site is being established along Sycamore Canyon, in the Raymond Boy Scout Camp near Parks, Arizona to help quantify mercury deposition. This data will be used in the development of mercury TMDLs. More information can be obtained by contacting Jennifer Hickman at: (602) 771-4542.

- **Implementation Guidance for Ambient Water Quality Criteria for Bacteria**

U.S. EPA (November 2003 Draft)

This document provides recommendations on the implementation of bacteria criteria for the protection of recreation uses. It provides explanations of how to assess and determine attainment of water quality standards, develop subsequent TMDL loads/wasteload allocations, and how recreational water quality criteria should be used in NPDES permits.

- **Organochlorine Compounds in Streambed Sediment and in Biological Tissue from Streams and Their Relations to Land Use, Central Arizona**

J.B. Gebler – National Water Quality Assessment Program, U.S. Geological Survey

The objective of the study was to determine the occurrence and distribution of organochlorine compounds (pesticides) and their relation to land use in central Arizona. Sediment samples were collected at 13 sites, and biological tissue samples at 11 sites. The greatest number of compounds and highest concentrations of many contaminants were detected at agriculture/urban sites. The compound detected most frequently in sediment and tissue samples was p,p'-DDE (a DDT metabolite).

- **Selenium – Fate and Effects in the Aquatic Environment**

Peter M. Chapman, EVS Environment Consultants

Proceedings of the 24<sup>th</sup> Annual British Columbia Mine Reclamation Symposium – The Technical Research Committee on Reclamation (2000)

Series of studies by the Arid West Water Quality Research Project

Pima County Wastewater Management, [www.pima.gov/www/wqrp](http://www.pima.gov/www/wqrp) (2004)

- Extant Criteria Evaluation – Objective to examine the appropriateness of Arizona's Water Quality Criteria for western ecosystems, identify weaknesses, and recommend further research to address weaknesses.

- Discharge Survey – Gather information to identify the nature of existing arid west surface waters receiving wastewater discharges, and species or habitats that are affected by discharges to these waters.
- Evaluation of the Reliability of the Biotic Ligand Model Predictions for Copper Toxicity in Waters Characteristic of the Arid West – A series of studies to evaluate the appropriateness of the Biotic Ligand Model to determine copper toxicity in Arizona's hard water.
- Habitat Characterization Study – Documents the physical, chemical, and biological characteristics of 10 effluent dependent waters in the arid west.
- Evaluation of Whole Effluent Toxicity Testing as an Indicator of Aquatic Health – This pilot study was designed to determine: 1) Which biological assemblages should be sampled to assess effluent impacts, 2) What are the appropriate sampling methods for macroinvertebrates and should the methods vary with the type of hydrological setting, 3) Are the proposed data and measurement quality objectives achievable on a regular basis.

## Progress and Accomplishments

Are these actions working? Are we progressing or even holding our own if we continue to identify impaired waters? Can we measure effectiveness or success?

The Association of State and Interstate Water Pollution Control Administration (ASIWPCA) is asking each of the states to look for indications of progress since the 2002 listing cycle. Most of the following performance measures were chosen by ASIWPCA to evaluate national progress, but can also provide some indication of how well Arizona's monitoring and assessment programs are working.

**Evaluating Progress in Monitoring and Assessment Programs** – Changes in the amount of surface waters assessed is one way to evaluate ADEQ's Assessment and Monitoring Programs. The following tables show the stream miles and lake acres assessed in 2002, 2004, and 2006/2008.

These tables exclude the surface waters assessed in Category 3 (all uses "inconclusive") because by default any water not assessed would belong in this category. The assessment shows some surface waters in this category – those with any current assessment information – but no attempt is made to include all of the other waters that belong in this category, as many are unnamed washes.

**Total Waters Assessed**

	LAKES			STREAMS		
	2002	2004	2006/2008	2002	2004	2006/2008
	Acres			Miles		
Estimated Waters	289,630	289,630	295,590*	90,375	90,375	90,375
Waters Assessed*	40,948	67,340	88,672	1,671	2,227	2,806
Percent Assessed	14%	23%	30%	2%	2.5%	3%

\*Waters Assessed excludes Category 3 – all uses assessed as "inconclusive"

\*Estimated lake water size increased due to enlargement of reservoirs.

The Total Waters Assessed table (above) indicates that a very low percentage of the state's surface waters are assessed. This is primarily because the majority of waters in Arizona are ephemeral (flowing in response only to precipitation events) and not easily sampled or assessed. The Total Perennial Waters Assessed table (below) adjusts for this. Monitoring is clearly focused on perennial waters (waters that flow year round). Monitoring ephemeral and intermittent waters is limited to special investigations, such as TMDL development.

**Total Perennial Waters Assessed**

	LAKES			STREAMS		
	2002	2004	2006/2008	2002	2004	2006/2008
	Acres			Miles		
Estimated Perennial Waters in Arizona	168,590	168,590	174,558*	3,530	3,530	3,530
Perennial Waters Assessed*	39,873	66,264	87,773	1,405	2,081	2,685
Percent Assessed	24%	39%	50%	40%	59%	76%

\* Perennial Waters Assessed excludes Category 3 – all uses assessed as "inconclusive"

\*Estimated lake water size increased due to enlargement of reservoirs.

As shown in the Perennial Waters Assessed table (above), a steady increase in the percent of perennial surface waters has been occurring. Also, by comparing the total waters assessed (first table) with the total perennial waters (second table), one can see that the number of miles assessed as "inconclusive" has decreased.

Another way to look at the effort and effectiveness of these programs is to look at the number of lakes and stream reaches assessed. This is particularly revealing with lakes, as their sizes vary from less than an acre to 27,045 acres. Therefore, monitoring and assessing 20 small, but significant lakes might account for fewer acres than one large reservoir.

### Assessment Units Assessed

	LAKES			STREAMS		
	2002	2004	2006/2008	2002	2004	2006/2008
	Lake Assessment Units			Stream Assessment Units		
Waters Assessed	40,948 acres	67,340 acres	88,663 acres	1,671 Miles	2,227 Miles	2,801 Miles
Assessment Units	30 units	51 units	79 units	137 units	172 units	298 units

(Excluding Category 3 – all uses assessed as “inconclusive”)

The Assessment Units Assessed table (above) reveals that the number of lakes and stream reaches being successfully assessed as either “attaining” or “impaired” and been increasing steadily.

Although we could also look at changes in the number waters assessed as impaired, how should such statistics be judged? Does a decrease in impaired surface waters indicate that water quality is improving, or simply that there has been a change in assessment criteria or standards? Is listing additional waters as impaired success or failure? If the goal is to find more waters are attaining their uses, then monitoring can be targeted in more pristine waters, but does that fulfill ADEQ’s goal to improve and protect water quality and natural resources? Due to these issues, ADEQ does not evaluate its Assessment, Monitoring, or even TMDL Program by the number of surface waters assessed as “impaired” or even “attaining.”

**Delisting Pollutants and Water Quality Improvements** – The primary goal of ADEQ’s water quality programs is to improve and maintain water quality in Arizona. One way to measure whether ADEQ is achieving its goal to improving water quality is look at the number of stream miles or acres “no longer impaired” (delisted). (Delistings during this cycle are shown in **Appendix E.**)

For this analysis, pollutant impairments are counted rather than the miles or acres. “Pollutant impairments” are the number of pollutants listed multiplied by the number of assessment units listed. For example, if arsenic, cadmium, chromium, copper, zinc, and pH (5 pollutants) were listed for 3 reaches of Pretty River, it would be counted as fifteen “pollutant impairments.” The following table shows the number of pollutant impairments removed, using the 1989 list as the baseline for this evaluation.

### Pollutants No Longer Impairing Surface Waters

		2002 ASSESSMENT	2004 ASSESSMENT	2006/2008 ASSESSMENT
<b>TOTAL POLLUTANT IMPAIRMENTS</b>		260	195	230
<b>REASONS FOR DELISTING</b>	<b>NEW STANDARD</b>	--	15	--
	<b>NEW ASSESSMENT CRITERIA</b>	81	--	--
	<b>WATERSHED IMPROVEMENTS</b>	22 (Gila, Munds, Pinal)	4 (Mineral, Tempe)	1 (Nutrioso)
	<b>NEW DATA, NO WATERSHED IMPROVEMENTS</b>	12	4	9
	<b>NATURAL CONDITIONS</b>	8	--	--
	<b>OTHER</b>	2	--	--
<b>TOTAL DELISTED</b>		125	23	10

The delistings in 2002 were primarily due to changes in assessment criteria that occurred when the Impaired Waters Rule and TMDL Statute were adopted. The 2004 assessment reflected new surface water quality standards (e.g. replacing the turbidity standard with a standard for suspended sediment concentration). In the current assessment (2006), delistings were primarily the result of new monitoring data showing that the standards are now being met. In only one case improvements in the watershed were demonstrated. The other delistings may be associated with intermittent pollutant loadings and drought conditions reducing pollutant loadings. Improved water quality monitoring and analysis techniques also lead to delisting at least one reach.

Over the past 3 assessments, water quality improvements have been clearly documented in only a few areas:

- Lake Havasu – Bacteria contamination at beaches in Thompson Bay were significantly reduced by implementation of strategies to increase stream flow in this back bay area, increase sanitary facilities available at the beaches, and decrease nutrient loadings from wastewater facilities (1 pollutant impairment).
- Middle Gila Pesticide Contamination Area – Dieldrin concentration in fish tissue samples dropped below detection limits after a ban on its general use for many years in Arizona. The fish consumption advisory remains in place due to DDT, toxaphene, and chlordane contamination of fish and other edible aquatic life in this area (12 pollutant impairments).
- Mineral Creek – Surface water contamination has been mitigated by extensive surface water remediation actions at mining operations along this creek (3 pollutant impairments).
- Munds Creek – Improvements in effluent reuse practices resulted in *E coli* bacteria, nitrogen, and phosphorus reductions (3 pollutant impairments).
- Pinal Creek – Extensive groundwater and surface water remediation and treatment near mining operations has resulted in significant water quality improvements (6 pollutant impairments).
- Nutrioso Creek – Grazing practices have been improved along one reach resulting in reduced sediment loading to the stream (1 pollutant impairment).
- Tempe Town Lake – A lake management plan was successfully implemented to control algal growth (that resulted in high pH) in this constructed lake (1 pollutant impairment).

Why so few documented water quality improvements? Many reasons contribute to this being a slow process, such as: most improvements require voluntary actions, the high costs to implement many actions, vast size of drainage areas containing large numbers of individual sources, and source contributions from other states, Mexico, and occasionally tribal lands. Even when actions are applied within a watershed, it may take years to see reductions in erosion. Recognizing the difficulties faced, these few documented improvements can be celebrated!

**Progress in Completing and Implementing TMDLs** – The number of TMDLs and implementation plans (TIPs) completed is another measure of how far we have progressed in the process of remediating water quality problems.

**TMDL Progress – By Pollutant Impairments**

	Assessments					
	1990- 2002	2002	2002-2004	2004	2004-2006	2006
TMDLs Scheduled		175		131		168
TMDLs Approved	63		83		18	
TMDL Implementation Plans Completed	63		83		18	
TIP Strategies Being Implemented	62		53		15	
Alternative to TMDL – Management Plan	--	1		0		1

Clearly progress is occurring in developing TMDLs and their implementation plans. However, the number of TMDLs dropped during the past two years for several reasons. The Department is taking on more complex TMDLs. State budget constraints lead to staff turnover and delays in replacing staff. Drought conditions have slowed sample collection on ephemeral and intermittent streams. What this table does not indicate is that the Department is in the later stages of several complex TMDLs, such as: Lake Mary regional mercury TMDL, Alamo Lake regional mercury TMDL, Oak Creek Phase II bacteria TMDL, Pinto Creek Phase II copper TMDL, and the Mule Gulch copper TMDL.



[This page intentionally left blank.]

# APPENDIX A

## ASSESSMENT UNITS

SURFACE WATER DESCRIPTION REACH NUMBER	WATERSHED
<b>A</b>	
Agua Fria River From State Route 169 to Yarber Wash 15070102-031B	MIDDLE GILA
Agua Fria River From Sycamore Creek to Big Bug Creek 15070102-023	MIDDLE GILA
Agua Fria River From Little Squaw Creek to Cottonwood Creek 15070102-017	MIDDLE GILA
Alamo Lake 15030204-0040A	BILL WILLIAMS
Alum Gulch From headwaters to 312820/1104351 (beginning of intermittent flow) 15050301-561A	SANTA CRUZ
Alum Gulch From 312820/1104351 to 312917/1104425 (intermittent flow) 15050301-561B	SANTA CRUZ
Alvord Lake 15060106B-0050	MIDDLE GILA
Apache Lake 15060106A-0070	SALT
Aravaipa Creek From Stowe Gulch to end of Aravaipa Wilderness Area 15050203-004B	SAN PEDRO
Aravaipa Creek From Aravaipa Wilderness Area to San Pedro River 15050203-004C	SAN PEDRO
Arivaca Cienega 15050304-0001	SANTA CRUZ
Arivaca Lake 15050304-0080	SANTA CRUZ
Arnett Creek From headwaters to Queen Creek 15050100-1818	MIDDLE GILA
Ash Creek From tributary at 234537/1095222 to Gila River 15040005-040B	UPPER GILA
Ashbrook Wash From headwaters to Willow Creek 15060203-989	VERDE RIVER
Ashurst Lake 15020015-0090	LITTLE COLORADO

SURFACE WATER DESCRIPTION REACH NUMBER	WATERSHED
<b>B</b>	
Babbit Spring Wash From headwaters to Upper Lake Mary 15020015-210	LITTLE COLORADO
Babocomari River From Banning Creek to San Pedro River 15050202-004	SAN PEDRO
Barbershop Canyon Creek From headwaters to East Clear Creek 15020008-537	LITTLE COLORADO
Bartlett Lake 15060203-0110	VERDE RIVER
Bass Canyon Creek From tributary to 322606/1101318 to Hot Springs Canyon Creek 15050203-899B	SAN PEDRO
Unnamed Bass Canyon Tributary From headwaters to Bass Canyon 15050203-935	SAN PEDRO
Bear Canyon Lake 15020008-0130	LITTLE COLORADO
Bear Wallow Creek From North and South Forks of Bear Wallow to Indian Reservation boundary 15060101-023A	SALT
Beaver Creek From headwaters to Black River 15060101-008	SALT
Beaver Creek From Dry Beaver Creek to Verde River 15060202-002	VERDE RIVER
Beaver Dam Wash From Utah border to Virgin River 15010010-009	COLORADO - GRAND CANYON
Big Casa Blanca Canyon From headwaters to Sonoita Creek 15050301-606	SANTA CRUZ
Big Lake 15060101-0160	SALT
Big Sandy River From Sycamore Wash to Burro Creek 15030201-004	BILL WILLIAMS
Big Sandy River From Rupley Wash to Alamo Lake 15030201-001	BILL WILLIAMS
Bill Williams River From Alamo Lake to Castaneda Wash 15030204-003	BILL WILLIAMS

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Bill Williams River From point B to Colorado River 15030204-001	BILL WILLIAMS
Billy Creek From headwaters to Show Low Creek 15020005-019	LITTLE COLORADO
Bitter Creek From Jerome WWTP to Yavapai Apache Indian Reservation 15060202-066B	VERDE RIVER
Black River From Beaver Creek to Reservation Creek 15060101-007	SALT
Black Canyon Lake 15020010-0180	LITTLE COLORADO
Blue River From New Mexico border to KP Creek 15040004-026	UPPER GILA
Blue River From KP Creek to Strayhorse Creek 15040004-025A	UPPER GILA
Blue River From Strayhorse Creek to San Francisco River 15040004-025B	UPPER GILA
Blue John Wash From headwaters to unnamed tributary of Lynx Creek 15070102-471	MIDDLE GILA
Blue Ridge Reservoir 15020008-0200	LITTLE COLORADO
Bonita Creek From Park Creek to Gila River 15040005-030	UPPER GILA
Boulder Creek From unnamed tributary at 344114/1131800 to Wilder Creek 15030202-006B	BILL WILLIAMS
Boulder Creek From Wilder Creek to Butte Creek 15030202-005A	BILL WILLIAMS
Boulder Creek From Butte Creek to Copper Creek 15030202-005B	BILL WILLIAMS
Boulder Creek From Copper Creek to Burro Creek 15030202-005C	BILL WILLIAMS
Brewery Gulch From headwaters to Mule Gulch 15080301-337	SAN PEDRO
Bridle Creek From headwaters to Santa Maria River 15030203-027	BILL WILLIAMS
Bright Angel Creek From Phantom Creek to Colorado River 15010001-019	COLORADO - GRAND CANYON
Brown Creek From headwaters to Silver Creek 15020005-016	LITTLE COLORADO

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Buehman Canyon Creek From headwaters to end of unique water 15050203-010A	SAN PEDRO
Bunch Reservoir 15020001-0230	LITTLE COLORADO
Burro Creek From Francis Creek to Boulder Creek 15030202-008	BILL WILLIAMS
Burro Creek From Boulder Creek to Black Canyon Creek 15030202-004	BILL WILLIAMS
Butte Creek From headwaters to Burro Creek 15030202-163	BILL WILLIAMS
<b>C</b>	
Campaign Creek From headwaters to Pinto Creek 15060103-037	SALT
Campbell Blue River From headwaters to Blue River 15040004-028	UPPER GILA
Canyon Creek From headwaters to White Mountain Apache Reservation 15060103-014	SALT
Canyon Lake 15060106A-0250	SALT
Carnero Lake 15020001-0260	LITTLE COLORADO
Carpenter Tank 15050304-0002	SANTA CRUZ
Cash Mine Creek From headwaters to Hassayampa River 15070103-349	MIDDLE GILA
Cataract Lake 15010004-0280	COLORADO - GRAND CANYON
Cave Creek From headwaters to South Fork Cave Cr 15040006-852A	UPPER GILA
Cave Creek From South Fork Cave Creek to Coronado National Forest boundary 15040006-852B	UPPER GILA
Cave Creek From headwaters to Cave Creek Dam 15060106B-026A	MIDDLE GILA
Chaparral Park Lake 15060106B-0300	MIDDLE GILA
Cherry Creek From 340509/1105604 to Salt River 15060103-015B	SALT

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Chevelon Canyon Creek From Black Canyon Creek to Little Colorado River 15020010-001	LITTLE COLORADO
Chimenea Creek From headwaters to Rincon Creek 15050302-140	SANTA CRUZ
Cholla Lake 15020008-0320	LITTLE COLORADO
Christopher Creek From headwaters to Tonto Creek 15060105-353	SALT
Cienega Creek From headwaters to Gardner Canyon 15050302-006A	SANTA CRUZ
Cienega Creek From Gardner Canyon to USGS gage (Pantano Wash) 15050302-006B	SANTA CRUZ
Clear Creek From tributary at 360912/1115825 to Colorado River 15010001-025B	COLORADO - GRAND CANYON
Cluff Ranch Pond #3 15040005-0370	UPPER GILA
Coleman Creek From headwaters to Campbell Blue Creek 15040004-040	UPPER GILA
Colony Wash From headwaters to Verde River 15060203-998	VERDE RIVER
Colorado River From Lake Powell to Paria River 14070006-001	COLORADO - GRAND CANYON
Colorado River From Parashant Canyon to Diamond Creek 15010002-003	COLORADO - GRAND CANYON
Colorado River From Hoover Dam to Lake Mohave 15030101-015	COLORADO - LOWER GILA
Colorado River From Bill Williams River to Osborne Wash 15030104-020	COLORADO - LOWER GILA
Colorado River From Imperial Dam to Gila River 15030107-003	COLORADO - LOWER GILA
Colorado River From Main Canal to Mexico border 15030107-001	COLORADO - LOWER GILA
Colter Creek From headwaters to Nutrioso Creek 15020001-293	LITTLE COLORADO
Coon Creek From tributary at 334642/1105425 to Salt R. 15060103-039B	SALT
Coors Lake 15030202-5000	BILL WILLIAMS

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Copper Basin Wash From headwaters to unnamed tributary 15030203-032A	BILL WILLIAMS
Copper Creek From headwaters to Prospect Canyon 15050203-022A	SAN PEDRO
Cortez Park Lake 15060106B-0410	MIDDLE GILA
Cottonwood Gulch From headwaters to Pinto Creek 15060103-891	SALT
Cox Gulch From headwaters to Three R Canyon 15050301-560	SANTA CRUZ
Crescent Lake 15060101-0420	SALT
Crystal Creek From unnamed tributary at 361342/1121148 to Colorado River 15010002-018B	COLORADO - GRAND CANYON
<b>D</b>	
Dankworth Ponds 15040006-0440	UPPER GILA
Date Creek From Cottonwood Creek to unnamed trib. 15030203-003	BILL WILLIAMS
Deer Creek From unnamed tributary to Colorado River 15010002-019B	COLORADO - GRAND CANYON
Deer Creek From headwaters to Rye Creek 15060105-018	SALT
Dix Creek From headwaters to San Francisco River 15040004-1575	UPPER GILA
Dogtown Reservoir 15010004-0580	COLORADO - GRAND CANYON
Double R Canyon Creek From headwaters to Bass Canyon Creek 15050203-902	SAN PEDRO
Dry Creek From headwaters to Oak Creek 15060202-021	VERDE RIVER
Dubacher Canyon From headwaters to Mule Gulch 15080301-075	SAN PEDRO
<b>E</b>	
Eagle Creek From headwaters to tributary at 332324/1092935 15040005-028A	UPPER GILA

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Eagle Creek From Willow Creek to Sheeps Wash 15040005-027	UPPER GILA
Eagle Creek From Sheeps Wash to Gila River 15040005-025	UPPER GILA
East Clear Creek From headwaters to Yeager Creek 15020008-009	LITTLE COLORADO
East Fork Black River From headwaters to Black River 15060101-009	SALT
East Fork Little Colorado River From headwaters to Hall Creek 15020001-230	LITTLE COLORADO
East Turkey Creek From headwaters to San Simon Wash 15040006-827A	UPPER GILA
East Verde River From headwaters to Ellison Creek 15060203-022A	VERDE RIVER
East Verde River From Ellison Creek to American Gulch 15060203-022B	VERDE RIVER
East Verde River From American Gulch to Verde River 15060203-022C	VERDE RIVER
Ellis Ranch Tributary From headwaters to Pinto Creek 15060103-888	SALT
Encanto Park 15060106B-0510	MIDDLE GILA
<b>F</b>	
Fain Lake 15070101-0005	MIDDLE GILA
Fish Creek From headwaters to Little Colorado River 15020001-211	LITTLE COLORADO
Fish Creek From headwaters to Black River 15060101-032	SALT
Five Point Tributary From headwaters to Pinto Creek 15060103-885	SALT
Fools Hollow Lake 15020005-0530	LITTLE COLORADO
Fossil Creek From headwaters to Verde River 15060203-024	VERDE RIVER
Francis Creek From headwaters to Burro Creek 15030202-012	BILL WILLIAMS
French Gulch From headwaters to Hassayampa River 15070103-239	MIDDLE GILA

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Frye Canyon Creek From headwaters to Frye Mesa Reservoir 15040005-988A	UPPER GILA
<b>G</b>	
Gap Creek From Government Springs to Verde River 15060203-774B	VERDE RIVER
Gibson Mine Tributary From headwaters to Pinto Creek 15060103-887	SALT
Gila River From New Mexico border to Bitter Creek 15040002-004	UPPER GILA
Gila River From Bonita Creek to Yuma Wash 15040005-022	UPPER GILA
Gila River From Skully Creek to San Francisco River 15040002-001	UPPER GILA
Gila River From Dripping Springs Wash to San Pedro 15050100-009	MIDDLE GILA
Gila River From San Pedro River to Mineral Creek 15050100-008	MIDDLE GILA
Gila River From Salt River to Agua Fria River 15070101-015	MIDDLE GILA
Gila River From Agua Fria River to Waterman Wash 15070101-014	MIDDLE GILA
Gila River From Waterman Wash to Hassayampa R. 15070101-010	MIDDLE GILA
Gila River From Hassayampa R. to Centennial Wash 15070101-009	MIDDLE GILA
Gila River From Centennial Wash to Gillespie Dam 15070101-008	MIDDLE GILA
Gila River From Gillespie Dam to Rainbow Wash 15070101-007	MIDDLE GILA
Gila River From Rainbow Wash to Sand Tank 15070101-005	MIDDLE GILA
Gila River From Sand Tank to Painted Rocks Res. 15070101-001	MIDDLE GILA
Gila River From Coyote Wash to Fortuna Wash 15070201-003	COLORADO - LOWER GILA
Gold Gulch From headwaters to Pinto Creek 15060103-894	SALT
Granite Basin Lake 15060202-0580	VERDE RIVER

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Granite Creek From headwaters to Willow Creek 15060202-059A	VERDE RIVER
Grant Creek From headwaters to tributary at 323809/1095635 15050201-033A	SAN PEDRO
Greenback Creek From headwaters to Tonto Creek 15060105-005	SALT
<b>H</b>	
Haigler Creek From headwaters to tributary at 341223/1110011 15060105-012A	SALT
Hall Creek From headwaters to Little Colorado River 15020001-012	LITTLE COLORADO
Hannagan Creek From headwaters to Beaver Creek 15060101-034	SALT
Harshaw Creek From headwaters to Sonoita Creek 15050301-025	SANTA CRUZ
Hassayampa Lake 15070103-3160	MIDDLE GILA
Hassayampa River From headwaters to Copper Creek 15070103-007A	MIDDLE GILA
Hassayampa River From Copper Creek to Blind Indian Creek 15070103-007B	MIDDLE GILA
Hassayampa River From Cottonwood Cr. to Martinez Wash 15070103-004	MIDDLE GILA
Hassayampa River From Sols Wash to 8 miles below Wickenburg 15070103-002A	MIDDLE GILA
Hassayampa River From Buckeye Canal to Gila River 15070103-001B	MIDDLE GILA
Haunted Canyon From headwaters to Pinto Creek 15060103-879	SALT
Havas Creek From Havasupi Reservation to Colorado R. 15010004-001	COLORADO - GRAND CANYON
Hay Creek From headwaters to West Fork Black River 15060101-353	SALT
Hendricks Gulch From headwaters to Mule Gulch 15080301-335	SAN PEDRO
Hermit Creek From Hermit Pack Trail to Colorado River 15010002-020B	COLORADO - GRAND CANYON
Home Creek From headwaters to West Fork Black River 15060101-339	SALT

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Horseshoe Reservoir 15060203-0620	VERDE RIVER
Horton Creek From headwaters to Beaver Creek 15060101-036	SALT
Hot Springs Canyon From headwaters to San Pedro River 15050203-013	SAN PEDRO
Humboldt Canyon From headwaters to Alum Gulch 15050301-340	SANTA CRUZ
Hunter's Hole 15030108-0660	COLORADO - LOWER GILA
<b>I</b>	
Indian Bend Wash From headwaters to Salt River 15060106B-179	MIDDLE GILA
<b>J</b>	
JD Dam Lake 15060202-0070	VERDE RIVER
JK Mountain Tributary From headwaters to Pinto Creek 15060103-873	SALT
<b>K</b>	
Kaibab Lake 15010004-0710	COLORADO - GRAND CANYON
Kanab Creek From Jump-up Canyon to Colorado River 15010003-001	COLORADO - GRAND CANYON
Kearny Lake 15050100-6666	MIDDLE GILA
Kennedy Lake 15050301-0720	SANTA CRUZ
Kinnikinick Lake 15020015-0730	LITTLE COLORADO
Kirkland Creek From Skull Valley to Santa Maria River 15030203-015	BILL WILLIAMS
Knight Creek From Wheeler Wash to Big Sandy River 15030201-019	BILL WILLIAMS
KP Creek From headwaters to Blue River 15040004-029	UPPER GILA
<b>L</b>	

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Lake Havasu 15030101-0590	COLORADO - LOWER GILA
Lake Mary (lower) 15020015-0890	LITTLE COLORADO
Lake Mary (upper) 15020015-0900	LITTLE COLORADO
Lake Mohave 15030101-0960	COLORADO - LOWER GILA
Lake Pleasant 15070102-1100	MIDDLE GILA
Lake Powell 14070006-1130	COLORADO - GRAND CANYON
Lakeside Lake 15050302-0760	SANTA CRUZ
Lee Valley Creek From headwaters to Lee Valley Reservoir 15020001-232A	LITTLE COLORADO
Lee Valley Reservoir 15020001-0770	LITTLE COLORADO
Leslie Creek From headwaters to Whitewater Draw 15080301-007	SAN PEDRO
Little Ash Creek From headwaters to Ash Creek 15070102-039	MIDDLE GILA
Little Colorado River From West Fork Little Colorado River to Water Canyon Creek 15020001-011	LITTLE COLORADO
Little Colorado River From Water Canyon Creek to Nutrioso Creek 15020001-010	LITTLE COLORADO
Little Colorado River From Nutrioso Creek to Carnero Creek 15020001-009	LITTLE COLORADO
Little Colorado River From unnamed reach to Lyman Lake 15020001-005	LITTLE COLORADO
Little Colorado River From Silver Creek to Carr Wash 15020002-004	LITTLE COLORADO
Little Colorado River From Porter Tank Draw to McDonalds W. 15020008-017	LITTLE COLORADO
Loma Verde From headwaters to Tanque Verde Wash 15050302-268	SANTA CRUZ
Long Lake (lower) 1502008-0820	LITTLE COLORADO
Luna Lake 15040004-0840	UPPER GILA

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Lyman Lake 15020001-0850	LITTLE COLORADO
Lynx Lake 15070102-0860	MIDDLE GILA
<b>M</b>	
Madera Canyon Creek From headwaters to 314342/1105250 15050301-322A	SANTA CRUZ
Madrona Creek From headwaters to Rincon Creek 15050302-138	SANTA CRUZ
Martinez Canyon From headwaters to Box Canyon 15050100-080	MIDDLE GILA
Martinez Lake 15030104-0880	COLORADO - LOWER GILA
Matkatamiba Creek From headwaters to Colorado River 15010002-935	COLORADO - GRAND CANYON
Minnehaha Creek From headwaters to Hassayampa Creek 15070103-029	MIDDLE GILA
Mead Canyon From headwaters to Pinto Creek 15060103-889	SALT
Miller Canyon From headwaters to Broken Arrow Ranch 15050202-409A	SAN PEDRO
Mineral Creek From headwaters to Concho Creek 15020002-648	LITTLE COLORADO
Mineral Creek From Devil's Canyon to Gila River 15050100-012B	MIDDLE GILA
Mittry Lake 15030107-0950	COLORADO - LOWER GILA
Monument Creek From headwaters to Colorado River 15010002-845	COLORADO - GRAND CANYON
Morales Canyon From headwaters to Mule Gulch 15080301-331	SAN PEDRO
Mule Gulch From headwaters to above Lavender Pit 15080301-090A	SAN PEDRO
Mule Gulch From Lavender Pit to Bisbee WWTP 15080301-090B	SAN PEDRO
Mule Gulch From Bisbee WWTP discharge to H-80 bridge 15080301-090C	SAN PEDRO
Mule Gulch From H-80 Bridge to Whitewater Draw 15080301-090D	SAN PEDRO

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Munds Creek From headwaters to Oak Creek 15060202-415	VERDE RIVER
Mural Hill Canyon From headwaters to Mule Gulch 15080301-344	SAN PEDRO
<b>N</b>	
Nankoweap Creek From unnamed tributary to Colorado River 15010001-033B	COLORADO - GRAND CANYON
Nelson Reservoir 15020001-1000	LITTLE COLORADO
Newman Canyon From headwaters to Upper Lake Mary 15020015-206	LITTLE COLORADO
Nogales Wash From Mexico border to Potrero Creek 15050301-011	SANTA CRUZ
North Fork Bear Wallow Creek From headwaters to Bear Wallow Creek 15060101-022	SALT
North Fork Cave Creek From headwaters to Cave Creek 15040006-856	UPPER GILA
Nutrios Creek From headwaters to Nelson Reservoir 15020001-017A	LITTLE COLORADO
Nutrios Creek From Nelson Reservoir to Picnic Creek 15020001-017B	LITTLE COLORADO
Nutrios Creek From Picnic Creek to Little Colorado River 15020001-015	LITTLE COLORADO
<b>O</b>	
Oak Creek From headwaters to West Fork Oak Creek 15060202-019	VERDE RIVER
Oak Creek From West Fork Oak Creek to tributary at 345709/1114513 15060202-018A	VERDE RIVER
Oak Creek From tributary at 345709/1114513 to downstream Slide Rock State Park 15060202-018B	VERDE RIVER
Oak Creek From Slide Rock State Park to Dry Creek 15060202-018C	VERDE RIVER
Oak Creek From Dry Creek to Spring Creek 15060202-017	VERDE RIVER
Oak Creek From Spring Creek to Verde River 15060202-016	VERDE RIVER

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
<b>P</b>	
Painted Rock Borrow Pit Lake 15070201-1010	COLORADO - LOWER GILA
Painted Rocks Reservoir 15070101-1020A	MIDDLE GILA
Papago Park Ponds 15060106B-1030	MIDDLE GILA
Paria River From Utah border to Colorado River 14070007-123	COLORADO - GRAND CANYON
Parker Canyon Creek From Parker Canyon Dam to tributary at 312417/1102844 15050301-234A	SANTA CRUZ
Parker Canyon Lake 15050301-1040	SANTA CRUZ
Patagonia Lake 15050301-1050	SANTA CRUZ
Pecks Lake 15060202-1060	VERDE RIVER
Pena Blanca Lake 15050301-1070	SANTA CRUZ
Perkins Lake 15060202-1080	VERDE RIVER
Pinal Creek From Lower Pinal Creek WTP discharge to Salt River 15060103-280D	SALT
Pinto Creek From headwaters to 331927/1105456 15060103-018A	SALT
Pinto Creek From 331927/1105456 to West Fork Pinto Cr 15060103-018B	SALT
Pinto Creek From West Fork Pinto Creek to Roosevelt Lake 15060103-018C	SALT
Porter Creek From headwaters to Show Low Creek 15020005-246	LITTLE COLORADO
Potrero Creek From Interstate 19 to Santa Cruz River 15050301-500B	SANTA CRUZ
Potts Canyon From headwaters to Queen Creek 15050100-1856	MIDDLE GILA
Powers Gulch From headwaters to Haunted Canyon 15060103-884	SALT



<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
<b>Q</b>	
Queen Creek From headwaters to WWTP discharge 15050100-014A	MIDDLE GILA
Queen Creek From WWTP discharge to Potts Canyon 15050100-014B	MIDDLE GILA
Queen Creek From Potts Canyon to Whitlow Canyon 15050100-014C	MIDDLE GILA
<b>R</b>	
Railroad Canyon From headwaters to Upper Lake Mary 15020015-204	LITTLE COLORADO
Rainbow Lake 15020005-1170	LITTLE COLORADO
Ramsey Canyon Creek From headwaters to Forest Road 110 15050202-404A	SAN PEDRO
Red Creek From headwaters to Verde River 15060203-818	VERDE RIVER
Redfield Canyon Creek From 323339/1101841 to San Pedro River 15050203-014B	SAN PEDRO
Redrock Canyon From headwaters to Harshaw Creek 15050301-576	SANTA CRUZ
Riggs Flat Lake 15050201-1210	SAN PEDRO
Rincon Creek From headwaters to Pantano Wash 15050302-008	SANTA CRUZ
Rio de Flag From Flagstaff WWTP to San Francisco W 15020015-004B	LITTLE COLORADO
River Reservoir 15020001-1220	LITTLE COLORADO
Roosevelt Lake 15060103-1240	SALT
Roper Lake 15040006-1250	UPPER GILA
Rose Canyon Lake 15050302-1260	SANTA CRUZ
Roundtree Canyon Creek From headwaters to Tangle Creek 15060203-853	VERDE RIVER
Royal Arch Creek From headwaters to Colorado River 15010002-871	COLORADO - GRAND CANYON

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Rucker Canyon Creek From headwaters to Whitewater Draw 15080301-288	SAN PEDRO
Rye Creek From headwaters to Tonto Creek 15060105-014	SALT
<b>S</b>	
Sabino Canyon From 322328/1104700 to Tanque Verde W. 15050302-014B	SANTA CRUZ
Saguaro Lake 15060106A-1290	SALT
Salt River From Pinal Creek to Roosevelt Lake 15060106A-004	SALT
Salt River From Stewart Mountain Dam to Verde River 15060106A-003	SALT
Salt River From Granite Reef Dam for 2 kilometers 15060106B-001A	MIDDLE GILA
Salt River From 2 kilometers below Granite Reef Dam to Interstate 10 bridge 15060106B-001B	MIDDLE GILA
Salt River From Interstate 10 bridge to 23rd Ave WWTP discharge 15060106B-001C	MIDDLE GILA
Salt River From 23rd Ave WWTP discharge to Gila R. 15060106B-001D	MIDDLE GILA
San Francisco River From headwaters to New Mexico border 15040004-023	UPPER GILA
San Francisco River From New Mexico border to Blue River 15040004-004	UPPER GILA
San Francisco River From Blue River to Limestone Gulch 15040004-003	UPPER GILA
San Francisco River From Limestone Gulch to Gila River 15040004-001	UPPER GILA
San Pedro River From Mexico border to Charleston 15050202-008	SAN PEDRO
San Pedro River From Charleston to Walnut Gulch 15050202-006	SAN PEDRO
San Pedro River From Babocomari Creek to Dragoon W. 15050202-003	SAN PEDRO
San Pedro River From Dragoon Wash to Tres Alamos W. 15050202-002	SAN PEDRO
San Pedro River From Buehman Wash to Peppersauce W. 15050203-008	SAN PEDRO

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
San Pedro River From HUC boundary 15050203 to Hot Springs Canyon Creek 15050203-012	SAN PEDRO
San Pedro River From Hot Springs Canyon to Redfield Cyn 15050203-011	SAN PEDRO
San Pedro River From Peppersauce Wash to Aravaipa Creek 15050203-003	SAN PEDRO
San Pedro River From Aravaipa Creek to Gila River 15050203-001	SAN PEDRO
Santa Cruz River From headwaters to New Mexico border 15050301-268	SANTA CRUZ
Santa Cruz River From Mexico border to Nogales Intl WWTP discharge 15050301-010	SANTA CRUZ
Santa Cruz River From Nogales Intl WWTP to Josephine C. 15050301-009	SANTA CRUZ
Santa Cruz River From Josephine Canyon to Tubac Bridge 15050301-008A	SANTA CRUZ
Santa Cruz River From Tubac Bridge to Sopori Wash 15050301-008B	SANTA CRUZ
Santa Cruz River From Canada del Oro to HUC 15050301 15050301-001	SANTA CRUZ
Santa Fe Reservoir 15010004-1340	COLORADO - GRAND CANYON
Santa Maria River From Little Sycamore Cr. to Little Shipp W 15030203-013	BILL WILLIAMS
Santa Maria River From Bridle Creek to Date Creek 15030203-009	BILL WILLIAMS
Scholz Lake 15060202-1350	VERDE RIVER
Shinumo Creek From unnamed tributary to Colorado River 15010002-029B	COLORADO - GRAND CANYON
Show Low Creek From headwaters to Linden Wash 15020005-012	LITTLE COLORADO
Silver Creek From headwaters to Show Low Creek 15020005-013	LITTLE COLORADO
Silver Creek From Sevenmile Draw to Little Colorado R 15020005-001	LITTLE COLORADO
Skunk Creek From headwaters to Agua Fria River 15070102-003	MIDDLE GILA

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Snake River From headwaters to Black River 15060101-045	SALT
Snow Flat Lake 15050201-1420	SAN PEDRO
Soldier's Annex Lake 15020008-1430	LITTLE COLORADO
Soldier's Lake 15020008-1440	LITTLE COLORADO
Sonoita Creek From 750 feet below Patagonia WWTP discharge Patagonia Lake 15050301-013C	SANTA CRUZ
South Fork Bear Wallow Creek From headwaters to Bear Wallow Creek 15060101-258	SALT
South Fork Cave Creek From headwaters to Cave Creek 15040006-849	UPPER GILA
Spring Canyon Creek From headwaters to Colorado River 15010002-318	COLORADO - GRAND CANYON
Spring Creek From headwaters to Mule Gulch 15080301-333	SAN PEDRO
Spring Creek From Coffee Creek to Oak Creek 15060202-022	VERDE RIVER
Spring Creek From headwaters to Tonto Creek 15060105-010	SALT
Sterling Canyon From headwaters to Oak Creek 15060202-424	VERDE RIVER
Stinky Creek From headwaters to Fort Apache Res. 15060101-352	SALT
Stoneman Lake 15060202-1490	VERDE RIVER
Sycamore Canyon From headwaters to Mexico Border 15080200-002	SANTA CRUZ
Sycamore Creek From Cedar Creek to Verde River 15060202-026	VERDE RIVER
Sycamore Creek From headwaters to Verde River 15060203-055	VERDE RIVER
Sycamore Creek From Tank Canyon to Agua Fria River 15070102-024B	MIDDLE GILA
<b>T</b>	

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Tapeats Creek From headwaters to Colorado River 15010002-696	COLORADO - GRAND CANYON
Tempe Town Lake 15050100-1588	MIDDLE GILA
Thomas Creek From headwaters to Beaver Creek 15060101-285	SALT
Three R Canyon From headwaters to 312835/1104619 (where intermittent flow begins) 15050301-558A	SANTA CRUZ
Three R Canyon From 312835/1104619 to 312827/1104712 15050301-558B	SANTA CRUZ
Three R Canyon From 312827/1104712 to Sonoita Creek 15050301-558C	SANTA CRUZ
Tonto Creek From headwaters to 341810/1110414 15060105-013A	SALT
Tonto Creek From 341810/1110414 to Haigler Creek 15060105-013B	SALT
Tonto Creek From Rye Creek to Gun Creek 15060105-008	SALT
Trout Creek From Cow Creek to Knight Creek 15030201-014	BILL WILLIAMS
Tunnel Reservoir 15020001-1550	LITTLE COLORADO
Turkey Creek From headwaters to unnamed tributary 15070102-036A	MIDDLE GILA
Turkey Creek From unnamed tributary to Poland Creek 15070102-036B	MIDDLE GILA
Turkey Creek From headwaters to Rock Creek 15050201-002A	SAN PEDRO
Turkey Creek From headwaters to Campbell Blue Creek 15040004-060	UPPER GILA
Twin Pond 15080302-0001	SAN PEDRO
<b>U</b>	
Unnamed tributary to Cash Mine Creek From headwaters to Cash Mine Creek 15070103-415	MIDDLE GILA
Unnamed tributary to Cox Gulch From headwaters to Cox Gulch 15050301-890	SANTA CRUZ
Unnamed tributary to Lynx Creek From headwaters to Lynx Creek 15070102-124	MIDDLE GILA

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Unnamed tributary to Harshaw Creek (Endless Chain Mine tributary) 15050301-888	SANTA CRUZ
Unnamed tributary to Three R Canyon From headwaters to Three R Canyon 15050301-889	SANTA CRUZ
<b>V</b>	
Verde River From Granite Creek to Hell Canyon 15060202-052	VERDE
Verde River From unnamed tributary (15060202-065) to Railroad Draw 15060202-037	VERDE
Verde River From Sycamore Creek to Oak Creek 15060202-025	VERDE
Verde River From Oak Creek to Beaver Creek 15060202-015	VERDE
Verde River From 15060203 boundary to West Clear Creek 15060203-027	VERDE
Verde River From West Clear Creek to Fossil Creek 15060203-025	VERDE
Verde River From Tangle Creek to Ista Flat 15060203-018	VERDE
Verde River From Horseshoe Dam to Alder Creek 15060203-008	VERDE
Verde River From Bartlett Dam to Camp Creek 15060203-004	VERDE
Virgin River From Black Rock Gulch to Sullivan's Canyon 15010010-006	COLORADO – GRAND CANYON
Virgin River From Sullivan's Canyon to Beaver Dam Wash 15010010-004	COLORADO – GRAND CANYON
Virgin River From Beaver Dam Wash to Big Bend Wash 15010010-003	COLORADO – GRAND CANYON
<b>W</b>	
Walnut Creek From Apache Creek to Big Chino Wash 15060201-017	VERDE RIVER
Ward Canyon From headwaters to Turkey Creek 15050201-433	SAN PEDRO
Watson Lake 15060202-1590	VERDE RIVER
West Clear Creek From Meadow Canyon to Verde River 15060203-026B	VERDE RIVER

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
West Fork Black River From Indian Reservation to Black River 15060101-048	SALT
West Fork Little Colorado River From headwaters to Government Springs 15020001-013A	LITTLE COLORADO
West Fork Little Colorado River From Government Springs to Little Colorado River 15020001-013B	LITTLE COLORADO
West Fork Oak Creek From headwaters to Oak Creek 15060202-020	VERDE RIVER
West Fork Pinto Creek From headwaters to Pinto Creek 15060103-066	SALT
Wet Beaver Creek From Long Canyon to Rarick Creek 15060202-004	VERDE RIVER
Wet Beaver Creek From Rarick Creek to Dry Beaver Creek 15060202-003	VERDE RIVER
Whitehorse Lake 15060202-1630	VERDE RIVER

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>WATERSHED</b>
Whitewater Draw From Gadwell Canyon to unnamed tributary 15080301-004	SAN PEDRO
Whitewater Draw From tributary at 312036/1093446 to Mexico border 15080301-002B	SAN PEDRO
Wilder Creek From headwaters to Boulder Creek 15030202-007	BILL WILLIAMS
Willow Creek From headwaters to Beaver Creek 15060101-049	SALT
Willow Creek Reservoir 15060202-1660	VERDE
Willow Springs Lake 15020010-1670	LITTLE COLORADO
Winwood Canyon From headwaters to Mule Gulch 15080301-340	SAN PEDRO
Woods Canyon Lake 15020010-1700	LITTLE COLORADO

[This page intentionally left blank.]

# APPENDIX B

## Assessments by Category

### Category 1 – Attaining All Uses

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles / acres)
<b>BILL WILLIAMS WATERSHED</b>	
Bill Williams River From point B to Colorado River 15030204-001	17.5 mi
Date Creek From Cottonwood Creek to unnamed tributary 15030203-003	34.1 mi
Francis Creek From headwaters to Burro Creek 15030202-012	23.8 mi
<b>COLORADO – GRAND CANYON WATERSHED</b>	
Clear Creek From unnamed tributary at 360912/1115825 to Colorado River 15010001-025B	8.1 mi
Havasupai Creek From Havasupai Indian Reservation to Colorado River 15010004-001	3.3 mi
Matkatamiba Creek From headwaters to Colorado River 15010002-935 <i>(Also in Category 4N due to natural impairment by selenium)</i>	12.5 mi
Royal Arch Creek From headwaters to Colorado River 15010002-871 <i>(Also in Category 4N due to natural impairment by selenium)</i>	5.1 mi
Spring Canyon Creek From headwaters to Colorado River 15010002-318	6 mi
<b>COLORADO – LOWER GILA WATERSHED</b>	
Colorado River From Imperial Dam to Gila River 15030107-003	15.3 mi
Martinez Lake 15030104-0880	600 a
<b>LITTLE COLORADO WATERSHED</b>	
Barbershop Canyon Creek From headwaters to East Clear Creek 15020008-537	10.2 mi
Chevelon Canyon Creek From Black Canyon Creek to Little Colorado River 15020010-001	19.3 mi
Colter Creek From headwaters to Nutrioso Creek 15020001-293	8.6 mi
East Clear Creek From headwaters to Yeager Creek 15020008-009	38 mi
East Fork Little Colorado River From headwaters to Hall Creek 15020001-230	10.6 mi
Mineral Creek From headwaters to Concho Creek 15020002-648	25.8 mi
Nutrioso Creek From headwaters to Nelson Reservoir 15020001-017A	13.3 mi

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles / acres)</b>
Porter Creek From headwaters to Show Low Creek 15020005-246	4.4 mi
Rio de Flag From Flagstaff WWTP to San Francisco Wash 15020015-004B	3.7 mi
Show Low Creek From headwaters to Linden Wash 15020005-012	19.5 mi
Silver Creek From headwaters to Show Low Creek 15020005-013	33.6 mi
<b>MIDDLE GILA WATERSHED</b>	
Agua Fria River From State Route 169 to Yarber Wash 15070102-031B	17.8 mi
Agua Fria River From Sycamore Creek to Big Bug Creek 15070102-023	9.1 mi
Agua Fria River From Little Squaw Creek to Cottonwood Creek 15070102-017	5.8 mi
Arnett Creek From headwaters to Queen Creek 15050100-1818	11.1 mi
Cave Creek From headwaters to Cave Creek Dam 15060106B-026A	32.9 mi
Gila River From Dripping Springs Wash to San Pedro River 15050100-009	11 mi
Hassayampa River From Copper Creek to Blind Indian Creek 15070103-007B	20 mi
Sycamore Creek From Tank Canyon to Agua Fria River 15070102-024B	17.6 mi
<b>SALT WATERSHED</b>	
Campaign Creek From headwaters to Pinto Creek 15060103-037	16.6 mi
Canyon Creek From headwaters to White Mountain Apache Reservation 15060103-014	8.6 mi
Cherry Creek From tributary at 340509/1105604 to Salt River 15060103-015B	40.9 mi
Coon Creek From tributary at 334642/1105425 to Salt River 15060103-039B	10.1 mi
Deer Creek From headwaters to Rye Creek 15060105-018	11.9 mi
East Fork Black River From headwaters to Black River 15060101-009	26.7 mi
Greenback Creek From headwaters to Tonto Creek 15060105-005	16.4 mi
Haigler Creek From headwaters to tributary at 341223/1110011 15060105-012A	15.4 mi

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles / acres)</b>
Tonto Creek From Rye Creek to Gun Creek 15060105-008	4.7 mi
<b>SAN PEDRO WATERSHED</b>	
Aravaipa Creek From Stowe Gulch to end of Aravaipa Wilderness Area 15050203-004B	15.5 mi
Aravaipa Creek From Aravaipa Wilderness Area to San Pedro River 15050203-004C	12.6 mi
Babocomari River From Banning Creek to San Pedro River 15050202-004	32.7 mi
Bass Canyon Creek From tributary to 322606/1101318 to Hot Springs Canyon Creek 15050203-899B	7.9 mi
Unnamed Bass Canyon Tributary From headwaters to Bass Canyon 15050203-035	1 mi
Buehman Canyon Creek From headwaters to end of unique water 15050203-010A	10.5 mi
Double R Canyon Creek From headwaters to Bass Canyon Creek 15050203-902	5 mi
San Pedro River From Charleston to Walnut Gulch 15050202-006	8.9 mi
<b>SANTA CRUZ WATERSHED</b>	
Cienega Creek From headwaters to Gardner Canyon 15050302-006A	18.08 mi
Cienega Creek From Gardner Canyon to USGS gage (Pantano Wash) 15050302-006B	28.8 mi
Redrock Canyon From headwaters to Harshaw Creek 15050301-576	12.7 mi
Santa Cruz River From headwaters to New Mexico border 15050301-268	13.9 mi
<b>UPPER GILA WATERSHED</b>	
Ash Creek From tributary at 234537/1095222 to Gila River 15040005-040B	14.7 mi
Bonita Creek From Park Creek to Gila River 15040005-030	14.6 mi
Campbell Blue River From headwaters to Blue River 15040004-028	19.7 mi
Cave Creek From South Fork Cave Creek to Coronado National Forest boundary 15040006-852B	1.5 mi
Eagle Creek From headwaters to tributary at 332324/1092935 15040005-028A	11.8 mi
Eagle Creek From Willow Creek to Sheeps Wash 15040005-027	5.8 mi
Eagle Creek From Sheeps Wash to Gila River 15040005-025	41.8 mi



<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles / acres)</b>
KP Creek From headwaters to Blue River 15040004-029	12.1 mi
San Francisco River From headwaters to New Mexico border 15040004-023	13.1 mi
South Fork Cave Creek From headwaters to Cave Creek 15040006-849	8.1 mi
<b>VERDE WATERSHED</b>	
Bartlett Lake 15060203-0110	2375 a
Fossil Creek From headwaters to Verde River 15060203-024	19.9 mi
Gap Creek From Government Springs to Verde River 15060203-774B	5.4 mi
Munds Creek From headwaters to Oak Creek 15060202-415	17 mi
Oak Creek From Spring Creek to Verde River 15060202-016	12.7 mi
Red Creek From headwaters to Verde River 15060203-818	13.6 mi
Sycamore Creek From Cedar Creek to Verde River 15060202-026	11.7 mi
Sycamore Creek From headwaters to Verde River 15060203-055	13.2 mi
Verde River From Granite Creek to Hell Canyon 15060202-052	16.4 mi
Verde River From Tangle Creek to Ista Flat 15060203-018	4.1 mi
Verde River From Bartlett Dam to Camp Creek 15060203-004	6.85 mi
West Clear Creek From Meadow Canyon to Verde River 15060203-026B	23.5 mi
West Fork Oak Creek From headwaters to Oak Creek 15060202-020	15.8 mi
Wet Beaver Creek From Long Canyon to Rarick Creek 15060202-004	6.5 mi

**Category 1 -- Attaining All Uses:**

**Total # of lakes (*acres*): 2 (2,975)**

**Total # of stream reaches (*miles*): 72 (1,066.7)**

## Category 2 – Attaining Some Uses

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	PLANNING LIST POLLUTANTS OF CONCERN
<b>BILL WILLIAMS WATERSHED</b>		
Big Sandy River From Sycamore Wash to Burro Creek 15030201-004	13.8 mi	<i>E. coli</i> , SSC, dissolved oxygen, mercury
Big Sandy River From Rupley Wash to Alamo Lake 15030201-001	10.2 mi	Mercury
Boulder Creek From unnamed tributary at 344114 / 1131800 to Wilder Creek 15030202-006B	14.4 mi	Mercury, beryllium, suspended sediment
Boulder Creek From Copper Creek to Burro Creek 15030202-005C	5 mi	Mercury, selenium
Burro Creek From Boulder Creek to Black Canyon Creek 15030202-004	17.2 mi	Sediment
Kirkland Creek From Skull Valley to Santa Maria River 15030203-015	22.6 mi	<i>E. coli</i>
Santa Maria River From Bridle Creek to Date Creek 15030203-009	24.5 mi	Mercury, SSC
Trout Creek From Cow Creek to Knight Creek 15030201-014	32.1 mi	<i>E. coli</i> , mercury
<b>COLORADO – GRAND CANYON WATERSHED</b>		
Beaver Dam Wash From Utah border to Virgin River 15010010-009	9.6 mi	<i>E. coli</i> , lead, SSC
Bright Angel Creek From Phantom Creek to Colorado River 15010001-019	1.9 mi	SSC
Crystal Creek From unnamed tributary at 361342/1121148 to Colorado River 15010002-018B	9.1 mi	Arsenic
Deer Creek From unnamed tributary to Colorado River 15010002-019B	4.9 mi	Lead, selenium, SSC
Dogtown Reservoir 15010004-0580	70 a	Low dissolved oxygen, high pH, selenium
Hermit Creek From Hermit Pack Trail crossing to Colorado River 15010002-020B	3.5 mi	Selenium
Kanab Creek From Jump-up Canyon to Colorado River 15010003-001	12.8 mi	Lead, SSC
Monument Creek From headwaters to Colorado River 15010002-845	3.5 mi	Mercury (Also in Category 4N due to natural impairment by selenium)
Nankoweap Creek From unnamed tributary to Colorado River 15010001-033B	7.3 mi	SSC
Shinumo Creek From unnamed tributary to Colorado River 15010002-029B	8.8 mi	SSC
Tapeats Creek From headwaters to Colorado River 15010002-696	12.8 mi	SSC
Virgin River From Black Rock Gulch to Sullivan's Canyon 15010010-006	10.3 mi	<i>E. coli</i> , lead, SSC, selenium

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	PLANNING LIST POLLUTANTS OF CONCERN
Virgin River From Sullivan's Canyon to Beaver Dam Wash 15010010-004	9.7 mi	<i>E. coli</i> , lead, SSC, selenium
<b>COLORADO – LOWER GILA WATERSHED</b>		
Colorado River From Bill Williams River to Osborne Wash 15030104-020	13.4 mi	Selenium
Lake Havasu 15030101-0590	19,780 a	<i>E. coli</i> , mercury, selenium
Lake Mohave 15030101-0960	27,045 a	Selenium
Mittry Lake 15030107-0950	385 a	
<b>LITTLE COLORADO WATERSHED</b>		
Ashurst Lake 15020015-0090	200 a	Low dissolved oxygen
Babbit Spring Wash From headwaters to Upper Lake Mary 15020015-210	2.3 mi	mercury
Bear Canyon Lake 15020008-0130	55 a	Low pH
Billy Creek From headwaters to Show Low Creek 15020005-019	18.5 mi	<i>E. coli</i>
Black Canyon Lake 15020010-0180	35 a	Low dissolved oxygen
Blue Ridge Reservoir 15020008-0200	290 a	
Carnero Lake 15020001-0260	65 a	Low dissolved oxygen, high pH
Kinnikinick Lake 15020015-0730	115 a	Lead
Lake Mary (upper) 15020015-0900	860 a	Mercury, copper, low dissolved oxygen, nickel, zinc
Lee Valley Reservoir 15020001-0770	35 a	Nitrogen
Lyman Lake 15020001-0850	1,310 a	Mercury, low dissolved oxygen
Soldier's Lake 15020008-1440	28 a	Mercury, low dissolved oxygen
West Fork Little Colorado River From headwaters to Government Springs 15020001-013A	9.1 mi	Mercury
West Fork Little Colorado River From Government Springs to Little Colorado River 15020001-013B	2.2 mi	Copper
Woods Canyon Lake 15020010-1700	70 a	Low dissolved oxygen
<b>MIDDLE GILA WATERSHED</b>		
Fain Lake 15070101-0005	1,015 a	Low dissolved oxygen
Gila River From Salt River to Agua Fria River 15070101-015	3.7 mi	DDT, toxaphene, chlordane
Hassayampa River From Cottonwood Creek to Martinez Wash 15070103-004	32.1 mi	<i>E. coli</i>
Hassayampa River From Sols Wash to 8 miles below Wickenburg 15070103-002A	9.2 mi	<i>E. coli</i>
Hassayampa River From Buckeye Canal to Gila River 15070103-001B	2.3 mi	DDT, toxaphene, chlordane, selenium

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	PLANNING LIST POLLUTANTS OF CONCERN
Lake Pleasant 15070102-1100	8000 a	Mercury in fish tissue
Lynx Lake 15070102-0860	50 a	Lead, manganese
Martinez Canyon From headwaters to Box Canyon 15050100-080	9.5 mi	Lead
Salt River From Granite Reef Dam for 2 kilometers 15060106B-001A	1.6 mi	Chromium, lead
Salt River From 23 <sup>rd</sup> Avenue WWTP discharge to Gila River 15060106B-001D	14.1 mi	DDT, toxaphene, chlordane
Tempe Town Lake 15060106B-1588	220 a	<i>E. coli</i>
Turkey Creek From headwaters to unnamed tributary 15070102-036A	9.1 mi	
<b>SALT WATERSHED</b>		
Bear Wallow Creek From No/So Forks of Bear Wallow to Indian Reservation 15060101-023A	5.9 mi	
Beaver Creek From headwaters to Black River 15060101-008	13.1 mi	Low dissolved oxygen, phosphorus
Big Lake 15060101-0160	440 a	
Black River From Beaver Creek to Reservation Creek 15060101-007	13.1 mi	
Crescent Lake 15060101-0420	155 a	High pH
Fish Creek From headwaters to Black River 15060101-032	13.8 mi	
Haunted Canyon From headwaters to Pinto Creek 15060103-879	6.8 mi	Copper
Pinal Creek From Lower Pinal Creek WTP discharge to Salt River 15060103-280D	6.4 mi	Cadmium, zinc
Roosevelt Lake 15060103-1240	18,350 a	
Rye Creek From headwaters to Tonto Creek 15060105-014	17.8 mi	
Saguaro Lake 15060106A-1290	1,025 a	
Spring Creek From headwaters to Tonto Creek 15060105-010	20.5 mi	
West Fork Black River From Indian Reservation boundary to Black River 15060101-048	14.6 mi	
<b>SAN PEDRO WATERSHED</b>		
Copper Creek From headwaters to Prospect Canyon 15050203-022A	6.6 mi	Copper
Grant Creek From headwaters to tributary at 323809/1095635 15050201-033A	6.8 mi	
Hot Springs Canyon From headwaters to San Pedro River 15050203-013	25.9 mi	Copper

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles/acres)</b>	<b>PLANNING LIST POLLUTANTS OF CONCERN</b>
Ramsey Canyon Creek From headwaters to Forest Road 110 15050202-404A	4.4 mi	Mercury
Rucker Canyon Creek From headwaters to Whitewater Draw 15080301-288	10.4 mi	
San Pedro River From Mexico border to Charleston 15050202-008	28.3 mi	<i>E. coli</i> , SSC, selenium, mercury
San Pedro River From Hot Springs Canyon Creek to Redfield Canyon 15050203-011	16 mi	Copper, <i>E. coli</i>
San Pedro River From Buehman Wash to Peppersauce Wash 15050203-008	16.4 mi	Chromium, copper, <i>E. coli</i> , lead, SSC
Turkey Creek From headwaters to Rock Creek 15050201-002A	13.1 mi	
Ward Canyon From headwaters to Turkey Creek 15050201-433	3 mi	
<b>SANTA CRUZ WATERSHED</b>		
Chimenea Creek From headwaters to Rincon Creek 15050302-140	8 mi	
Madera Canyon Creek From headwaters to unnamed tributary at 314342/1105250 15050301-322A	2.3 mi	
Parker Canyon Lake 15050301-1040	130 a	Mercury, low dissolved oxygen
Patagonia Lake 15050301-1050	230 a	Low dissolved oxygen
Rose Canyon Lake 15050302-1260	7 a	Low pH
Sabino Canyon From tributary at 322328/1104700 to Tanque Verde W. 15050302-014B	14.1 mi	Cyanide, lead, manganese, selenium
Santa Cruz River From Nogales Intl WWTP discharge to Josephine Canyon 15050301-009	9.1 mi	
Santa Cruz River From Josephine Canyon to Tubac Bridge 15050301-008A	4.8 mi	Chlorine
Santa Cruz River From Canada del Oro to HUC boundary 15050301 15050301-001	8.6 mi	Chlorine
<b>UPPER GILA WATERSHED</b>		
Blue River From New Mexico border to KP Creek 15040004-026	21.4 mi	
Blue River From KP Creek to Strayhorse Creek 15040004-025A	3.8 mi	
Dankworth Ponds 15040006-0440	8 a	Selenium (Also in Category 4N due to natural impairment by low DO)
Roper Lake 15040006-1250	25 a	(Also in Category 4N due to natural impairment by low dissolved oxygen)
San Francisco River From New Mexico border to Blue River 15040004-004	20.9 mi	
San Francisco River From Limestone Gulch to Gila River 15040004-001	12.8 mi	<i>E. coli</i>

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	PLANNING LIST POLLUTANTS OF CONCERN
<b>VERDE WATERSHED</b>		
Bitter Creek From Jerome WWTP to Yavapai Apache Indian Reservation 15060202-066B	1.6 mi	Selenium
East Verde River From headwaters to Ellison Creek 15060203-022A	8.1 mi	Low dissolved oxygen
Granite Basin Lake 15060202-0580	7 a	Ammonia, arsenic, manganese, high pH <i>(Also in Category 4N due to natural impairment by low dissolved oxygen)</i>
JD Dam Lake 15060202-0070	28 a	
Roundtree Canyon Creek From headwaters to Tangle Creek 15060203-853	10.7 mi	Copper
Scholz Lake 15060202-1350	22 a	Low dissolved oxygen
Sterling Canyon From headwaters to Oak Creek 15060202-424	3 mi	
Whitehorse Lake 15060202-1630	40 a	

**Category 2 -- Attaining Some Uses:**

**Total # of lakes (*acres*): 32 (80,095)**

**Total # of stream reaches (*miles*): 66 (733.2)**

### Category 3 – All Uses Inconclusive

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	PLANNING LIST POLLUTANTS OF CONCERN
<b>BILL WILLIAMS WATERSHED</b>		
Bridle Creek From headwaters to Santa Maria River 15030203-027	25.8 mi	Mercury, SSC
Burro Creek From Francis Creek to Boulder Creek 15030202-008	13.8 mi	Chromium, mercury
Butte Creek From headwaters to Burro Creek 15030202-163	2.8 mi	Mercury
Coors Lake 15030202-5000	230 a	Mercury
Copper Basin Wash From headwaters to unnamed tributary 15030203-032A	4.6 mi	Copper, lead, selenium
Knight Creek From Wheeler Wash to Big Sandy River 15030201-019	9.9 mi	Mercury, SSC
Wilder Creek From headwaters to Boulder Creek 15030202-007	15.3 mi	
<b>COLORADO – GRAND CANYON WATERSHED</b>		
Cataract Lake 15010004-0280	35 a	Ammonia, manganese
Kaibab Lake 15010004-0710	60 a	
Lake Powell 14070006-1130	9,770 a	
Santa Fe Reservoir 15010004-1340	12 a	Copper
<b>COLORADO – LOWER GILA WATERSHED</b>		
Hunter's Hole 15030108-0660	15 a	Selenium
<b>LITTLE COLORADO WATERSHED</b>		
Brown Creek From headwaters to Silver Creek 15020005-016	14.5 mi	
Bunch Reservoir 15020001-0230	65 a	Low dissolved oxygen
Cholla Lake 15020008-0320	130 a	
Fish Creek From headwaters to Little Colorado River 15020001-211	9 mi	Mercury
Fools Hollow Lake 15020005-0530	150 a	Low dissolved oxygen, selenium
Hall Creek From headwaters to Little Colorado River 15020001-012	14.3 mi	
Lake Mary (lower) 15020015-0890	765 a	DO, high pH, mercury
Lee Valley Creek From headwaters to Lee Valley Reservoir 15020001-232A	1.6 mi	
Long Lake (lower) 15020008-0820	320 a	Mercury, high pH
Nelson Reservoir 15020001-1000	65 a	Low dissolved oxygen
Newman Canyon From headwaters to Upper Lake Mary 15020015-206	9.1 mi	Mercury

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles/acres)</b>	<b>PLANNING LIST POLLUTANTS OF CONCERN</b>
Railroad Canyon From headwaters to Upper Lake Mary 15020015-204	5.4 mi	
River Reservoir 15020001-1220	140 a	
Silver Creek From Sevenmile Draw to Little Colorado River 15020005-001	9.3 mi	
Soldier's Annex Lake 15020008-1430	120 a	Mercury
Tunnel Reservoir 15020001-1550	40 a	Low dissolved oxygen, nitrogen
Willow Springs Lake 15020010-1670	160 a	Low dissolved oxygen, selenium
<b>MIDDLE GILA WATERSHED</b>		
Blue John Wash From headwaters to unnamed tributary of Lynx Creek 15070102-471	1 mi	Zinc
Encanto Park Lake 15060106B-0510	8 a	
Gila River From Agua Fria River to Waterman Wash 15070101-014	11.9 mi	DDT, toxaphene, chlordane
Gila River From Waterman Wash to Hassayampa River 15070101-010	13.9 mi	DDT, toxaphene, chlordane
Gila River From Hassayampa River to Centennial Wash 15070101-009	7 mi	DDT, toxaphene, chlordane
Gila River From Gillespie Dam to Rainbow Wash 15070101-007	5.1 mi	DDT, toxaphene, chlordane
Gila River From Rainbow Wash to Sand Tank 15070101-005	16.9 mi	DDT, toxaphene, chlordane
Gila River From Sand Tank to Painted Rocks Reservoir 15070101-001	18.7 mi	DDT, toxaphene, chlordane
Hassayampa Lake 15070103-3160	2 a	Copper, lead
Indian Bend Wash From headwaters to Salt River 15060106B-179	4.8 mi	Lead
Kearny Lake 15050100-6666	8 a	
Little Ash Creek From headwaters to Ash Creek 15070102-039	17.7 mi	
Unnamed tributary to Lynx Creek From headwaters to Lynx Creek 15070102-124	1 mi	Cadmium, copper, zinc
Minnehaha Creek From headwaters to Hassayampa Creek 15070103-029	12.7 mi	
Painted Rocks Reservoir 15070101-1020A	100 a	DDT, toxaphene, chlordane
Papago Park Ponds 15060106B-1030	24 a	
Potts Canyon From headwaters to Queen Creek 15050100-1856	10.6 mi	Arsenic, copper, lead, mercury, SSC
Queen Creek From Potts Canyon to Whitlow Canyon 15050100-014C	8 mi	Arsenic, copper, mercury, SSC



SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	PLANNING LIST POLLUTANTS OF CONCERN
Salt River From 2 kilometers below Granite Reef Dam to Interstate 10 bridge 15060106B-001B	19 mi	
Salt River From Interstate 10 bridge to 23rd Ave WWTP discharge 15060106B-001C	7.9 mi	Chromium, lead
Skunk Creek From headwaters to Agua Fria River 15070102-003	30.4 mi	Lead
<b>SALT WATERSHED</b>		
Cottonwood Gulch From headwaters to Pinto Creek 15060103-891	1.9 mi	
Ellis Ranch Tributary From headwaters to Pinto Creek 15060103-880	1 mi	Low pH <i>(Also in Category 4N due to natural impairment by copper)</i>
Gold Gulch From headwaters to Pinto Creek 15060103-894	3.3 mi	
Hannagan Creek From headwaters to Beaver Creek 15060101-034	7.2 mi	
Hay Creek From headwaters to West Fork Black River 15060101-353	4.5 mi	
Home Creek From headwaters to West Fork Black River 15060101-339	9.1 mi	
Horton Creek From headwaters to Beaver Creek 15060101-036	4.6 mi	
JK Mountain Tributary From headwaters to West Fork Pinto Creek 15060103-873	1.1 mi	<i>(Also in Category 4N due to natural impairment by copper)</i>
Mead Canyon From headwaters to Pinto Creek 15060103-889	2.4 mi	<i>(Also in Category 4N due to natural impairment by copper)</i>
North Fork Bear Wallow Creek From headwaters to Bear Wallow Creek 15060101-022	5.2 mi	
Powers Gulch From headwaters to Haunted Canyon 15060103-884	3.8 mi	Copper
Snake River From headwaters to Black River 15060101-045	6.2 mi	
South Fork Bear Wallow Creek From headwaters to Bear Wallow Creek 15060101-258	3.8 mi	
Stinky Creek From headwaters to Fort Apache Reservation 15060101-352	2.1 mi	
Thomas Creek From headwaters to Beaver Creek 15060101-285	4.1 mi	
West Fork Pinto Creek From headwaters to Pinto Creek 15060103-066	11.6 mi	Copper
Willow Creek From headwaters to Beaver Creek 15060101-049	7 mi	
<b>SAN PEDRO WATERSHED</b>		

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles/acres)</b>	<b>PLANNING LIST POLLUTANTS OF CONCERN</b>
Dubacher Canyon From headwaters to Mule Gulch 15080301-075	3 mi	Copper, high pH
Hendricks Gulch From headwaters to Mule Gulch 15080301-335	0.5 mi	
Leslie Creek From headwaters to Whitewater Draw 15080301-007	24.5 mi	Low dissolved oxygen
Miller Canyon From headwaters to Broken Arrow Ranch 15050202-409A	4.3 mi	
Morales Canyon From headwaters to Mule Gulch 15080301-331	2 mi	Copper
Mule Gulch From Highway 80 Bridge to Whitewater Draw 15080301-090D	4.5 mi	Copper, low pH
Mural Hill Canyon From headwaters to Mule Gulch 15080301-344	2.2 mi	Copper, lead
Redfield Canyon Creek From tributary at 323339/1101841 to San Pedro River 15050203-014B	32.5 mi	
Riggs Flat Lake 15050201-1210	9 a	
San Pedro River From HUC 15050203 to Hot Springs Canyon Creek 15050203-012	17.1 mi	
San Pedro River From Peppersauce Wash to Aravaipa Creek 15050203-003	21.3 mi	Copper, lead
Snow Flat Lake 15050201-1420	0.5 a	
Spring Creek From headwaters to Mule Gulch 15080301-333	1 mi	
Twin Pond 15080302-0001	1 a	
Whitewater Draw From Gadwell Canyon to tributary with reach #15080301-003 15080301-004	22.2 mi	
Whitewater Draw From tributary at 312036/1093446 to Mexico border 15080301-002B	0.4 mi	
Winwood Canyon From headwaters to Mule Gulch 15080301-340	1 mi	Copper
<b>SANTA CRUZ WATERSHED</b>		
Arivaca Cienega 15050304-0001	3 a	
Big Casa Blanca Canyon From headwaters to Sonoita Creek 15050301-606	3 mi	
Carpenter Tank 15050304-0002	3 a	
Kennedy Lake 15050301-0720	10 a	
Loma Verde From headwaters to Tanque Verde Wash 15050302-268	4 mi	Low dissolved oxygen
Madrona Creek From headwaters to Rincon Creek 15050302-138	7 mi	

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles/acres)</b>	<b>PLANNING LIST POLLUTANTS OF CONCERN</b>
Parker Canyon Creek From Parker Canyon Dam to tributary at 312417/1102844 15050301-234A	3 mi	
Potrero Creek From Interstate 19 to Santa Cruz River 15050301-500B	4.9 mi	<i>E. coli</i>
Rincon Creek From headwaters to Pantano Wash 15050302-008	16.2 mi	
Santa Cruz River From Tubac Bridge to Sopori Wash 15050301-008B	8.9 mi	<i>E. coli</i>
Sycamore Canyon From headwaters to Mexico Border 15080200-002	9.9 mi	
<b>UPPER GILA WATERSHED</b>		
Cluff Ranch Pond #3 15040005-0370	15 a	
Coleman Creek From headwaters to Campbell Blue Creek 15040004-040	7.3 mi	
Dix Creek From headwaters to San Francisco River 15040004-1575	2.3 mi	
East Turkey Creek From headwaters to terminus (near San Simon Wash) 15040006-837A	7.8 mi	
Frye Canyon Creek From headwaters to Frye Mesa Reservoir 15040005-988A	5 mi	
North Fork Cave Creek From headwaters to Cave Creek 15040006-856	5.6 mi	
Turkey Creek From headwaters to Campbell Blue Creek 15040004-060	4.6 mi	
<b>VERDE WATERSHED</b>		
Ashbrook Wash From Grande Wash to Verde River 15060202-989 (Previously identified as Grande Wash)	2 mi	(See Appendix F)
Beaver Creek From Dry Beaver Creek to Verde River 15060202-002	9.3 mi	
Colony Wash From headwaters to Verde River 15060203-998	4.9 mi	
Dry Creek From headwaters to Oak Creek 15060202-021	22.7 mi	
Granite Creek From headwaters to Willow Creek 15060202-059A	13.4 mi	Dissolved oxygen, <i>E. coli</i> , mercury
Horseshoe Reservoir 15060203-0620	1,980 a	Dissolved oxygen
Perkins Lake 15060202-1080	4 a	Low dissolved oxygen
Verde River From Horseshoe Dam to Alder Creek 15060203-008	10.7 mi	
Walnut Creek From Apache Creek to Big Chino Wash 15060201-017	20.1 mi	

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	PLANNING LIST POLLUTANTS OF CONCERN
Watson Lake 15060202-1590	150 a	Nitrogen, low dissolved oxygen, high pH
Wet Beaver Creek From Rarick Creek to Dry Beaver Creek 15060202-003	6.6 mi	
Willow Creek Reservoir 15060202-1660	295 a	High pH

**Category 3 -- Inconclusive:**

**Total # of lakes (*acres*): 32 (14,689.5)**

**Total # of stream reaches (*miles*): 82 (716.6)**

(**Note:** This is a very incomplete list, as all surface waters that were *not assessed* are also by default in this “inconclusive” category)

### Category 4 – Not Attaining (Impaired)

These assessment units are not attaining one or more designated use and are considered impaired for permitting and other regulatory actions. TMDL development is not needed at this time.

**4A** = TMDL completed and being implemented

**4B** = Alternative pollutant control requirements

**4C** = Impairment not caused by a pollutant

**4N** = Impairment solely due to natural conditions (separate list)

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles / acres)	CAUSES OF IMPAIRMENT	SUB CATEGORY	PLANNING LIST - EXCEEDANCES
<b>BILL WILLIAMS WATERSHED</b>				
Boulder Creek From Wilder Creek to Butte Creek 15030202-005A	1.4 mi	Arsenic, copper, zinc  Beryllium, manganese, low pH	4A  4B	
Boulder Creek From Butte Creek to Copper Creek 15030202-005B	1.6 mi	Arsenic	4A	
<b>COLORADO – GRAND CANYON WATERSHED</b>				
<b>COLORADO – LOWER GILA WATERSHED</b>				
<b>LITTLE COLORADO WATERSHED</b>				
Little Colorado River From West Fork Little Colorado River to Water Canyon Creek 15020001-011	19.8 mi	Sediment/turbidity	4A	
Little Colorado River From Water Canyon Creek to Nutrioso Creek 15020001-010	3.8 mi	Sediment/turbidity	4A	
Little Colorado River From Nutrioso Creek to Camero Creek 15020001-009	12.1 mi	Sediment/turbidity	4A	
Little Colorado River From unnamed reach to Lyman Lake 15020001-005	3.4 mi	Sediment/turbidity	4A	
Nutrioso Creek From Nelson Reservoir to Picnic Creek 15020001-017B	13.5 mi	Sediment/turbidity	4A	
Nutrioso Creek From Picnic Creek to Little Colorado River 15020001-015	3.5 mi	Sediment/turbidity	4A	
Rainbow Lake 15020005-1170	110 a	Narrative nutrients, low dissolved oxygen, and high pH	4A	
<b>MIDDLE GILA WATERSHED</b>				
Cash Mine Creek From headwaters to Hassayampa River 15070103-349	1 mi	Cadmium, copper, zinc	4A	Lead
Unnamed tributary to Cash Mine Creek From headwaters to Cash Mine Creek 15070103-415	1 mi	Cadmium, copper, zinc	4A	Beryllium, lead, selenium
French Gulch From headwaters to Hassayampa River 15070103-239	9.8 mi	Cadmium, copper, zinc	4A	
Hassayampa River From headwaters to Copper Creek 15070103-007A Also in Category 5 due to low pH	11 mi	Cadmium, copper, zinc	4A	Lead, selenium
Turkey Creek From unnamed tributary to Poland Creek 15070102-036B	21 mi	Copper, lead	Copper and lead	Mercury and suspended sediments

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles / acres)	CAUSES OF IMPAIRMENT	SUB CATEGORY	PLANNING LIST - EXCEEDANCES
<b>SALT WATERSHED</b>				
Christopher Creek From headwaters to Tonto Creek 15060105-353 Also in Category 5 due to phosphorus	8 mi	<i>E. coli</i>	4A	
Gibson Mine Tributary From headwaters to Pinto Creek 15060103-887	1 mi	Copper	4A	
Pinto Creek From headwaters to tributary at 331927/1105456 15060103-018A	2.5 mi	Copper	4A	Low pH
Pinto Creek From tributary at 331927/1105456 to W. Fork Pinto Cr. 15060103-018B	15.3 mi	Copper	4A	Selenium, zinc
Pinto Creek From West Fork Pinto Creek to Roosevelt Lake 15060103-018C Also in Category 5 due to selenium	17.8 mi	Copper	4A	
Tonto Creek From headwaters to tributary at 341810/1110414 15060105-013A Also in Category 5 due to phosphorus and low dissolved oxygen	8.1 mi	Nitrogen, <i>E. coli</i>	4A	
Tonto Creek From tributary at 341810/1110414 to Haigler Cr. 15060105-013B	8.5 mi	Nitrogen, <i>E. coli</i>	4A	
<b>SAN PEDRO WATERSHED</b>				
<b>SANTA CRUZ WATERSHED</b>				
Alum Gulch From headwaters to 312820/1104351 (beginning of intermittent flow) 15050301-561A	0.8 mi	Cadmium, copper, zinc, low pH	4A	
Alum Gulch From 312820/1104351 to 312917/1104425 (intermittent flow) 15050301-561B	1.1 mi	Cadmium, copper, zinc, low pH	4A	
Arivaca Lake 15050304-0080	118 a	Mercury in fish tissue	4A	
Cox Gulch From headwaters to Three R Canyon 15050301-560	16.3 mi	Cadmium, copper, zinc, low pH	4A	Beryllium
Unnamed trib to Cox Gulch From headwaters to Cox Gulch 15050301-890	1 mi	Cadmium, copper, zinc, low pH	4A	
Harshaw Creek From headwaters to Sonoita Creek 15050301-025	14.4 mi	Copper, low pH	4A	
Unnamed tributary to Harshaw Creek (Endless Chain Mine tributary) 15050301-888	2 mi	Copper, low pH	4A	
Humboldt Canyon From headwaters to Alum Gulch 15050301-340	2 mi	Copper	4A	
Lakeside Lake 15050302-0760	15 a	Ammonia, low dissolved oxygen, high pH	4A	
Pena Blanca Lake 15050301-1070	50 a	Mercury in fish tissue	4A	Low dissolved oxygen, high pH
Three R Canyon From headwaters to 312835/1104619 (where intermittent flow begins) 15050301-558A	2.3 mi	Cadmium, copper, zinc, low pH	4A	

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles / acres)</b>	<b>CAUSES OF IMPAIRMENT</b>	<b>SUB CATEGORY</b>	<b>PLANNING LIST - - EXCEEDANCES</b>
Three R Canyon From 312835/1104619 to 312827/1104712 15050301-558B	1 mi	Cadmium, copper, zinc, low pH	4A	
Three R Canyon From 312827/1104712 to Sonoita Creek 15050301-558C	3 mi	Cadmium, copper, zinc, low pH	4A	
Unnamed tributary to Three R Canyon From headwaters to Three R Canyon 15050301-889	2 mi	Cadmium, copper, zinc, low pH	4A	
<b>UPPER GILA WATERSHED</b>				
Luna Lake 15040004-0840	120 a	Narrative nutrients, low dissolved oxygen, high pH	4A	Lead
<b>VERDE WATERSHED</b>				
Pecks Lake 15060202-1060	95 a	Narrative nutrients, low dissolved oxygen, high pH	4A	
Stoneman Lake 15060202-1490	125 a	Narrative nutrients, low dissolved oxygen, high pH	4A	
Verde River From tributary #15060202-065 to Railroad Draw 15060202-037	10.7 mi	Sediment/turbidity	4A	
Verde River From Sycamore Creek to Oak Creek 15060202-025	25.2 mi	Sediment/turbidity	4A	
Verde River From Oak Creek to Beaver Creek 15060202-015	12.2 mi	Sediment/turbidity	4A	
Verde River From HUC boundary 15060203 to West Clear Cr 15060203-027	6.4 mi	Sediment/turbidity	4A	
Verde River From West Clear Creek to Fossil Creek 15060203-025	23.6 mi	Sediment/turbidity	4A	

**Category 4A, 4B, or 4C – Not Attaining** <sup>(TMDL development is not necessary at this time)</sup>:

**Total # of lakes (*acres*): 7 (633)**

**Total # of stream reaches (*miles*): 35 (288.1)**

**Subcategory 4N = Not Attaining *Solely* Due to Natural Conditions**

These waters are not attaining standards solely due to natural conditions (no anthropogenic influences) and are to be protected as Tier 1 surface waters under Antidegradation Rules. Human activities or discharges will not be allowed to provide further loadings of the parameter of concern. (See Antidegradation R18-11-107). The assessment statistics do not include these waters, as this category is not used by EPA or other states. All of these waters are also listed in other categories.

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	CAUSES OF IMPAIRMENT	SUBCATEGORY
<b>BILL WILLIAMS WATERSHED</b>			
<b>COLORADO – GRAND CANYON WATERSHED</b>			
Matkatamiba Creek From headwaters to Colorado River 15010002-935	12.5 mi	Selenium from spring sources	Arizona – 4N
Monument Creek From headwaters to Colorado River 15010002-845	3.5 mi	Selenium from spring sources	Arizona – 4N
Royal Arch Creek From headwaters to Colorado River 15010002-871	5.1 mi	Selenium from spring sources	Arizona – 4N
<b>COLORADO – LOWER GILA WATERSHED</b>			
<b>LITTLE COLORADO WATERSHED</b>			
<b>MIDDLE GILA WATERSHED</b>			
<b>SALT WATERSHED</b>			
Ellis Ranch Tributary From headwaters to Pinto Creek 15060103-888	1 mi	Copper	Arizona – 4N
JK Mountain Tributary From headwaters to West Fork Pinto Creek 15060103-873	1.1 mi	Copper	Arizona – 4N
Mead Canyon From headwaters to Pinto Creek 15060103-889	2.4 mi	Copper	Arizona – 4N
<b>SAN PEDRO WATERSHED</b>			
<b>SANTA CRUZ WATERSHED</b>			
<b>UPPER GILA WATERSHED</b>			
Dankworth Ponds 15040005-0440	8 a	Low dissolved oxygen due to ground water upwelling.	Arizona – 4N
Roper Lake 15040005-1250	25 a	Low dissolved oxygen due to ground water upwelling.	Arizona – 4N
<b>VERDE WATERSHED</b>			
Granite Basin Lake 15060202-0580	7 a	Low dissolved oxygen due to lake turnover.	Arizona – 4N

**Category 4N – Not Attaining Solely due to Natural Conditions** (TMDL development is not necessary):

**Total # of lakes (*acres*): 3 (40)**

**Total # of stream reaches (*miles*): 6 (25.6)**



### Category 5 (ADEQ) – Assessed Impaired by ADEQ

These assessment units are to be on Arizona's 2006/2008 303(d) List, once approved by EPA. TMDL development is scheduled (*see* Appendix C).

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	CAUSES OF IMPAIRMENT	ONGOING TMDL	PLANNING LIST -- EXCEEDANCES
<b>BILL WILLIAMS WATERSHED</b>				
Alamo Lake 15030204-0040A	14,150 a	Low dissolved oxygen, high pH, ammonia		
Bill Williams River From Alamo Lake to Castaneda Wash 15030204-003	35.9 mi	Ammonia, low dissolved oxygen, high pH		Lead, suspended sediments
Santa Maria River From Little Sycamore Creek to Little Shipp Wash 15030203-013	6.8 mi	Mercury		Suspended sediments
<b>COLORADO – GRAND CANYON WATERSHED</b>				
Colorado River From Lake Powell to Paria River 14070006-001	16.3 mi	Selenium		
Colorado River From Parashant Canyon to Diamond Creek 15010002-003	27.6 mi	Selenium, suspended sediment		
Paria River From Utah border to Colorado River 14070007-123	29.4 mi	<i>E. coli</i> , suspended sediment		Lead, selenium
Virgin River From Beaver Dam Wash to Big Bend Wash 15010010-003	10.1 mi	Selenium, suspended sediment		Boron, <i>E. coli</i>
<b>COLORADO – LOWER GILA WATERSHED</b>				
Colorado River From Hoover Dam to Lake Mohave 15030101-015	40.4 mi	Selenium		Low dissolved oxygen
Colorado River From Main Canal to Mexico border 15030107-001	32.2 mi	Low dissolved oxygen, selenium		Mercury, DDE, gammahexachlorocyclohexane
Gila River From Coyote Wash to Fortuna Wash 15070201-003	28.3 mi	Selenium, boron		<i>E. coli</i> , low dissolved oxygen
Painted Rock Borrow Pit Lake 15070201-1010	185 a	Low dissolved oxygen		Pesticides
<b>LITTLE COLORADO WATERSHED</b>				
Little Colorado River From Silver Creek to Carr Wash 15020002-004	6.1 mi	Suspended sediment, <i>E. coli</i>		Beryllium, barium, lead, and nickel
Little Colorado River From Porter Tank Draw to McDonalds Wash 15020008-017	17.4 mi	Copper, silver, sediment		
<b>MIDDLE GILA WATERSHED</b>				
Alvord Lake 15060106B-0050	27 a	Ammonia		
Chaparral Park Lake 15060106B-0300	12 a	Low dissolved oxygen, <i>E. coli</i>		
Cortez Park Lake 15060106B-0410	2 a	Low dissolved oxygen, high pH		
Gila River From San Pedro River to Mineral Creek 15050100-008	19.8 mi	Suspended sediment		
Gila River From Centennial Wash to Gillespie Dam 15070101-008	5.3 mi	Selenium, boron		DDT, toxaphene, chlordane

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles/acres)</b>	<b>CAUSES OF IMPAIRMENT</b>	<b>ONGOING TMDL</b>	<b>PLANNING LIST -- EXCEEDANCES</b>
Hassayampa Creek From headwaters to Copper Creek 15070103-007A	11.0 mi	Low pH		Selenium, lead
Mineral Creek From Devil's Canyon to Gila River 15050100-012B	19.6 mi	Copper, selenium, low dissolved oxygen		
Queen Creek From headwaters to mining WWTP discharge 15050100-014A	8.8 mi	Copper	Copper	
Queen Creek From mining WWTP discharge to Potts Canyon 15050100-014B	5.9 mi	Copper	Copper	Chlorine, dissolved oxygen, selenium
<b>SALT WATERSHED</b>				
Apache Lake 15060106A-0070	2190 a	Low dissolved oxygen		
Canyon Lake 15060106A-0250	450 a	Low dissolved oxygen		
Christopher Creek From headwaters to Tonto Creek 15060105-353	8.0 mi	Phosphorus		
Five Point Tributary From headwaters to Pinto Creek 15060103-885	2.9 mi	Copper	Copper	
Pinto Creek From West Fork Pinto Creek to Roosevelt Lake 15060103-018C	17.8 mi	Selenium	Copper	
Salt River From Pinal Creek to Roosevelt Lake 15060106A-004	7.5 mi	Suspended sediment		Cyanide, dissolved oxygen, <i>E. coli</i> , lead, selenium
Salt River From Stewart Mountain Dam to Verde River 15060106A-003	10.1 mi	Low dissolved oxygen		<i>E. coli</i>
Tonto Creek From headwaters to unnamed tributary 15060105-013A	8.1 mi	Phosphorus, low dissolved oxygen		
<b>SAN PEDRO WATERSHED</b>				
Brewery Gulch From headwaters to Mule Gulch 15080301-337	1 mi	Copper	Copper	Lead, low pH
Mule Gulch From headwaters to above Lavender Pit 15080301-090A	3 mi	Copper	Copper	Cadmium
Mule Gulch From above Lavender Pit to Bisbee WWTP discharge 15080301-090B	0.8 mi	Copper	Copper	Lead
Mule Gulch From Bisbee WWTP discharge to Highway 80 bridge 15080301-090C	3.8 mi	Cadmium, copper, low pH, zinc	Copper, low pH, zinc	Lead
San Pedro River From Babocomari Creek to Dragoon Wash 15050202-003	17 mi	<i>E. coli</i>	<i>E. coli</i>	
San Pedro River From Dragoon Wash to Tres Alamos Wash 15050202-002	15.5 mi	Nitrate		<i>E. coli</i> , lead, mercury, SSC
San Pedro River From Aravaipa Creek to Gila River 15050203-001	14.8 mi	Selenium, <i>E. coli</i>	<i>E. coli</i> , selenium	
<b>SANTA CRUZ WATERSHED</b>				
Nogales Wash From Mexico border to Potrero Creek 15050301-011	6.2 mi	Copper, ammonia, <i>E. coli</i> , chlorine		Dissolved oxygen

<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles/acres)</b>	<b>CAUSES OF IMPAIRMENT</b>	<b>ONGOING TMDL</b>	<b>PLANNING LIST -- EXCEEDANCES</b>
Santa Cruz River From Mexico border to Nogales WWTP 15050301-010	17 mi	<i>E. coli</i>		
Sonoita Creek From 750 feet below Patagonia WWTP discharge to Patagonia Lake 15050301-013C	9.03 mi	Zinc, low dissolved oxygen		
<b>UPPER GILA WATERSHED</b>				
Blue River From Strayhorse Creek to San Francisco River 15040004-025B	25.4 mi	<i>E. coli</i>		Suspended sediments
Cave Creek From headwaters to South Fork Cave Creek 15040006-852A	7.5 mi	Selenium		
Gila River From New Mexico border to Bitter Creek 15040002-004	16.3 mi	Suspended sediment, <i>E. coli</i>		Copper
Gila River From Skully Creek to San Francisco River 15040002-001	15.2 mi	Selenium		Copper, suspended sediments
Gila River From Bonita Creek to Yuma Wash 15040005-022	5.8 mi	<i>E. coli</i>		Suspended sediment
San Francisco River From Blue River to Limestone Gulch 15040004-003	18.7 mi	<i>E. coli</i>		Mercury
<b>VERDE WATERSHED</b>				
East Verde River From Ellison Creek to American Gulch 15060203-022B	20.3 mi	Selenium		
East Verde River From American Gulch to Verde River 15060203-022C	25.8 mi	Arsenic, boron		<i>E. coli</i>
Oak Creek From headwaters to West Fork Oak Creek 15060202-019	7.4 mi	<i>E. coli</i>	<i>E. coli</i>	
Oak Creek From West Fork Oak Creek to tributary at 345709/1114513 15060202-018A	5 mi	<i>E. coli</i>	<i>E. coli</i>	
Oak Creek From tributary at 345709/1114513 to downstream boundary of Slide Rock State Park 15060202-018B	1 mi	<i>E. coli</i>	<i>E. coli</i>	
Oak Creek From Slide Rock State Park to Dry Creek 15060202-018C	20.0 mi	<i>E. coli</i>	<i>E. coli</i>	
Oak Creek From Dry Creek to Spring Creek 15060202-017	10 mi	<i>E. coli</i>	<i>E. coli</i>	
Spring Creek From Coffee Creek to Oak Creek 15060202-022	6.4 mi	<i>E. coli</i>	<i>E. coli</i>	

**Category 5 – Impaired** (require TMDL development):

**Total # of lakes (*acres*): 7 (17,016)**

**Total # of stream reaches (*miles*): 48 (648.3)**

### Category 5 (EPA) – Assessed Impaired by EPA

These assessment units were assessed as impaired by EPA in 2002 or 2004. They remain on Arizona's list of impaired waters until EPA determines that they are no longer impaired.

SURFACE WATER	REACH OR LAKE NUMBER	POLLUTANTS OR PARAMETERS OF CONCERN
<b>Bill Williams Watershed</b>		
Alamo Lake	15030204-0040	Mercury in fish tissue
Boulder Creek From unnamed wash at 34°41'14"/113°03'34" to Wilder Creek	15030202-006B	Mercury
Boulder Creek From Wilder Creek to Butte Creek	15030202-005A	Mercury
Burro Creek From Boulder Creek to Black Canyon Creek	15030202-004	Mercury
Coors Lake	15030202-5000	Mercury in fish tissue
<b>Colorado - Grand Canyon Watershed</b>		
<b>Colorado – Lower Gila Watershed</b>		
Painted Rock Borrow Pit Lake	15070201-1010	DDT metabolites, toxaphene and chlordane in fish tissue
<b>Little Colorado – San Juan Watershed</b>		
Bear Canyon Lake	15020008-0130	Low pH
Lake Mary (lower)	15020015-0890	Mercury in fish tissue
Lake Mary (upper)	15020015-0900	Mercury in fish tissue
Little Colorado River From Silver Creek to Carr Wash	15020002-004	Sediment
Long Lake (lower)	15020008-0820	Mercury in fish tissue
Lyman Lake	15020001-0850	Mercury in fish tissue
Soldier's Annex Lake	15020008-1430	Mercury in fish tissue
Soldier's Lake	15020008-1440	Mercury in fish tissue
<b>Middle Gila Watershed</b>		
Gila River Salt River - Agua Fria River	15070101-015	DDT metabolites, toxaphene and chlordane in fish tissue
Gila River Agua Fria River - Waterman Wash	15070101-014	DDT metabolites, toxaphene and chlordane in fish tissue
Gila River Waterman Wash - Hassayampa River	15070101-010	DDT metabolites, toxaphene and chlordane in fish tissue
Gila River Hassayampa River - Centennial Wash	15070101-009	DDT metabolites, toxaphene and chlordane in fish tissue
Gila River Centennial Wash - Gillespie Dam	15070101-008	DDT metabolites, toxaphene and chlordane in fish tissue
Gila River Gillespie Dam - Rainbow Wash	15070101-007	DDT metabolites, toxaphene and chlordane in fish tissue
Gila River Rainbow Wash - Sand Tank	15070101-005	DDT metabolites, toxaphene and chlordane in fish tissue
Gila River Sand Tank - Painted Rocks Reservoir	15070101-001	DDT metabolites, toxaphene and chlordane in fish tissue
Hassayampa River Buckeye Canal – Gila River	15070103-001B	DDT metabolites, toxaphene and chlordane in fish tissue
Painted Rocks Reservoir	15070101-1020A	DDT metabolites, toxaphene and chlordane in fish tissue

SURFACE WATER	REACH OR LAKE NUMBER	POLLUTANTS OR PARAMETERS OF CONCERN
Salt River 23 <sup>rd</sup> Ave WWTP - Gila River	15060106B-001D	DDT metabolites, toxaphene and chlordane in fish tissue
<b>Salt River Watershed</b>		
Crescent Lake	15060101-0420	High pH
Tonto Creek From headwaters to unnamed tributary	15060105-013A	Low dissolved oxygen
<b>San Pedro – Willcox Playa – Rio Yaqui Watershed</b>		
Brewery Gulch From headwaters to Mule Gulch	15080301-337	Copper
Mule Gulch From above Lavender Pit to Bisbee WWTP	15080301-090B	Low pH
<b>Santa Cruz – Rio Magdalena – Rio Sonoyta Watershed</b>		
Parker Canyon Lake	15050301-1040	Mercury in fish tissue
Rose Canyon Lake	15050302-1260	Low pH
<b>Upper Gila Watershed</b>		
Gila River From Bonita Creek to Yuma Wash	15040005-022	Sediment
San Francisco River From headwaters to New Mexico Border	15040004-023	Sediment
<b>Verde Watershed</b>		
Granite Creek From headwaters to Willow Creek	15060202-059A	Low dissolved oxygen
Watson Lake	15060202-1590	Nitrogen, low dissolved oxygen, high pH
Whitehorse Lake	15060202-1630	Low dissolved oxygen

# APPENDIX C

## ADEQ TMDL PRIORITY RANKING AND SCHEDULE

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING	TMDL SCHEDULE
<b>Bill Williams Watershed</b>				
Alamo Lake 15030204-0040 1,414 acres	Ammonia (2004), High pH (1996) Low dissolved oxygen (2006)	Low dissolved oxygen, ammonia, and high pH may be symptoms of narrative nutrient violations, and may indicate that toxic conditions are occurring for lake aquatic life. New narrative nutrient implementation procedures have been drafted, and once adopted should be applied to this lake. Ongoing monitoring by the US Fish and Wildlife Service (contracted by the US Army Corps of Engineers) should provide data needed to support TMDL development.	Medium	To initiate in 2010. To complete in 2012.
Bill Williams River From Alamo Lake to Castaneda Wash 15030204-003 35.9 miles	Ammonia, low dissolved oxygen, high pH (2006)	Ammonia is considered toxic to aquatic life and low dissolved oxygen and high pH may pose further stresses on the aquatic community. These stressors are generally associated with excess nutrients. To coordinate with Alamo Lake TMDL development as this reach receives the discharge from Alamo Lake, and is therefore, the probable source of the water quality problems.	Medium	To initiate in 2010. To complete in 2012.
Santa Maria River From Little Sycamore Creek to Little Shipp Wash 15030203-013 6.8 miles	Mercury (2006)	Water in the Santa Maria River flows to Lake Alamo, which has a fish consumption advisory for mercury. This drainage receives runoff from historic mining sites. Mercury loadings to these reaches should be addressed in the Alamo Lake mercury TMDL currently being developed. Therefore, development of a separate mercury TMDL for these reaches is a low priority.	Low	To initiate in 2011. To complete in 2013.
<b>Colorado-Grand Canyon Watershed</b>				
Colorado River From Lake Powell to Paria River 14070006-001 16 miles	Selenium (2006)	This TMDL will be complex due to the size of the drainage area, natural background in this geology, and contributions from other states and Indian lands. The two federally protected species occur in this area (humpback chub and razorback sucker) should <u>not</u> be negatively impacted by this concentration of selenium. ADEQ will coordinate development of selenium TMDLs along the Colorado.	Low	To initiate in 2010. To complete in 2012.
Colorado River From Parashant Canyon to Diamond Creek 15010002-003 28 miles	Selenium (2004), Suspended Sediment Concentration (2004)	Development of this TMDL will be complex due to the size of the drainage area, natural background in this sandstone geology, and contributions from other states and Indian lands. Two federally protected species occur in this area (humpback chub and razorback sucker), but they should <u>not</u> be negatively impacted by the suspended sediment or this concentration of selenium. Dates chosen reflect that ADEQ will be coordinating development of selenium TMDLs along the Colorado River.	Low	To initiate in 2010. To complete in 2012.
Paria River From Utah border to Colorado River 14070007-123 29 miles	Suspended Sediment Concentration (2004)	Prior monitoring and investigations in this drainage should help support TMDL development; however, further investigation is needed to determine source loadings, especially contributions from natural background in this sandstone geology. Source contributions from Utah may also make this TMDL more complex. Dates chosen reflect that ADEQ will coordinate development of both TMDLs.	Low	To initiate in 2010. To complete by 2012.
	<i>E. coli</i> (2006)	Exceedances of <i>Escherichia coli</i> criteria may represent a significant public health concern if people are swimming or even wading in the water; however, this is a relatively remote canyon, with light recreational use. This TMDL is complex due to source contributions from Utah.	Medium	To initiate in 2010 To complete in 2012.

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING	TMDL SCHEDULE
Virgin River From Beaver Dam Wash to Bend Wash 15010010-003 10 miles	Selenium (2004), Suspended sediment (2004)	Further investigation is needed to determine selenium source loadings. Ongoing monitoring by the U.S. Geological Survey. Determining contributions from Utah and from natural background in this sandstone geology will make developing both TMDLs more complex. Federally protected Virgin River chum and woundfin occur in this area but should not be negatively impacted by this concentration of selenium or suspended sediment. Dates chosen reflect that ADEQ will be coordinating development of selenium TMDLs along the Colorado River, including the Virgin River.	Low	To initiate in 2011. To complete in 2012.
<b>Colorado-Lower Gila Watershed</b>				
Colorado River From Hoover Dam to Lake Mohave 15030101-015 40 miles	Selenium (2004)	The federally protected Yuma clapper rail occurs in this area and could be negatively impacted by elevated levels of selenium as it bioaccumulates in prey species. Long-term monitoring by U.S. Geological Survey should support TMDL development; however, the TMDL will be complex due to contributions from natural sources and other states. Dates chosen reflect that ADEQ will be coordinating development of selenium TMDLs along the Colorado River.	High	To initiate in 2010. To complete in 2012.
Colorado River From Main Canal to Mexico border 15030107-001 32 miles	Selenium (2006)	The federally protected Yuma clapper rail occurs in this area and could be negatively impacted by elevated levels of selenium as it bioaccumulates in prey species. These TMDLs may be complicated by the large number of potential sources as the Colorado River drainage area covers many states in the Southwest. Dates chosen reflect that ADEQ will be coordinating development of selenium TMDLs along the Colorado River.	High	To initiate in 2010. To complete in 2012.
	Low dissolved oxygen (2006)	Low dissolved oxygen may be a symptom of excess nutrient loadings, and may be stressful to aquatic life. These TMDLs may be complicated by the large number of potential sources as the Colorado River drainage area covers many states in the Southwest. Dates chosen reflect that ADEQ will coordinate development of both TMDLs in this reach.	Low	To initiate in 2010. To complete in 2012.
Gila River From Coyote Wash to Fortuna Wash 15070201-003 28 miles	Boron and selenium (2004)	The federally protected Yuma clapper rail occurs in this area and could be negatively impacted by elevated levels of selenium as it bioaccumulates in prey species. Boron may impact downstream agricultural uses, but present a low ecological and human health risk. Both elevated selenium and boron may be associated with the extensive irrigated agriculture in the greater Yuma area. To coordinate the boron investigation with TMDL development upstream at Gillespie Dam and the selenium TMDL development with work on the Colorado River.	High	To initiate in 2009. To complete in 2011.
Painted Rocks Borrow Pit Lake 15070201-1010 180 acres	Low dissolved oxygen (1992)	A diagnostic feasibility study by ADEQ in 1992 concluded that the design and maintenance of this shallow lake was the primary cause of the low dissolved oxygen. Drought conditions have left the lake dry during most of the past five years. The lake is no longer stocked with fish and does not have recreational uses because of the pesticide contamination (see below).	Low	TMDL will be initiated when the lake refills and representative samples can be collected.
<b>Little Colorado Watershed</b>				
Little Colorado River From Silver Creek to Carr Wash 15020002-004 6 miles	<i>E. coli</i> (2004)	Exceedances of <i>Escherichia coli</i> criteria may represent a significant public health concern if people are swimming or even wading in the water. Exceedances may be related to wet weather events. The drainage is more than 8,000 square miles, so determining the source of contamination may be complex. Substantial monitoring data is needed to identify sources.	High	To initiate in 2007. To complete in 2009.

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING	TMDL SCHEDULE
	Suspended sediment (2006)	Sediment may pose a threat to aquatic life. The drainage is more than 8,000 square miles, so determining the source of contamination may be complex. Substantial monitoring data is needed to identify sources. Dates reflect that both TMDLs will be developed at the same time.	Medium	To initiate in 2007. To complete in 2009.
Little Colorado River From Porter Tank Draw to McDonalds Wash 15020008-017 17 miles	Copper and silver (1992)	Copper and silver concentrations may be toxic to aquatic life. Little Colorado spine dace, a federally protected species, occurs in this reach and may be negatively impacted by the copper and silver. Data from a USGS study concluded that the metals may be naturally elevated; however, sources and natural background concentrations need to be further studied. The nature of these pollutants also makes this study complex.	High	To initiate in 2007. To complete in 2009.
	Suspended sediment (2004)	Little Colorado spine dace, a federally protected species, occurs in this reach but should not be negatively impacted by the suspended sediment concentration. This TMDL is complex due to the size of the drainage area. Dates reflect that both TMDLs will be developed at the same time.	Medium	To initiate in 2007. To complete in 2009.
<b>Middle Gila Watershed</b>				
Alvord Park Lake 15060106B-0050 27 acres	Ammonia (2004)	Ammonia poses a significant threat to aquatic life due to its toxic nature. This lake is an important urban recreational area. More investigation is needed to determine the source of the pollutants.	High	To initiate in 2007. To complete in 2009.
Chaparral Lake 15060106B-0300 13 acres	Low dissolved oxygen (2004)	Narrative nutrient implementation guidance, when adopted, will be used to determine if the low dissolved oxygen is related to excess nutrients in the lake. Excess nutrient loads and low dissolved oxygen can stress aquatic life and would be detrimental to this important urban recreational area. Investigation and monitoring is needed to identify sources. Dates reflect that nutrient TMDL development will be coordinated at Phoenix metropolitan area lakes.	Medium	To initiate in 2007. To complete in 2009.
	<i>E. coli</i> (2004)	Although exceedances of <i>E. coli</i> bacteria represent a risk to public health, swimming or wading in the lake are prohibited. However, this is an important recreational area. Dates reflect that TMDL development will be coordinated.	Medium	To initiate in 2007. To complete in 2009.
Cortez Park Lake 15060106B-0410	Low dissolved oxygen and high pH (2004)	Narrative nutrient implementation guidance, when adopted, will be used to determine if the low dissolved oxygen and high pH is related to excess nutrients in the lake. Excess nutrient loads are stressful to aquatic life and would be detrimental to this important urban recreational area. Dates reflect that nutrient TMDL development will be coordinated at Phoenix metropolitan area lakes.	Medium	To initiate in 2007. To complete in 2009.
Gila River From San Pedro River to Mineral Creek 15050100-008 19.8 miles	Suspended sediment (2006)	Sediment may pose a threat to aquatic life. Extensive monitoring will be needed to determine sources. TMDL may be complex due to the size of the watershed. Coordinate development of this TMDL with other suspended sediment TMDLs on the Gila River (see Upper Gila Watershed).	Low	To initiate 2009. To complete 2011.
Gila River From Centennial Wash to Gillespie Dam 15070101-008 5 miles	Boron (1992) selenium (2004)	The federally protected Yuma clapper rail and Southwest willow flycatcher have been found in this area and could be negatively impacted by elevated selenium. Elevated boron can reduce crop production. Both pollutants may be associated with the extensive agriculture in the area; however, TMDL may be complex due to the large number of potential sources and seasonal influences. ADEQ will coordinate with boron and selenium TMDLs downstream on Gila River near Dome.	High	To initiate in 2009. To complete in 2011.



ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING	TMDL SCHEDULE
Hassayampa River From headwaters to Copper Creek 15070103-007A	Low pH (2006)	Cadmium, copper, and zinc TMDLs were completed in 2002. Actions to reduce metal loads will also address the low pH; therefore, development of a pH TMDL is a low priority.	Low	Initiate in 2012. To complete in 2014.
Mineral Creek From Devils Canyon to Gila River 15050100-012B	Selenium (2004)	Mining operation has been collecting samples to determine sources of selenium and causes of low dissolved oxygen. Mine will be submitting plans and initiating actions to mitigate increases in selenium concentrations within the diversion tunnel. When submitted, ADEQ will move this to category 4B.	Medium	Terms of consent decree should negate need for TMDL.
	Low dissolved oxygen (2006)	Low dissolved oxygen may be due to surface water diversion around mining operation. Will coordinate TMDL with development of the selenium TMDL.	Low	To initiate in 2007. To complete in 2009.
Queen Creek From headwaters to Potts Canyon 15050100-014A and 15050100-014B 15 miles (total)	Copper (2002 one reach, 2004 second reach)	TMDL in progress. Copper poses a risk to aquatic life and wildlife. The TMDL is being developed and should be completed in 2007.	Medium	Initiated in 2004. To complete in 2009.
<b>Salt Watershed</b>				
Christopher Creek From headwaters to Tonto Creek 15060105-353	Phosphorus (2006)	<i>E. coli</i> bacteria TMDLs were completed in 2004. Actions to reduce <i>E. coli</i> bacteria loadings will also reduce phosphorus loadings; therefore, development of a phosphorus TMDL is a low priority. Will coordinate with Tonto Creek TMDLs.	Low	To initiate in 2008. To complete in 2010.
<b><u>Low dissolved oxygen in Salt River and its reservoirs</u></b> 1. Apache Lake 15060106A-0070 2. Canyon Lake 15060106A-0250 3. Salt River From Stewart Mountain Dam to Verde River 15060106A-003  10 miles  2347 acres (total)	Low dissolved oxygen (2004 – Canyon Lake and Salt River) (2006 – Apache Lake)	Low dissolved oxygen can be a symptom of excess nutrient loads. Such loadings can be stressful to aquatic life and even lead to fish kills, which would be detrimental to this important recreational area. The federally protected Yuma clapper rail and bald eagle in this area should not be negatively impacted by the low dissolved oxygen. Narrative nutrient implementation guidance, when adopted, will be used to determine if the low dissolved oxygen is related to excess nutrients in the lake. ADEQ intends changed the designated use from A&Wc to A&Ww during the current Triennial Review of surface water quality standards, which will reduce the number of exceedances. However, low dissolved oxygen will still not be sufficient during several monitoring events. ADEQ intends to coordinate development of TMDLs within the Salt River chain of reservoirs.	Medium	To initiate in 2010. To complete in 2012.
Five Point Mountain Tributary From headwaters to Pinto Creek 15060103-885 2.9 miles	Copper (2006)	Site specific criteria are currently being developed in support of a Phase II Copper TMDL. The federally protected Colorado pikeminnow occurs in this area and could be negatively impacted by the copper. There is wide public support for development of TMDLs in Pinto Creek.	High	Initiated in 2004. To complete TMDL once site specific criteria are adopted (2006). Phase II copper TMDL to be completed in 2009.
Pinto Creek From West Fork Pinto Creek to Roosevelt Lake 15060103-018C 17.8 miles	Selenium (2004)	The federally protected Colorado pikeminnow and bald eagle both occur in this area and could be negatively impacted by the selenium. There is wide public support for development of TMDLs in Pinto Creek. Monitoring to support the Phase II copper TMDL should also be useful in completing the selenium TMDL.	High	To initiate in 2009. To complete in 2011.
Salt River From Pinal Creek to Roosevelt Dam 15060103-004 7.5 miles	Suspended sediment (2006)	Chronically elevated suspended sediment can have negative impacts on aquatic life, especially during critical periods of reproduction. Sediment may be transporting pollutants into Roosevelt Lake, an important reservoir and recreational area.	Medium	To initiate in 2010. To complete in 2012.
Tonto Creek From headwaters to unnamed tributary 15060105-013A 8.1 miles	Phosphorus, dissolved oxygen (2006)	Nitrogen and <i>E. coli</i> bacteria TMDLs were completed in 2004. Actions to reduce nitrogen and <i>E. coli</i> bacteria loadings will also reduce phosphorus loadings and increase dissolved oxygen; therefore, development of the dissolved oxygen and phosphorus TMDLs are a low priority. Will coordinate with Christopher Creek TMDL.	Low	To initiate in 2008. To complete in 2010.

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING	TMDL SCHEDULE
<b>San Pedro Watershed</b>				
Brewery Gulch From headwaters to Mule Gulch 15080301-337 1 mile	Copper (2004)	Part of Mule Gulch TMDL (see below)		
Mule Gulch From headwaters to Lavender Pit 15080301-090A 3 miles	Copper (1990)	Part of Mule Gulch TMDL (see below)		
Mule Gulch Lavender Pit to Bisbee WWTP discharge 15080301-090B 0.8 miles	Copper (1990)	Part of Mule Gulch TMDL (see below)		
Mule Gulch From Bisbee WWTP discharge to Highway 80 bridge 15080301- 090C 3.8 miles	Copper, cadmium, zinc, and low pH (1990)	Currently establishing site-specific criteria in support of a TMDL. This metal contamination represents a significant threat to wildlife and human health due to the magnitude and frequency of the Exceedances. This TMDL involves a large and heavily impacted mining area, where site-specific standards need to be developed before the TMDL can be completed. Long term drought conditions have increased the difficulty collecting samples to identify sources and to model loadings.	Medium	Initiated in 2000. To complete TMDL after site specific criteria are established (2009).
San Pedro River From Babocomari Creek to Dragoon Wash 15050202-003 17 miles	<i>E. coli</i> (2004)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. The TMDL may be complicated due to the size of the watershed and drainage from Mexico. Monitoring will be coordinated with other TMDLs along the San Pedro.	High	Initiated in 2006. To complete in 2009.
San Pedro River From Dragoon Wash to Tres Alamos Wash 15050202-002 16 miles	Nitrate (1990)	ADEQ's WQARF (superfund cleanup) Program is working with this site. The facility has instituted several actions to bring the surface and ground water into compliance with its standards and is conducting monitoring at several sites along the San Pedro River. Although surface water quality is improving, cleanup will take time as there is significant contamination of ground water, which seeps into the San Pedro.	Low	Ongoing Superfund remediation and monitoring. Will initiate TMDL if WQARF cleanup is not effective.
San Pedro River From Aravaipa Creek to Gila River 15050203-001 14.8 miles	<i>E. coli</i> (2004)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. The large drainage area may make identifying sources more difficult. Monitoring will be coordinated with other TMDLs in the San Pedro.	High	Initiated in 2006 To complete in 2009.
	Selenium (2004)	The federally protected bald eagle and Southwest willow flycatcher found in this area may be negatively impacted by the elevated selenium. The large drainage area may make identifying sources more difficult. Monitoring will be coordinated with other TMDLs in the San Pedro.	High	Initiated in 2006. To complete in 2009.
<b>Santa Cruz Watershed</b>				

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING	TMDL SCHEDULE
Nogales Wash 15050301-011 6 miles	Ammonia (2004), chlorine (1996), Copper (2004), <i>E. coli</i> (1998)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. Ammonia, chlorine, copper, and low dissolved oxygen are significant threats to aquatic life. The Friends of the Santa Cruz is interested in obtaining high quality water in the Santa Cruz River and Nogales Wash area. Sources are known – deteriorated infrastructure in Mexico that sends raw sewage into Arizona. Implementing corrective actions requires funding and is dependent on international negotiations. Chlorine is added to the raw sewage due to human health concerns. TMDLs will be developed if needed after facility upgrades are complete.	Low	Initiated in 2008. To complete by 2010.
Santa Cruz River Mexico border – Nogales WWTP 15050301-010 17 miles	<i>E. coli</i> (2002)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. The Friends of the Santa Cruz is interested in maintaining high quality water in the Santa Cruz River and Nogales Wash area. Several years of drought has interfered with collecting samples to determine source loadings. TMDL may be more complex because sources contributions may be in Mexico.	High	Initiated in 2008. To complete by 2010.
Sonoita Creek From 750 feet below WWTP to Patagonia Lake 15050301-013C 9.03 miles	Zinc (2004)	The federally protected Gila topminnow occurs in this reach and could be negatively impacted by dissolved zinc. Source of zinc has not been investigated; however, zinc is impairing both Alum Wash and Three R Canyon, which are tributaries located upstream (TMDLs completed on those tributaries in 2003).	High	To initiate in 2006. To complete in 2009.
	Low dissolved oxygen (1998)	The federally protected Gila topminnow occurs in this reach and could be negatively impacted by low dissolved oxygen. The low dissolved oxygen occurs immediately below the Patagonia WWTP discharge and in an area of ground water upwelling.	High	To initiate in 2006. To complete in 2009.
<b>Upper Gila Watershed</b>				
Blue River From Strayhorse Creek to San Francisco River 15040004-025B 25.4 Miles	<i>E. coli</i> (2006)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. Monitoring is needed to determine sources of bacterial contamination. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries.	High	To initiate in 2009. To complete in 2011.
Cave Creek From headwaters to South Fork of Cave Creek 15040006-852A 8 miles	Selenium (2004)	Selenium may be toxic to aquatic life or species that feed on them. This stream is classified as a “unique water.” The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries. Initial investigations and monitoring indicates that sources are likely natural; therefore, TMDL development has a lower priority.	Medium	Initiated in 2006. To complete in 2009.
Gila River From New Mexico border to Bitter Creek 15040002-004 16.3 miles	<i>E. coli</i> (2006)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries. The TMDL is complex due to the size of the watershed (nearly 8,000 square miles extending into New Mexico).	High	To initiate in 2006. To complete in 2009.
	Suspended sediment (2006)	Suspended sediment may pose a risk to aquatic life. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries. The TMDL is complex due to the size of the watershed that extends into New Mexico (nearly 8,000 square miles). TMDL development along the Gila River will be coordinated.	Low	To initiate in 2006. To complete in 2009.

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING	TMDL SCHEDULE
Gila River From Skully Creek to San Francisco River 15040002-001 15 miles	Selenium (2004)	Selenium may be toxic to aquatic life or species that feed on them. The selenium is only slightly over the water quality criteria, so may not negatively impact the federally protected spinedace and loach minnow that occur in this area. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries. The TMDL is complex due to the size of the watershed that extends into New Mexico (nearly 8,000 square miles). Dates reflect that TMDL development along the Gila River will be coordinated.	Medium	To initiate in 2006 To complete in 2009.
Gila River From Bonita Creek to Yuma Wash 15040005-022 6 miles	<i>E. coli</i> bacteria (2004)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries. The TMDLs are complex due to the size of the watershed that extends into New Mexico (nearly 8,000 square miles).	High	To initiate in 2006. To complete in 2009.
San Francisco River From Blue River to Limestone Gulch 15040004-003 18.7 miles	<i>E. coli</i> (2006)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries.	High	To initiate in 2009. To complete in 2011.
<b>Verde Watershed</b>				
East Verde River From Ellison Creek to American Gulch 15060203-022B 20 miles	Selenium (2004)	Selenium may be toxic to aquatic life or species that feed on them. Monitoring is needed to determine source loadings and contribution from natural sources. The selenium is only slightly over the water quality criteria, so it is not known whether federally protected Gila trout occurs in this area will be negatively impacted by the elevated selenium.	Low	To initiate in 2009. To complete in 2011.
East Verde River From American Gulch to Verde River 15060203-022C 26 miles	Arsenic and boron (2006)	Arsenic and boron may present public health risks to people using this segment as a drinking water source or for swimming. This segment is near Payson, Arizona, and provides important recreational opportunities.	High	To initiate in 2009. To complete in 2011.
<b><u>Bacteria TMDL</u></b> 1. Oak Creek From headwaters to Spring Creek 15060202-019, -018A, -018B, -018C, 017 2. Spring Creek From headwaters to Oak Creek 15060202-022 50 miles (total)	<i>E. coli</i> bacteria (1992 – 018B) (2006 – the other segments)	Exceedances of <i>Escherichia coli</i> bacteria criteria may represent a public health concern if people are swimming or even wading in the water. Monitoring during the ongoing Phase II <i>E. coli</i> TMDL has shown that bacteria contamination occurs in more reaches of Oak Creek and some of its tributaries. Complex TMDL due to potential sources within the watershed, heavy recreational use during summer holidays, and natural bacterial contamination during runoff events.	High	Initiated Phase II <i>E. coli</i> TMDL in 2004 To complete in 2009.

# EPA TMDL Schedule and Priority Ranking

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING AND SCHEDULE
<b>Bill Williams Watershed</b>			
Alamo Lake 15030204-0040 1,414 acres	Mercury (in fish tissue) (2002)	A mercury fish consumption advisory was issued in 2004. Fish in this lake are also a food source for the bald eagle, a federally listed as Threatened species. The lake supports significant sport fishing. A mercury TMDL was initiated in 2004 and is expected to be approved in 2006. ADEQ is currently collecting atmospheric deposition data for mercury.	High. Initiated in 2004. To complete in 2009.
Boulder Creek From unnamed tributary to Wilder Creek 15030202-006B 14.4 miles  Boulder Creek From Wilder Creek to Butte Creek 15030202-005A 1.4 miles  Burro Creek From Boulder Creek to Black Canyon Creek 15030202-004 17.2 miles	Mercury (2004)	Although fishing is unlikely due to the intermittent nature of this low desert stream, water in Boulder Creek flows to Lake Alamo, which has a fish consumption advisory for mercury. Mercury loadings from the Burro Creek/Boulder Creek area will be addressed in the Alamo Lake mercury TMDL currently being developed. Remediation actions on tailings piles along Boulder Creek should help reduce mercury loadings. Therefore, development of a mercury TMDL here is a lower priority.	Low. Initiate in 2011. Complete in 2013.
Coors Lake 15030202-5000 230 acres	Mercury (2004)	Coors Lake is on Butte Creek, a tributary to Boulder Creek (listed above). A fish consumption advisory due to mercury contamination was issued in 2004. Low priority ranking is contingent on restricting fishing at this privately owned lake.	Low. Initiate in 2011. Complete in 2013.
<b>Colorado-Grand Canyon Watershed</b>			
<b>Colorado-Lower Gila Watershed</b>			
Painted Rocks Borrow Pit Lake 15070201-1010 180 acres	DDT metabolites, toxaphene, chlordane in fish tissue (2002)	(See discussion and schedule in Middle Gila – Painted Rocks Pesticide Contamination) TMDL will be coordinated with pesticide TMDLs in the Middle Gila.	High.
<b>Little Colorado Watershed</b>			
Bear Canyon Lake 15020008-0130 55 acres	pH (2004)	This is an important fishing and recreational area. High pH may be a symptom of narrative nutrient violations and may stress aquatic life in the lake. Narrative nutrient implementation guidance, when adopted, will be used to determine if high pH values are related to excess nutrients. Investigation and monitoring is needed to identify sources.	Medium. Initiate in 2009. To complete in 2011.
<b><u>Regional mercury TMDL</u></b>  1. Lake Mary, Upper 15020015-0900  2. Lake Mary, Lower 15020015-0890  3. Long Lake 15020008-0820  4. Soldiers Lake 15020008-1430  5. Soldiers Annex Lake 15020008-1440  1900 acres (total)	Mercury in fish tissue (2002)	Mercury fish consumption advisories were issued at all 5 of these lakes in 2002-2003. Excess mercury in fish tissue can be toxic to humans and other animals that eat the fish. These lakes are important recreational resources. ADEQ is currently collecting atmospheric deposition data in support of mercury TMDLs and plans This regional mercury TMDL is to be completed in 2006.	High. Initiated in 2003. To complete in 2009.

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING AND SCHEDULE
Little Colorado River From Silver Creek to Carr Wash 15020002-004 6 miles	Suspended sediment (2004)	Sediment may pose a threat to aquatic life. The drainage is more than 8,000 square miles, so determining the source of contamination may be complex. Substantial monitoring data is needed to identify sources. Dates reflect that both TMDLs will be developed at the same time.	To initiate in 2007. To complete in 2009.
Lyman Lake 15020001-0850 1308 acres	Mercury in fish tissue (2004)	A fish consumption advisory for mercury was issued in 2002. Excess mercury in fish tissue can be toxic to humans and other animals that eat the fish. This lake is an important recreational area. Additional monitoring is needed to identify sources.	High. Initiate in 2008. To complete in 2010.
<b>Middle Gila Watershed</b>			
<u><b>Painted Rock Pesticide Contamination Area:</b></u> A. Painted Rocks Reservoir 15070101-1020A  B. Painted Rocks Borrow Pit Lake 15070201-1010  C. Gila River reaches from Salt River to Painted Rocks Reservoir 15071010-015, -014, -010, -009, -008, -007, -005, -001  D. Salt River, Below 23 <sup>rd</sup> Ave WWTP 15060106B-001D  E. Hassayampa River below Buckeye Canal 15070103-001B 99 miles (total) 100 acres (total)	DDT metabolites, toxaphene, and chlordane in fish tissue (2002)	These pesticides still present a high risk to aquatic life and species that prey on them, including humans. A fish consumption advisory is issued. Federally protected Yuma clapper rail and Southwest willow flycatchers sighted in this area could be negatively impacted by the pesticides. This will be a very complex TMDL due to the size of the drainage area and potential sources. This TMDL will require significant monitoring resources to determine any current sources of these historically used pesticides. These pesticides have been banned from use for more than 30 years.	High. Initiate in 2009. To complete in 2011.
<b>Salt Watershed</b>			
Crescent Lake 15060101-0420 157 acres	pH (2002)	Excess nutrient loads can lead to fish kills, which would be detrimental to this important recreational area. Investigation and monitoring is needed to identify sources. Narrative nutrient implementation guidance, when adopted, will be used to determine if the high pH is related to excess nutrients in the lake.	Medium. Initiate in 2010. To complete in 2012.
Tonto Creek From headwaters to unnamed tributary 15060105-013A 8.1 miles	Low dissolved oxygen (2004)	Nitrogen and <i>E. coli</i> bacteria TMDLs were completed in 2004. Actions to reduce nitrogen and <i>E. coli</i> loadings will also increase dissolved oxygen; therefore, development of the dissolved oxygen TMDLs are a low priority. Will coordinate with Christopher Creek TMDL.	Low. Initiate in 2010. To complete in 2012.
<b>San Pedro Watershed</b>			
Mule Gulch Lavender Pit to Bisbee WWTP discharge 15080301-090B 0.8 miles	Low pH (2002)	Currently establishing site-specific criteria in support of a TMDL. This metal contamination represents a significant threat to wildlife and human health due to the magnitude and frequency of the exceedances. This TMDL involves a large and heavily impacted mining area, where site-specific standards need to be developed before the TMDL can be completed. Long term drought conditions have increased the difficulty collecting samples to identify sources and to model loadings.	Medium. Initiated in 2000. Complete TMDL after site specific criteria are established (2009).
<b>Santa Cruz Watershed</b>			

ASSESSMENT UNIT	POLLUTANT (YEAR LISTED)	DISCUSSION	PRIORITY RANKING AND SCHEDULE
Parker Canyon Lake 15050301-1040 130 acres	Mercury in fish tissue (2004)	Fish consumption advisory issued. Excess mercury in fish tissue can be toxic to humans and other animals that eat the fish. Lake is an important recreational area. Additional monitoring is needed to identify sources. ADEQ will be collecting atmospheric deposition data in support of mercury TMDLs.	High. Initiated in 2006. To complete in 2009.
Rose Canyon Lake 15050302-1260 7 acres	pH (2004)	Low pH poses risks to aquatic life because it allows the release of toxic metals from the lake bottom sediments into the water column. A major wildfire occurred in 2003 in the drainage area of this small, deep recreational attraction on Mount Lemmon. Although exceedances occurred prior to the fire, the TMDL will also need to look at long term impacts of this fire on lake pH.	Medium. Initiate in 2009. To complete in 2011.
<b>Upper Gila Watershed</b>			
Cave Creek From headwaters to South Fork of Cave Creek 15040006-852A 8 miles	Selenium (2004)	Selenium may be toxic to aquatic life or species that feed on them. This stream is classified as a "unique water. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries. Initial investigations and monitoring indicates that sources are likely natural; therefore, TMDL development has a lower priority.	Medium. Initiate in 2006. To complete in 2009.
Gila River From Bonita Creek to Yuma Wash 15040005-022 6 miles	Sediment (2004)	Sediment may pose a risk to aquatic life. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries. The TMDLs are complex due to the size of the watershed that extends into New Mexico (nearly 8,000 square miles). ADEQ will coordinate with <i>E. coli</i> TMDL on the same reach.	Medium. Initiated in 2006. To complete in 2009.
San Francisco River From Headwaters to New Mexico Border 15040004-023 13.1 miles	Sediment (2004)	Sediment may pose a risk to aquatic life. The Gila Watershed Partnership is interested in maintaining high quality water in the Gila River and its tributaries.	Medium. Initiate in 2009. To complete in 2011.
<b>Verde Watershed</b>			
Granite Creek From headwaters to Willow Creek 15060202-059A 13 miles	Low dissolved oxygen (2004)	Low dissolved oxygen maybe related to nutrient loading. Excess nutrient loads can lead to fish kills. Investigation and monitoring is needed to identify sources.	Low. Initiate in 2010 To complete in 2012.
Watson Lake 15060202-1590 150 acres	Nitrogen, low dissolved oxygen, high pH (2004)	Excess nutrient loads can lead to fish kills, which would be detrimental to this important recreational area. Use narrative nutrient implementation guidance, when adopted, to determine if excess nutrients are impairing the lake. Investigation and monitoring is needed to identify sources.	Medium. Initiate in 2008. To complete in 2010.
Whitehorse Lake 15060202-1630 40 acres	Low dissolved oxygen (2004)	Low dissolved oxygen may pose risks to aquatic life. (Note that newer data does not indicate impairment)	Low. Initiate in 2010. To complete in 2012.



To establish this priority list and schedule the following factors were considered. Those waters with high priority factors will be targeted for TMDL within two years following EPA approval of the 303(d) List, unless specific low priority factors are also cited (see low priority factors with an \* below).

**High Priority Factors:**

1. Substantial threat to health and safety of humans, aquatic life, or wildlife based on
  - a. Number and type of designated uses impaired,
  - b. Type and extent of risk from the impairment to human health or aquatic life,
  - c. Pollutant causing the impairment, or
  - d. Severity, magnitude, and duration the surface water quality standard was exceeded.
2. A new or modified individual NPDES / AZPDES permit is sought for discharge to the impaired water.
3. Surface water is listed as a Unique Water or is part of an area classified as a “wilderness area”, “wild and scenic river” or other federal or state special protection of the water resource.
4. A species listed as “threatened” or “endangered” under the federal Endangered Species Act inhabits an area and the presence of the pollutant in the surface water is likely to jeopardize the listed species.
5. A delay in conducting the TMDL could jeopardize ADEQ’s ability to gather sufficient credible data necessary to develop the TMDL.
6. There is significant public interest and support for development of a TMDL.
7. The surface water or segment has important recreational and economic significance to the public.
8. The pollutant has been listed for eight years or more (starting with the 2002 listing).

**Medium Priority Factors:**

1. The surface water fails to meet more than one designated use.
2. The pollutant exceeds more than one surface water quality standard.
3. The exceedance is correlated to seasonal conditions caused by natural events such as storms, weather patterns, or lake turnover.
4. Actions in the watershed may result in the surface water attaining applicable water quality standards; however, load reductions may take longer than the next 303(d) listing cycle.
5. The type of pollutant and other factors relating to the surface water or segment make the TMDL very complex.
6. ADEQ’s administrative needs, including TMDL schedule commitments with EPA, permitting needs, or basin priorities that require completion of the TMDL.

**Low Priority Factors:**

1. \* ADEQ has formally submitted a proposal to delist the surface water or pollutant to EPA. If ADEQ makes the submission outside of listing process cycle, the change in priority ranking will not be effective until EPA approves the report.
2. \* ADEQ has modified or formally proposed a modification to the applicable surface water quality standard or designated use which would result in the surface water no longer being impaired, but the modification has not yet been approved by EPA.
3. \* The surface water is expected to attain surface water quality standards due to any of the following:
  - a. Recently instituted treatment levels or best management practices in the drainage area,
  - b. Discharges or activities related to the impairment have ceased, or
  - c. Actions have been taken and the controls are in place or scheduled for implementation that are likely to bring the surface water back into compliance.
4. The surface water is ephemeral or intermittent. ADEQ shall re-prioritize the surface water if the presence of the pollutant in the listed water poses a threat to the health and safety of humans, aquatic life, or wildlife using the water (High priority 1) or the pollutant is contributing to the impairment of a downstream, perennial surface water.
5. The pollutant poses a low ecological and human health risk.
6. Insufficient data exist to determine the source of the pollutant load.
7. \* The uncertainty of timely coordination with national and international entities concerning international waters makes TMDL development complex.
8. \* Naturally occurring conditions are a major contributor to the impairment, and a site specific standard will need to be developed before the TMDL can be completed.
9. No documentation or effective analytical tools exist to develop a TMDL for the surface water with reasonable accuracy.



[This page intentionally left blank.]

# APPENDIX D

## CRITICAL CONDITIONS

To determine whether an assessment unit is no longer impaired, samples must be collected during critical conditions and at critical locations. These conditions and locations were either noted in the TMDL investigations or are based on other factors, such as the fish consumption advisory action level. As TMDLs are completed, more waters will be added to this list.

ASSESSMENT UNIT DESCRIPTION REACH NUMBER	PARAMETERS	TMDL STATUS	CRITICAL CONDITIONS	CRITICAL SITES OR LOCATIONS (ADEQ site number)
<b>Bill Williams Watershed</b>				
Alamo Lake 15030204-0040	Mercury in fish	Ongoing	Methylmercury concentration in fish tissue <0.3 mg/kg	
Alamo Lake 15030204-0040	pH, ammonia	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Boulder Creek From Wilder Creek to Copper Creek 15030202-005A	Copper, Zinc, Arsenic	Completed 2004	Stream flow less than 0.75 cfs, which is low flow, intermittent, or "base flow"	Below Hillside Mine - 101010 Above Hillside Mine - 102023
Coors Lake 15030204-5000	Mercury in fish	Scheduled	Methylmercury concentration in fish tissue <0.3 mg/kg	
<b>Colorado – Grand Canyon Watershed</b>				
<b>Colorado – Lower Gila Watershed</b>				
Painted Rocks Borrow Pit 15070201-1010	Dissolved oxygen	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
<b>Little Colorado Watershed</b>				
Bear Canyon Lake 15020008-0130	pH	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Upper Lake Mary and Lower Lake Mary 15020015-0890 15020015-0900	Mercury in fish	Ongoing	Methylmercury concentration in fish tissue <0.3 mg/kg	
Little Colorado River (near Nutrioso Creek) 15020001-009, -010	Turbidity	Completed 2002	Winter-spring runoff at approximately 29 cfs and summer runoff at approximately 13 cfs	Near USGS gage 09383400 - 101174
Long Lake 15020008-0820	Mercury in fish	Ongoing	Methylmercury concentration in fish tissue <0.3 mg/kg	
Lyman Lake 15020001-0850	Mercury in fish	Ongoing	Methylmercury concentration in fish tissue <0.3 mg/kg	
Nutrioso Creek From headwaters to Little Colorado River 15020001-017, -015	Turbidity	Completed 2000	Spring runoff at approximately 4 to 14 cfs	Big Wall site - 102112 Old background site - 101982
Rainbow Lake 15020005-1170	Nutrients (N&P) and pH	Completed 2000	Low lake level. Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Soldier's Annex Lake 15020008-1430	Mercury in fish	Ongoing	Methylmercury concentration in fish tissue <0.3 mg/kg	
Soldier's Lake 15020008-1440	Mercury in fish	Ongoing	Methylmercury concentration in fish tissue <0.3 mg/kg	

ASSESSMENT UNIT DESCRIPTION REACH NUMBER	PARAMETERS	TMDL STATUS	CRITICAL CONDITIONS	CRITICAL SITES OR LOCATIONS (ADEQ site number)
<b>Middle Gila Watershed</b>				
Alvord Park Lake 15060106B-0050	Ammonia	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Chaparral Lake 15060106B-0300	Dissolved oxygen, E. coli	Scheduled	For the DO, meets narrative nutrient standards once new narrative nutrient implement procedures are adopted.	
Cortez Park Lake 15060106B-0410	Dissolved oxygen, pH	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
French Gulch From headwaters to Hassayampa River 15070103-239	Copper, cadmium, zinc	Completed 2005	Storm induced runoff	Below Zonia Mine - 101620
Hassayampa River From headwaters to Copper Creek 15070103-007A	Cadmium, copper, zinc	Completed 2002	Low flow and spring runoff (approximately 4 to 6 cfs)	Above McCleur Mine – 101816 Below McCleur Mine - 101817 Above Cash Mine trib - 101067 Below Cash Mine trib - 101065
Mineral Creek From Devils Canyon to Gila River 15050100-012B	Copper	Scheduled	Storm induced runoff.	
Queen Creek From headwaters to Superior Mine discharge 15050100-014A, -014B	Copper	Ongoing		
Turkey Creek From headwaters to Poland Creek 15070102-036B	Cadmium, copper, zinc, lead	Completed 2005	Storm induced runoff, snow melt and base flow do not cause impairment	101627- Above Golden Belt and Turkey mines 101251- Below mines
<b>Salt Watershed</b>				
Canyon Lake 15060106A-0250	Dissolved oxygen	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Christopher Creek and upper Tonto Creek 15060105-353, -013A, -013B	<i>E. coli</i>	Completed 2004	Summer season	
Christopher Creek and upper Tonto Creek 15060105-353, -013A, -013B	Nitrogen	Completed 2005	Summer season	
Crescent Lake 15060101-0420	pH	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Pinto Creek From headwaters to Roosevelt Lake 15060103-018A, -018B, -018C	Copper	Completed 2001 Phase II ongoing	Storm induced runoff	
<b>San Pedro Watershed</b>				
Mule Gulch Headwaters to Whitewater Draw 15080301-090A, -090B, -090C	Cadmium, copper, zinc, pH	Ongoing	Storm induced runoff	
<b>Santa Cruz Watershed</b>				
3 R Canyon From headwaters to Sonoita Creek 15050301-558A, -558B, -558C	Cadmium, copper, zinc, pH	Completed 2003	Storm induced run-off	
Alum Gulch From headwaters to Sonoita Creek 15050301-561A, -561B	Cadmium, copper, zinc, pH	Completed 2003	Storm induced run-off	
Arivaca Lake 15050304-0080	Mercury in fish	Completed 1999	Methylmercury concentration in fish tissue <0.3 mg/kg	

ASSESSMENT UNIT DESCRIPTION REACH NUMBER	PARAMETERS	TMDL STATUS	CRITICAL CONDITIONS	CRITICAL SITES OR LOCATIONS (ADEQ site number)
Harshaw Creek From headwaters to Sonoita Creek 15050301-025	Copper, pH	Completed 2003	Storm induced run-off	
Lakeside Lake 15050302-0760	Nitrogen, phosphorus, chlorophyll, low DO, ammonia	Completed 2005	Nutrient levels in reclaimed water discharges	
Parker Canyon Lake 15050301-1040	Mercury in fish	Ongoing	Methylmercury concentration in fish tissue <0.3 mg/kg	
Pena Blanca Lake 15050301-1070	Mercury in fish	Completed 1999	Methylmercury concentration in fish tissue <0.3 mg/kg	
Rose Canyon Lake 15050302-1260	pH	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
<b>Upper Gila Watershed</b>				
Luna Lake 15040004-0840	Nutrients (N&P), pH, and dissolved oxygen	Completed 2000	Low lake levels. Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
<b>Verde Watershed</b>				
Oak Creek At Slide Rock State Park 15060202-018B	E. coli and fecal coliform	Completed 1999	Swimming season	Slide Rock State Park sample sites (5 sites)
Pecks Lake 15060202-1060	Nutrients (N&P), pH, dissolved oxygen	Completed 2002	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Stoneman Lake 15060202-1490	Nutrients (N&P), pH, and dissolved oxygen	Completed 2000	Ephemeral lake. Do not assess if depth less than 1 meter. Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Verde River From Cottonwood Creek to Fossil Creek 15060202-025, -037, -015, -001 and 15060203-027, -025	Turbidity	Completed 2002	Storm induced run-off, approximately 1180 cfs.	USGS gage near Clarkdale 0950400 - 100738
Watson Lake 15060202-1590	Nitrogen, dissolved oxygen, pH	Scheduled	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	
Whitehorse Lake 15060202-1630	Dissolved oxygen	Ongoing	Determine if lake meets narrative nutrient criteria once narrative nutrient implement procedures are adopted.	

[This page intentionally left blank.]

# APPENDIX E

## Delisting Impairments

Pollutants may be removed from the 303(d) List (delisted) because the TMDL is approved; however, the pollutant is still impairing the reach. A pollutant can be shown to be “no longer impairing” an assessment unit if sufficient data to show that the use is now attaining based on:

- New data, and samples represent critical conditions and critical locations;
- New surface water quality criterion or designated use;
- New assessment criterion or methods;
- Assessment unit is split and no current or historic data from this portion of the surface water would support an impairment decision;
- Naturally occurring conditions are shown to be the sole cause of not meeting the water quality criterion; or
- Reevaluation of the assessment information indicates an error or deficiency in the original analysis resulted in an inappropriate listing.

### Pollutants Being Delisted

ASSESSMENT UNIT DESCRIPTION REACH NUMBER	SIZE (miles/acres)	POLLUTANT DELISTED	REASON AND COMMENTS
<b>Bill Williams Watershed</b>			
<b>Little Colorado Watershed</b>			
Nutrios Creek From headwaters to Nelson Reservoir 15020001-017A	13.3 miles	Turbidity/ sediment	The current (and proposed) suspended sediment concentration standard is not being exceeded. The assessment unit is no longer impaired, based on new data, new criteria, and new assessment methods.
<b>Middle Gila Watershed</b>			
Turkey Creek From unnamed tributary to Poland Creek 15070102-036B	21 miles	Cadmium and zinc	Only 1 of 46 cadmium samples exceeded criteria to protect Fish Consumption and agricultural uses. The zinc criteria were not exceeded in 45 sampling events. The assessment unit remains impaired by copper and lead.
<b>Salt Watershed</b>			
Salt River From Stewart Mountain Dam to Verde River 15060106A-003	10.1 miles	Copper	No copper exceedances in 22 total and 22 dissolved copper samples. Reach remains impaired due to low dissolved oxygen.
<b>San Pedro Watershed</b>			
San Pedro River From Mexico border to Charleston 15050202-008	28.3 miles	Copper	Copper no longer impairing the assessment unit. No exceedances of acute or chronic A&W standards during the last 3 years of monitoring. Only 2 samples in 17 exceeded the criterion to protect agricultural uses (“attaining” based on binomial). Assessing reach as Category 2 -- attaining some uses.
<b>Santa Cruz Watershed</b>			
Humbolt Canyon From headwaters to Alum Gulch 15050301-340	2 miles	Cadmium, zinc and low pH	Applicable standards changed when reach was determined to be ephemeral (rather than intermittent). Old data was assessed using revised designed uses. Reach is still impaired due to copper, but the other parameters are being delisted.
<b>Upper Gila Watershed</b>			
<b>Verde Watershed</b>			
Verde River From Bartlett Dam to Camp Creek 15060203-004	11.6 miles	Copper and selenium	No exceedances of the copper criteria in 22 total and 22 dissolved samples. No exceedances of the selenium criteria in 22 samples. Assessing reach as Category 1 – attaining all uses.

[This page intentionally left blank.]

# APPENDIX F

## Water Quality Improvements

Water quality improvements have resulted in pollutants no longer impairing an assessment unit. Each is a success story! Significant resources have been used to identify sources and control pollutant contributions in each case. No current delistings (Appendix E) are occurring based on these improvements.

These water quality improvements are *dependent* on continued application of the improvement noted in this table. Therefore, decision makers about future activities in the watershed or additional discharges need to be aware and continue to support these improvements.

SURFACE WATER DESCRIPTION REACH NUMBER	SIZE (miles/acres)	POLLUTANTS DELISTED DUE TO IMPROVEMENTS	ACTIONS RESULTING IN IMPROVEMENTS	TMDL APPROVED
<b>BILL WILLIAMS WATERSHED</b>				
<b>COLORADO – GRAND CANYON WATERSHED</b>				
<b>LOWER COLORADO - GILA WATERSHED</b>				
Lake Havasu (Thompson Bay) 15030101-0590	19,780 a	<i>E. coli</i> bacteria (Delisted in 2002; first listed in 1996)	1. Improved sanitary facilities at beaches. 2. Public education concerning marine wastewater disposal. 3. Improvements in public wastewater treatment facilities to reduce nutrient loading. 4. Improvement in flow into Thompson Bay under London Bridge. *No remaining impairments	No
Painted Rock Borrow Pit 15070201-1010	185 a	Dieldrin in fish tissue. (Delisted in 2002; first listed in 1988)	General use of the pesticide dieldrin banned *Listed in Category 5 for other pollutants	No
<b>LITTLE COLORADO WATERSHED</b>				
Nutrios Creek From headwaters to Nelson Reservoir 15020001-017A	13.3 m	Turbidity (To delist in 2006; first listed in 1992)	Cattle removed from the riparian area through addition of fencing and alternative sources of water. Riparian area improvements noted. *No remaining impairments	Yes. TMDL approved in 2002
<b>MIDDLE GILA WATERSHED</b>				
Gila River From the Salt River to Painted Rock Reservoir 15070101-001, 005, 007, 008, 009, 010, 014, 015	82.5 m	Dieldrin in fish tissue. (Delisted in 2002; first listed in 1988)	General use of the pesticide dieldrin banned *Listed in Category 5 for other pollutants	No
Hassayampa River From Buckeye Canal to Gila River 15070101-001B	2.3 m	Dieldrin in fish tissue. (Delisted in 2002; first listed in 1988)	General use of the pesticide dieldrin banned *Listed in Category 5 for other pollutants	No
Mineral Creek From Devils Canyon to Gila River 15050100-012B	19.6 m	Beryllium, zinc, and low pH (Delisted in 2004; first listed in 1992)	Mineral Creek is diverted around a large mining operation. Monitoring surface water quality to assure this is sufficient to protect water quality in the stream. *Listed in Category 5 for other pollutants	No
Painted Rock Reservoir 15070101-1020A	100 a	Dieldrin in fish tissue. (Delisted in 2002; first listed in 1988)	General use of the pesticide dieldrin banned *Listed in Category 5 for other pollutants	No
Salt River From 23 <sup>rd</sup> Avenue WWTP to Gila River 15060106B-001D	14.1 m	Dieldrin in fish tissue. (Delisted in 2002; first listed in 1988)	General use of the pesticide dieldrin banned *Listed in Category 5 for other pollutants	No
Tempe Town Lake 15050100-1588	220 a	Low pH (Delisted in 2004; first listed in 2002)	Treating lake with copper sulfate to control algal growth in coordination with a rigorous monitoring program. *Listed in Category 5 for other pollutant	4B alternative – Lake management plan



<b>SURFACE WATER DESCRIPTION REACH NUMBER</b>	<b>SIZE (miles/acres)</b>	<b>POLLUTANTS DELISTED DUE TO IMPROVEMENTS</b>	<b>ACTIONS RESULTING IN IMPROVEMENTS</b>	<b>TMDL APPROVED</b>
<b>SALT WATERSHED</b>				
Pinal Creek From lower Pinal Creek WTP to Salt River 15060103-280D	6.4 m	Copper, manganese, zinc, and low pH (Delisted in 2002; first listed in 1988)	Ground water is pumped so that surface water flow discontinues (flow was intermittent originally in this area). The water is treated and pumped back into the stream, providing clean perennial flow. *No remaining impairments	No
<b>SAN PEDRO WATERSHED</b>				
<b>SANTA CRUZ WATERSHED</b>				
<b>UPPER GILA WATERSHED</b>				
<b>VERDE WATERSHED</b>				
Munds Creek From headwaters to Oak Creek 15060202-415	17.0 m	<i>E. coli</i> bacteria, nitrogen and phosphorus (Delisted in 2002; first listed in 1994)	Wastewater reuse applications modified to keep effluent from contaminating Munds Creek. *No remaining impairments	No
Ashbrook Wash From Grande Wash to Verde River 15060203-989	2 m	<i>E. coli</i> bacteria (To delist in 2006; first listed in 2004)	Wastewater treatment plant no longer discharging to this wash. *No remaining impairments	No

**Total No Longer Impaired due to water quality improvements:**

**15 stream reaches; 163.9 stream miles**

**4 lakes/reservoirs; 20,285 acres**



# **SURFACE WATER ASSESSMENT METHODS AND TECHNICAL SUPPORT**

November 2008

Prepared by  
Diana Marsh  
Surface Water Section  
Standards and Assessment Unit  
Arizona Department of Environmental Quality

With Assistance From  
Linda Taunt, Assistant Director, Water Quality Division  
Chris Varga, Manager, Surface Water Section  
Steve Pawlowski, Supervisor, Standards and Assessment Unit  
Jason Sutter, Supervisor, TMDL Unit  
Jason Jones, Supervisor, Monitoring Unit  
Anel Avila, Assessment Program

The current assessment and further assessment, monitoring, or TMDL information can be obtained at ADEQ's web site:  
<http://www.azdeq.gov/enviro/water/assessment/index.html>.

Further information can also be obtained by contacting the following ADEQ program staff:

Assessments: Anel Avila (602) 771-4647  
Bioassessments and physical integrity standards: Patti Spindler (602) 771-4543  
Fish Advisories: Sam Rector (602) 771-4536  
GIS Analysis: Jean Ann Rodine (602) 771-4400  
Groundwater Program: Doug Towne (602) 771-4412  
Lake Program: Susan Fitch (602) 771-4541  
Monitoring Program: Jason Jones (602) 771-2235  
NPDES/AZPDES Permit Program: Debra Daniel (602) 771-4689  
Standards Program: Steve Pawlowski (602) 771-4219  
TMDL Program: Jason Sutter (602) 771-4468  
Water Quality Improvement Grants (602) 771-4635

# EXECUTIVE SUMMARY

Arizona's *Surface Water Assessment Methods and Technical Support* document is intended as an analytical tool to guide individuals through a standardized assessment process. This document describes Arizona Department of Environmental Quality (ADEQ) methods to evaluate water quality data and assess designated use support of surface water. This document is written to accompany the 2006 Integrated Surface Water Quality Assessment and Impaired Water List (ADEQ, 2006).

An assessment entails analyzing and integrating multiple types of data to address the following primary objectives:

- Determine whether each designated use assigned to an assessment unit is “attaining” or “impaired;”
- If impaired, determine the pollutant(s) causing impairment;
- Compile descriptive information about the surface water; and
- Provide future monitoring priorities (the planning list).

If impaired and development of a TMDL is needed, the surface water is placed on the federal 303(d) List. An impaired water is *not* placed on this list, when alternative pollution control requirements are in place that will bring the surface water into compliance with its standards (e.g., a consent decree), if an approved TMDL is being implemented, or if the impairment is solely due to natural conditions.

This document is organized according to the steps taken in the assessment process for lakes and streams. It describes a standardized assessment process; however, the process incorporates flexibility for unique situations and allows for the use of sound scientific judgment. The assessment report provides justification for any variations and clear documentation concerning the types of data and information used in making assessments.

## **Section 1 – General Assessment Process and Regulatory Framework**

### **Section 2 – Monitoring Data**

- The Assessment Period
- Data Sources
- ADEQ's Monitoring Strategy
- Data Reliability
- Data Management

### **Section 3 – Data Interpretation and Assessment Criteria**

- Data Interpretation
- Data Aggregation – The Seven-Day Rule
- Assessing Attainment
- Assessing Impairment
- No Longer Impaired

### **Section 4 – Final Listings**

- Assessment Categories
- Public Involvement and EPA Review
- Prioritizing and Scheduling TMDLs.
- Monitoring – The Planning List

### **Section 5 – Further Technical Rationales**

# SECTION 1

## GENERAL ASSESSMENT PROCESS AND THE REGULATORY FRAMEWORK

Every two years, ADEQ is required by the federal Clean Water Act to conduct a comprehensive analysis of water quality data associated with Arizona's surface waters to determine whether state surface water quality standards are being met and designated uses are being supported. This report is submitted to the U.S. Environmental Protection Agency (EPA) for approval. Once approved it is used to guide water resource management decisions.

The surface water quality assessment process can be summarized as a six step process as follows:

**Step 1** – Assemble all readily available monitoring data and water quality related information. Determine whether the data meets requirements under the state's Impaired Water Identification Rule to be reasonably current, credible, scientifically defensible, and representative of water quality conditions in the surface water.

**Step 2** – Determine the applicable designated uses and related numeric and narrative standards.

**Step 3** – Analyze the data, determine exceedances of standards, and determine whether sufficient data exists to assess each designated use.

**Step 4** – Assess the surface water, placing it in the appropriate EPA assessment category and on the 303(d) List, if a TMDL is needed.

**Step 5** – Determine monitoring priorities based on data gaps, needs for TMDL development, and effectiveness monitoring.

**Step 6** – Provide public review of the integrated assessment and 303(d) listing report and revise the report as appropriate.


Water quality assessments should be seen as part of an interwoven set of water quality protection and improvement programs at ADEQ (**Figure 1**). The assessment process compares monitoring data to standards, identifies impaired waters, indicates where additional monitoring should be targeted, and initiates the TMDL loading analysis process.

The Department also works with watershed groups and interested parties to plan and implement actions so that surface water quality standards will be met. Grants are awarded to fund water quality improvement projects. Effectiveness monitoring following these projects is used during the next assessment cycle.

Permit discharge limits or enforcement actions can occur based on assessments of ambient data and TMDL development, although this has been rare. Facilities with permitted discharges may be asked to do additional monitoring when the surface water that receives the discharge is listed as impaired. This monitoring provides a scientific basis for modeling loading contributions (if any) from the discharge. Such data would also be used in the future assessments.

The assessment is therefore also acting as an evaluation of the water quality protection programs, a catalyst for focusing monitoring resources and, if necessary, encourages ADEQ to take other actions necessary so that surface water quality standards are being met.

**FIGURE 1 – ASSESSMENTS AND WATER QUALITY PROTECTION**



# Balancing State Statutes and Rules with Federal Regulations and Guidance

## The Clean Water Act

In 1972, Congress passed Public Law 92-500, the Federal Water Pollution Control Act, commonly known as the Clean Water Act. The goal of this act was to restore and maintain the chemical, physical, and biological integrity of the Nation's waters. ADEQ implements the Clean Water Act in Arizona, with oversight from the U.S. Environmental Protection Agency (EPA).

The mandate to do assessments and determine which surface waters are impaired comes from this act. This assessment methods document addresses federal monitoring, assessment, and listing requirements found in Sections 106, 205, 303, 305, and 314 of the Clean Water Act.

- Sections 106 and 205 require the states to compile, analyze, and annually submit a report on surface water quality. The report is to include monitoring conducted by ADEQ and other monitoring entities under grants and contracts with ADEQ
- Section 303 requires ADEQ to:
  - Adopt, with EPA approval, water quality standards and review these standards every three years.
  - Monitor waters and submit a list of surface waters where technology-based effluent limitations required by section 301 are not stringent enough to attain and maintain applicable water quality standards (impaired waters). These 303(d) listed waters are then prioritized for the development of a Total Maximum Daily Load (TMDL) for each pollutant causing impairment. The establishment of TMDLs is required, regardless of whether the surface water is impaired by point sources, nonpoint sources, or a combination of both. As part of the TMDL process, the Department must either set appropriate controls or work with appropriate parties to implement actions that will improve water quality, so that the waters meet standards that support their designated uses.
- Section 305 requires an assessment report that describes and analyzes water quality conditions of all surface waters in Arizona. This assessment report defines the extent that state waters are meeting water quality standards.
- Section 314 adds further requirements specific to lakes.

## Federal Regulations and Guidance

The Federal Code of Regulations § 122, 124, and 130.7 establish further and more specific federal requirements concerning the identification of impaired waters (referred to as “water quality limited waters”). No recent changes have occurred in these regulations.

In 2002, EPA published the *Consolidated Assessment and Listing Methodology – Toward a Compendium of Best Practices* (CALM). ADEQ has adopted many of the ideas published in this document, such as core parameter coverage. The CALM document provides information on monitoring network design and use of chemical, biological, toxicity, bacteria, and habitat data to support assessments. It also provides technical support such as statistical considerations for data quality objectives and hypothesis testing. This information can be downloaded from the EPA web site:  
<http://www.epa.gov/owow/monitoring/calm.html>.

*Guidance for 2006 Assessment, Listing, and Reporting Requirements Pursuant to Sections 303(d), 305(b), and 319 of the Clean Water Act* was published by EPA in July 29, 2005. This document provides EPA's policies concerning data interpretation, along with recommended reporting format. A copy of this guidance can be downloaded at <http://www.epa.gov/owow/tmdl/2006IRG>. Since 2001, EPA has recommended that the states submit an integrated report that includes both the assessment required under section 305(b) and the list of impaired waters required under 303(d).



Two significant clarifications in the federal 2006 guidance are reflected in Arizona's assessment methods:

- To determine whether an instantaneous “grab” sample represents the averaging period for the standard, states should consider contextual information such as stream flow, precipitation events, discharges near the monitoring site, and land use. For example, chronic aquatic and wildlife criteria are based on a 4-day exposure period; however, when states do not have 4-days of data to average, contextual information should be considered to determine whether levels of a pollutant under study were likely to have remained fairly constant over the averaging period. Such contextual information was used in this assessment process when using a grab sample, especially when applying chronic criteria.
- Surface waters can be listed in more than one assessment category. For example, if a stream was assessed as impaired by selenium subsequent to development of a TMDL for copper and zinc, that reach could be listed in Category 4A for copper and zinc and also in Category 5 for mercury.

More information about the methods involved is provided later in this document.

### Arizona's Surface Water Standards and Designated Uses

Arizona sets narrative and numeric surface water standards for water quality based on the uses people and wildlife make of the water. These “designated uses” are specified in the standards for individual surface waters, or if the surface water is not named in the rule, the designated uses are determined by the tributary rule. The tributary rule assigns designated uses based on flow regime and elevation (A.A.C. R18-11-105). (A summary of surface water quality criteria is provided **Appendix A**). A copy of the complete rules can be downloaded at the Secretary of States Office website at: [http://www.azsos.gov/public\\_services/table\\_of\\_contents.htm](http://www.azsos.gov/public_services/table_of_contents.htm).

Each surface water has at least two designated uses. Water quality is judged acceptable or impaired based on standards established to protect each designated use. Arizona's designated uses are:

- Aquatic Wildlife (coldwater, warmwater, effluent-dependent, or ephemeral)
- Fish Consumption
- Body Contact (Full or Partial)
- Domestic Water Source
- Agricultural Irrigation
- Agricultural Livestock Watering



Narrative surface water standards (A.A.C R18-11-108) protect water quality when a numeric standard is not available or is insufficient. The state TMDL statute requires development of narrative implementation procedures before narrative standards can be applied to 303(d) listing decisions. Narrative implementation documents for toxics, bottom deposits, and nutrients, along with a narrative biocriteria implementation document, are currently under development but were not available for this assessment. Therefore, Arizona's narrative surface water quality standards were not applied during this assessment.

Some surface waters have special water quality standards that must be met. For example, site specific standards have been established for the following waters:

- Waters classified as “unique waters” (an outstanding state resource waters);
- Waters classified as effluent dependent waters (surface waters that would be ephemeral if not for the discharge of treated wastewater);
- Waters with moderating provisions established in their NPDES or AZPDES discharge permits (i.e., mixing zones or a pollutant-specific variance);
- Waters with nutrient standards, as specified in A.A.C. R18-11-109(F); and
- Colorado River reaches with salinity standards (three benchmark sites along the river between Hoover Dam and Imperial Dam) as specified in A.A.C. R18-11-110.



Site specific standards can also be developed for impaired waters where natural conditions alone would cause the standards to be exceeded. Currently ADEQ is developing such site specific standards for Mule Gulch and Pinto Creek.

Surface water quality standards are reviewed and revised on a three-year cycle. The standards approved in 2002 were used for this assessment and listing process.

### Arizona's TMDL Statute

In 2000, the Arizona Legislature promulgated Arizona Revised Statutes (A.R.S.) Title 49, Chapter 2, Article 2.1, (the TMDL Statute) which identifies a general process for making impairment decisions and for developing Total Maximum Daily Loads (**Appendix B**). A copy of these statutes can be downloaded at the Secretary of States Office website at: <http://www.azleg.state.az.us/arizonarevisedstatutes.asp>. The statute requires ADEQ to:

- Adopt, by rule, the methods used to identify impaired waters;
- Use only reasonably current, credible, and scientifically defensible data;
- Consider the nature of the water (e.g., ephemeral, intermittent, perennial, effluent dominated) in assessing whether an assessment unit is impaired;
- Determine whether pollutant loadings solely from naturally occurring conditions are sufficient to exceed a water quality standard; and
- Adopt narrative standards and biocriteria implementation procedures through a public process before using these to identify impaired waters.

The statute specifies a process for priority ranking, scheduling, developing, reviewing, and implementing TMDLs, and it mandates the development of rules to govern impaired water identification decisions.

### Arizona's Impaired Water Identification Rule

Arizona developed the *Impaired Water Identification Rules* Arizona Administrative Code R18-11-601 through 606) in 2002 (**Appendix B**). These rules establish methods and criteria to:

- Identify an assessment unit as impaired;
- Determine when an assessment unit is no longer impaired (delisting);
- Prioritize the development of Total Maximum Daily Loads;
- Determine whether a dataset is “credible,” and therefore, used for assessments and TMDL development;
- Interpret data;
- Consider contextual information in a weight-of-evidence approach; and
- Determine the spatial extent of the surface water listing.

The Impaired Water Identification rules are currently being revised to improve consistency with federal listing guidance, and based on best available science and statistics. However, the draft revised rules were not adopted in time for the 2006 assessment, and therefore, were *not* applied to this assessment.

The Impaired Water Identification Rules establish a process for identifying impaired waters; however, they do not establish methods for identifying waters that are *attaining* their uses. This assessment methods document goes the next step and integrates impairment and attainment methods and criteria.



# SECTION 2

## MONITORING DATA

### Data Sources

Monitoring data used in assessments come from a variety of sources: ADEQ's field staff, federal agencies, state agencies, permitted discharge facilities, and even volunteer monitoring groups. Because the objective of collecting the data and data quality varies, ADEQ reviews all readily available surface water quality related data, determines if it meets credible data requirements in the Impaired Water Identification Rule, and uses the scientifically supported data for assessment determinations. The STORET database was also queried. (STORET is EPA's storage and retrieval system for housing surface water data from federal and state agencies.)

The Department encourages the submittal of such water quality data from the general public, other agencies, and permitted dischargers throughout the year. When submitted, other pertinent information should be provided, such as: site locations, sampling and quality assurance plans, monitoring purpose, field observations, and lab notations.

To be considered in the assessment and listing process, data from agencies and other entities must be received by the applicable deadline and entered into ADEQ's water quality database. Therefore, data sets need to be submitted in an electronic format that can be readily uploaded into ADEQ's database.

Water quality related data includes, but are not limited to: water chemistry, contaminated sediments, bacteria, algae, bioassessments, fish tissue concentrations, fish kills, weed harvesting, physical habitat, beach closures, drinking water advisories, and riparian conditions. Although ADEQ cannot use narrative, bioassessment, physical habitat data, and other qualitative data for a listing decision until appropriate implementation procedures are adopted, such information is considered as "weight-of-evidence" during a listing decision, and has been used by EPA as evidence of impairment.

Any inherent bias in the data is considered when using the data using the weight-of-evidence approach. For example, if the monitoring objective was to establish pristine/reference conditions, exceedances should be rare are more likely due to natural conditions. Whereas, if the objective was to determine the effectiveness of watershed improvements, the monitoring site locations and contextual conditions when the samples were collected need to be evaluated along with the data.

### The Assessment Period

The Department assembles and evaluates all existing and readily available water quality related data and information collected during the assessment period. This focuses assessments on the most recent data to accurately portray the quality of the surface water in question.

Generally, data and information collected during the most recent *five* year period are used to base assessment and 303(d) listing decisions; however, because the assessment was delayed, almost six years of data were considered for the 2006/2008 assessment. The Department did include data collected after December 2005 and submitted before June 2006 if the data would affect a listing decision. Newer data could not be considered during this assessment due to deadlines for completion and the need to comply with extensive public review periods mandated by both federal regulations and state statutes. Data collected after January 1, 2006 will be evaluated for the 2010 Integrated Report.



**Monitoring the Virgin River**

## ADEQ's Monitoring Strategy

Although data come from a variety of agencies, the bulk of the data used in assessments is generated by ADEQ's field staff. ADEQ obtains water quality data specifically to assess the biological, chemical, and physical integrity of Arizona's surface waters. Where possible, monitoring is coordinated with other agencies to minimize duplication of effort.

ADEQ surface water monitoring is conducted to support the following objectives:

- Assess the status of water quality and identify impaired waters and the stressors causing impairment;
- Develop Total Maximum Daily Loads for impaired waters and identify sources contributing to that impairment;
- Establish and maintain regional reference conditions to support biocriteria;
- Determine compliance with applicable surface water quality standards;
- Determine whether water quality is being adequately protected or is being degraded, according to antidegradation rules (Arizona Administrative Code R18-11-107), especially for waters classified as "unique waters;"
- Determine water quality trends at long-term sites; and
- Support development of new water quality standards.

**Watershed Characterization Monitoring** – ADEQ has identified 10 major surface watersheds in Arizona. In 1998, ADEQ adopted a rotational watershed framework in which staff conducts water quality monitoring in wadeable, perennial streams located in two watersheds each year. All 10 watersheds are normally monitored over a 5-year period.

**Arizona's Watershed Cycle**

WATERSHEDS	Focus Year											
	00	01	02	03	04	05	06	07	08	09	10	11
Bill Williams				X						X		
Colorado – Grand Canyon						X					X	
Colorado – Lower Gila				X				X				
Little Colorado		X						X				
Middle Gila			X						X			
Salt			X						X			
San Pedro	X					X					X	
Santa Cruz		X					X					
Upper Gila	X						X					
Verde					X					X		

The purpose of this monitoring is to obtain basic water quality data on streams and lakes in each watershed. Along with the water samples, data are collected to support proposed bioassessments, habitat assessments, and physical integrity assessments (see analytical suite text box). Data collection is focused in wadeable, perennial streams.

**Analytical Measurements for Streams**

PARAMETER GROUP	ANALYTES	FREQUENCY SEASON
Field Data	Dissolved oxygen (DO), conductivity, percent saturation (of DO), pH, redox potential, temperature, and total dissolved solids	Quarterly
Bacteria	<i>E. coli</i>	Quarterly
General Chemistry	Alkalinity, bicarbonate, carbonate, chloride, conductivity, fluoride, hardness, pH, sulfate, suspended sediment concentration (SSC), total dissolved solids, (TDS), total suspended solids (TSS), turbidity	Quarterly
Nutrients	Ammonia, phosphorus, nitrate/nitrite, total Kjeldahl nitrogen (TKN)	Quarterly
Metals (total and dissolved)	Cadmium, chromium, copper, lead, mercury, nickel, silver, zinc	Quarterly
Metals (total only)	Antimony, arsenic, boron, barium, beryllium, calcium, magnesium, manganese, selenium, thallium	Quarterly
Biocriteria	Macroinvertebrates	Once in spring
Physical/Habitat	Habitat assessment, pebble count, riffle embeddedness, bankfull delineation, depositional features	Once a year

Lake data and information are also collected to evaluate the water quality status of lakes and reservoirs. Biological, chemical, and physical limnology data are collected to characterize baseline water quality conditions as shown in the table below:

<b>Analytical Measurements for Lakes</b>		
<b>PARAMETER GROUP</b>	<b>ANALYTES</b>	<b>FREQUENCY SEASON</b>
<b>Field Data</b>	Dissolved oxygen (DO), conductivity, percent saturation (of DO), pH, Redox potential, sample depth, Secchi depth, temperature, and total dissolved solids	Quarterly
<b>Algae</b>	Chlorophyll <i>a</i> , Pheophytin <i>a</i> , algae identification	Summer only
<b>Bacteria</b>	<i>E. coli</i>	Quarterly
<b>General Chemistry</b>	Alkalinity, bicarbonate, carbonate, chloride, conductivity, dissolved organic carbon (DOC), fluoride, hardness, pH, sulfate, total dissolved solids(TDS), total organic carbon (TOC), total suspended solids (TSS), turbidity, volatile suspended solids (VSS)	Quarterly
<b>Nutrients</b>	Ammonia, biological oxygen demand (BOD), chemical oxygen demand (COD), phosphorus, nitrate/nitrite, total Kjeldahl nitrogen (TKN)	Quarterly
<b>Metals (total and dissolved)</b>	Cadmium, chromium, copper, lead, mercury, nickel, silver, zinc	Quarterly
<b>Metals (total only)</b>	Antimony, arsenic, boron, barium, beryllium, calcium, magnesium, manganese, selenium, thallium	Quarterly

**Targeted Monitoring** – As resources allow, surface water quality data are collected for a variety of other reasons during the assessment cycle. Frequently analytical measurements are limited at targeted sites to parameters of concern; however, if the investigation requires several months of monitoring, core parameters are collected to support future assessments of all designated uses. Targeted monitoring includes:

- TMDL development – Monitoring is a key activity in identifying sources and allocating pollutant load contributions to these sources in Total Maximum Daily Loads (TMDLs). The TMDL analysis starts with identification of the pollutants of concern and the water quality standards that must be attained to protect designated uses, including naturally occurring background conditions of the watershed;
- New standards or site-specific standards development;
- Complaint investigations;
- Antidegradation in “unique waters” –Not even limited degradation of water quality is allowed in these outstanding resource waters. (Eighteen Unique Waters have been established in Arizona’s Surface Water Quality Rules (R18-11-112) and additional ones are proposed during the current Triennial Review.)
- Regional reference sites and regional curves – Macroinvertebrates samples, habitat information, and physical integrity measurements are collected at approximately 10 sites per year. Benthic macroinvertebrate samples are collected during the spring index period (April, May, or June) in Wadeable, perennial streams.
- Filling in data gaps noted in past assessments, such as:
  - Exceedances resulting in an “inconclusive” assessment;
  - Missing core parameters;
  - Laboratory detection limits higher than standards;
  - Effectiveness monitoring needed due TMDL implementation projects and strategies.
- Long-term monitoring -- Approximately 28 fixed station sites have been monitored quarterly for almost 20 years with the goal of evaluating trends in water quality in Arizona’s streams. These long-term fixed sites are on perennial streams located in all ten watersheds in the state (see map of fixed sites). ADEQ contracts with US Geological Survey to collect water quality monitoring at 19 of the 28 fixed sites, typically those on larger rivers with high annual flow.

If exceedances have occurred in the past, the monitoring design must ensure that monitoring represents critical conditions and critical locations (i.e., when and where exceedances occurred in the past, if those conditions still exist). Actually, water quality improvements may take years or decades after actions are taken, so the type of monitoring, site locations, and timing of the monitoring needs to be chosen carefully.

**Fish Tissue Monitoring** – In cooperation with the Arizona Game and Fish Department, ADEQ has been investigating human health risks associated with eating fish caught in Arizona's lakes. Recent monitoring has focused on two contamination issues: mercury and historic pesticides.

Surveys of mercury levels in fish tissue have resulted in fish consumption advisories for mercury being issued at: Alamo Lake, Arivaca Lake, Coors Lake, Upper and Lower Lake Mary, Long Lake, Lyman Lake, Soldiers Lake, Soldiers Lake Annex, Parker Canyon Lake, and Pena Blanca Lake. These surveys are on-going and further advisories are expected.

Fish consumption advisories have also been issued due to DDT metabolites, toxaphene, and chlordane contamination in the greater Phoenix area where these pesticides were historically applied to agricultural areas. Although no longer in use in Arizona, these pesticides are persistent in the environment, may bioaccumulate, and present toxic risks to human health and wildlife. ADEQ, AGFD, and U.S. Fish and Wildlife Service cooperate in conducting fish surveys for these pesticides.

**Future Monitoring** – ADEQ initiated a probability-based monitoring design in 2006, which uses randomly selected sites to infer conditions about the larger population (REMAP – Regional Environmental Monitoring and Assessment Program). For example, by randomly select sites among streams of a certain classification in a watershed, ADEQ should be able to assess all streams of that classification in that watershed. This would allow ADEQ to complete watershed-scale assessments. If reliable, these assessments may lead to watershed-scale impairment decisions.

New narrative biocriteria, habitat, fish tissue, and narrative implementation procedures are proposed during the current Triennial Review. When adopted, ADEQ plans to revise the Impaired Water Identification Rule to use these other measurements for assessment and listing decisions. However, these data sets were not used in the 2006 assessment.



# Data Quality Assurance

## Credible Data Requirements

A central objective of the assessment and 303(d) listing process is to identify impaired surface waters so that corrective actions can be taken. To accurately identify impairment, the data needs to be of high quality and must accurately reflect the surface water conditions. However, data potentially available to ADEQ are of varying quantity, quality, and age. Therefore, all readily available data are reviewed to determine whether they meet the credible data requirements in the Impaired Water Identification Rule for being credible and scientifically defensible, and that they are representative of water quality conditions. These requirements are clearly defined in the rule (A.A.C. R18-11-602) but can be summarized as follows:

- Data must be collected and analyzed following an appropriate Quality Assurance Plan (QAP) and Sampling and Analysis Plan (SAP), by adequately trained personnel using approved field and laboratory methods.
- Data must be evaluated to determine whether it is reliable, accurately reflects current water quality conditions, and valid. This is determined by considering factors such as:
  - Laboratory detection limits,
  - Lab notations or qualifiers,
  - Whether the sampling was representative and reproducible,
  - Whether approved sampling and analysis methods were used, and
  - Quality control of the data when collected and analyzed.
- The monitoring entity must submit documentation that these requirements have been met and other information necessary to assist ADEQ in interpreting and validating the data.

ADEQ is responsible for reviewing all data to ensure specified minimum quality assurance requirements are met. ADEQ must also review the adequacy of the QAP and SAP for the type of sampling undertaken. The rule provides ADEQ discretion in approving a QAP or SAP that does not contain all the required elements of R18-11-602(A) if ADEQ determines that the omitted element is not relevant to the sampling or its omission will not impact the quality of the results.

Technically, Arizona's credible data requirements apply only to the 303(d) listing process and not to the assessments of designated uses. Recognizing the federal mandate to consider all readily available data in making assessments, ADEQ decided that if the data could not meet credible data requirements, the following actions would be taken:

- The assessment unit would be assessed as "inconclusive" if this was the only data available for the assessment;
- The assessment unit would be added to the Planning List for future monitoring, and would be given higher priority for monitoring if an exceedance of standards had occurred; and
- A comment would be included in the assessment tables, indicating that other data was available and why the data were not used in the assessments.



## Laboratory Reporting Limits and Standards

When the result is reported as less than the laboratory reporting limit and that value is above the standard, the sample is not included in the sample count. For example, if the result is reported as <5 mg/L and the standard is 2 mg/L, the result is not counted in the assessments. A comment is provided in the data gap report when this occurred.

## Field Sampling Equipment Precision

Several water quality parameters have very short holding times for analysis or present a more accurate representation of conditions if measured in the field. The parameters include dissolved oxygen, pH, total residual chlorine, turbidity, and temperature. However, field measurements are often subject to more variability than other water quality measurements. Imprecision is addressed in the field through quality assurance/quality control procedures (e.g., calibration of the field equipment, placement of the instrument in the stream); however, other variations are inherent in natural systems and in the nature of the equipment used for testing.

Studies have shown that most aquatic organisms can tolerate small fluctuations over short periods of time for conventional water quality parameters without damaging effects. Therefore, the following field equipment tolerance values are used based on a survey of manufacturer's specification for accuracy in field equipment currently in use by ADEQ:

- pH  $\pm 0.2$  standard units
- Dissolved oxygen  $\pm 0.2$  mg/L
- Turbidity  $\pm 2$  NTU

For assessment purposes, this means that if the dissolved oxygen standard was 6.0 mg/L, a sample reported at 5.8 mg/L would not be counted as an exceedance. This practice acknowledges the tolerance range of the equipment available for these measurements. These tolerance values will be reviewed with each assessment cycle so as field equipment becomes more reliable, exceedances can accurately be called closer to the standard.

## Precision in *E. coli* Results

Both lab and field bacterial analyses provide an estimation of bacterial density, reported in terms of a "Most Probable Number" (MPN). For example, using the multiple tube technique, if the result is reported as 240 colony forming units (CFU), there is a 95% confidence level that the result is between 100 and 940 CFU (*Standard Methods for Examination of Water and Wastewater*, 20<sup>th</sup> Edition).

303(d) listing decisions are not based on results reported relatively near the single sample maximum standards of 235 CFU (for Full Body Contact) or 576 CFU (for Partial Body Contact). Instead, screening values of 300 and 630 CFU, respectively, are used for impairment decisions, so that minimum exceedances must be above these screening values.

For assessment purposes, all results above the standard are reported as exceedances in the assessment report; however, a comment is made when the result is below the screening value.

## Sample Values Less Than the Laboratory Reporting Limit

In the absence of pollutants or when pollutant concentrations and loadings are minimal, the results of a water sample analysis may be reported to be below the analytical method detection limit, which is reported as "not detected," "non-detect", or "less than." When the value is reported as not detected, we only know that the value is less than the applied technology can measure. The true value cannot be determined.

The Impaired Water Identification Rule (A.A.C. R18-11-603.A.1.b) establishes how these data will be used. In some cases, the reporting limit is below the standard (e.g., the standard is 5 mg/L and result is <3 mg/L). In these cases, the data are meeting the water quality standard and should be used for assessment and listing purposes. The rules further describe that "less than" data can be used in trend analysis, descriptive statistics, or modeling as follows:

- If there are sufficient data to support statistically estimating the values reported as "less than" the reporting limit; or
- If there are not sufficient data to support statistically estimating the values reported as "less than" the reporting limit, then ADEQ will use one-half of the value of the RL.

If the reporting limit is *above* the standard and the laboratory result is at or below the reporting limit, the results *cannot* be used for a listing decision. For example, if the result is <8 mg/L and the standard is 5 mg/L, whether or not the analytical result exceeded the criteria is not known. The samples are not used in the assessment.

## Reviewing Dissolved and Total Standards

Where only the *dissolved* fraction was analyzed (no total measurement), the dissolved result is compared to the “total” standard. Given the total value should equal the dissolved fraction plus any suspended portion, the dissolved fraction could equal but should not exceed the total standard.

In those cases where both total and dissolved fractions are provided, but the dissolved fraction is above the total value, the data is flagged as unreliable for listing decisions if the dissolved fraction is more than 10% higher than the total fraction.

ADEQ does not attempt to translate total results into estimates of the dissolved form because EPA has not provided a standardized methodology to use. When such methods become available, they will need to be reviewed to determine their reliability and applicability to the assessment and 303(d) listing process in Arizona.

## Data Qualifiers

Water quality data and information may include data qualifiers or field comments that denote a deviation from acceptable sampling, handling, storage, or analytical procedures. Some data qualifiers invoke questions as to the accuracy of the data in representing the actual water quality conditions. For example, values reported by the laboratory as *estimates* are not used for listing decision. A case-by-case evaluation of the lab qualifiers is used to determine the reliability of the data.

## Data Management

ADEQ tracks surface water quality data used in this assessment, including data collected by outside agencies, in an Oracle database. Surface water quality data is tracked by sites and related to an assessment unit. Data is routinely uploaded from this database to EPA’s STORET system, a national repository of water quality information to facilitate public access to ADEQ’s data.

## Assessment Unit Delineation and Identification

An assessment unit is the delineated lake or stream reach being evaluated. A stream reach was derived from EPA’s Reach File System which divided a stream into segments based on intervening tributaries. Over the years, these reaches have been further segmented to reflect changes in designated uses or differences in impairment.

Each assessment unit is assigned a unique number (e.g., 15060202-028) as shown in the figure to the right, using the 8-digit hydrologic unit code number (HUC) assigned by the National Resources Conservation Service (NRCS) for the drainage area, and

- A 3-digit stream reach number (derived from EPA’s original Reach File System), or
- A 4-digit lake number (derived from Arizona Game and Fish Department’s lake numbering system).

Reach 15060202-028 is also verbally delineated in the assessment report by tributaries or other boundaries. In this case, the assessment unit is *Sycamore Creek, From Garland Spring Wash to Tule Canyon*.



## Site Identification

Surface water quality monitoring sites are identified in the database by their location along a stream or lake. Instead of using the latitude and longitude number for the site, ADEQ has devised a more user-friendly identification system using:



- Watershed code,
- Stream/lake code,
- A river mile number (miles upstream from the mouth of the stream) or
- Lake site descriptive code.

For example, on the reach used in the above example, a site identification number could be “VRSYW001.28.” This ID indicates that the sample was collected in the Verde Watershed (VR), on Sycamore Creek (SYW), and 1.28 miles upstream from its confluence. This ID number provides a wealth of information for those who know how to decode it.

A similar coding system is used for lakes, except that the river mile system is replaced by a descriptive site code. The lake site ID “SCLAK – A” indicates that the site is in the Santa Cruz Watershed (SC), on Lakeside Lake (LAK), and at location A, which is usually the dam site. The location code generally follows this pattern:

A = Dam site  
 B = Mid lake  
 MAR = Marina  
 BR = Boat Ramp

### **Arizona Assessment Calculator (AZAC)**

AZAC is a computer module developed for ADEQ by Tetra Tech, Incorporated to help automate assessments of data housed in ADEQ’s database. In Phase I, the data was aggregated into 7-day intervals per site, data reliability issues were flagged, and exceedances of surface water quality standards were determined. Reports derived by AZAC were used for the first time in the 2006 assessment. Later phases are proposed to take the assessment process further, ultimately automating assessment reports.

### **Electronic Assessment Reporting to EPA**

After the EPA approves the final 303(d) List, ADEQ sends its assessments to a federal Assessment Database (ADB). This provides an electronic version of the assessment report, which is compiled by EPA with other state reports to create the national report to Congress on the status of water quality. Assessments are recorded for each designated use. Pollutants/stressors causing impairment and probable sources are identified for all impaired waters. The status of TMDL development is also tracked in this database to develop national statistics.

ADEQ also sends a Geographic Information System (GIS) cover of the assessed waters to EPA with its electronic assessment. The new National Hydrography Dataset (NHD) is now being used to define the geographic location of assessment units. Attributes in the NHD, such as a reach number and the stream code abbreviations, are also used in the Department’s Oracle database to identify the sites and surface waters.

# SECTION 3

## DATA INTERPRETATION AND ASSESSMENT CRITERIA

### Data Interpretation

#### Exceptions for Exceedances

Not all exceedances of a water quality criterion result in an assessment unit being identified as impaired. Certain situations are specifically exempted in the surface water quality standards or the Impaired Water Identification Rule as not applicable in determining impairment. Surface waters are not assessed as impaired when:

- Pollutant loadings from naturally occurring conditions alone are sufficient to cause a violation of water quality standards (A.A.C. R18.11.604.C(1));
- Water quality results were collected under a moderating provision of an NPDES/AZPDES permit, such as a mixing zone, and the result does not exceed any discharge limitation established in the permit (A.A.C. R18-11-604.C.(2)); or
- The non-attainment is due to an activity or situation exempted under the surface water quality standards in R18-11-117 (canals and municipal park lakes), R18-11-118 (dams and flood control structures) or R18-11-119 (natural background).

If an assessment unit is impaired solely due to naturally occurring conditions (no human-caused influences), the surface water is not listed based on the exemption provided by A.A.C. R18-11-119. However, if there is evidence that the surface water is impaired due to naturally occurring conditions *and* as a result of human activity, the Department will place the surface water on the 303(d) List for further investigation to determine what portion of the impairment is “natural” versus what is human-induced and therefore, eligible for reduction and allocation under a TMDL analysis.

The TMDL investigation can also determine whether a site-specific standard or use-attainability analysis should be developed to address the naturally occurring pollutant loadings. 40 CFR 131.10(g) provides that site-specific criteria can be adopted when waters cannot attain standards because of naturally occurring pollutant concentrations or legacy pollutants. However, the human-caused impacts would be subject to reduction and/or remediation through the TMDL process to bring the water quality back into attainment of the pollutant concentrations that would naturally occur.

The most common reasons for exempting exceedances due to the “natural conditions” exception are:

- Low dissolved oxygen occurring where the source of the flow is primarily ground water upwelling, which is naturally low in dissolved oxygen. In most cases, flows at these sites were less than 1 cfs. In such cases, the monitoring and assessment staff must document:
  - No obvious anthropogenic sources of nutrients which would use the oxygen (e.g., septic systems, point source discharges upstream, grazing, recreation);
  - No evidence of excess nutrients (algal blooms);
  - That ground water was the primary source of flow.
  - Where data are available, nitrogen concentrations are less than 0.5 mg/L (i.e., much lower than standards and typical of levels found in unimpacted or native ground water); and
  - Bacterial standards were not exceeded.



**Santa Maria River**

- High pollutant loading from a spring source, with no potential anthropogenic sources of the pollutant due to factors such as access, topography, geology, and restrictions established by the land management agency (e.g., spring fed reaches in the Grand Canyon tributaries).

## Applying Narrative Standards

EPA has long suggested that all states develop implementation procedures for narrative water quality standards. Arizona's TMDL statute requires development of narrative implementation procedures before narrative water quality standards can be applied to 303(d) listing decisions (A.R.S. §49-232F). Several of these documents (e.g., narrative nutrients, narrative toxicity, narrative bottom deposits/sediment, and antidegradation) are currently under development, but were not available for this assessment; therefore ADEQ could not place an assessment unit on the 303(d) List based on evidence of narrative standard violations. If evidence of a narrative standard violation is present, the designated use is assessed as "inconclusive" and the assessment unit is placed on the Planning List for further monitoring. For assessment purposes, evidence of narrative standard violations would include:

- Fish kill related to algal blooms, low dissolved oxygen, high pH, or pollutants;
- Fish consumption advisory issued for a specific assessment unit; or
- Swimming area closure due to bacteria or other pollutant.

Narrative standard implementation procedures will establish not only the type of evidence, but the amount and magnitude of evidence needed to determine whether a narrative standard is being violated and whether the surface water should be added to the 303(d) List. For example, would one fish kill merit listing? Perhaps if, for example, an algal bloom, low dissolved oxygen, and high pH were also occurring.

The list of needed narrative implementation procedure documents outweighs current resources for development. As noted above, ADEQ is focusing its initial efforts on several key narrative standards:

- Narrative nutrients for lakes;
- Narrative toxics, including criteria and process for issuance of fish consumption advisories and the role of toxicity testing in both NPDES/AZPDES permits and ambient monitoring;
- Narrative bottom deposits/sediment;
- Narrative bioassessment criteria; and
- Antidegradation.

It is envisioned that implementation procedure documents will address use of the standard in permitting, assessments, listing decisions, and compliance determinations.

## Weight of Evidence

While minimum data requirements are important to establish, it would not be wise for the Department to make assessments blindly, based on numbers alone. There are many other factors that can be considered when making an impairment decision. A true weight-of-evidence approach considers multiple environmental indicators (biological, toxicological, physical, and chemical measurements) in assessing water quality. However, the 303(d) listing decisions are based primarily on chemical-physical measurements with numeric water quality standards, because until narrative standard implementation procedures are adopted, the TMDL Statute (**Appendix B**) precludes the use of narrative standards or biocriteria in listing decisions. Given this deficiency in the rules governing listing decisions, how does ADEQ use the weight-of-evidence approach for assessment and listing?

The weight of evidence approach in R18-11-605(B) (**Appendix C**) allows ADEQ to consider contextual information during the assessment process, such as:

- *Data Quality* –Newer or more reliable data is given more weight than data where quality is more questionable, especially where two different datasets may indicate conflicting results;
- *Critical Conditions* – Data collected during critical conditions may be considered separately from the complete dataset (critical conditions are those conditions during which exceedances are most likely to occur based on past occurrences);
- *Evidence of toxic impacts* – Fish kills, fish consumption advisories, beach closures, bioaccumulation in prey species, and other evidence of toxic impacts;
- *NPDES/AZPDES information* – Water quality discharge data or compliance issues with the pollutant of concern;

- *Anthropogenic influences* – Activities in the watershed, especially adjacent to an assessment unit, that might be the source of a pollutant;
- *Natural conditions and characteristics of the pollutant* – Geomorphology, geology, hydrology, and characteristics of the pollutant are considered when establishing whether the exceedance was solely or primarily due to natural conditions or whether human activities may be contributing to the exceedance, or provide other support for listing decision; and
- *Upstream or downstream exceedances* – The existence of other narrative or numeric exceedances can also provide supporting evidence.

For example, flow conditions are a crucial piece of information when reviewing the data in lotic waters (streams and rivers). In the absence of precipitation, streams are subject to extreme low flows (i.e., 1Q10, 7Q10), as opposed to high flow events (floods) that occur in response to significant rain or other precipitation events. Along with precipitation, or the lack thereof, in some systems stream flow volume is regulated by impoundments and diversions to accommodate irrigation, industrial cooling water, or hydroelectric needs. Low flows may be the critical conditions when an adit or other point source discharge is the primary source of pollutant loadings.

More variable and less predictable are the high flows resulting from precipitation events. Duration, frequency, magnitude, time of year, land use, and applied treatments are all factors that influence the impact a precipitation event may have on stream flow volume and corresponding water quality. For nonpoint sources of pollutants, high flow conditions will frequently result in pollutant loading from the watershed.

Another issue during flood flows is bacterial contamination. Exceedances of standards should be expected, especially during the initial flush of highly turbid runoff. Listing an assessment unit as impaired and doing a TMDL analysis due to such contamination would be a fruitless waste of resources. Therefore, using the weight-of-evidence approach, listing may be delayed while other samples are collected.



**Flood Flow on Big Sandy River**

Based on evidence of narrative exceedances or toxic impacts, assessment units are given higher priority for future monitoring, even though no numeric standard violations were reported. In addition, EPA in its review of the report can choose to list additional waters based on information provided in the report. This is especially true where the state is precluded by law from using certain types of information in its assessment decisions.

These factors do not, however, supersede any minimum data requirements. Also, a single line of water quality evidence is sufficient to demonstrate that the assessment unit is impaired.

## **Representative Data**

Appendix B of the CALM guidance (EPA, 2002) discusses the issue of representativeness of a site. It finds that samples taken close to each other in space tend to produce like results, as do samples taken close together in time. The best way to ensure that data is representative is to collect samples using an unbiased selection method with sufficient independent sampling sites to capture the variability inherent in surface water.

Methods for determining whether data are representative, reliable, and reproducible must be established in the data quality objectives established for the monitoring data in the Quality Assurance Plan (QAP) and Sampling Analysis Plan (SAP). ADEQ reviews the QAP and SAP as part of the credible data determination.

Unrepresentative sampling may occur as a result of selectively sampling from more accessible locations or even by excluding all storm event data. Non-representative data would also include water quality data collected at the end of a pipe, in street storm water drains, or in runoff outside of the stream channel.

Water collected in standing pools or in storm flow conditions would be representative of the variation in stream conditions. Such samples would need to meet surface water quality standards. However, if a large proportion of the data is collected during extreme high flow events, the dataset will be skewed and force the Department to establish unrealistic load reduction goals to account for such infrequent events. Therefore, ADEQ strives to collect data during a variety of flow conditions and performs assessments using a weight-of-evidence approach. During the assessment, samples collected during extreme high flow events are noted, if documented, and considered appropriately under the weight-of-evidence approach.

Rather than define the maximum coverage of a single station, Arizona's Impaired Water Identification Rule relies on minimum numbers of samples, spatial independence, and temporal independence. Samples are considered *spatially independent* if they are collected more than 200 meters apart; or if less than 200 meters apart, samples were taken to characterize the effect of an intervening tributary, outfall, pollution source, or significant hydrographic or hydrologic change. Samples are *temporally independent* if they are collected at least seven days apart (see 7-day Rule below).



**Monitoring the San Pedro River**

## Data Aggregation

### The Seven-Day Rule

Temporal separation of samples is important in the assessment process, because surface waters should be identified as impaired only if the exceedances of water quality standards are persistent or recurring. Impairment decisions should not be based on one-time events that cause a temporary elevation in pollutant concentrations that may never be repeated. Similarly, a decision of "attaining" should also not be made based on samples collected all at one time.

In order to ensure temporal separation of samples, the Department assumes that samples collected at a site within seven days represent one "event." Then the Department determines that multiple dates are represented by combining sites within the assessment unit. So, the following two steps occur in the process of data aggregation to ensure that samples are temporally independent.

#### Step 1 – Sample counting by site

If multiple samples are available *at one site* within a seven-day period, a representative value is determined. This value is then counted as one sample for that one-week period at that site. The following values are used:

#### 7-Day Data Aggregation Criteria

PARAMETERS	REPRESENTATIVE 7-DAY VALUE
Dissolved oxygen	Minimum value
Acute aquatic and wildlife criteria Nitrate and nitrite/nitrite criteria <i>E. coli</i> single sample maximum standard	Maximum value
Chronic aquatic and wildlife criteria	Use the median value for the 7-day period. (If an even number of samples, select the maximum of the central two numbers.)
pH	Minimum <u>or</u> maximum (the pH standard is a <u>range</u> of numbers)
All other data*	Measure of central tendency (usually an average)



### Step 2 – Sample counting by assessment unit

If multiple sites have been sampled within the assessment unit within a seven-day period, they are counted as one sample and one exceedance for the assessment unit unless:

Exception 1: Applying 90<sup>th</sup> Percentile standards to nutrient data; or

Exception 2: Applying geometric mean standards to *E. coli* bacteria data.

The table below provides an example of what occurs during the two steps of data aggregation. The acute Aquatic and Wildlife criterion for selenium is used for the example (20 µg/L). In this table, exceedances appear in red type. Samples collected during the same week are shaded purple. The third column shows the results of data aggregation by site (Step 1). At Site 1, three samples were collected within a seven-day period, so the worst case value is used as the representative value for that week. All other samples were collected at least a week apart; therefore, the sample values are simply brought over into the Data Aggregation column. The number of samples and exceedances are counted the assessment unit (Step 2). In this step all samples 4/10/03 and 4/13/03 are counted as one sample and one exceedance.

**Example of 7-Day Data Aggregation Methods**

	Actual Samples Collected		Data Aggregation by Site (Step 1)	Data Aggregation by Assessment Unit (Step 2)
	Date	Selenium (µg/L)		
Site 1	4/10/03	27	Worst case value 4/10/03 – 4/13/03 = 29	
	4/12/03	29		
	4/13/03	<5		
	6/7/04	18	18	
Site 2	1/11/03	15	15	
	4/12/03	22	22	
	7/17/03	18	18	
	11/20/03	<5	<5	
Assessment Unit			6 samples 2 exceedances	(Data on 4/12/2003 combined) 5 samples 1 exceedance

In Step 1 a representative value, such as an average or a worst case, is being determined for the assessment unit. In Step 2, all samples for a parameter collected within a week at multiple sites are *counted as one sample*. If any one of the samples or representative values in a seven-day period is an exceedance of a standard, it is *counted as one exceedance*.

This data aggregation avoids over-counting exceedances (a type 1 error that would lead to listing when not impaired) and avoids over-counting samples collected during one week that could dilute out a problem (a type 2 error that would lead to not listing when impaired).

### Critical Sites

However, data or information collected at one or more sites may be considered separately from the complete dataset, when the data show that the assessment unit is impaired at those sites, but attaining at other sites. In such cases the data is not aggregated across the assessment unit. Not aggregating data in such cases avoids a type 2 error (failure to list when impaired).

## Assessing Attainment

Assessing attainment of standards and assessing impairment of an assessment unit are two entirely different decision processes. Consider a toxic pollutant, such as copper, as an example. The acute dissolved copper standard for the Aquatic and Wildlife use is not to be exceeded more than one time in a three-year period. This criterion for impairment is based on EPA guidance, which cites studies showing that aquatic life can recover from only one exceedance during this time period.

Assuming that one day equals one exceedance, to demonstrate attainment of this standard, ADEQ would need to show that *all areas* of the assessment unit *attained* the standard 1,093 days out of approximately 1,095 total days in a three-year period. To demonstrate impairment, the Department would need to show only that *any one site* in the assessment unit *exceeded* the standard two days out of 1,095 days. Thus, while two samples for one pollutant are sufficient to show impairment, the same cannot be said for determining attainment.

The Department cannot monitor every surface water, or even one surface water, every day for three years. Even with unlimited resources, it would not make sense to spend this much time monitoring one assessment unit when there are no indications of water quality problems. This would only delay the monitoring of other surface waters where impairment may be occurring.

For these reasons, EPA guidance recommends that states choose a set of “core indicators,” and a minimum number of samples, necessary to assess *attainment* of designated uses. ADEQ has adopted this approach.



**San Francisco River**

### Core Parameters and Seasonal Distribution

Ideally, samples would be collected continuously from all possible monitoring sites along an assessment unit to avoid extrapolation of data in assessing water quality. Also, all parameters with surface water standards would be included routinely in the analytical suite. However, this level of data collection and analysis is never possible. Given staff and budget constraints, monitoring data are instead collected at sites and during conditions selected to be representative of the varying conditions. Since a water quality standard might be more likely to be exceeded during critical conditions such as high or low flows, or during seasonal conditions when recreation is more active, samples should be collected under different conditions to determine whether the surface water is really “attaining” its designated uses (seasonal distribution).

Although all parameters with numeric standards are used for assessment, ADEQ has chosen a set of indicators, called “core parameters,” necessary to assess whether each designated use is *attaining* standards. Arizona’s core parameters are shown in the table below.

**Core Parameters**

DESIGNATED USE	CORE PARAMETERS
<b>Aquatic and Wildlife</b>	Dissolved oxygen (not required if ephemeral) Stream flow (if a stream) Sample depth (if a lake) pH Total nitrogen (if nutrient standards established) Total phosphorus (if nutrient standards established) Dissolved cadmium, copper, and zinc and hardness
<b>Fish Consumption</b>	Total mercury
<b>Full Body or Partial Body Contact</b>	<i>Escherichia coli</i> (not required if ephemeral) pH
<b>Domestic Water Source</b>	Nitrate/nitrite or nitrate pH Fluoride Total arsenic, chromium or chromium VI, and lead
<b>Agricultural Irrigation</b>	pH Total boron and manganese
<b>Agricultural Livestock Watering</b>	pH Total copper and lead

Core parameters were selected based on EPA's CALM guidance (2002), although they are limited due to the lack of narrative standards implementation procedures. CALM guidance places strong emphasis on narrative water quality standards, suggesting that core indicators should include bioassessments, habitat assessments, ambient toxicity testing, contaminated sediment, health of individual organisms, nuisance plant growth, algae, sediments, and even odor and taste. However, Arizona is currently limited to physical-chemical parameters. Arizona's choice of core parameters will change in future assessments as new numeric and narrative standards, criteria, and assessment tools are developed.

Core parameters were chosen using the following criteria:

- Frequently exceeded standards in past assessments;
- Routinely included in ambient monitoring suites;
- Lab reporting limits routinely below applicable surface water criteria;
- Critical toxicity recognized; and
- Standards and implementation procedures support application of the criteria.

For example, dissolved metals exceedances and low pH measurements are often found in historic mining areas. *E. coli* bacteria and nitrate were chosen because they can cause serious human illness or death if standards are exceeded, and they are important in determining support of Body Contact and Domestic Water Source designated uses.

Core parameters must be sampled at least *three times* and samples must be reasonably distributed at different times of the year to reflect seasonal changes (seasonally distributed). If this does not occur, and the designated use is not "impaired," then the designated use is assessed as "inconclusive."

Attainment decisions are not limited to these core parameters. All parameters with surface water quality criteria are considered. For example, along with the *E. coli* and pH samples (the two core parameters for Full Body Contact), the Full Body Contact criteria for metals (e.g., arsenic, cadmium, zinc) must also be considered when data is available. The assessment unit would be assessed as "attaining" Full Body Contact when all applicable criteria showed attainment.

To assess a designed use, all core parameters must be represented seasonally. For example, although numerous *E. coli* bacteria samples were collected, the assessment unit is assessed as *attaining* Full Body Contact only if pH was also collected with seasonal distribution.

Note that core parameters and seasonal distribution are not required to determine *impairment* (see the **Assessing Impairment** subsection to follow).

The Department acknowledges that three sampling events are not enough to assess *attainment* with *statistical* confidence. However, three seasonally distributed samples with no exceedances indicate that monitoring resources may be better spent at other sites. Such attainment decisions reflect limited monitoring resources and the Department's focus on identifying and resolving water quality impairments.

## Assessing Impairment

### Minimum Data Requirements

As described above, determining impairment requires fewer samples than determining attainment. Especially for the most toxic pollutants, it takes very few exceedances to cause impairment of a designated use. Also, while it takes several parameters to assess attainment, it takes only one pollutant to cause impairment.

When trying to identify water quality problems, a larger dataset will often have a higher probability of detecting water quality criteria excursions than smaller datasets. However, as noted previously, resources restrict sampling efforts to the minimum needed to fulfill data quality objectives. Preparation of the 303(d) List and TMDLs must account for the varying quantities of data and associated confidence in that data to identify water quality concerns.



The Department understands the importance of data quantity in the water quality assessment process; however, staffing, budgets, and time often restrict the amount of data collected from a single assessment unit. Furthermore, EPA guidance calls for states to explore ways to achieve the most practical statewide coverage which translates to fewer measurements from a greater number of surface waters and use of extrapolation methods.

For most criteria, the Impaired Waters Identification Rule (**Appendix C**) requires a minimum of 20 samples collected over three sampling events to determine impairment. This is based on a greater than 10% exceedance rate at a 90% confidence level, and is referred to as the “binomial approach.” Exceptions to the 20-sample minimum are established in the rule and discussed

below, but generally involve exceedances of criteria with acute human or aquatic life impacts (e.g., bacteria, toxics). Waters that are lacking sufficient data to determine if a designated use is “attaining” or “impaired” are placed on ADEQ’s internal Planning List for future monitoring.



**Little Colorado River – Suspended Sediments**

The following tables summarize the assessment criteria used to determine that a designed use is “impaired,” “attaining,” or “inconclusive.” The methods for impairment determination vary by type of criteria and potential toxicity of the pollutant. A pollutant that exceeds an acute aquatic and wildlife standard even once, for example, may be lethal to aquatic life and wildlife. On the other hand, some of the human health standards were set at levels that protect for lifetime exposures.

**Assessment Criteria Summary Table**

	<b>EXCEEDANCE DEFINITION</b>	<b>ASSESSED AS</b>		
		<b>IMPAIRED</b>	<b>ATTAINING</b>	<b>INCONCLUSIVE</b>
<b>ALL HUMAN HEALTH AND AGRICULTURE USE CRITERIA</b> Body Contact, Fish Consumption, Domestic Water Source, Agriculture Irrigation, Agriculture Livestock Watering (Except those addressed below)	1 exceedance = 1 grab sample exceeds a criterion	At least 10% of samples exceed criterion at a 90% confidence rate; Minimum of 5 exceedances; and Minimum of 20 samples (See following binomial-based table)	No exceedances or fewer exceedances than criteria for planning list (See following binomial-based table); and If a core parameter, at least 3 samples representing different seasons	If an exceedance, insufficient data to determine if impaired to attaining (see criteria to left); or Insufficient core parameter samples or seasonal coverage.
<b>ACUTE CRITERIA</b> Aquatic and Wildlife	1 exceedance = 1 grab sample exceeds a criterion	Two or more exceedances during a 3-year period	No exceedances during the last 3 years of monitoring; and If a core parameter, at least 3 samples representing different seasons	Only one exceedance during the last 3 years of monitoring; or Insufficient core parameter samples; or Insufficient seasonal coverage
<b>CHRONIC CRITERIA</b> Aquatic and Wildlife	1 exceedance = 1 grab sample exceeds a criterion and absence of contextual information indicating unstable conditions; or The median value of at least 4 samples taken 24 hours apart exceeds a criterion	Two or more exceedances during the assessment period	No exceedances of any A&W chronic criterion during the assessment period; and If a core parameter, at least 3 samples representing different seasons	Only one exceedance during the assessment period; or Insufficient core parameter samples; or Insufficient seasonal coverage
<b>NITRATE OR NITRATE/NITRITE CRITERIA</b> Domestic Water Source	1 exceedance = 1 grab sample exceeds a criterion	Two or more exceedances during the assessment period	No exceedances (Not a core parameter)	Only one exceedance during the last 3 years of monitoring. (Not a core parameter)
<b>E. COLI BACTERIA SINGLE SAMPLE MAXIMUM CRITERIA</b> Body Contact	1 exceedance = 1 grab sample exceeds a single sample maximum criterion. However, for impairment decisions, the grab sample must exceed a screening value.	Two or more exceedances during the assessment period	No exceedances; and If a core parameter*, at least 3 samples representing at different seasons	Only one exceedance during the last 3 years of monitoring; or Fewer than three samples*; or Insufficient seasonal coverage*
<b>E. COLI BACTERIA GEOMETRIC MEAN CRITERIA</b> Body Contact	1 exceedance = the geometric mean of at least 4 samples taken during a 30-day period exceeds a criterion	Two or more exceedances during the assessment period	No exceedances (Sufficient data to calculate a monthly geometric mean is not required)	Only one exceedance during the assessment period.
<b>NITROGEN AND PHOSPHORUS SINGLE SAMPLE MAXIMUM CRITERIA</b> Body Contact and Aquatic and Wildlife	1 exceedance = 1 grab sample exceeds a criterion	At least 10% exceedance at a 90% confidence rate; Minimum of 5 exceedances; and Minimum of 20 samples (see binomial-based table below)	No exceedances or fewer exceedances than criteria for planning list (see binomial-based table below); and If standards apply, at least 3 samples represented different seasons	At least one exceedance, but insufficient data to determine if impaired to attaining (see criteria to left); or If standards apply, fewer than 3 samples collected or insufficient seasonal coverage
<b>NITROGEN AND PHOSPHORUS ANNUAL MEAN CRITERIA</b> Body Contact and Aquatic and Wildlife	1 exceedance = the annual mean of at least 3 monthly means exceeds a criterion	Two or more exceedances during the assessment period	No exceedances (Sufficient data to calculate an annual mean is not required)	Only one exceedance during the assessment period; or Many samples exceeded the criterion although the annual mean was not exceeded.
<b>NITROGEN AND PHOSPHORUS 90<sup>th</sup> PERCENTILE CRITERIA</b> Body Contact and Aquatic and Wildlife	1 exceedance = the 90 <sup>th</sup> Percentile of at least 10 samples collected at least 10 days apart exceeds a criterion.	Two or more exceedances during the assessment period	No exceedances (Sufficient data to calculate a 90 <sup>th</sup> Percentile is not required)	Only one exceedance during the assessment period; or Many samples exceeded the criterion although the 90 <sup>th</sup> Percentile was not exceeded.

	EXCEEDANCE DEFINITION	ASSESSED AS		
		IMPAIRED	ATTAINING	INCONCLUSIVE
<b>SUSPENDED SEDIMENT CONCENTRATION GEOMETRIC MEAN CRITERION Aquatic and Wildlife</b>	1 exceedance = the geometric mean of at least 4 consecutive samples exceeds the criterion, excluding samples collected during elevated flows. (See discussion in Data Interpretation.)	Two or more exceedances during the assessment period	No exceedances (Sufficient data to calculate a geometric mean is not required)	Only one exceedance during the assessment period; or Many samples exceeded the 80 mg/L criterion although the geometric mean was not exceeded.
<b>TOTAL DISSOLVED SOLIDS FLOW-WEIGHTED ANNUAL MEAN CRITERIA On the Colorado River</b>	1 exceedance = the flow-weighted mean of all samples collected during a 12 month period exceeds a site-specific criterion.	Two or more exceedances during the assessment period	No exceedances (Sufficient data to calculate a flow-weight mean is not required)	Only one exceedance during the assessment period; or Many samples exceeded the criterion although the annual mean was not exceeded.

\* E. coli bacteria and dissolved oxygen are not required core parameters where Aquatic and Wildlife ephemeral and Partial Body Contact apply.

Note: If not a core parameter, no minimum samples are required to determine that a designated use is “attaining.”

**Binomial-Based Exceedance Table**

SAMPLES COLLECTED		MINIMUM EXCEEDANCES		MAXIMUM EXCEEDANCES
FROM	TO	IMPAIRED (Binomial)	INCONCLUSIVE (Planning List)	ATTAINING
3	9	NA	NA	0
10	15	NA	3	2
16	19	NA	4	3
20	23	5	4	3
6	32	6	5	4
33	40	7	6	5
41	47	8	7	6
48	55	9	8	7
56	63	10	9	8
64	71	11	10	9
72	79	12	11	10
80	88	13	12	11
89	96	14	13	12
97	104	15	14	13
105	113	16	15	14
114	121	17	16	15
122	130	18	17	16
131	138	19	18	17
139	147	20	19	18
148	146	21	20	19
157	164	22	21	20

To determine impairment, the minimum number of exceedances is based on a minimum of 10% exceedance frequency with at least a 90% confidence level, using a binomial distribution. If not impaired, an assessment unit is placed on the Planning List based on a 10% exceedance frequency with a minimum of 80% confidence level, also using a binomial distribution. Attainment occurs if sufficient samples to assess and insufficient exceedances to place on the planning list. Formulas to determine the minimum exceedances with any number of samples are included in Appendix C (Impaired Water Identification Rule, R18-11-605).

## Assessing When No Longer Impaired

When is an assessment unit no longer impaired? What is the minimum number of samples? What number of exceedances is acceptable? The Impaired Water Identification Rule (**Appendix C**) currently provides limited criteria to determine when an assessment unit is no longer impaired (R18-11-605(F)). More specific criteria are proposed in the draft Impaired Water Identification Rule, but these criteria were not applied in the 2006 assessment.

An assessment unit is removed from the 303(d) List when the TMDL is completed or alternative pollution control requirements have made the development of a TMDL unnecessary. In EPA's terms, the surface water is moved from Category 5 to Category 4A or 4B, but it remains *impaired*.

To be "no longer impaired," one of the following criteria must be met:

- The water quality criterion is no longer exceeded due to a change in standard or designated use;
- New data indicate that the designated use is attaining, and the new data was collected during critical conditions (hydrologic or climatic conditions when exceedances are most likely to occur);
- Reevaluation of the assessment information indicates an error or deficiency in the original analysis resulted in an inappropriate listing;
- Pollutant loadings from naturally occurring conditions are the sole cause of the criterion not being met; or

- The reach is split into 2 or more segments and no current or historic data exists that would support listing this portion of the impaired reach.

If the delisting is based on new data, then the number of samples required and the number of exceedances depend on the criteria used for listing, as shown in the following table:

**Criteria for Determining When No Longer Impaired**

	ASSESSED AS	EXCEEDANCE DEFINITION
	NO LONGER IMPAIRED	
<b>ALL HUMAN HEALTH AND AGRICULTURE USE CRITERIA</b> <b>(Except those addressed below)</b>	Minimum 10 samples and no more than the maximum exceedances shown in “Attaining” column in the binomial-based table (prior page)	1 exceedance = 1 grab sample exceeds a criterion
<b>ACUTE CRITERIA</b> <b>Aquatic and Wildlife</b>	No exceedances during the last three years of monitoring the parameter of concern	1 exceedance = 1 grab sample exceeds a criterion
<b>CHRONIC CRITERIA</b> <b>Aquatic and Wildlife</b>	No exceedances during the assessment period and parameter of concern samples were collected.	1 exceedance = 1 grab sample exceeds a criterion and absence of contextual information indicating unstable conditions; or The median value of at least four grab samples taken at least 24 hours apart during a 7-day period exceeds a criterion
<b>NITRATE OR NITRATE/NITRITE CRITERIA</b> <b>Domestic Water Source</b>	No exceedances during the last three years of monitoring the parameter of concern	1 exceedance = 1 grab sample exceeds a criterion
<b>E. COLI BACTERIA SINGLE SAMPLE MAXIMUM CRITERIA</b> <b>Body Contact</b>	No exceedances during the last three years of monitoring the parameter of concern	1 exceedance = 1 grab sample exceeds a single sample maximum criterion
<b>E. COLI BACTERIA GEOMETRIC MEAN CRITERIA</b> <b>Body Contact</b>	Sufficient samples to determine at least two monthly geometric means and no exceedances	1 exceedance = the geometric mean of at least 4 samples taken during a 30-day period exceeds a criterion
<b>NITROGEN AND PHOSPHORUS SINGLE SAMPLE MAXIMUM CRITERIA</b> <b>Body Contact and Aquatic and Wildlife</b>	Minimum 10 samples and no more than the maximum exceedances shown in the “Attaining” column in the binomial-based table (prior page)	1 exceedance = 1 grab sample exceeds a criterion
<b>NITROGEN AND PHOSPHORUS ANNUAL MEAN CRITERIA</b> <b>Body Contact and Aquatic and Wildlife</b>	Sufficient samples to determine at least two annual means and no exceedances	1 exceedance = the annual mean of at least three monthly means exceeds a criterion.
<b>NITROGEN AND PHOSPHORUS 90<sup>th</sup> PERCENTILE CRITERIA</b> <b>Body Contact and Aquatic and Wildlife</b>	Sufficient samples to determine at least two 90 <sup>th</sup> Percentiles and no exceedances	1 exceedance = the 90 <sup>th</sup> Percentile of at least 10 samples collected at least 10 days apart exceeds a criterion.
<b>SUSPENDED SEDIMENT CONCENTRATION GEOMETRIC MEAN CRITERION</b> <b>Aquatic and Wildlife</b>	Sufficient samples to determine at least two geometric means and no exceedances	1 exceedance = the geometric mean of at least four consecutive samples exceeds the criterion, excluding all samples collected during elevated flows,
<b>TOTAL DISSOLVED SOLIDS FLOW-WEIGHTED ANNUAL MEAN CRITERIA</b> <b>On the Colorado River</b>	Sufficient samples to determine at least two annual flow-weighted means and no exceedances	1 exceedance = the flow-weighted mean of all samples collected during a 12 month period exceeds a site-specific criterion.

**EPA Listings** – Surface waters listed as impaired by EPA are tracked on a separate 303(d) list. (See discussion in the following chapter.)

## Assessing Whether Threatened

An assessment unit may be assessed as “threatened” when a trend analysis, based on credible and scientifically defensible data, indicates that the assessment unit is *likely* to be impaired before the next listing cycle. As clearly defined in the Code of Federal Regulations (40 CFR Chapter 1, §130.7.b.5.iv), an assessment unit assessed as threatened needs to be included in the list of impaired waters.

Methods for conducting such a trend analysis and criteria for determining whether a reach or lake is “threatened” have not been developed or defined in the Impaired Water Identification Rule. Therefore, assessment units were not assessed as threatened in the 2006 integrated assessment and listing report.

## Trophic Status of Lakes

In the assessment report, ADEQ must also identify and classify public lakes according to trophic condition to fulfill requirements of section 314 of the Clean Water Act. Lakes can be classified in a continuum of lake trophic stages from low productivity to high productivity as nutrients accumulate or are depleted in the system, using the following terms:

- Oligotrophic – Clear lakes with low algal or plant productivity;
- Mesotrophic – Medium algal or plant productivity;
- Eutrophic – “Greener” lakes with high algal or plant productivity; and
- Hypereutrophic – Very high algal or plant productivity and light limited, as algae and macrophytes shade available light and inhibit further growth.

Trophic status is not used directly to assess designated use support. However, it may be used as further evidence of nutrient problems (weight-of-evidence), especially if a change in classification has occurred. For example, changes in status from mesotrophic to eutrophic might indicate that new sources of nutrients have been introduced into the lake system. Changing from hypereutrophic to eutrophic status could indicate successful implementation of nutrient source controls in the watershed.

Arizona’s approach to deriving the Trophic State Index is based on Patrick Brezonik’s *Trophic State Indices: Rationale for Multivariate Approaches* (1984). Derivation of TSI scoring and associated water quality values is documented in *Potential Nutrient-Related Targets for Lakes and Reservoirs in Arizona* (Malcolm Pirnie, 2005). The mean value of samples collected at a lake during the past 5 years is used to determine a lakes trophic status base on the following matrix:

**Arizona’s Trophic State Index (TSI)**

TROPHIC STATE	TSI	CHLOROPHYLL <i>a</i> (ug/L) (maximum)	SECCHI DEPTH (meters) (minimum)	TOTAL PHOSPHORUS (mg/L) (maximum)	TOTAL KJELDAHL NITROGEN (mg/L) (maximum)
OLIGOTROPHIC	0	0.3	5.2	0.013	0.3
	10	0.6	4.0	0.019	0.3
	20	1.2	3.1	0.027	0.4
MESOTRPHIC	30	2.5	2.4	0.037	0.6
	40	5.0	1.8	0.052	0.7
EUTROPHIC	50	10	1.4	0.074	1.0
	60	20	1.1	0.103	1.2
	70	40	0.8	0.145	1.6
HYPEREUTROPHIC	80	81	0.6	0.203	2.1
	90	161	0.5	0.285	2.7
	100	323	0.4	0.400	3.5

# Section 4

## Final Listings

### Assessment Categories

EPA created five categories for reporting assessments to provide a clearer summary of states' water quality status to Congress. New guidance gives the states an option of reporting an assessment unit in more than one category when TMDLs are completed. Note that EPA must approve of listings and changes to listings in Category 4A-C and 5 (the impaired water listings). (See subsection "Public Involvement and EPA Review.")

ADEQ added one category to institutionally track assessment units that are impaired due to natural conditions (4N). Because this list is not recognized by EPA, assessment units in 4N, also appear on one of the other 5 categories, depending on assessments of other designated uses.

- Category 1:** Attaining all designated uses.  
**Category 2:** Attaining some designated uses, and no use is threatened or impaired.  
**Category 3:** Insufficient or no data and information to determine if any designated use is attained.  
**Category 4:** Impaired or threatened for one or more designated uses but a TMDL is not necessary because:
- 4A – A TMDL has already been completed;
  - 4B – Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard;
  - 4C – The impairment is caused by pollution but not a pollutant; or
  - 4N – The impairment is *solely* by natural conditions (an Arizona list only).
- Category 5:** Impaired or threatened for one or more designated uses by a pollutant, and a TMDL needs to be developed or revised.

#### Category 1

Assessment units with sufficient data to determine that all designated uses are supported. In these assessment units, at least three samples were collected to represent seasonal differences for all core parameters.

#### Category 2

Assessment units with sufficient data to determine that one or more designated use is "attaining" and the remaining designated uses are assessed as "inconclusive." No use is threatened or impaired. The specific reasons a designated use is assessed as inconclusive can vary, but in general there are not enough samples to make a decision as to whether the use is "attaining" or "impaired."

#### Category 3

Assessment units with insufficient data to assess any designated use as "attaining" or "impaired." All designated uses are assessed as "inconclusive." The same reasons in Category 2 apply here: insufficient data. By default, this category also includes assessment units with no water quality data available. (Note: An inventory of these waters has not been completed because many ephemeral surface waters in Arizona have not been assigned a name or identification number.)

#### Category 4

Assessment units with at least one use assessed as "impaired" or "threatened" but development of a Total Maximum Daily Load (TMDL) analysis is not needed (at this time), for the following reasons:

- 4A – A TMDL has already been completed, is being implemented, and appears to be sufficient;
- 4B – Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard;
- 4C – The impairment is caused by pollution but not a pollutant; or
- 4N – Impairment is caused *solely* by natural conditions (no human contributions).

**Category 4A** – Assessment units where TMDLs have been completed and the pollutants covered under those TMDLs. The TMDL is an investigative study of pollutant sources that includes recommendations for pollutant reductions; however, even after recommended improvements have begun, it may take several years to see the effects. Therefore, the assessment unit remains impaired and listed in Category 4A until it is attaining standards again.

**Category 4B** – Assessment units where alternative pollution control requirements are being used to meet standards, rather than a TMDL. To be placed on 4B, ADEQ must submit to EPA for evaluation and review the following information:

- Statement of the problem causing the impairment, identifying pollutants and their sources;
- Description of the alternative pollution controls being implemented, including the funding mechanism for any associated costs and binding agreements to complete implementation;
- Reasonable time schedule for implementation of controls;
- Projection of when water quality standards will be met;
- Description of and schedule for monitoring, that will show progress with the control strategy; and
- Commitment to revise the control strategy if progress towards meeting water quality standards is not being shown.

**Category 4C** – Assessment units where the impairment is not caused by a pollutant, but instead by other types of pollution. For example, a designated use may be impaired solely due to lack of adequate flow or stream channelization. In such cases, the specific *cause and source* of the impairment has been carefully studied, generally through the TMDL process.

On the other hand, although low dissolved oxygen is not a pollutant, under EPA assessment guidance it is listed as the *cause of impairment* and a TMDL is required when the low dissolved oxygen is *caused by the presence of a pollutant* (e.g., nutrients or chemical oxygen demand). Similarly, low or high pH are listed as cause of impairment in Category 5, rather than 4C, when pollutants are thought to be causing or contributing to the impairment. To date ADEQ has not used Category 4C.

**Category 4N** – Assessment units where impairment is solely due to a natural conditions. These waters are protected under Tier 1 antidegradation rules (Arizona Administrative Code R18-11-107 and decisions concerning potential discharges or activities in the watershed that could increase the pollutant of concern must consider these waters to be “impaired” (e.g., grazing actions, construction permits). To be placed on this list, ADEQ must have evidence that anthropogenic activities are *not* contributing to the impairment. Waters are added to this list when:

- Sufficient monitoring data and exceedances have occurred that the assessment unit would otherwise be listed as impaired; or
- A TMDL investigation finds that the pollutant exceedances are *solely* due to natural causes or conditions and results in delisting the pollutant.

## **Category 5**

Assessment units with at least one designated use impaired or threatened by a pollutant and a Total Maximum Daily Load analysis needs to be completed. The assessment unit remains on Category 5 until EPA has approved the TMDL or the pollutant is otherwise delisted.

The other uses may be any combination of attaining, inconclusive, and even impaired but not on the 303(d) List (see Category 4 above). For example, as TMDL’s are completed those parameters are moved to Category 4A; however, additional parameters may be impairing the assessment unit. In such cases the surface water may appear both in Category 5 and in one or more of the Category 4s.

EPA has added several surface waters to the 303(d) List. Because these waters were listed based on criteria not available to ADEQ (e.g., fish consumption advisories, fewer exceedances or samples than required under Arizona’s methods), these waters are kept on or removed from the impaired water list at EPA’s discretion. (See further discussion in the Public Involvement and EPA Review section of this chapter.)



## Multiple Category Listings

Assessment units in Categories 4 and 5 can be in multiple categories as the listings are based on the pollutant causing the impairment. For example, an assessment unit could be impaired by arsenic, copper, selenium, suspended sediment and low dissolved oxygen. Because TMDLs have been completed for arsenic and copper, the assessment unit appears in Category 4A. The stream now appears to be impaired based on the newly adopted suspended sediment criteria standard, so the assessment unit also appears in Category 5. New monitoring and laboratory methods allow us to detect much lower concentrations of mercury, so new assessments show that the reach is impaired by mercury. However, the main source of the mercury has developed a plan under its permit obligations to remediate a waste site which should mitigate the mercury contamination. A TMDL for mercury is unnecessary at this time, and the remediation plan allows the assessment unit to be listed in Category 4B for mercury.

Such multiple listings provide credit for taking actions to completing TMDLs and initiate remediation activities, even though other water quality issues have now been shown to exist.

## Water Quality Improvements and Delisting Waters

### Delists

When a pollutant is removed from Category 5, the pollutant must be officially “delisted” from the federal 303(d) List. A list of assessment units and pollutants being delisted are included in an appendix of the assessment report. Removal is generally due to the following:

- Water quality improvements,
- Changes in standards, designated uses, or assessment criteria,
- New data shows that the surface water is not impaired
- New data shows that impairment is solely due to natural conditions (remains impaired), or
- The TMDL has been completed (remains impaired).

Although delisted from the 303(d) List, the surface water may remain “impaired.” The surface water is simply moving from Category 5 to Category 4.

### Actions Resulting in Water Quality Improvements

When water quality improvements result in an assessment unit being “no longer impaired” by a pollutant, and such improvements can be directly attributed to actions taken within the watershed, Arizona has a real success story!! ADEQ has started to track these in an appendix to the assessment report.

Such improvements are generally *dependent* on continuing the water quality improvement action and not allowing new discharges of the pollutant. Decision makers concerned with potential discharges or new activities in the watershed (e.g., grazing actions, permits) need to be aware of the management practice (BMP), treatment, or other action, along with any TMDL loading requirements.

This list is different than the “Delist” table because it includes only surface waters delisted due to water quality improvements and it accrues pollutants from one assessment to the next.



**Duncan Area Improvement Grant Site**

## Public Involvement and EPA Review

Public participation and public review are important aspects of developing the integrated assessment and listing report. The public is encouraged to be involved in the process at several stages.

### Assessment Methods Development

Public participation is invited and encouraged during the development and revision of Arizona's Impaired Water Identification Rule (**Appendix C**). Informal public meetings are augmented by information available on ADEQ's website to provide all interested stakeholders many opportunities to discuss assessment issues and potential revisions. Rules are modified only after a formal public review and comment process is complete.

A draft of this Assessment Methods and Technical Support Document is provided for public review and comment during the initial review period for the integrated assessment report. Interested stakeholders are encouraged to comment about both impairment criteria and attainment criteria used during the assessment. Methods will be modified as needed before the final assessment is completed and submitted to EPA.

EPA is included as a stakeholder and provides comments on both the Impaired Water Identification Rule and this Assessment Methods document. Although EPA does not have to approve of ADEQ's assessment and listing methods, it considers the methods when reviewing Arizona's impaired waters lists. Any deficiency in these methods can be cited as a factor in an EPA decision to disapprove of a part of Arizona's 303(d) List.

### Surface Water Quality Standards

The public is also encouraged to participate in developing surface water quality standards. Formal meetings and informal focus sessions are scheduled throughout the Triennial Review process. For those who are unable to attend meetings, ADEQ's website provides information about proposed changes.

EPA must grant final approval of any changes to these standards before they are adopted. EPA also encourages public comments and further input by federal resource agencies before giving approval for proposed revisions.

### Integrated Assessment Report and Impaired Waters List

Monitoring data and other water quality data are requested from state, federal, and local agencies and other potential monitoring entities who collect, receive, or manage water quality data or information (e.g., NPDES/AZPDES permit holders, WQARF projects, volunteer monitoring groups.) ADEQ works with monitoring entities to develop monitoring plans so that data fulfills credible data requirements, and so the data can be uploaded into its water quality database.

A 30-day period initiates the public review of the draft integrated assessment and listing report. Notices are placed in major newspapers throughout Arizona and past reviewers are given written notice that the report can be downloaded from ADEQ's web site at: [www.azdeq.gov/envirom/water/assessment/assess](http://www.azdeq.gov/envirom/water/assessment/assess). Comments from this public review are considered in making the listing decisions. A written response to these comments is provided in the publication of the draft list in the Arizona Administrative Register.

A second and formal 45-day public review period is also provided for the draft 303(d) List of impaired waters (those waters requiring a TMDL). The list and a responsiveness summary from the informal review are published in the Arizona Administrative Register (A.A.R). The listing of an assessment unit or pollutant can be appealed pursuant to Title 41, Chapter 6, Article 10 by anyone who submitted comments on the draft list. If a notice of appeal is filed, the listing involved is not included in ADEQ's submission to EPA until the listing is upheld by ADEQ's Director or the appeal is withdrawn. A second responsiveness summary is provided with the Department's final submission to EPA.

### EPA Approval

After ADEQ's public process and revisions are complete, ADEQ submits the integrated assessment and listing report to EPA Region IX. To be considered complete, the submittal package must include:

- A cover letter;
- A hard copy of the integrated assessment report and listing report;

- An electronic version of the assessment (preferably using EPA's Assessment Database) and GIS covers linked to the surface water assessments;
- A list of impaired waters and pollutants of concern, separated into Categories 4 and 5.
- A prioritization of all TMDLs that must be developed, stating the year when the TMDL will be initiated and completed;
- A list of waters and pollutants to be removed from the 303(d) List, including those that remain impaired and are moving from Category 5 to 4,
- A list of waters and pollutants that are no longer impaired (moving from Category 4 or 5 to another category);
- Proposed future water quality monitoring;
- Copies of comments received on the draft and the Department's responses to those comments;
- Documentation and technical support of assessment methods;
- Documentation of the public process used; and
- Documentation of data used to support assessments.

EPA also requests other water quality related information or data that was not used for assessments, such as fish tissue data, contaminated sediment data, reports of fish kills, swimming area closures, biocriteria and habitat data. They may use this additional data to support other listing decisions.

**Partial Approval and "Over-filing"** – The 303(d) List of impaired waters needing TMDLs (but not the assessment report) is either approved, disapproved, or partially approved/disapproved by EPA within 30 days.

If a portion of the list is partially approved or disapproved, EPA proposes changes to the list and initiates another public review and comment period. Proposed revisions to Arizona's 303(d) List are published in the Federal Register. EPA works with ADEQ to attempt to notify all interested parties of this publication. At the end of the comment period, EPA evaluates public comments and compiles the final approved 303(d) List.

In the past, EPA has identified assessment units and pollutants of concern that needed to be added to Arizona's impaired water list to make the list consistent with federal regulations (over-filings). Because the original listings were not made according to Arizona's Impaired Water Identification Rule, they cannot be removed from the list based on Arizona's rule. In subsequent assessments, EPA must decide when these additional impairments are removed from Arizona's 303(d) List. In this respect, these impairments are tracked separately. However, once listed by EPA, ADEQ recognizes these waters as impaired, initiates TMDL according to priorities, and protect them from further pollutant loadings according to Arizona's Antidegradation Rules and permit requirements.

The list submitted to for public review and EPA's approval includes surface waters listed by EPA. This final draft list indicates the priority for completing the TMDL based on the prior assessment. (In the 2006 draft, 28 surface waters had one or more impairment listing by EPA). After actions are taken by EPA, the *final* integrated water quality assessment and listing report is posted on ADEQ's web site. A final electron assessment is submitted to EPA is also submitted to EPA. This final list includes surface EPA's revisions.

## **Coordinating with Neighboring Jurisdictions**

EPA advises states to coordinate with neighboring jurisdictions to ensure that assessments of surface waters which cross jurisdictional boundaries are reasonably consistent between states, taking into account differences in data availability and applicable standards.

Arizona works with neighboring jurisdictions during several stages of the assessment process, including standards development and assessment methods development. The five states surrounding Arizona and the 21 Tribal nations within Arizona are routinely included in our public review notification. Comments received are evaluated and additional discussion may be initiated. If a conflict cannot be resolved between ADEQ and the other jurisdiction, EPA will be notified.

Arizona has an excellent Border Program that works with Mexico. However, resolution of impaired waters has been a very complex matter, involving high-level actions, and requiring coordination with State Departments of both nations.

# Prioritizing and Scheduling TMDLs

## Prioritizing the 303(d) List

Prioritization criteria for scheduling TMDL development are established in the Impaired Water Identification Rule (A.A.C. R18-11-606) (**Appendix C**). In general, if a substantial threat to health and safety of humans, aquatic life, or wildlife is noted, the surface water is listed as *high priority* and ADEQ initiates development of the associated TMDL within two years following EPA's approval of the 303(d) List).

High priority factors:

- Substantial threat to health and safety of humans, aquatic life, or wildlife based on toxicity of the pollutant and magnitude or duration of the exceedance;
- The presence of a Threatened or Endangered species (T&E species) that may be further jeopardized by the water quality pollutant. This is determined by looking at critical habitat, published reasons for decline and vulnerability of the species, and discussions with the Arizona Game and Fish Department and the U.S. Fish and Wildlife Service;
- Special protection of the water resources, such as classification as a “unique water,” “wilderness area,” “wild and scenic river,” or other state or federal designation;
- Delay in the TMDL could jeopardize a timely permit action or the Department's ability to gather sufficient credible data to support the TMDL;
- Public interest and support for development of the TMDL;
- The assessment unit has an important recreational and economic significance; or
- The pollutant has been listed for eight or more years.

Medium and low priority ranking factors are also identified in the Impaired Water Identification Rule. The rule provides that several low priority factors can take precedence over high priority factors because completing a TMDL at this time would either be inappropriate, premature, or an inefficient use of resources. The low priority factors that trump high priority factors include:

- ADEQ has formally submitted to EPA a proposal to delist the surface water or pollutant based on new data, new standards, or new designated uses.
- Flow conditions inhibit collecting samples during critical conditions or a variety of conditions necessary for modeling;
- The uncertainty of timely coordination with Mexico, another state, or a tribal reservation needed to conduct the TMDL or implement necessary watershed improvements;
- The assessment unit is expected to attain water quality standards due to:
  - Changes in treatment or best management practices;
  - Discharges or activities related to impairment have stopped; or
  - Other controls are in place or scheduled;
- Naturally occurring conditions are the major contributor to the impairment.

It may become necessary to shift priority ranking of an assessment unit due to significant changes in resources to complete TMDLs or as new information is obtained concerning one of the priority factors. Such changes are negotiated with EPA and are made known to the public through the TMDL status page on ADEQ's web site.

## Monitoring Priorities – The Planning List

Monitoring needs are identified during the assessment process. In general, the needs fall into one of the following:

- Insufficient data (e.g., criteria is exceeded, missing core parameters or lack of seasonal coverage);
- Support for TMDL development; or
- Determine effectiveness of strategies implemented to reduce contaminant loading.

How does ADEQ prioritize this monitoring? High priority factors include:

- Substantial threat to health and safety of humans, aquatic life, or wildlife based on toxicity of the pollutant and magnitude or duration of the exceedance;
- High number of exceedances compared to the number of samples taken;
- Probable evidence of narrative standards violations;
- The presence of a Threatened or Endangered species (T&E species) that may be further jeopardized by the water quality pollutant;
- Special protection of the water resources;
- Time constraints for a permit action;
- Public interest and support for development of TMDL development; and
- Need to initiate effectiveness monitoring.



Other factors to consider in scheduling monitoring include:

- Potential for having sufficient current data to support an assessment (considering the age and amount of data previously collected);
- Representation of critical conditions (i.e., season, precipitation, activity in the watershed when exceedances have occurred in the past); and
- Scheduling of rotational ambient watershed monitoring

In Arizona's 2006 integrated report, a "data gaps and monitoring needs" table is included in each assessment unit report. The Department uses this information as a "planning list" to schedule and prioritize monitoring within the ten watersheds according to the following criteria:

**Low**

- Missing core parameters or seasonal distribution; or
- Adequate baseline data and actions in the watershed should result in improved water quality.

**Medium**

- Some exceedances, but low magnitude compared to standard;
- Some exceedances, but low frequency of exceedances (not enough to be assessed as impaired); or
- Need to determine effectiveness monitoring.

**High**

- High magnitude exceedances when compared to standard; or
- Need to support a scheduled TMDL.

Assessment units with "high" priority monitoring needs would be scheduled for monitoring in the two years or as needed to support a TMDL. Medium or low priority waters would be addressed as part of the five-year watershed cycle, with the goal of collecting sufficient monitoring data to assess the majority of the waters on the Planning List within five years. It should be noted that current drought conditions and past budget deficits have had an impact on ADEQ's ability to obtain sufficient data during critical conditions on some waters on the Planning List.

# SECTION 5

## FURTHER TECHNICAL RATIONALES

### Binomial Distribution Method

#### Impairment Based on the Binomial

How many exceedances must occur before one determines the assessment unit is impaired? EPA has provided specific guidance for working with acute and chronic aquatic and wildlife standards (two or more exceedance in a 3-year period is impaired). What about other parameters?

EPA's CALM document (2002) suggests that an exceedance rate greater than 10 percent for conventional parameters, such as dissolved oxygen and pH, indicates impairment of a designated use. The Department has extended this approach to Arizona's human health standards that were established to protect for 70-year lifetime exposure periods, since an exceedance rate under 10 percent should not negatively impact human health (with the exception of *E. coli* bacteria and nitrate which are pollutants that can be acutely toxic to humans).

The purpose of the binomial distribution method is to balance the two types of error possible in assessment and listing decisions:

- Type I error – Listing an assessment unit that is *not* impaired (a false positive), and
- Type II error – *Not* listing an assessment unit that is *impaired* (a false negative)

To reduce listing error, the Department adopted a statistical approach to 303(d) listing, using a binomial distribution method and establishing a statistical “confidence level” for assessments. This method is a statistical tool used to test a hypothesis. Using the 10 percent rule from CALM guidance, the null and alternative hypotheses, respectively, become:

- H<sub>0</sub>: The true exceedance rate (p) is ≤10%; the surface water is not impaired;
- H<sub>a</sub>: The true exceedance rate (p) is >10%; the surface water is impaired.

The binomial establishes a minimum number of exceedances, and a minimum number of total samples, based on >10% exceedance rate at a 90% confidence level as acceptable for assessments. The minimum number of exceedances reduces Type I error – *listing* an assessment unit that is *not impaired*. Here, Type I error is reduced by establishing a high level of statistical confidence to avoid an unnecessary listing. The minimum number of total samples reduces Type II error – *failing to list* an assessment unit that is *impaired*. Type II error is reduced by increasing the sample size so that exceedances are not missed. Establishment of a statistical confidence level reduces both Type I and Type II errors.

As shown in the table below, the number of exceedances needed is different based on the raw score or binomial approach. In the raw score approach exceedances are counted (yes or no exceeded) and a percent exceedance calculated. While the binomial testing approach looks at the *probability* of exceedance at a chosen confidence level.

**Comparison of Assessment Methods**

ASSESSMENT METHOD	NUMBER OF EXCEEDANCES IN 10 SAMPLES TO GET > 10% EXCEEDANCE RATE
Raw Score	2 of 10 samples
Binomial at 90% Confidence Level	3 of 10 samples

Statistically, the unknown distribution of a pollutant measurement can be transformed to a binomial distribution based on the sample size (n), the measured number of exceedances (x), and the true exceedance probability (p). The BINOMDIST function in Excel (or other spreadsheets) can then calculate the probability that the exceedance rate is greater than 10 percent, and therefore, the probability that the surface water is impaired, for a known number of samples (n) and known number of exceedances (x).



Using another statistical function (CRITBINOM in Excel), a given number of samples and a given confidence level, can be entered, and the minimum number of exceedances needed to determine impairment is calculated. This function was used to create the binomial listing table in the Impaired Water Identification Rule R18-11-605 (**Appendix C**). For example, “=CRITBINOM(10, 0.105, 0.90)” is entered into an Excel spreadsheet to determine the minimum numbers of exceedances necessary to determine impairment, based on 10 samples, at 10.5% or higher exceedance rate, and a confidence level of at least 90 percent. (Notice that 10.5% is used in the calculation to numerically represent >10%.)

**The Tiered Approach** – When ADEQ initiated the binomial approach the Department created a two-tiered approach for determining impaired waters in an effort to balance the two types of errors. Waters with exceedances of water quality standards could be placed in one of two tiers. The tiers are differentiated by confidence level, minimum sample sizes, and different cutoff values as shown in the table below.

<b>Two Tiered Approach</b>			
<b>LIST</b>	<b>CONFIDENCE LEVEL</b>	<b>MINIMUM NUMBER OF SAMPLES TO LIST</b>	<b>MINIMUM NUMBER OF EXCEEDANCES TO LIST</b>
<b>Tier 1 - The Planning List</b>	80% confidence of 10% exceedance rate	10 samples	3 exceedances
<b>Tier 2 - The Impaired Water List</b>	90% confidence of 10% exceedance rate	20 samples	5 exceedances

As noted above, the Department may place surface waters on either list without the requisite number of samples or exceedances for specific pollutants such as toxics or bacteria, which pose a substantial threat to aquatic life, wildlife, of human health. This occurs with pollutants not assessed using the binomial approach. It should be noted that ADEQ may also place waters on its internal Planning List due to lack of sufficient data to make an assessment.

Subsections 605(C) and 605(D) of the Impaired Water Identification Rule (**Appendix C**), deal with use of the binomial distribution tables for placing an assessment unit on either the Planning List or the 303(d) List, based on a minimum number of samples and a minimum number of samples exceeding standards. Methods are also provided for using larger datasets than shown in the binomial tables.

### **Delisting Based on the Binomial**

As described in Section 4, assessment units are no longer impaired if there are sufficient data to show that the assessment unit is neither impaired, nor belongs on the planning list. This would require a minimum of 10 samples with no more than two samples exceeding the applicable standard. However, at least some of the samples must have been collected during “critical conditions” and at “critical locations,” which are under conditions and at locations where exceedances have occurred in the past, if those conditions still exist.

### **Proposed Revisions of the Binomial**

Further statistical research on the binomial has shown that the minimum of 20 samples and minimum of 5 exceedances cannot be statistically supported. Also, a higher confidence level (95% Confidence) can reasonably be achieved.

As shown in the following table, three of nine samples would exceed standards in 99 of 100 9-sample trials (99.01% of the time), if the exceedance rate was 10.5% or greater. Actually, as the number of samples decreases, the confidence level increases when there are three exceedances with fewer than 10 samples. Therefore, the Department can have a very high confidence in “impairment” when three exceedances occur out of nine samples.

### Probability of Impairment Based on Three Exceedances and Fewer than 10 Samples

Number of Exceedances	Number of Samples	Probability of Impairment*
3	3	100.00%
3	4	99.99%
3	5	99.94%
3	6	99.85%
3	7	99.67%
3	8	99.40%
3	9	99.01%

\*Using BINOMDIST function in Excel to calculate the level of confidence that the exceedance rate is at or above 10.5% (greater than 10%).

For assessments this means that if at least three exceedances have occurred with less than 10 samples, the need to increase sample size (by further monitoring to 10 or even 20 samples) becomes unnecessary, as impairment has been established. Actually, a Type II error *will* occur if the listing is delayed.

Since the 2002 assessment, EPA has taken issue with use of a minimum of five exceedances with a minimum of twenty samples. In 2002 and 2004, EPA partially disapproved Arizona's 303(d) List and listed any waters with as few as three exceedances. In the 2004 assessment, this issue resulted in 10 pollutant listings being added by EPA. To make such over-filing less confusing to the public, ADEQ provides comments within the integrated assessment and listing report on those assessment units where EPA over-filing is expected.

According to 2002 federal CALM guidance, "Smaller sample sizes are prone to yield erroneous *attainment* (not impairment) decisions because they have a *low* probability for detecting exceedances." This, in fact, lends further support for making a listing with fewer than 10 samples. Because small sample sizes are less likely to detect exceedances, if exceedances *do* occur, the confidence in impairment is even greater than in a larger sample size with sporadic exceedances (illustrated by the difference in confidence between three of three exceedances and three of nine exceedances in the table above).

Draft revisions to the Impaired Water Identification Rule have been proposed due to these shortcomings in the binomial method and to better match federal listing criteria; however, these revisions have not yet been promulgated through the required public process and thus *were not used in this assessment*.

## Other Assessment Methods

A review of the 2004 listings reveals that although the binomial is an important assessment approach, most 303(d) listings are based on other methods, as shown in the table below.

2004 303(d) Listings		
Assessment Method	Listings	Parameters
<b>Binomial</b>	23 (10 added by EPA in 2004)	Boron, dissolved oxygen, pH, and nutrients
<b>Acute Aquatic and Wildlife Criteria</b>	18	Metals (cadmium, copper, chromium, silver, zinc)
<b>Chronic Aquatic and Wildlife Criteria</b>	21 (3 mercury listings added by EPA in 2004)	Ammonia (4), copper (2) mercury (3) selenium (12)
<b>Other Acute Toxicity</b>	9	<i>E. coli</i> bacteria (8), nitrate (1)
<b>Statistics</b>	4	Suspended sediment concentration
<b>Narratives</b>	51 (All 51 added by EPA, 9 added in 2004)	Mercury in fish tissue (9), pesticides in fish tissue (Middle Gila only) (39), sediment/bottom deposits (3)

As discussed previously, Arizona's TMDL statute (Appendix B) requires development of narrative implementation procedures before ADEQ can apply narrative standards to 303(d) listing decisions. EPA does not share that restriction and



has listed many assessment units due to violations of narrative standards, primarily based on fish consumption advisories (see table above). In 2004, EPA also listed three assessment units due to excess sediment or bottom deposits.

The other assessment methods were discussed in Section 3 of this document, but what is the scientific and statistical basis for these approaches?

### Assessments Based on Aquatic and Wildlife Acute Criteria

Arizona's toxic pollutant criteria established to protect the Aquatic and Wildlife designated use require a very different assessment and listing method from the binomial described in the preceding section. The binomial is applied primarily to human health standards, which were developed to protect for lifetime exposure periods, and therefore allows a given percentage of exceedances to occur (10%). Toxic pollutant criteria for the Aquatic and Wildlife use, however, were developed to protect for far shorter periods of exposure, due to the shorter lifespan of the aquatic life and wildlife they protect. Studies show that test organisms can tolerate *no more than one* exceedance of either the acute or chronic aquatic and wildlife criteria over a three-year period. In fact, studies show that even *one* exceedance can cause damage if the magnitude of exceedance was very high or the affected area was very large (EPA, 1991). Clearly, a statistical approach based on a percentage of exceedances, such as the binomial, is not valid for these standards and would not protect the designated use.

Acute criteria protect against short-term effects of high level pollutant concentrations, which include lethality and immobilization. Acute criteria protect for one-hour exposure periods. Aquatic life may recover from one exceedance of criteria per three-year period; however, recovery is not likely if even minor exceedances occur more often. A statistical approach, such as the binomial, is not appropriate for this type of standard. Instead, listings must be made based on two or more exceedances in a three-year period, regardless of whether the sample size is small or large.

The Department requires that surface waters be placed on the 303(d) List based on two or more exceedances of these criteria. This listing method must be applied regardless of total sample size. Note that although listing based on one large exceedance could potentially be justified, it is the Department's policy, and standard practice throughout the country, that listings will be made only if evidence is available to show that the impairment is persistent or recurring. Therefore, two or more exceedances are needed to make a 303(d) listing. This requirement is also consistent with EPA assessment guidance recommendations: *CALM* (2002), *Guidance for 2004 Assessment, Listing and Reporting* (2003), and the *Technical Support Document for Water Quality-based Toxics Control* (1991).



The Department does have some flexibility to delay a listing under the weight-of-evidence approach while collecting additional monitoring data when data reliability may be a concern. An example might be samples with exceedances near the laboratory reporting limit and sources of the pollutant were either unknown or unlikely in the watershed.

As required in the TMDL Statute §49-232(C)(4) (**Appendix B**), the criteria for establishing that an assessment unit is no longer impaired cannot be any more stringent than the criteria for adding an assessment unit to the impaired water list. In this case, delisting would require no exceedances during the last three years of monitoring. At least some of the samples must have been collected during "critical conditions" and at "critical locations," which are under conditions and at locations where exceedances have occurred in the past, if those conditions still exist.

### Assessments Based on Chronic Aquatic and Wildlife Criteria

"Chronic" conditions for aquatic life are determined by as short as a four-day exposure, as compared to a one-hour exposure for acute criteria. The four-day period was selected by EPA to develop chronic criteria because it was the shortest duration over which chronic effects are sometimes observed. Longer exposures would be even more likely to cause chronic impacts. Chronic exposures can be lethal to aquatic organisms, although the effects are not usually immediate upon exposure. Chronic impacts include disease, behavioral abnormalities, inability to reproduce, reduced growth and survival, physical abnormalities, genetic mutations, and eventual death.

EPA's *Technical Support Document* (1991) and current assessment guidance documents all indicate that an aquatic community should be able to recover from one chronic exposure every three years, unless there is a long exposure duration. Therefore, ADEQ's assessment method determines impairment at two or more exceedances during the assessment period.

The challenge in establishing assessment methods for these criteria lies in demonstrating that a chronic exposure has occurred. If at least four days of data are available within a seven-day period, the Department uses the central tendency of the dataset to determine whether an exceedance has occurred. For standards that vary based on water hardness, ADEQ determines an exceedance based on 50% or more samples within a week exceeding standards. For non-hardness dependent standards, in most cases an average is determined, as suggested by EPA guidance. But this type of data is seldom available, and where available, only represents those dates sampled. Can the instantaneous grab samples typically collected be used to represent a 4-day period?

EPA's *Guidance for 2006 Assessment, Listing, and Reporting Requirements Pursuant to Sections 303(d), 305(b), and 314 of the Clean Water Act* states that for criteria with multiple day averaging periods (such as chronic criteria), states should develop decision rules for concluding impairment where information indicates a **reasonable likelihood** that the average was exceeded. For example, if conditions have remained fairly stable over the period of interest (four days), it would be valid to use a grab sample to represent that time period.

The Department has developed a method for determining chronic criteria exceedances based on grab samples, for use on dates when four days of data are not available. This method assumes that stable conditions were occurring at the time unless there is information to the contrary. If sufficient chronic Aquatic and Wildlife criteria have been exceeded to result in the assessment unit being listed as impaired, ADEQ looks at the following information to determine whether 4-day stable conditions were occurring when exceedances occurred:

- Point source discharge records in the reach or immediately upstream;
- Field notes and weather records concerning precipitation and runoff;
- Gaging station records, when available;
- Land uses in the vicinity;
- Records of chemical spills or other unusual events; and
- Historic patterns of pollutant concentrations, when available

If readily available contextual information indicates that the pollutant and stream flow **likely** remained fairly constant over that four day period, the Department will conclude that the grab sample result is valid for chronic Aquatic and Wildlife criteria.

Exceedances of chronic criteria will not be used for listing decisions when unstable conditions were likely, especially in watersheds with precipitation-dependent sources of pollutants (e.g., mine tailings piles). Examples of evidence of unstable conditions include, but are not limited to, samples being collected during:

- A precipitation event with runoff lasting shorter than 4-days;
- The first flush of a precipitation event; or
- A short-lived but high flow monsoon.

However, if the data were collected after several days of high flow, the sample would be assumed representative of the 4-day average conditions.

If the exceedance occurred at or near a flow gaging station, the stream is considered stable if the coefficient of variation in flow records for the 4-day period when the sample was collected is at or below 0.2. If above 0.2, chronic criteria cannot be applied to the pollutant data. The coefficient of variation is determined by dividing the standard deviation of the values by the mean of the values, and provides a way of evaluating the size of the standard deviation of the dataset relative to that of the mean. This is a statistical way to evaluate variability in datasets that have very different means. "0.2" is a common threshold number used, below which data is considered to have very minimal variability.

See examples below, where the sample date is highlighted in purple. In both cases, the flow was 224 cfs when the sample was collected. In the first example, the coefficient of variation is below 0.2, so flow would be assumed to be stable. In the

second sample, the coefficient of variation is above 0.2, so flow would be unstable, and the chronic criteria would not be used.

#### Example of Stable Flow Determination

DATE	DISCHARGE (cfs)	MEAN	STANDARD DEVIATION	COEFFICIENT OF VARIATION (standard deviation ÷ mean)
02/06/2003	230	229.3	3.4	0.015
02/07/2003	227			
02/08/2003	234			
02/09/2003	224			
02/10/2003	231			
02/11/2003	230			

#### Example of Unstable Flow Determination

DATE	DISCHARGE (cfs)	MEAN	STANDARD DEVIATION	COEFFICIENT OF VARIATION (standard deviation ÷ mean)
02/06/2003	176	211.2	46.3	0.22
02/07/2003	180			
02/08/2003	296			
02/09/2003	224			
02/10/2003	206			
02/11/2003	180			

In a lake, stable conditions will assume to be occurring unless lake “turnover” or other disturbances are documented when the sample was collected. Lake temperature profiles and other field information will be used to look for such disturbances.

The need to show stable conditions is less of an issue with a parameter, such as selenium, that exceeds chronic criteria primarily during low flow conditions in Arizona. (As shown in the previous table, 12 of the 21 chronic criteria listings in 2004 were due to selenium.) For example, even if the selenium sample was collected during a storm event, it is reasonable to assume that the result represented a diluted concentration and that the daily average concentration was normally much higher. As EPA’s guidance indicates (2005, page 34), in such cases exceedances are a fairly reliable indicator that the average concentration in the assessment unit is above the water quality standard, despite not being representative of the average concentration.

In a lake or stream, if one or more point source discharges provide a *significant* contribution to the receiving water, the facility discharge records are reviewed to determine whether flow and associated pollutant discharges were relatively consistent during the four-day period when the exceedance occurred. Other evidence concerning unstable flow or pollutant discharges can be provided by the facility.

The criteria for establishing that an assessment unit is no longer impaired is the same as for acute Aquatic and Wildlife criteria – no exceedances during the last three years of monitoring, and at least some of the samples must have been collected during “critical conditions” and at “critical locations.”

#### Assessments Based on Nitrate and *E. coli* Criteria

Nitrate (or nitrate/nitrite) and *E. coli* bacteria are two pollutants that may be acutely toxic to humans at levels found in Arizona. Therefore, the Impaired Water Identification Rule established the same assessment criteria as used for acute Aquatic and Wildlife criteria – impaired if two or more exceedances of the single sample maximum criteria occur during a three-year period.

In most cases a listing is made as soon as two exceedances occur, unless the weight of evidence indicates the listing would be in error. Three issues with *E. coli* bacteria data are being addressed through the weight-of-evidence approach until the Impaired Water Identification Rule can be revised:

- The reliability of “most probable numbers” – Both lab and field bacterial analyses provide an estimation of bacterial density, reported in terms of a Most Probable Number (MPN). For example, using the multiple tube technique, if the result is reported as 240 colony forming units (CFU), there is a 95% confidence level that the result is between 100 and 940 CFU (*Standard Methods for Examination of Water and Wastewater, 20<sup>th</sup> Edition*). Only two exceedances will result in a listing; therefore, 303(d) listing decisions are not based on results reported relatively near the single sample maximum standards of 235 CFU (for Full Body Contact) or 576 CFU (for Partial Body Contact). Instead, screening values of 300 and 630 CFU, respectively, are used for impairment decisions, so that minimum exceedances must be above these screening values. To be clear, all results above the standard are reported as exceedances in the assessment report; however, a comment is made when the result is below the screening value.



**Slide Rock State Park**

- Bacterial contamination in flood flows – Flood flows are normally heavily contaminated with bacteria. This contamination is due to both natural and anthropogenic sources, so the exceedances cannot be exempted. However, completing TMDLs due to such contamination would be a waste of ADEQ’s limited resources. Therefore, exceedances occurring during flood flows will not be used as the minimum exceedances for an impairment decision. In such cases, impairment decisions will be delayed until at least two exceedances have occurred during non-flood events. This does not mean that all samples collected during elevated flows will be excluded.
- Bacterial exceedances sites on very large reservoirs – Exceedances occurring at separate beaches in a large river reservoir, provide a different level of risk to human health than exceedances occurring at the same beach or in the same stretch of river. Bacterial exceedances are counted and assessed per monitoring site at large reservoirs where sites are located several miles apart.

The criteria for establishing that an assessment unit is no longer impaired is the same as for acute Aquatic and Wildlife criteria – no exceedances during the last three years of monitoring, and at least some of the samples must have been collected during “critical conditions” and at “critical locations.”

### **Assessments Based on Statistically Derived Standards**

When *two or more* exceedances of a statistically-derived standard occur, the surface water is assessed as impaired. These standards, as established in Arizona’s Surface Water Quality Standards (**Appendix A**), establish both a minimum sample size and a statistical calculation. The statistically-derived standards include:

- *E. coli* geometric mean;
- Suspended sediment concentration (SSC) geometric mean;
- Nutrient ninetieth percentile;
- Nutrient annual mean; and
- Total dissolved solids (TDS) flow-weighted annual mean in the Colorado River.

The *Escherichia coli* bacteria geometric mean standard was applied only to locations with a minimum of 4 samples in a 30-day period (Slide Rock State Park on Oak Creek and Lake Havasu beaches). Although the surface water standards revised in 2002 allow a geometric mean of the last four samples taken (samples can be a year apart or more), the current Impaired Water Identification Rule specifically states that a *30-day bacteria geometric mean standard* would be used. Until the Impaired Water Identification Rule is revised through a public rule making process, it must be implemented as written. (Note: Single sample maximum criteria are also applied to *E. coli* – see discussion above.)



Applying the Suspended Sediment Concentration standard to assessment is complex, so is discussed in detail below.

To determine that an assessment unit is no longer impaired, the minimum data requirements are simply the number of samples necessary to re-calculate the statistical value for comparison to the standard. The assessment unit will be delisted if the standard is not exceeded, and at least some of the samples were collected during “critical conditions” and at “critical locations.”

### Using the Suspended Sediment Concentration Standard

In 2002, the Department adopted a suspended sediment concentration (SSC) standard to protect Aquatic and Wildlife designated uses and concurrently repealed turbidity standards. The SSC standard of 80 mg/L is expressed as a geometric mean of a minimum of four (4) samples and applies only to streams with the Aquatic and Wildlife warmwater or coldwater designated use, and not to lakes or to ephemeral or effluent-dependent streams.

Since some degree of suspended sediment is natural in streams of the arid west, especially during storm flows, this new standard excludes these precipitation events where large loads of sediment may be naturally flushed downstream. The SSC standard can be applied and assessed only at or near base flow, which is sustained largely by ground water. The standard is intended to protect fish from chronic, long-term effects of excess suspended sediment.

For assessment purposes, two issues arise: How to determine whether sample was collected during normal flow? How to determine if two or more exceedances of the geometric mean occurred during the assessment period? These issues are resolved in a three-step assessment process:

Step 1 – Before a geometric mean is applied, base flow must first be determined. Determination of base flow is possible only where historical flow records are available, such as at USGS gaging stations. Flow data from the last ten to thirty years, depending on availability, are assembled and the 50<sup>th</sup> percentile of flow is determined.

Step 2 – Suspended sediment concentration data within the assessment period are then compiled, along with the corresponding instantaneous flow measurements. Any SSC samples collected during flows greater than the 50<sup>th</sup> percentile of flow are not used in the geometric mean calculation.

Step 3 – To determine if more than one exceedance occurred, a rolling geometric mean is calculated, using each four consecutive SSC values not excluded due to high flow.

For example, at Duncan, Arizona, on the Gila River, the U.S. Geological Survey gage indicates that the 50<sup>th</sup> Percentile of flow is 78 cfs. The following tables show how this information would be used to determine exceedances of the SSC geometric mean standard.



**Suspended Sediment - Little Colorado River**

### Example SSC Data Analysis

#### Original Data

Date	SSC (mg/L)	Flow (cfs)
10/30/2002	27	29
12/09/2002	67	70
02/04/2003	25	68
05/13/2003	<5	67
09/15/2003	32	23
11/03/2003	92	15
02/09/2004	123	92
07/27/2004	4560	70
10/27/2004	9499	67
03/01/2005	630	2000
05/23/2005	85	87
08/03/2005	44	6

#### Below the 50<sup>th</sup> Percentile of Flow

DATE	SSC (mg/L)	FLOW (cfs)	GEOMETRIC MEAN
10/30/2002	27	29	18
12/09/2002	67	70	19
02/04/2003	25	68	20
05/13/2003	<5	67	76
09/15/2003	32	23	593
11/03/2003	92	15	643
07/27/2004	4560	70	NA
10/27/2004	9499	67	NA
08/03/2005	44	6	NA

The flows highlighted in purple, were above 78 cfs, and therefore, were excluded from the geometric mean calculation. A geometric mean was then calculated using the remaining data. Two exceedances of the geometric mean standard occurred and are shown in red numbers (Geometric mean of 32, 92, 4560, 9499 = 593; Geometric mean of 92, 4560, 9499, and 44 = 643).

## Interpreting Other Water Quality Related Data

To use chemical data to interpret narrative criteria, EPA's CALM document (2002) encourages states to develop implementation procedures, often referred to as translators, to explain how different types of data (e.g., contaminated sediment, fish tissue concentration, bioassessment, physical integrity data, ambient toxicity) are used to make attainment-impairment decisions based on narrative criteria. EPA further encourages that these procedures be made available for review and comment by the public.

Arizona's TMDL statute precludes the use of evidence of narrative standards violation prior to developing and adopting the companion implementation procedures. Similarly, use of numeric data without directly applicable numeric standards is precluded without implementation procedures (e.g., chlorophyll-*a*, trophic status).

In some instances, screening values or "triggers" are needed to evaluate whether the concentration of a pollutant in fish tissue, sediment, or even the water column is high enough to indicate possible impacts to humans, plants, or animals under narrative standards, where numeric standards are not available. Other than establishing guidance on the use of fish consumption advisories for assessment and listing decisions (*Guidance: Use of Fish and Shellfish advisories and Classifications in 303(d) and 305(b) Listing Decisions*, EPA, OWOW and OST, October 24, 2000), EPA has left it up to the state to individually establish such standards through a public forum.

Arizona is in the process of developing several procedural documents. As needed, portions of these documents will also be adopted into either the Surface water Quality Standards or the Impaired Water Identification Rule. The narrative

implementation procedures will identify the screening values to be used, the basis of these values, and the actions that should be taken based on exceeding these values to further evaluate potential impacts.

As appropriate screening values and translators have not completed a public review process in Arizona, much of the “other” readily available water quality-related data could not be directly used for this assessment, because there is not a clear link to an adopted numeric water quality criteria. However, such information is used in the weight-of-evidence approach to support listing and delisting decisions.

EPA routinely asks to review such data when it reviews Arizona’s 303(d) List of impaired waters, and amends Arizona’s list according to federal assessment criteria. EPA has published methods for monitoring and assessing such data as part of its Regional Environmental Monitoring and Assessment Program (REMAP) protocols and procedures; however, it defers to state methods where they have been adopted.

### **Fish Tissue and Sediment Data**

Some chemical pollutants concentrate in fish and shellfish by accumulating in fatty tissue or selectively binding to muscle tissue. Generally these pollutants cannot be detected in the water column or in bottom sediments, but do bioaccumulate over time in aquatic life and species that prey on aquatic life. The bioaccumulation poses a threat to human health if the organisms are eaten on a regular basis in excess of the federal fish consumption advisory levels. In January 2001, EPA issued a national advisory concerning risks associated with mercury in freshwater fish, especially for women who are pregnant or may become pregnant, nursing mothers, and young children.

As with all types of “other” data, at this time, Arizona does not have numeric standards for fish tissue or sediment data, and until adoption cannot use these data for impairment listing decisions. Numeric fish tissue standards and narrative implementation procedures for fish consumption advisories and evaluation of fish tissue data have been drafted. Until the procedures are adopted into rule, data related to fish tissue and sediment can be included in the assessment report for informational purposes only. It should be noted, however, that EPA added several assessment units in both 2002 and 2004 based on fish consumption advisories. It is anticipated that EPA will take the same action for the 2006 list, so an appropriate comment is provided in the integrated assessment report where these over-filings are anticipated.

In cooperation with the Arizona Game and Fish Department and using an EPA grant, ADEQ has completed several studies investigating human health risks associated with eating fish caught in a cross-section of Arizona’s lakes. The sampling was conducted on lakes which were chosen due to present or historic mining, the presence of predatory fish, and the level or recreational fishing pressure the lake receives. Additional sampling and analysis will depend on interagency cooperation due to access, logistics, and budget issues. ADEQ continues to investigate opportunities to combine resources from multiple programs and agencies to expand this Priority Pollutant Program statewide.

### **Swimming Area Closures, Fish Kills, and Drinking Water Advisories**

In previous assessments, ADEQ has used issuance of swimming beach closures, documentation of fish kills, or issuance of a drinking water advisory on an assessment unit used for domestic water supply as indications of impairment. These advisories are not, however, issued by the Department; therefore, criteria for determining these may vary. Until narrative implementation procedures are developed regarding the issuance of such notices or how to evaluate fish kills and abnormalities, such information is included in the assessment report for informational purposes, but cannot be used as the sole basis in determining impairment.

### **Bioassessments and Habitat Assessments**

ADEQ has been developing its Biocriteria Program since the early 1990s. In 1997 and 1998, ADEQ published its warmwater and coldwater indices of biological integrity based on macroinvertebrate communities. Although the index provides a score for macroinvertebrate health, how the score will be used to establish that the community is impaired needs to be developed through a public process. Also the indices need to be related to existing narrative standards such as those established for toxics and excess bottom deposits/sediments.

ADEQ’s macroinvertebrate indices were developed for riffles during spring monitoring periods using ADEQ protocols, in predominantly cobble streams. Macroinvertebrate data collected during different seasons, in polls, using other methods, or in wetland or sand-dominated habitats cannot be applied to these indices. Therefore, the indices of biological integrity developed by ADEQ may not apply to data collected by other monitoring entities. Having invested over 10 years in development of this program, the Department seeks EPA’s support of these efforts and discourages the use of data and

protocols that have not been evaluated for accuracy or applicability under Arizona conditions. Similar questions and problems must be resolved before algal or fish community data can be applied to assessments.


The narrative biocriteria implementation procedures will establish methods to differentiate whether the impairment is solely related to natural conditions (e.g., flood, drought, travertine, bedrock scouring) or related to anthropogenic causes. Preliminary assessments have shown that habitat measurements at each site must be reviewed to determine whether the indices of biological integrity would be applicable, as some habitats render the data unusable. For example, stream channels composed of bedrock or travertine may be unsuitable for establishing and maintaining a thriving macroinvertebrate community. The habitat can also become impaired due to natural conditions such as flood scouring the area or drought causing the stream to become temporarily dry.

As needed, portions of the procedures may be adopted into either the Surface Water Quality Standards or the Impaired Water Identification Rule. This will allow ADEQ to properly apply biocriteria to future assessments. Narrative biocriteria and implementation procedures are being proposed during the current Triennial Review, but have not yet been adopted, so were not used for this assessment.

### **Fluvial Geomorphology Surveys**

ADEQ has been conducting research projects to determine how Rosgen's geomorphology methods could be used to evaluate natural stream channel stability. The research to date has been largely funded by EPA's Wetlands Grants and an Arizona Water Protection Fund Grant. The results of these grants are several geomorphology research reports that have been published by and for ADEQ, including those reports listed below. The final product for the EPA Wetlands Grant is development of "sediment rating curves" for the West Fork Black River and Beaver Creek in the upper Salt River Basin. ADEQ is also required under the Wetlands Grant to develop a standard operating procedures document for geomorphologic surveys and develop a five-year geomorphology research plan.

- Lawson, Lin and Hans Huth, 2003, "Lower Cienega Creek Restoration Evaluation project: An investigation into developing quantitative methods for assessing stream channel physical conditions."
- Moody, Tom, M. Wirtanen, and S.N. Yard. 2003. "Channel Stability Assessment of Biocriteria Sites in the Verde River Watershed."
- Moody, Tom, M. Wirtanen, and S.N. Yard. 2003. "Validating Bank Erodibility Hazard Index in Central and Southern Arizona."
- Spindler, Patrice H. 2004. "Stream Channel Morphology and Benthic macroinvertebrate Community Associations in the San Pedro River and Verde River Basins of Arizona, 1992-2002."



**Big Sandy River**

### **Other Physical Integrity Data**


ADEQ has been collecting a wide variety of physical integrity data, in part to determine habitat condition to support bioassessments. ADEQ is proposing to use one measurement, the percentage of fine sediments in riffle/run habitats in perennial streams to determine compliance with the narrative bottom deposits standards. A narrative implementation procedures document has been drafted but has not been approved, so was not used for this assessment.

### **Lake Survey Data**

ADEQ has a draft narrative nutrient implementation procedures document that would use a matrix of lake measurements to determine whether a lake is receiving excess nutrients and is in violation of the narrative nutrient standard. If adopted, lake quality data would be compared to a matrix table of values. A combination of elevated values and exceedances of threshold values would be used to determine impairment. The threshold values applied would depend on the lake classification: deep, shallow, igneous, sedimentary, and urban. Lake measurements used to evaluate narrative nutrients include:



- Chlorophyll\_a
- Secchi depth
- Blue-green algae (per milliliter and percent of total count)
- Total phosphorus
- Total nitrogen or total Kjeldahl nitrogen
- Dissolved oxygen
- pH
- Fish kills attributed to low dissolved oxygen, high pH, or ammonia toxicity
- Fish kills or other aquatic organism mortality attributed to algal toxicity
- Nuisance algal blooms
- Submerged aquatic vegetation



**Pena Blanca Lake**

## What if No Water Quality Criteria Apply?

It is possible for an assessment unit in Arizona to not have designated uses. Standards do not apply to the following surface waters (unless they are specifically named in the Surface Water Quality Standards):

- A lake constructed outside of a natural water channel (e.g., many urban lakes);
- A hydrologically isolated tributary, not a tributary to a surface water named in the standards (i.e., it drains into Mexico, a neighboring state, or a playa);
- A surface water located on a tribal reservation, in Mexico, or in an adjacent state;
- A manmade conveyance for surface water (e.g., drainage ditches, runoff detention basins, storm water sewers, some canals).

It is also possible to collect water quality data for parameters that don't have standards (e.g., alkalinity, total dissolved solids, and radon). As standards are based on designated uses, even commonly used standards may not apply to an assessment unit.

The U.S. Geological Survey collects a significant amount of data that do not have associated water quality standards. Those data are not used for assessments. If no standards could be applied to the data collected, the site is not included in the monitoring data tables. For example, if only total dissolved solids, specific conductance, and radon were collected, the monitoring sites are not included in Arizona's assessment because no adopted standards apply. Tracking of such data and monitoring sites is an added resource effort that has little value added at this time. If and when the surface water database can handle input of all relevant water quality information, tracking of these data and sites may be a worthwhile exercise.

## The Former Turbidity Standard

**Use in Assessments** – The turbidity standard was replaced by the suspended sediment concentration (SSC) standard in 2002. At that time, little SSC data had been collected. Therefore, during a transition period, turbidity, total suspended solids, and SSC data were routinely collected by ADEQ staff and contractors. This data was reviewed during this assessment to determine where exceedances of the turbidity standard could be used to predict exceedances of the SSC standard.

A relationship between turbidity and SSC is not directly apparent for several reasons. One reason is that the turbidity standard applies to all flows, while the SSC standard applies only during normal or base flow conditions. Therefore, SSC data associated with many turbidity exceedances cannot be used for calculating the geometric mean because the data was collected during higher flows.

Another reason is that two turbidity standards applied to streams (10 NTU for coldwater streams and 50 NTU for warmwater streams), while only one SSC standard currently applies to all surface waters (80 mg/L). A second SSC standard is proposed during the current triennial Review of 25 mg/L in coldwater streams, but was not used for this assessment.

Finally, an SSC standard was not adopted for lakes, while there had been two turbidity standards for lakes (10 NTU for coldwater lakes and 25 NTU for warmwater lakes). Narrative nutrient implementation procedures will use Secchi depth, algal blooms, algal growth, and plant growth to more directly measure lake conditions when the implementation procedures are adopted.

In the 2004 and 2006 assessment, listing decisions were based solely on SSC data. Turbidity data was used only to screen sites for future implementation of narrative nutrients, narrative bottom deposits, or biocriteria implementation procedures, or to recommend future SSC monitoring. Any assessment unit that would have been assessed as impaired based on the former turbidity standard was assessed as inconclusive and placed on the Planning List.

**Use in Delisting Decisions** – In the 2004 assessment, surface waters previously listed due to turbidity exceedances, and where a TMDL had not yet been completed, were placed on the Planning List for collection of SSC data. Determining that a surface water is *no longer impaired* after a turbidity TMDL was established, however, has been a thorny issue. The main problem has been that the turbidity TMDLs established critical conditions at flows above base or normal flows, when the SSC standards cannot be applied. Another problem for the Department has been potential revisions to SSC standards and the potential addition of narrative implementation procedures and biocriteria that, once adopted, might show that the assessment unit is impaired.

For the 2006 assessment where there is sufficient SSC data to show that the current SSC standard (80 mg/L) is not being exceeded during normal flows, and the proposed SSC standard (25 mg/L) also would not be exceeded, ADEQ is recommending delisting the assessment unit, as it is no longer impaired. This decision should also be supported by evidence of watershed improvement activities. These decisions to delist are tempered by a caution that the assessment unit may be relisted when biocriteria and other narrative standards are adopted.

# ANNOTATED References

- ADEQ. 2004. "Draft Fluvial Geomorphology Field Survey and Assessment Procedures" (Field methods for conducting stream surveys and Rosgen stability assessments in Arizona.)
- EPA. March 1991. *Technical Support Document for Water Quality-based Toxics Control*. Office of Water. PA/505/2-90-001.
- EPA. July 2002. *Consolidated Assessment and Listing Methodology – Toward a Compendium of Best Practices (CALM)*. <http://www.epa.gov/owow/monitoring/calm.html> (A framework for states to collect and analyze water quality related data in support of water quality assessments and impairment decisions.)
- EPA. November 2003, draft. "Implementation Guidance for Ambient Water Quality Criteria for Bacteria" (Recommendations on the implementation of bacteria criteria for the protection of recreation uses and assessment recommendations)
- EPA. July 29, 2005. "Guidance for 2006 Assessment, Listing, and Reporting Requirements Pursuant to Sections 303(d), 305(b), and 314 of the Clean Water Act" (EPA's guidance for the 2006 integrated assessment and impaired waters listing report)
- Fitch, Susan. ADEQ. 2006. "Narrative Nutrient Standard Implementation Procedures for Lakes and Reservoirs." (ADEQ's approach to determining a violation of the narrative nutrient standard)
- Gerritsen and Leppo. Tetra Tech, Inc. 1998. "Development and Testing of a Biological Index for Warmwater Streams in Arizona" (Statistical support for Arizona's warmwater macroinvertebrate Index of Biological Integrity -- perennial, Wadeable streams below 5000 feet elevation)
- Graf, Will and Chris Randall. ASU. 1998. "A Guidance Document for Monitoring and Assessing the Physical Integrity of Arizona's Streams" (Basic scientific principles for understanding and describing physical integrity in terms of indicator measurements.)
- Lawson, Lin and Hans Huth, 2003, "Lower Cienega Creek Restoration Evaluation project: An investigation into developing quantitative methods for assessing stream channel physical conditions." (Evaluates a 10-mile segment of Cienega Creek to determine potential stream stabilization projects. Developed quantitative techniques for assessing physical stream channel condition and sedimentation, including the "Linear habitat complexity index" and "pool facet slope".)
- Lawson, Lin. ADEQ. 2005 "A Manual of Procedures for the Sampling of Surface Waters in Arizona" (Documents field procedures for conducting water quality, biological and physical integrity, geomorphology, and Rosgen surveys.)
- Leppo and Gerritsen, Tetra Tech, Inc. 2000. "Development and Testing for Biological Index for coldwater Streams in Arizona." (Document provides statistical support for Arizona's coldwater macroinvertebrate Index of Biological Integrity in perennial, Wadeable streams above 5000 feet elevation.)
- Malcolm Pirnie, Inc for ADEQ. 2004. "Statistical Modeling Analysis Report of Lakes and Reservoirs" (The statistical basis for the narrative nutrient matrix and the lakes classification.)
- Malcolm Pirnie, Inc for ADEQ. 2005. "Draft - Potential Nutrient Related Targets for Lakes and Reservoirs in Arizona." (Derivation of numeric nutrient water quality targets to assess lakes.)
- Moody and Odem. NAU. 1999. "Regional Relationships for Bankfull Stage in Natural Channels for Central and Southern Arizona." (Watershed area and channel characteristics on perennial, intermittent, and ephemeral streams in central and southern Arizona were used to determine regional curves and relationships of bankfull stage in natural channels.)

- Moody, Wirtanen, Knight, and Odem. NAU. 2000 “Integrating Regional Relationships for Bankfull Stage in Natural Channels of Arizona and New Mexico” (Integrates data from 139 study sites in Arizona and New Mexico to create regional curves for shared surface water drainages and ecoregions.)
- Moody, Tom, M. Wirtanen, and S.N. Yard. 2003. “Channel Stability Assessment of Biocriteria Sites in the Verde River Watershed.” (Documents the first application of the complete Rosgen stream channel stability assessment methodology to streams in Arizona and provides physical integrity assessments for 10 sites in the Verde River Basin.)
- Moody, Tom, M. Wirtanen, and S.N. Yard. 2003. “Validating Bank Erodibility Hazard Index in Central and Southern Arizona.” (A test and calibration of Rosgen’s “Bank erodibility hazard index (BEHI)” for use in Arizona)
- Spindler, Patrice. ADEQ. 1996. “Using Ecoregions for Explaining Macroinvertebrate Community Distribution among Reference Stream Sites in Arizona.” (A classification system based on elevation to differentiate among aquatic communities in Arizona.)
- Spindler, Patrice. ADEQ. 2001. “Macroinvertebrate Community Distribution among Reference Sites in Arizona.” (A “regional reference site” approach to bioassessments, based on warmwater communities below 5000 foot elevation and coldwater communities above 5000 feet.)
- Spindler, Patrice. ADEQ. 2004. “Stream Channel Morphology and Benthic macroinvertebrate Community Associations in the San Pedro River and Verde River Basins of Arizona, 1992-2002.” (An evaluation of the relationships between stream channel geomorphology measurements (e.g., particle size and embeddedness of substrate) and the metrics that describe the macroinvertebrate community)
- Spindler, Patrice. ADEQ. 2005. “Comparative Sediment Rating Curves for Two Gage Stations in the Upper Salt River Basin of Arizona” (An evaluation of whether sediment rating curves could be used to compare “reference” and study sites to set sediment load reduction targets in sediment impaired streams.)
- Spindler, Patrice. ADEQ. 2006 (in-press) “Biocriteria Program Quality Assurance Program Plan (QAPP).” (Documents ADEQ’s bioassessment methods and protocols, which are required when applying Arizona’s macroinvertebrate Index of Biological Integrity. Methods for measuring physical-habitat to support bioassessments are also included in this document.)
- Spindler, Patrice and Stephen Pawlowski. 2006 (draft) “Draft Narrative Biocriteria Standard Implementation Procedures for Wadeable, Perennial Streams” (ADEQ’s approach to determining an exceedance of the narrative biocriteria standard.)
- Spindler, Patrice. 2006 (draft). “Draft Index of Biological Integrity Technical Support Documentation for the Narrative Biocriteria Standard” (A detailed rationale for development and selection of metrics and thresholds for the Indexes of Biological Integrity)
- Spindler, Patrice and Stephen Pawlowski. ADEQ. 2006. “Draft Narrative Bottom Deposits Standard Implementation Procedures.” (ADEQ’s approach to determine violations of the narrative bottom deposits surface water quality standard based on the percentage of fine sediments (<2mm) in riffle / run habitats in perennial streams using a Wolman pebble count procedure.)
- Walker, David (U of A), Christine Goforth (U of A), and Samuel Rector (ADEQ). 2006 “An Exploration of Nutrient and Community Variables in Effluent Dependent Streams in Arizona”. EPA Grant Number X-828014-01-01 (Determining impact effluent on aquatic macroinvertebrate assemblages by comparing samples collected from five effluent dependent waters in 2003 – 2004. Samples were collected once during the summer and winter, as close to the respective effluent outfalls as possible, and at some distance downstream.)

# APPENDIX G1

## SELECTED ARIZONA SURFACE WATER QUALITY STANDARDS

Narrative and numeric surface water quality standards are established in the Arizona Administrative Code R18-11-101 through 123, including Appendix A and B (revised 2002). A complete copy of these standards can be obtained through the Secretary of State's Office or downloaded from their web site at:

[http://www.azsos.gov/public\\_services/table\\_of\\_contents.htm](http://www.azsos.gov/public_services/table_of_contents.htm).

The abridged version provided in this appendix includes the numeric standard used in this assessment, but excludes many human-made compounds (e.g., volatile and semi-volatile organic compounds and pesticides) and it does not include the list of surface waters and designated uses.

PARAMETER	FRACTION	DESIGNATED USE (Or Site-Specific Standard)	ACUTE OR SINGLE SAMPLE MAXIMUM CRITERIA	CHRONIC CRITERIA
Ammonia (NH <sub>3</sub> )	Total	A&Wc/A&Ww	Varies by pH., see published standards	Varies by temperature and pH, see published standards
Antimony (Sb)	Dissolved	A&Wc/A&Ww A&Wedw	88 µg/L 1,000 µg/L	30 µg/L 600 µg/L
	Total	DWS FBC/PBC FC	6 µg/L 560 µg/L 4,300 µg/L	NA NA NA
Arsenic (As)	Dissolved	A&Wc/A&Ww/A&Wedw A&We	360 µg/L 440 µg/L	190 µg/L NA
	Total	DWS/FBC	50 µg/L	NA
		AGL	200 µg/L	NA
		PBC	420 µg/L	NA
		FC	1450 µg/L	NA
		AGI	2,000 µg/L	NA
		People's Canyon Creek	20 µg/L	NA
Barium (Ba)	Dissolved	FBC/PBC	98,000 µg/L	NA
	Total	DWS	2,000 µg/L	
Beryllium (Be)	Dissolved	A&Wc/A&Ww/A&Wedw	65 µg/L	5.3 µg/L
	Total	DWS	4 µg/L	NA
		FC PBC/FBC	1,130 µg/L 2,800 µg/L	NA NA
Boron (B)	Total	DWS AGI FBC/PBC	630 µg/L 1,000 µg/L 126,000 µg/L	NA
Cadmium (Cd)	Dissolved	A&W	Varies by hardness*, see published standards.	Varies by hardness*, see published standards.
	Total	DWS FC AgI/AgL FBC/PBC	5 µg/L 84 µg/L 50 µg/L 700 µg/L	NA
Chlorine (total residual) (Cl)	Total	A&Wc/A&Ww/A&Wedw DWS FBC/PBC	11 µg/L 700 µg/L 140,000 µg/L	5 µg/L NA NA

PARAMETER	FRACTION	DESIGNATED USE (Or Site-Specific Standard)	ACUTE OR SINGLE SAMPLE MAXIMUM CRITERIA	CHRONIC CRITERIA
Chromium (Cr)	Dissolved	West Fork Little Colorado River, above Government Springs Oak Creek and West Fork Oak Creek	10 µg/L 5 µg/L	
	Total	DWS/FBC/PBC AgI/AgL	100 µg/L 1,000 µg/L	NA NA
Chromium III (Cr III)	Dissolved	A&Ww/A&Wc/A&We/A&Wedw	Varies by hardness*, see published standards.	Varies by hardness*, see published standards.
	Total	DWS FC FBC/PBC	10,500 µg/L 1,010,000 µg/L 2,100,000 µg/L	NA NA NA
Chromium VI (Cr VI)	Dissolved	A&Wc/A&Ww/A&Wedw/ A&We	16 µg/L 34 µg/L	11 µg/L NA
	Total	DWS FC FBC/PBC	21 2,000 µg/L 4,200 µg/L	NA NA NA
Copper (Cu)	Dissolved	A&Ww/A&Wc/A&We/A&Wedw  Rio de Flag below WWTP outfall	Varies by hardness*, see published standards.  36 µg/L	Varies by hardness*, see published standards.
	Total	AgL DWS/FBC/PBC AgI	500 µg/L 1,300 µg/L 5,000 µg/L	NA NA NA
Cyanide (Cn)	Total	A&Wc A&Ww/A&Wedw A&We AgL, DWS FBC/PBC FC	22 µg/L 41 µg/L 84 µg/L 200 µg/L 28,000 µg/L 215,000 µg/L	5.2 µg/L 9.7 µg/L NA NA NA NA
Dissolved Oxygen (DO)	Total	A&Ww A&Wc  A&Wedw  (In compliance is percent saturation is > 90%)	>6.0 mg/L >7.0 mg/L  >3.0 mg/L (3 hours after sunrise) >1.0 mg/L (at sunset)	NA NA NA
	Total	West Fork Little Colorado Peoples Canyon Creek Cienega Creek Bonita Creek	no decrease due to discharge	
DDE (metabolite of DDT)	Total	AgI, AgL, FC DWS A&Wc A&Ww, A&Wedw A&We FBC/PBC	0.001 0.1 1.1 µg/L 1.1 µg/L 1.1 µg/L 4.1	NA NA 0.001 0.02 NA NA
Escherichia coli	Total	FBC PBC	235 CFU/100ml 576 CFU/100ml	Geometric mean standard, using 4 consecutive samples: FBC = 126 CFU/100 ml PBC = 126 CFU/100 ml
Fluoride (F)	Total	DWS FBC/PBC	4,000 µg/L (4 mg/L) 84,000 µg/L (84 mg/L)	NA NA
Lead (Pb)	Dissolved	A&Ww/A&Wc/A&We/A&Wedw	Standard varies by water hardness*, see published standards	Standard varies by hardness*, see published standards.
	Total	DWS/ FBC/PBC AgL AgI	15 µg/L 100 µg/L 10,000 µg/L	NA NA NA

PARAMETER	FRACTION	DESIGNATED USE (Or Site-Specific Standard)	ACUTE OR SINGLE SAMPLE MAXIMUM CRITERIA	CHRONIC CRITERIA
Manganese (Mn)	Total	DWS Agl FBC/PBC  People's Canyon Creek, Burro Creek, and Francis Creek	980 µg/L 10,000 µg/L 196,000 µg/L  500 µg/L	NA NA NA  NA
Mercury (Hg)	Dissolved	A&Wc/A&Ww A&Wedw A&We	2.4 µg/L 2.6 µg/L 5.0 µg/L	0.01 µg/L 0.2 µg/L NA
	Total	FC DWS Agl FBC/PBC	0.6 µg/L 2 µg/L 10 µg/L 420 µg/L	NA NA NA NA
Nickel (Ni)	Dissolved	A&W	Varies by hardness*, see published standards.	Varies by hardness*, see published standards.
	Total	DWS FC FBC/PBC	140 µg/L 4,600 µg/L 28,000 µg/L	NA NA NA
Nitrate (as nitrogen) (NO <sub>3</sub> )	Total	DWS San Pedro (Curtiss-Benson) FBC/PBC	10 mg/L 10 mg/L 2,240 mg/L	NA NA NA
Nitrite/Nitrate (as nitrogen) (NO <sub>2</sub> /NO <sub>2</sub> )	Total	DWS	10 mg/L	NA
Nitrite (as nitrogen) (NO <sub>2</sub> )	Total	DWS FBC/PBC	1 mg/L 140 mg/L	NA NA
Nitrogen (N)	Total	See nutrient chart below		
pH		A&W/FBC/PBC/Agl DWS Agl  All waters except Unique Waters  Unique Waters: Bonita Creek, Cienega Creek, West Fork Little Colorado, Oak Creek, and West Fork Oak Creek	6.5 - 9.0 5.0 - 9.0 4.5 - 9.0  Maximum change due to discharge = 0.5  No change due to discharge	
Phosphorus (P)	Total	See nutrient chart below		
Selenium (Se)	Total	A&Ww/A&Wc Agl A&We A&Wedw Agl/DWS FBC/PBC FC	20 µg/L 20 µg/L 33 µg/L 50 µg/L 50 µg/L 7,000 µg/L 9,000 µg/L	2 µg/L NA NA 2 µg/L NA NA NA
Silver (Ag)	Dissolved	A&Ww/A&Wc/A&We/A&Wedw	Standard varies by water hardness*, see published standards.	Standard varies by hardness*, see published standards.
	Total	DWS FBC/PBC FC	35 µg/L 7,000 µg/L 107,700 µg/L	NA NA NA
Suspended Sediment Concentration	Total	A&Wc, A&Ww (streams only – at or near base flow)	Geometric mean (4 sample minimum) 80 mg/L	
Sulfides (S <sub>2</sub> )	Total	A&W	100 µg/L (0.1 mg/L) applies only in upper layer in a lake	NA
Temperature		A&Wc	1.0 °C	

PARAMETER	FRACTION	DESIGNATED USE (Or Site-Specific Standard)	ACUTE OR SINGLE SAMPLE MAXIMUM CRITERIA	CHRONIC CRITERIA
(maximum increase due to discharge)		A&Ww/A&Wedw  Bonita Creek, Cienega Creek, West Fork Little Colorado, and People's Canyon	3.0 E C  no increase due to discharge	NA
Thallium (Tl)	Dissolved	A&Wc/A&Ww/A&Wedw	700 µg/L	150 µg/L
	Total	DWS FC FBC/PBC	2 µg/L 7.2 µg/L 112 µg/L	NA
Total Dissolved Solids (TDS)	Total	Colorado River below Hoover Dam below Parker Dam at Imperial Dam	NA	(flow-weighted average annual) 723 mg/L 747 mg/L 879 mg/L
	Total	West Fork Little Colorado River, Bonita Creek, & Cienega Creek	no increase due to discharge	NA
Turbidity	Total	Oak Creek  Peoples Canyon Creek  Cienega Creek  Bonita Creek	3 NTU change due to discharge 5 NTU change due to discharge 10 NTU 15 NTU	NA
	Total	Former Standards A&Wc (lakes and streams) A&Ww (lakes) A&Ww and A&Wedw (streams)	Former standards 10 NTU 25 NTU 50 NTU	
Uranium (Ur)	Dissolved	DWS	35 µg/L	NA
Zinc (Zn)	Dissolved	A&Ww/A&Wc/A&We/A&Wedw	Varies by hardness*, see published standards.	Varies by hardness*, see published standards.
	Total	DWS AgI AgL FC FBC/PBC	2,100 µg/L 10,000 µg/L 25,000 µg/L 69,000 µg/L 420,000 µg/L	NA

\*Dissolved metal standards are calculated using equations published with the surface water standards. In these equations, hardness (expressed as CaCO<sub>3</sub>) cannot exceed 400 mg/L; therefore, use 400 mg/L hardness if result is greater than 400 mg/L.

NA = no applicable standards



### RADIOCHEMICAL CRITERIA

Radiochemical	Designated Use	Standard (mean value)
Gross Alpha (excluding radon and uranium)	DWS	15 pCi/L
Radium-226 + Radium-228	DWS	5 pCi/L
Strontium 90	DWS	8 pCi/L
Tritium	DWS	20,000 pCi/L

### SITE SPECIFIC NUTRIENT CRITERIA

	NUTRIENT	ANNUAL MEAN	90 <sup>th</sup> PERCENTILE	SINGLE SAMPLE MAXIMUM
Verde River and tributaries above Bartlett Lake	Phosphorus	0.10 mg/L	0.30 mg/L	1.00 mg/L
	Nitrogen	1.00 mg/L	1.50 mg/L	3.00 mg/L
Oak Creek including West Fork (in Verde Watershed)	Phosphorus	0.10 mg/L	0.25 mg/L	0.30 mg/L
	Nitrogen	1.00 mg/L	1.50 mg/L	2.50 mg/L
Black River and Tonto Creek and their tributaries (in Salt Watershed)	Phosphorus	0.10 mg/L	0.20 mg/L	0.80 mg/L
	Nitrogen	0.50 mg/L	1.00 mg/L	2.00 mg/L
Salt River and tributaries, except Pinal Creek, from confluence of Black and White rivers to Roosevelt Lake	Phosphorus	0.12 mg/L	0.30 mg/L	1.00 mg/L
	Nitrogen	0.60 mg/L	1.20 mg/L	2.00 mg/L
Salt River below Stewart Mountain Dam to confluence with Verde River (In Salt Watershed)	Phosphorus	0.05 mg/L	NNS	0.20 mg/L
	Nitrogen	0.60 mg/L	NNS	3.00 mg/L
Roosevelt, Apache, Canyon, and Saguaro lakes Samples must be composites at 2-meter and 5- meter depth. (In Salt Watershed)	Phosphorus	0.03 mg/L	NNS	0.60 mg/L
	Nitrogen	0.30 mg/L	NNS	1.0 mg/L
Little Colorado River and tributaries above River Reservoir in Greer; South Fork Little Colorado River above South Fork Campground; and Water Canyon Creek above USFS boundary	Phosphorus	0.08 mg/L	0.10 mg/L	0.75 mg/L
	Nitrogen	0.60 mg/L	0.75 mg/L	1.10 mg/L
Little Colorado River at Apache County Road Number 124	Phosphorus	NNS	NNS	0.75 mg/L
	Nitrogen	NNS	NNS	1.80 mg/L
Little Colorado River from Amity Ditch diversion near Arizona Highway 273 to Lyman Lake (only when < 50 NTU)	Phosphorus	0.20 mg/L	0.30 mg/L	0.75 mg/L
	Nitrogen	0.70 mg/L	1.20 mg/L	1.50 mg/L
Colorado River at Mexico/US Northern International Border near Morales Dam	Phosphorus	NNS	0.33 mg/L	NNS
	Nitrogen	NNS	2.50 mg/L	NNS
San Pedro River from Curtis to Benson	Phosphorus	NNS	NNS	NNS
	Nitrogen	NNS	NNS	10 mg/L Nitrate (as N)

# Appendix G2

## TMDL Statute

Arizona's TMDL statute, adopted in July 2000, identifies the process by which ADEQ will make impaired waters listing decisions and develop Total Maximum Daily Loads (TMDLs) as required by the federal Clean Water Act § 303(d). A copy of this statute (Arizona Revised Statutes Title 49, Chapter 2, Article 2.1) can be downloaded at the Secretary of State Office web site at <http://www.azleg.gov/ArizonaRevisedStatutes.asp>.

### **§49-231. Definitions**

In this article, unless the context otherwise requires:

1. "Impaired water" means a navigable water for which credible scientific data exists that satisfies the requirements of § 49-232 and that demonstrates that the water should be identified pursuant to 33 United States Code § 1313(d) and the regulations implementing that statute.
2. "Surface water quality standard" means a standard adopted for a navigable water pursuant to § 49-221 and 49-222 and § 303(c) of the Clean Water Act (33 United States Code § 1313(c)).
3. "TMDL implementation plan" means a written strategy to implement a total maximum daily load that is developed for an impaired water. TMDL implementation plans may rely on any combination of the following components that the Department determines will result in achieving and maintaining compliance with applicable surface water quality standards in the most cost-effective and equitable manner:
  - a) Permit limitations.
  - b) Best management practices.
  - c) Education and outreach efforts.
  - d) Technical assistance.
  - e) Cooperative agreements, voluntary measures and incentive-based programs.
  - f) Load reductions resulting from other legally required programs or activities.
  - g) Land management programs.
  - h) Pollution prevention planning, waste minimization or pollutant trading agreements.
  - i) Other measures deemed appropriate by the Department.
4. "Total maximum daily load" means an estimation of the total amount of a pollutant from all sources that may be added to a water while still allowing the water to achieve and maintain applicable surface water quality standards. Each total maximum daily load shall include allocations for sources that contribute the pollutant to the water, as required by § 303(d) of the Clean Water Act (33 United States Code § 1313(d)) and regulations implementing that statute to achieve applicable surface water quality standards.

### **§49-232. Lists of impaired waters; data requirements; rules**

- A. At least once every five years, the Department shall prepare a list of impaired waters for the purpose of complying with § 303(d) of the Clean Water Act (33 United States Code § 1313(d)). The Department shall provide public notice and allow for comment on a draft list of impaired waters prior to its submission to the United States Environmental Protection Agency. The Department shall prepare written responses to comments received on the draft list. The Department shall publish the list of impaired waters that it plans to submit initially to the Regional Administrator and a summary of the responses to comments on the draft list in the Arizona Administrative Register at least forty-five days before submission of the list to the Regional Administrator. Publication of the list in the Arizona Administrative Register is an appealable agency action pursuant to Title 41, Chapter 6, Article 10 that may be appealed by any party that submitted written comments on the draft list. If the Department receives a notice of appeal of a listing pursuant to § 41-1092, subsection B within forty-five days of the publication of the list in the Arizona Administrative Register, the Department shall not include the challenged listing in its initial submission to the Regional Administrator. The Department may subsequently submit the challenged listing to the Regional Administrator if the listing is upheld in the Director's final administrative decision pursuant to § 41-1092.08, or if the challenge to the listing is withdrawn prior to a final administrative decision.
- B. In determining whether a water is impaired, the Department shall consider only reasonably current credible and scientifically defensible data that the Department has collected or has received from another source. Results of water sampling or other assessments of water quality, including physical or biological health,

shall be considered credible and scientifically defensible data only if the Department has determined all of the following:

1. Appropriate quality assurance and quality control procedures were followed and documented in collecting and analyzing the data.
  2. The samples or analyses are representative of water quality conditions at the time the data was collected.
  3. The data consists of an adequate number of samples based on the nature of the water in question and the parameters being analyzed.
  4. The method of sampling and analysis, including analytical, statistical and modeling methods, is generally accepted and validated in the scientific community as appropriate for use in assessing the condition of the water.
- C. The Department shall adopt by rule the methodology to be used in identifying waters as impaired. The rules shall specify all of the following:
1. Minimum data requirements and quality assurance and quality control requirements that are consistent with subsection B of this section and that must be satisfied in order for the data to serve as the basis for listing and delisting decisions.
  2. Appropriate sampling, analytical and scientific techniques that may be used in assessing whether a water is impaired.
  3. Any statistical or modeling techniques that the Department uses to assess or interpret data.
  4. Criteria for including and removing waters from the list of impaired waters, including any implementation procedures developed pursuant to subsection F of this section. The criteria for removing a water from the list of impaired waters shall not be any more stringent than the criteria for adding a water to that list.
- D. In assessing whether a water is impaired, the Department shall consider the data available in light of the nature of the water in question, including whether the water is an ephemeral water. A water in which pollutant loadings from naturally occurring conditions alone are sufficient to cause a violation of applicable surface water quality standards shall not be listed as impaired.
- E. If the Department has adopted a numeric surface water quality standard for a pollutant and that standard is not being exceeded in a water, the Department shall not list the water as impaired based on a conclusion that the pollutant causes a violation of a narrative or biological standard unless:
1. The Department has determined that the numeric standard is insufficient to protect water quality.
  2. The Department has identified specific reasons that are appropriate for the water in question, that are based on generally accepted scientific principles and that support the Department's determination.
- F. Before listing a navigable water as impaired based on a violation of a narrative or biological surface water quality standard and after providing an opportunity for public notice and comment, the Department shall adopt implementation procedures that specifically identify the objective basis for determining that a violation of the narrative or biological criterion exists. A total maximum daily load designed to achieve compliance with a narrative or biological surface water quality standard shall not be adopted until the implementation procedure for the narrative or biological surface water quality standard has been adopted.
- G. On request, the Department shall make available to the public data used to support the listing of a water as impaired and may charge a reasonable fee to persons requesting the data.
- H. By January 1, 2002, the Department shall review the list of waters identified as impaired as of January 1, 2000 to determine whether the data that supports the listing of those waters complies with this section. If the data that supports a listing does not comply with this section, the listed water shall not be included on future lists submitted to the United States Environmental Protection Agency pursuant to 33 United States Code § 1313(d) unless in the interim data that satisfies the requirements of this section has been collected or received by the Department.
- I. The Department shall add a water to or remove a water from the list using the process described in § 49-232, subsection A outside of the normal listing cycle if it collects or receives credible and scientifically defensible data that satisfies the requirements of this section and that demonstrates that the current quality of the water is such that it should be removed from or added to the list. A listed water may no longer warrant classification as impaired or an unlisted water may be identified as impaired if the applicable surface water quality standards, implementation procedures or designated uses have changed or if there is a change in water quality.

**§ 49-233. Priority ranking and schedule**

- A. Each list developed by the Department pursuant to § 49-232 shall contain a priority ranking of navigable waters identified as impaired and for which total maximum daily loads are required pursuant to § 49-234 and a schedule for the development of all required total maximum daily loads.
- B. In the first list submitted to the United States Environmental Protection Agency after the effective date of this article, the schedule shall be sufficient to ensure that all required total maximum daily loads will be developed within fifteen years of the date the list is approved by the Environmental Protection Agency. Total maximum daily loads that are required to be developed for navigable waters that are included for the first time on subsequent lists shall be developed within fifteen years of the initial inclusion of the water on the list.
- C. As part of the rule making prescribed by § 49-232, subsection C, the Department shall identify the factors that it will use to prioritize navigable waters that require development of total maximum daily loads. At a minimum and to the extent relevant data is available, the Department shall consider the following factors in prioritizing navigable waters for development of total maximum daily loads:
  - 1. The designated uses of the navigable water.
  - 2. The type and extent of risk from the impairment to human health or aquatic life.
  - 3. The degree of public interest and support, or its lack.
  - 4. The nature of the navigable water, including whether it is an ephemeral, intermittent or effluent-dependent water.
  - 5. The pollutants causing the impairment.
  - 6. The severity, magnitude and duration of the violation of the applicable surface water quality standard.
  - 7. The seasonal variation caused by natural events such as storms or weather patterns.
  - 8. Existing treatment levels and management practices.
  - 9. The availability of effective and economically feasible treatment techniques, management practices or other pollutant loading reduction measures.
  - 10. The recreational and economic importance of the water.
  - 11. The extent to which the impairment is caused by discharges or activities that have ceased.
  - 12. The extent to which natural sources contribute to the impairment.
  - 13. Whether the water is accorded special protection under federal or state water quality law.
  - 14. Whether action that is taken or that is likely to be taken under other programs, including voluntary programs, is likely to make significant progress toward achieving applicable standards even if a total maximum daily load is not developed.
  - 15. The time expected to be required to achieve compliance with applicable surface water quality standards.
  - 16. The availability of documented, effective analytical tools for developing a total maximum daily load for the water with reasonable accuracy.
  - 17. Department resources and programmatic needs.

**§ 49-234. Total maximum daily loads; implementation plans**

- A. The Department shall develop total maximum daily loads for those navigable waters listed as impaired pursuant to this article and for which total maximum daily loads are required to be adopted pursuant to 33 United States Code § 1313(d) and the regulations implementing that statute. The Department may estimate total maximum daily loads for navigable waters not listed as impaired pursuant to this article, for the purposes of developing information to satisfy the requirements of 33 United States Code §1313(d)(3), only after it has developed total maximum daily loads for all navigable waters identified as impaired pursuant to this article or if necessary to support permitting of new point source discharges.
- B. In developing total maximum daily loads, the Department shall use only statistical and modeling techniques that are properly validated and broadly accepted by the scientific community. The modeling technique may vary based on the type of water and the quantity and quality of available data that meets the quality assurance and quality control requirements of § 49-232. The Department may establish the statistical and modeling techniques in rules adopted pursuant to § 49-232, subsection C.
- C. Each total maximum daily load shall:
  - 1. Be based on data and methodologies that comply with § 49-232.
  - 2. Be established at a level that will achieve and maintain compliance with applicable surface water quality standards.

3. Include a reasonable margin of safety that takes into account any lack of knowledge concerning the relationship between effluent limitations and water quality. The margin of safety shall not be used as a substitute for adequate data when developing the total maximum daily load.
  4. Account for seasonal variations that may include setting total maximum daily loads that apply on a seasonal basis.
- D. For each impaired water, the Department shall prepare a draft estimate of the total amount of each pollutant that causes the impairment from all sources and that may be added to the navigable water while still allowing the navigable water to achieve and maintain applicable surface water quality standards. In addition, the Department shall determine draft allocations among the contributing sources that are sufficient to achieve the total loadings. The Department shall provide public notice and allow for comment on each draft estimate and shall prepare written responses to comments received on the draft estimates and draft allocations. The Department shall publish the determinations of total pollutant loadings that will not result in impairment and the draft allocations among the contributing sources that are sufficient to achieve the total loading that it intends to submit initially to the Regional Administrator, along with a summary of the responses to comments on the estimated loading and allocations, in the Arizona Administrative Register at least forty-five days before submission of the loadings and allocations to the Regional Administrator. Notwithstanding this subsection, draft allocations shall be submitted to the Regional Administrator only if that submission is required by the rules that implement 33 United States Code § 1313(d).
- E. Publication of the loadings and allocations in the Arizona Administrative Register is an appealable agency action pursuant to Title 41, Chapter 6, Article 10 that may be appealed by any party that submitted written comments on the estimated loadings and allocations. If the Department receives a notice of appeal of a loading and allocation pursuant to § 41-1092.03 within forty-five days of the publication of the loading and allocations in the Arizona Administrative Register, the Department shall not submit the challenged loading and allocations to the Regional Administrator until either the challenge to the loading is withdrawn or the Director has made a final administrative decision pursuant to § 41-1092.08.
- F. The Department shall make reasonable and equitable allocations among sources when developing total maximum daily loads. At a minimum, the Department shall consider the following factors in making allocations:
1. The environmental, economic and technological feasibility of achieving the allocation.
  2. The cost and benefit associated with achieving the allocation.
  3. Any pollutant loading reductions that are reasonably expected to be achieved as a result of other legally required actions or voluntary measures.
- G. For each total maximum daily load, the Department shall establish a TMDL implementation plan that explains how the allocations and any reductions in existing pollutant loadings will be achieved. Any reductions in loadings from nonpoint sources shall be achieved voluntarily. The Department shall provide for public notice and comment on each TMDL implementation plan. Any sampling or monitoring components of a TMDL implementation plan shall comply with § 49-232.
- H. Each TMDL implementation plan shall provide the time frame in which compliance with applicable surface water quality standards is expected to be achieved. The plan may include a phased process with interim targets for load reductions. Longer time frames are appropriate in situations involving multiple dischargers, technical, legal or economic barriers to achieving necessary load reductions, scientific uncertainty regarding data quality or modeling, significant loading from natural sources or significant loading resulting from discharges or activities that have already ceased.
- I. For navigable waters that are impaired due in part to historical factors that are difficult to address, including contaminated sediments, the Department shall consider those historical factors in determining allocations for existing point source discharges of the pollutant or pollutants that cause the impairment. In developing total maximum daily loads for those navigable waters, the Department shall use a phased approach in which expected long-term loading reductions from the historical sources are considered in establishing short-term allocations for the point sources. While total maximum daily loads and TMDL implementation plans are being completed, any permits issued for the point sources are deemed consistent with this article if the permits require reasonable reductions in the discharges of the pollutants causing the impairment and are not required to include additional reductions if those reductions would not significantly contribute to attainment of surface water quality standards.
- J. After a total maximum daily load and a TMDL implementation plan have been adopted for a navigable water, the Department shall review the status of the navigable water at least once every five years to determine if compliance with applicable surface water quality standards has been achieved. If compliance

with applicable surface water quality standards has not been achieved, the Department shall evaluate whether modification of the total maximum daily load or TMDL implementation plan is required.

**§ 49-235. Rules**

The Department shall adopt any rules necessary to implement this article.

**§ 49-236. Report**

By September 1, 2005, the Department shall submit a report to the Governor, the Speaker of the House of Representatives and the President of the Senate detailing progress made under this program and shall provide a copy to the Secretary of State and the Department of Library, Archives and Public Records. At a minimum, the report shall:

1. Evaluate the effectiveness of the total maximum daily load program and identify any recommended statutory changes to make the program more efficient, effective and equitable.
2. Assess the extent to which water quality problems that cannot be effectively addressed under the total maximum daily load program may be addressed under other federal or state laws.
3. Identify the number of appeals of department decisions under this article sought pursuant to title 41, chapter 6, article 10 and the disposition of those appeals, and assess the impact of those appeals on the Department's ability to administer the program effectively.

**§ 49-237. Impact of successful judicial appeal of Arizona Department of Environmental Quality decision**

If a person appeals to court and succeeds in overturning or modifying a final administrative decision of the Director pursuant to this article in an appeal initiated pursuant to Title 41, chapter 6, Article 10, within thirty days of the court's decision the Department shall take the steps necessary to implement the court's decision, unless the Director's decision that is overturned or modified was submitted to and approved by the Regional Administrator, in which case within thirty days of the court's decision the Department shall request that the Regional Administrator modify the approval to reflect the court's decision.

**§ 49-238. Program termination**

The program established by this article ends on July 1, 2010 pursuant to § 41-3102.

# APPENDIX G3

## IMPAIRED WATER IDENTIFICATION RULE

Arizona's Impaired Water Identification Rule established methods and criteria for identifying impaired waters and developing a Total Maximum Daily Load analysis. This rule was adopted in 2002. A copy of this rule can also be downloaded at the Secretary of States Office web site:  
[http://www.azsos.gov/public\\_services/table\\_of\\_contents.htm](http://www.azsos.gov/public_services/table_of_contents.htm), as part of Title 18.

### **R18-11-601. Definitions**

In addition to the definitions established in A.R.S. § 49-201 and 49-231, and A.A.C. R18-11-101, the following terms apply to this Article:

1. "303(d) List" means the list of surface waters or segments required under section 303(d) of the Clean Water Act and A.R.S. Title 49, Chapter 2, Article 2.1, for which TMDLs are developed and submitted to EPA for approval.
2. "Attaining" means there is sufficient, credible, and scientifically defensible data to assess a surface water or segment and the surface water or segment does not meet the definition of impaired or not attaining.
3. "AZPDES" means the Arizona Pollutant Elimination Discharge System.
4. "Credible and scientifically defensible data" means data submitted, collected, or analyzed using:
  - a. Quality assurance and quality control procedures under A.A.C. R18-11-602;
  - b. Samples or analyses representative of water quality conditions at the time the data were collected;
  - c. Data consisting of an adequate number of samples based on the nature of the water in question and the parameters being analyzed; and
  - d. Methods of sampling and analysis, including analytical, statistical, and modeling methods that are generally accepted and validated by the scientific community as appropriate for use in assessing the condition of the water.
5. "Designated use" means those uses specified in 18 A.A.C. 11, Article 1 for each surface water or segment whether or not they are attaining.
6. "EPA" means the U.S. Environmental Protection Agency.
7. "Impaired water" means a Navigable water for which credible scientific data exists that satisfies the requirements of § 49-232 and that demonstrates that the water should be identified pursuant to 33 United States Code § 1313(d) and the regulations implementing that statute. A.R.S. § 49-231(1).
8. "Laboratory detection limit" means a "Method Reporting Limit" (MRL) or "Reporting Limit" (RL). These analogous terms describe the laboratory reported value, which is the lowest concentration level included on the calibration curve from the analysis of a pollutant that can be quantified in terms of precision and accuracy.
9. "Monitoring entity" means the Department or any person who collects physical, chemical, or biological data used for an impaired water identification or a TMDL decision.
10. "Naturally occurring condition" means the condition of a surface water or segment that would have occurred in the absence of pollutant loadings as a result of human activity.
11. "Not attaining" means a surface water is assessed as impaired, but is not placed on the 303(d) List because:
  - a. A TMDL is prepared and implemented for the surface water;
  - b. An action, which meets the requirements of R18-11-604(D)(2)(h), is occurring and is expected to bring the surface water to attaining before the next 303(d) List submission; or
  - c. The impairment of the surface water is due to pollution but not a pollutant, for which a TMDL load allocation cannot be developed.
12. "NPDES" means National Pollutant Discharge Elimination System.
13. "Planning List" means a list of surface waters and segments that the Department will review and evaluate to determine if the surface water or segment is impaired and whether a TMDL is necessary.
14. "Pollutant" means dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge,

munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal, and agricultural waste discharged into water. 33 U.S.C. 1362(6). Characteristics of water, such as dissolved oxygen, pH, temperature, turbidity, and suspended sediment are considered pollutants if they result or may result in the non-attainment of a water quality standard.

15. "Pollution" means the man-made or man-induced alteration of the chemical, physical, biological, and radiological integrity of water." 33 U.S.C. 1362(19).
16. "QAP" means a quality assurance plan detailing how environmental data operations are planned, implemented, and assessed for quality during the duration of a project.
17. "Sampling event" means one or more samples taken under consistent conditions on one or more days at a distinct station or location.
18. "SAP" means a site specific sampling and analysis plan that describes the specifics of sample collection to ensure that data quality objectives are met and that samples collected and analyzed are representative of surface water conditions at the time of sampling.
19. "Spatially independent sample" means a sample that is collected at a distinct station or location. The sample is independent if the sample was collected:
  - a. More than 200 meters apart from other samples, or
  - b. Less than 200 meters apart, and collected to characterize the effect of an intervening tributary, outfall or other pollution source, or significant hydrographic or hydrologic change.
20. "Temporally independent sample" means a sample that is collected at the same station or location more than seven days apart from other samples.
21. "Threatened" means that a surface water or segment is currently attaining its designated use, however, trend analysis, based on credible and scientifically defensible data, indicates that the surface water or segment is likely to be impaired before the next listing cycle.
22. "TMDL" means total maximum daily load.
23. "TMDL decision" means a decision by the Department to:
  - a. Prioritize an impaired water for TMDL development,
  - b. Develop a TMDL for an impaired water, or
  - c. Develop a TMDL implementation plan.
24. "Total maximum daily load" means an estimation of the total amount of a pollutant from all sources that may be added to a water while still allowing the water to achieve and maintain applicable surface water quality standards. Each total maximum daily load shall include allocations for sources that contribute the pollutant to the water, as required by § 303(d) of the clean water act (33 United States Code § 1313(d)) and regulations implementing that statute to achieve applicable surface water quality standards. A.R.S. § 49-231(4).
25. "Water quality standard" means a standard composed of designated uses (classification of waters), the numerical and narrative criteria applied to the specific water uses or classification, the antidegradation policy, and moderating provisions, for example, mixing zones, site-specific alternative criteria, and exemptions, in A.A.C. Title 18, Chapter 11, Article 1.
26. "WQARF" means the water quality assurance revolving fund established under A.R.S. § 49-282.

#### **R18-11-602. Credible Data**

- A. Data are credible and relevant to an impaired water identification or a TMDL decision when:
  1. Quality Assurance Plan. A monitoring entity, which contribute data for an impaired water identification or a TMDL decision, provides the Department with a QAP that contains, at a minimum, the elements listed in subsections (A)(1)(a) through (A)(1)(f). The Department may accept a QAP containing less than the required elements if the Department determines that an element is not relevant to the sampling activity and that its omission will not impact the quality of the results based upon the type of pollutants to be sampled, the type of surface water, and the purpose of the sampling.
    - a. An approval page that includes the date of approval and the signatures of the approving officials, including the project manager and project quality assurance manager;
    - b. A project organization outline that identifies all key personnel, organizations, and laboratories involved in monitoring, including the specific roles and responsibilities of key personnel in carrying out the procedures identified in the QAP and SAP, if applicable;



- c. Sampling design and monitoring data quality objectives or a SAP that meets the requirements of subsection (A)(2) to ensure that:
  - i. Samples are spatially and temporally representative of the surface water,
  - ii. Samples are representative of water quality conditions at the time of sampling, and
  - iii. The monitoring is reproducible;
- d. The following field sampling information to assure that samples meet data quality objectives:
  - i. Sampling and field protocols for each parameter or parametric group, including the sampling methods, equipment and containers, sample preservation, holding times, and any analysis proposed for completion in the field or outside of a laboratory;
  - ii. Field and laboratory methods approved under subsection(A)(5);
  - iii. Handling procedures to identify samples and custody protocols used when samples are brought from the field to the laboratory for analysis;
  - iv. Quality control protocols that describe the number and type of field quality control samples for the project that includes, if appropriate for the type of sampling being conducted, field blanks, travel blanks, equipment blanks, method blanks, split samples, and duplicate samples;
  - v. Procedures for testing, inspecting, and maintaining field equipment;
  - vi. Field instrument calibration procedures that describe how and when field sampling and analytical instruments will be calibrated;
  - vii. Field notes and records that describe the conditions that require documentation in the field, such as weather, stream flow, transect information, distance from water edge, water and sample depth, equipment calibration measurements, field observations of watershed activities, and bank conditions. Indicate the procedures implemented for maintaining field notes and records and the process used for attaching pertinent information to monitoring results to assist in data interpretation;
  - viii. Minimum training and any specialized training necessary to do the monitoring, that includes the proper use and calibration of field equipment used to collect data, sampling protocols, quality assurance/quality control procedures, and how training will be achieved;
- e. Laboratory analysis methods and quality assurance/quality control procedures that assure that samples meet data quality objectives, including:
  - i. Analytical methods and equipment necessary for analysis of each parameter, including identification of approved laboratory methods described in subsection (A)(5), and laboratory detection limits for each parameter;
  - ii. The name of the designated laboratory, its license number, if licensed by the Arizona Department of Health Services, and the name of a laboratory contact person to assist the Department with quality assurance questions;
  - iii. Quality controls that describe the number and type of laboratory quality control samples for the project, including, if appropriate for the type of sampling being conducted, field blanks, travel blanks, equipment blanks, method blanks, split samples, and duplicate samples;
  - iv. Procedures for testing, inspecting, and maintaining laboratory equipment and facilities;
  - v. A schedule for calibrating laboratory instruments, a description of calibration methods, and a description of how calibration records are maintained; and
  - vi. Sample equipment decontamination procedures that outline specific methods for sample collection and preparation of equipment, identify the frequency of decontamination, and describe the procedures used to verify decontamination;
- f. Data review, management, and use that includes the following:
  - i. A description of the data handling process from field to laboratory, from laboratory to data review and validation, and from validation to data storage and use. Include the role and responsibility of each person for each step of the process, type of database or other storage used, and how laboratory and field data qualifiers are related to the laboratory result;
  - ii. Reports that describe the intended frequency, content, and distribution of final

- analysis reports and project status reports;
  - iii. Data review, validation, and verification that describes the procedure used to validate and verify data, the procedures used if errors are detected, and how data are accepted, rejected, or qualified; and
  - iv. Reconciliation with data quality objectives that describes the process used to determine whether the data collected meets the project objectives, which may include discarding data, setting limits on data use, or revising data quality objectives.
- 2. Sampling and analysis plan.
  - a. A monitoring entity shall develop a SAP that contains, at a minimum, the following elements:
    - i. The experimental design of the project, the project goals and objectives, and evaluation criteria for data results;
    - ii. The background or historical perspective of the project;
    - iii. Identification of target conditions, including a discussion of whether any weather, seasonal variations, stream flow, lake level, or site access may affect the project and the consideration of these factors;
    - iv. The data quality objectives for measurement of data that describe in quantitative and qualitative terms how the data meet the project objectives of precision, accuracy, completeness, comparability, and representativeness;
    - v. The types of samples scheduled for collection;
    - vi. The sampling frequency;
    - vii. The sampling periods;
    - viii. The sampling locations and rationale for the site selection, how site locations are benchmarked, including scaled maps indicating approximate location of sites; and
    - ix. A list of the field equipment, including tolerance range and any other manufacturer's specifications relating to accuracy and precision.
  - b. The Department may accept a SAP containing less than the required elements if the Department determines that an element is not relevant to the sampling activity and that its omission will not impact the quality of the results based upon the type of pollutants to be samples, the type of surface water, and the purpose of the sampling.
- 3. [Options] The monitoring entity may include any of the following in the QAP or SAP:
  - a. The name, title, and role of each person and organization involved in the project, identifying specific roles and responsibilities for carrying out the procedures identified in the QAP and SAP;
  - b. A distribution list of each individual and organization receiving a copy of the approved QAP and SAP;
  - c. A table of contents;
  - d. A health and safety plan;
  - e. The inspection and acceptance requirements for supplies;
  - f. The data acquisition that describes types of data not obtained through this monitoring activity, but used in the project;
  - g. The audits and response actions that describe how field, laboratory, and data management activities and sampling personnel are evaluated to ensure data quality, including a description of how the project will correct any problems identified during these assessments; and
  - h. The waste disposal methods that identify wastes generated in sampling and methods for disposal of those wastes.
- 4. Exceptions. The Department may determine that the following data are also credible and relevant to an impaired water identification or TMDL decision when data were collected, provided the conditions in subsections (A)(5), (A)(6), and (B) are met, and where the data were collected in the surface water or segment being evaluated for impairment:
  - a. The data were collected before July 12, 2002 and the Department determines that the data yield results of comparable reliability to the data collected under subsections (A)(1) and (A)(2);
  - b. The data were collected after July 12, 2002 as part of an ongoing monitoring effort by a

- governmental agency and the Department determines that the data yield results of comparable reliability to the data collected under subsections (A)(1) and (A)(2); or
- c. The instream water quality data were or are collected under the terms of a NPDES or AZPDES permit or a compliance order issued by the Department or EPA, a consent decree signed by the Department or EPA, or a sampling program approved by the Department or EPA under WQARF or CERCLA, and the Department determines that the data yield results of comparable reliability to data collected under subsections (A)(1) and (A)(2).
5. Data collection, preservation, and analytical procedures. The monitoring entity shall collect, preserve, and analyze data using methods of sample collection, preservation, and analysis established under A.A.C. R9-14-610.
  6. Laboratory. The monitoring entity shall ensure that chemical and toxicological samples are analyzed in a state-licensed laboratory, a laboratory exempted by the Arizona Department of Health Services for specific analyses, or a federal or academic laboratory that can demonstrate proper quality assurance/quality control procedures substantially equal to those required by the Arizona Department of Health Services, and shall ensure that the laboratory uses approved methods identified in A.A.C. R9-14-610.
- B. Documentation for data submission. The monitoring entity shall provide the Department with the following information either before or with data submission:
1. A copy of the QAP or SAP, or both, revisions to a previously submitted QAP or SAP, and any other information necessary for the Department to evaluate the data under subsection (A)(4);
  2. The applicable dates of the QAP and SAP, including any revisions;
  3. Written assurance that the methods and procedures specified in the QAP and SAP were followed;
  4. The name of the laboratory used for sample analyses and its certification number, if the laboratory is licensed by the Arizona Department of Health Services;
  5. The quality assurance/quality control documentation, including the analytical methods used by the laboratory, method number, detection limits, and any blank, duplicate, and spike sample information necessary to properly interpret the data, if different from that stated in the QAP or SAP;
  6. The data reporting unit of measure;
  7. Any field notes, laboratory comments, or laboratory notations concerning a deviation from standard procedures, quality control, or quality assurance that affects data reliability, data interpretation, or data validity; and
  8. Any other information, such as complete field notes, photographs, climate, or other information related to flow, field conditions, or documented sources of pollutants in the watershed, if requested by the Department for interpreting or validating data.
- C. Record keeping. The monitoring entity shall maintain all records, including sample results, for the duration of the listing cycle. If a surface water or segment is added to the Planning List or to the 303(d) List, the Department shall coordinate with the monitoring entity to ensure that records are kept for the duration of the listing.

#### **R18-11-603. General Data Interpretation Requirements**

- A. The Department shall use the following data conventions to interpret data for impaired water identifications and TMDL decisions:
1. Data reported below laboratory detection limits.
    - a. When the analytical result is reported as <X, where X is the laboratory detection limit for the analyte and the laboratory detection limit is less than or equal to the surface water quality standard, consider the result as meeting the water quality standard:
      - i. Use these statistically derived values in trend analysis, descriptive statistics or modeling if there is sufficient data to support the statistical estimation of values reported as less than the laboratory detection limit; or
      - ii. Use one-half of the value of the laboratory detection limit in trend analysis, descriptive statistics, or modeling, if there is insufficient data to support the statistical estimation of values reported as less than the laboratory detection limit.
    - b. When the sample value is less than or equal to the laboratory detection limit but the laboratory detection limit is greater than the surface water quality standard, shall not use the result for impaired water identifications or TMDL decisions;

2. Identify the field equipment specifications used for each listing cycle or TMDL developed. A field sample measurement within the manufacturer's specification for accuracy meets surface water quality standards;
3. Resolve a data conflict by considering the factors identified under the weight-of-evidence determination in R18-11-605(B);
4. When multiple samples from a surface water or segment are not spatially or temporally independent, or when lake samples are from multiple depths, use the following resultant value to represent the specific dataset:
  - a. The appropriate measure of central tendency for the dataset for:
    - i. A pollutant listed in the surface water quality standards 18 A.A.C. 11, Article 1, Appendix A, Table 1, except for nitrate or nitrate/nitrite;
    - ii. A chronic water quality standard for a pollutant listed in 18 A.A.C. 11, Article 1, Appendix A, Table 2;
    - iii. A surface water quality standard for a pollutant that is expressed as an annual or geometric mean;
    - iv. The surface water quality standard for temperature or the single sample maximum water quality standard for suspended sediment concentration, nitrogen, and phosphorus in R18-11-109;
    - v. The surface water quality standard for radiochemicals in R18-11-109(G); or
    - vi. Except for chromium, all single sample maximum water quality standards in R18-11-112.
  - b. The maximum value of the dataset for:
    - i. The acute water quality standard for a pollutant listed in 18 A.A.C. 11, Article 1, Appendix A, Table 2 and acute water quality standard in R18-11-112;
    - ii. The surface water quality standard for nitrate or nitrate/nitrite in 18 A.A.C. 11, Article 1, Appendix A, Table 1;
    - iii. The single sample maximum water quality standard for bacteria in subsections R18-11-109(A); or
    - iv. The 90th percentile water quality standard for nitrogen and phosphorus in R18-11-109(F) and R18-11-112.
  - c. The worst case measurement of the dataset for:
    - i. Surface water quality standard for dissolved oxygen under R18-11-109(E). For purposes of this subsection, worst case measurement means the minimum value for dissolved oxygen;
    - ii. Surface water quality standard for pH under R18-11-109(B). For purposes of this subsection, "worst case measurement" means both the minimum and maximum value for pH.
- B. The Department shall not use the following data for placing a surface water or segment on the Planning List, the 303(d) List, or in making a TMDL decision.
  1. Any measurement outside the range of possible physical or chemical measurements for the pollutant or measurement equipment,
  2. Uncorrected data transcription errors or laboratory errors, and
  3. An outlier identified through statistical procedures, where further evaluation determines that the outlier represents a valid measure of water quality but should be excluded from the dataset.
- C. The Department may employ fundamental statistical tests if appropriate for the collected data and type of surface water when evaluating a surface water or segment for impairment or in making a TMDL decision. The statistical tests include descriptive statistics, frequency distribution, analysis of variance, correlation analysis, regression analysis, significance testing, and time series analysis.
- D. The Department may employ modeling when evaluating a surface water or segment for impairment or in making a TMDL decision, if the method is appropriate for the type of waterbody and the quantity and quality of available data meet the requirements of R18-11-602. Modeling methods include:
  1. Better Assessment Science Integrating Source and Nonpoint Sources (BASINS),
  2. Fundamental statistics, including regression analysis,
  3. Hydrologic Simulation Program-Fortran (HSPF),
  4. Spreadsheet modeling, and
  5. Hydrologic Engineering Center (HEC) programs developed by the Army Corps of Engineers.

#### **R18-11-604. Types of Surface Waters Placed on the Planning List and 303(d) List**

- A. The Department shall evaluate, at least every five years, Arizona's surface waters by considering all readily available data.
  - 1. The Department shall place a surface water or segment on:
    - a. The Planning List if it meets any of the criteria described in subsection (D), or
    - b. The 303(d) List if it meets the criteria for listing described in subsection (E).
  - 2. The Department shall remove a surface water or segment from the Planning List based on the requirements in R18-11-605(E)(1) or from the 303(d) List, based on the requirements in R18-11-605(E)(2).
  - 3. The Department may move surface waters or segments between the Planning List and the 303(d) List based on the criteria established in R18-11-604 and R18-11-605.
- B. When placing a surface water or segment on the Planning List or the 303(d) List, the Department shall list the stream reach, derived from EPA's Reach File System or *National Hydrography Dataset*, or the entire lake, unless the data indicate that only a segment of the stream reach or lake is impaired or not attaining its designated use, in which case, the Department shall describe only that segment for listing.
- C. Exceptions. The Department shall not place a surface water or segment on either the Planning List or the 303(d) List if the non-attainment of a surface water quality standard is due to one of the following:
  - 1. Pollutant loadings from naturally occurring conditions alone are sufficient to cause a violation of applicable water quality standards;
  - 2. The data were collected within a mixing zone or under a variance or nutrient waiver established in a NPDES or AZPDES permit for the specific parameter and the result does not exceed the alternate discharge limitation established in the permit. The Department may use data collected within these areas for modeling or allocating loads in a TMDL decision; or
  - 3. An activity exempted under R18-11-117, R18-11-118, or a condition exempted under R18-11-119.
- D. Planning List.
  - 1. The Department shall:
    - a. Use the Planning List to prioritize surface waters for monitoring and evaluation as part of the Department's watershed management approach;
    - b. Provide the Planning List to EPA; and
    - c. Evaluate each surface water and segment on the Planning List for impairment based on the criteria in R18-11-605(D) to determine the source of the impairment.
  - 2. The Department shall place a surface water or segment on the Planning List based the criteria in R18-11-605(C). The Department may also include a surface water or segment on the Planning List when:
    - a. A TMDL is completed for the pollutant and approved by EPA;
    - b. The surface water or segment is on the 1998 303(d) List but the dataset used for the listing:
      - i. Does not meet the credible data requirements of R18-11-602, or
      - ii. Contains insufficient samples to meet the data requirements under R18-11-605(D);
    - c. Some monitoring data exist but there are insufficient data to determine whether the surface water or segment is impaired or not attaining, including:
      - i. A numeric surface water quality standard is exceeded, but there are not enough samples or sampling events to fulfill the requirements of R18-11-605(D);
      - ii. Evidence exists of a narrative standard violation, but the amount of evidence is insufficient, based on narrative implementation procedures and the requirements of R18-11-605(D)(3);
      - iii. Existing monitoring data do not meet credible data requirements in R18-11-602; or
      - iv. A numeric surface water quality standard is exceeded, but there are not enough sample results above the laboratory detection limit to support statistical analysis as established in R18-11-603(A)(1).
    - d. The surface water or segment no longer meets the criteria for impairment based on a change in the applicable surface water quality standard or a designated use approved by EPA under section 303(c)(1) of the Clean Water Act, but insufficient current or original monitoring data exist to determine whether the surface water or segment will meet current surface water quality standards;
    - e. Trend analysis using credible and scientifically defensible data indicate that surface water

- quality standards may be exceeded by the next assessment cycle;
  - f. The exceedance of surface water quality standards is due to pollution, but not a pollutant;
  - g. Existing data were analyzed using methods with laboratory detection limits above the numeric surface water quality standard but analytical methods with lower laboratory detection limits are available;
  - h. The surface water or segment is expected to attain its designated use by the next assessment as a result of existing or proposed technology-based effluent limitations or other pollution control requirements under local, state, or federal authority. The appropriate entity shall provide the Department with the following documentation to support placement on the Planning List:
    - i. Verification that discharge controls are required and enforceable;
    - ii. Controls are specific to the surface water or segment, and pollutant of concern;
    - iii. Controls are in place or scheduled for implementation; and
    - iv. There are assurances that the controls are sufficient to bring about attainment of water quality standards by the next 303(d) List submission; or
  - i. The surface water or segment is threatened due to a pollutant and, at the time the Department submits a final 303(d) List to EPA, there are no federal regulations implementing section 303(d) of the Clean Water Act that require threatened waters be included on the list.
- E. 303(d) List. The Department shall:
1. Place a surface water or segment on the 303(d) List if the Department determines:
    - a. Based on R18-11-605(D), that the surface water or segment is impaired due to a pollutant and that a TMDL decision is necessary; or
    - b. That the surface water or segment is threatened due to a pollutant and, at the time the Department submits a final 303(d) List to EPA, there are federal regulations implementing section 303(d) of the Clean Water Act that require threatened waters be included on the list.
  2. Provide public notice of the 303(d) List according to the requirements of A.R.S. § 49-232 and submit the 303(d) List according to section 303(d) of the Clean Water Act.

#### **R18-11-605. Evaluating A Surface Water or Segment For Listing and Delisting**

- A. The Department shall compile and evaluate all reasonably current, credible, and scientifically defensible data to determine whether a surface water or segment is impaired or not attaining.
- B. Weight-of-evidence approach.
  1. The Department shall consider the following concepts when evaluating data:
    - a. Data or information collected during critical conditions may be considered separately from the complete dataset, when the data show that the surface water or segment is impaired or not attaining its designated use during those critical conditions, but attaining its uses during other periods. Critical conditions may include stream flow, seasonal periods, weather conditions, or anthropogenic activities;
    - b. Whether the data indicate that the impairment is due to persistent, seasonal, or recurring conditions. If the data do not represent persistent, recurring, or seasonal conditions, the Department may place the surface water or segment on the Planning List;
    - c. Higher quality data over lower quality data when making a listing decision. Data quality is established by the reliability, precision, accuracy, and representativeness of the data, based on factors identified in R18-11-602(A) and (B), including monitoring methods, analytical methods, quality control procedures, and the documented field and laboratory quality control information submitted with the data. The Department shall consider the following factors when determining higher quality data:
      - i. The age of the measurements. Newer measurements are weighted heavier than older measurements, unless the older measurements are more representative of critical flow conditions;
      - ii. Whether the data provide a direct measure of an impact on a designated use. Direct measurements are weighted heavier than measurements of an indicator or surrogate parameter; or
      - iii. The amount or frequency of the measurements. More frequent data collection are

- weighted heavier than nominal datasets.
2. The Department shall evaluate the following factors to determine if the water quality evidence supports a finding that the surface water or segment is impaired or not attaining:
    - a. An exceedance of a numeric surface water quality standard based on the criteria in subsections (C)(1), (C)(2), (D)(1), and (D)(2);
    - b. An exceedance of a narrative surface water quality standard based on the criteria in subsections (C)(3) and (D)(3);
    - c. Additional information that determines whether a water quality standard is exceeded due to a pollutant, suspected pollutant, or naturally occurring condition:
      - i. Soil type, geology, hydrology, flow regime, biological community, geomorphology, climate, natural process, and anthropogenic influence in the watershed;
      - ii. The characteristics of the pollutant, such as its solubility in water, bioaccumulation potential, sediment sorption potential, or degradation characteristics, to assist in determining which data more accurately indicate the pollutant's presence and potential for causing impairment; and
      - iii. Available evidence of direct or toxic impacts on aquatic life, wildlife, or human health, such as fish kills and beach closures, where there is sufficient evidence that these impacts occurred due to water quality conditions in the surface water.
    - d. Other available water quality information, such as NPDES or AZPDES water quality discharge data, as applicable.
    - e. If the Department determines that a surface water or segment does not merit listing under numeric water quality standards based on criteria in subsections (C)(1), (C)(2), (D)(1), or (D)(2) for a pollutant, but there is evidence of a narrative standard exceedance in that surface water or segment under subsection (D)(3) as a result of the presence of the same pollutant, the Department shall list the surface water or segment as impaired only when the evidence indicates that the numeric water quality standard is insufficient to protect the designated use of the surface water or segment and the Department justifies the listing based on any of the following:
      - i. The narrative standard data provide a more direct indication of impairment as supported by professionally prepared and peer-reviewed publications;
      - ii. Sufficient evidence of impairment exists due to synergistic effects of pollutant combinations or site-specific environmental factors; or
      - iii. The pollutant is bioaccumulative, relatively insoluble in water, or has other characteristics that indicate it is occurring in the specific surface water or segment at levels below the laboratory detection limits, but at levels sufficient to result in an impairment.
  3. The Department may consider a single line of water quality evidence when the evidence is sufficient to demonstrate that the surface water or segment is impaired or not attaining.

#### C. Planning List.

1. When evaluating a surface water or segment for placement on the Planning List.
  - a. Consider at least ten spatially or temporally independent samples collected over three or more temporally independent sampling events; and
  - b. Determine numeric water quality standards exceedances. The Department shall:
    - i. Place a surface water or segment on the Planning List following subsection (B), if the number of exceedances of a surface water quality standard is greater than or equal to the number listed in Table 1, which provides the number of exceedances that indicate a minimum of a 10 percent exceedance frequency with a minimum of a 80 percent confidence level using a binomial distribution for a given sample size; or
    - ii. For sample datasets exceeding those shown in **Table 1**, calculate the number of exceedances using the following equation:  $(X \geq x^* n, p)$  where  $n$  = number of samples;  $p$  = exceedance probability of 0.1;  $x$  = smallest number of exceedances required for listing with " $n$ " samples; and confidence level  $\geq$  80 percent.
2. When there are less than ten samples, the Department shall place a surface water or segment on the Planning List following subsection (B), if three or more temporally independent samples exceed the following surface water quality standards:
  - a. The surface water quality standard for a pollutant listed in 18 A.A.C. 11, Article 1, Appendix

- A, Table 1, except for nitrate or nitrate/nitrite;
- b. The surface water quality standard for temperature or the single sample maximum water quality standard for suspended sediment concentration, nitrogen, and phosphorus in R18-11-109;
- c. The surface water quality standard for radiochemicals in R18-11-109(G);
- d. The surface water quality standard for dissolved oxygen under R18-11-109(E);
- e. The surface water quality standard for pH under R18-11-109(B); or
- f. The following surface water quality standards in R18-11-112:
  - i. Single sample maximum standards for nitrogen and phosphorus,
  - ii. All metals except chromium, or
  - iii. Turbidity.
- 3. The Department shall place a surface water or segment on the Planning List if information in subsections (B)(2)(c), (B)(2)(d), and (B)(2)(e) indicates that a narrative water quality standard violation exists, but no narrative implementation procedure required under A.R.S. § 49-232(F) exists to support use of the information for listing.

**D. 303(d) List.**

- 1. When evaluating a surface water or segment for placement on the 303(d) List.
  - a. Consider at least 20 spatially or temporally independent samples collected over three or more temporally independent sampling events; and
  - b. Determine numeric water quality standards exceedances. The Department shall:
    - i. Place a surface water or segment on the 303(d) List, following subsection (B), if the number of exceedances of a surface water quality standard is greater than or equal to the number listed in Table 2, which provides the number of exceedances that indicate a minimum of a 10 percent exceedance frequency with a minimum of a 90 percent confidence level using a binomial distribution, for a given sample size; or
    - ii. For sample datasets exceeding those shown in Table 2, calculate the number of exceedances using the following equation:  $(X \geq x^* n, p)$  where  $n$  = number of samples;  $p$  = exceedance probability of 0.1;  $x$  = smallest number of exceedances required for listing with " $n$ " samples; and confidence level  $\geq$  90 percent.
- 2. The Department shall place a surface water or segment on the 303(d) List, following subsection (B) without the required number of samples or numeric water quality standard exceedances under subsection (D)(1), if either the following conditions occur:
  - a. More than one temporally independent sample in any consecutive three-year period exceeds the surface water quality standard in:
    - i. The acute water quality standard for a pollutant listed in 18 A.A.C. 11, Article 1, Appendix A, Table 2 and the acute water quality standards in R18-11-112;
    - ii. The surface water quality standard for nitrate or nitrate/nitrite in 18 A.A.C. 11, Article 1, Appendix A, Table 1; or
    - iii. The single sample maximum water quality standard for bacteria in subsections R18-11-109(A).
  - b. More than one exceedance of an annual mean, 90th percentile, aquatic and wildlife chronic water quality standard, or a bacteria 30-day geometric mean water quality standard occurs, as specified in R18-11-109, R18-11-110, R18-11-112, or 18 A.A.C. 11, Article 1, Appendix A, Table 2.
- 3. Narrative water quality standards exceedances. The Department shall place a surface water or segment on the Planning List if the listing requirements are met under A.R.S. § 49-232(F).

**E. Removing a surface water, segment, or pollutant from the Planning List or the 303(d) List.**

- 1. Planning List. The Department shall remove a surface water, segment, or pollutant from the Planning List when:
  - a. Monitoring activities indicate that:
    - i. There is sufficient credible data to determine that the surface water or segment is impaired under subsection (D), in which case the Department shall place the surface water or segment on the 303(d) List. This includes surface waters with an EPA approved TMDL when the Department determines that the TMDL strategy is insufficient for the surface water or segment to attain water quality standards; or
    - ii. There is sufficient credible data to determine that the surface water or segment is



- attaining all designated uses and standards.
- b. All pollutants for the surface water or segment are delisted.
- 2. 303(d) List. The Department shall:
  - a. Remove a pollutant from a surface water or segment from the 303(d) List based on one or more of the following criteria:
    - i. The Department developed, and EPA approved, a TMDL for the pollutant;
    - ii. The data used for previously listing the surface water or segment under R18-11-605(D) is superseded by more recent credible and scientifically defensible data meeting the requirements of R18-11-602, showing that the surface water or segment meets the applicable numeric or narrative surface water quality standard. When evaluating data to remove a pollutant from the 303(d) List, the monitoring entity shall collect the more recent data under similar hydrologic or climatic conditions as occurred when the samples were taken that indicated impairment, if those conditions still exist;
    - iii. The surface water or segment no longer meets the criteria for impairment based on a change in the applicable surface water quality standard or a designated use approved by EPA under section 303(c)(1) of the Clean Water Act;
    - iv. The surface water or segment no longer meets the criteria for impairment for the specific narrative water quality standard based on a change in narrative water quality standard implementation procedures;
    - v. A re-evaluation of the data indicate that the surface water or segment does not meet the criteria for impairment because of a deficiency in the original analysis; or
    - vi. Pollutant loadings from naturally occurring conditions alone are sufficient to cause a violation of applicable water quality standards;
  - b. Remove a surface water, segment, or pollutant from the 303(d) List, based on criteria that are no more stringent than the listing criteria under subsection (D);
  - c. Remove a surface water or segment from the 303(d) List if all pollutants for the surface water or segment are removed from the list;
  - d. Remove a surface water, segment, or pollutant, from the 303(d) List and place it on the Planning List, if:
    - i. The surface water, segment or pollutant was on the 1998 303(d) List and the dataset used in the original listing does not meet the credible data requirements under R18-11-602, or contains insufficient samples to meet the data requirements under subsection (D); or
    - ii. The monitoring data indicate that the impairment is due to pollution, but not a pollutant.

**R18-11-606. TMDL Priority Criteria for 303(d) Listed Surface Waters or Segments**

- A. In addition to the factors specified in A.R.S. § 49-233(C), the Department shall consider the following when prioritizing an impaired water for development of TMDLs:
  - 1. A change in a water quality standard;
  - 2. The date the surface water or segment was added to the 303(d) List;
  - 3. The presence in a surface water or segment of species listed as threatened or endangered under section 4 of the Endangered Species Act;
  - 4. The complexity of the TMDL;
  - 5. State, federal, and tribal policies and priorities; and
  - 6. The efficiencies of coordinating TMDL development with the Department's surface water monitoring program, the watershed monitoring rotation, or with remedial programs.
- B. The Department shall prioritize an impaired surface water or segment for TMDL development based on the factors specified in A.R.S. § 49-233(C) and subsection (A) as follows:
  - 1. Consider an impaired surface water or segment a high priority if:
    - a. The listed pollutant poses a substantial threat to the health and safety of humans, aquatic life, or wildlife based on:
      - i. The number and type of designated uses impaired;
      - ii. The type and extent of risk from the impairment to human health, aquatic life, or

- wildlife;
    - iii. The pollutant causing the impairment, or
    - iv. The severity, magnitude, and duration the surface water quality standard was exceeded;
  - b. A new or modified individual NPDES or AZPDES permit is sought for a new or modified discharge to the impaired water;
  - c. The listed surface water or segment is listed as a unique water in A.A.C. R18-11-112 or is part of an area classified as a "wilderness area," "wild and scenic river," or other federal or state special protection of the water resource;
  - d. The listed surface water or segment contains a species listed as threatened or endangered under the federal Endangered Species Act and the presence of the pollutant in the surface water or segment is likely to jeopardize the listed species;
  - e. A delay in conducting the TMDL could jeopardize the Department's ability to gather sufficient credible data necessary to develop the TMDL;
  - f. There is significant public interest and support for the development of a TMDL;
  - g. The surface water or segment has important recreational and economic significance to the public; or
  - h. The pollutant is listed for eight years or more.
- 2. Consider an impaired surface water or segment a medium priority if:
  - a. The surface water or segment fails to meet more than one designated use;
  - b. The pollutant exceeds more than one surface water quality standard;
  - c. A surface water quality standard exceedance is correlated to seasonal conditions caused by natural events, such as storms, weather patterns, or lake turnover;
  - d. It will take more than two years for proposed actions in the watershed to result in the surface water attaining applicable water quality standards;
  - e. The type of pollutant and other factors relating to the surface water or segment make the TMDL complex; or
  - f. The administrative needs of the Department, including TMDL schedule commitments with EPA, permitting requirements, or basin priorities that require completion of the TMDL.
- 3. Consider an impaired surface water or segment a low priority if:
  - a. The Department has formally submitted a proposal to delist the surface water, segment, or pollutant to EPA based on R18-11-605(E)(2). If the Department makes the submission outside the listing process cycle, the change in priority ranking will not be effective until EPA approves the submittal;
  - b. The Department has modified, or formally proposed for modification, the designated use or applicable surface water quality standard, resulting in an impaired water no longer being impaired, but the modification has not been approved by EPA;
  - c. The surface water or segment is expected to attain surface water quality standards due to any of the following:
    - i. Recently instituted treatment levels or best management practices in the drainage area,
    - ii. Discharges or activities related to the impairment have ceased, or
    - iii. Actions have been taken and controls are in place or scheduled for implementation that will likely to bring the surface water back into compliance;
  - d. The surface water or segment is ephemeral or intermittent. The Department shall re-prioritize the surface water or segment if the presence of the pollutant in the listed water poses a threat to the health and safety of humans, aquatic life, or wildlife using the water, or the pollutant is contributing to the impairment of a downstream perennial surface water or segment;
  - e. The pollutant poses a low ecological and human health risk;
  - f. Insufficient data exist to determine the source of the pollutant load;
  - g. The uncertainty of timely coordination with national and international entities concerning international waters;
  - h. Naturally occurring conditions are a major contributor to the impairment; and
  - i. No documentation or effective analytical tools exist to develop a TMDL for the surface water or segment with reasonable accuracy.

- C. The Department will target surface waters with high priority factors in subsections (B)(1)(a) through (B)(1)(d) for initiation of TMDLs within two years following EPA approval of the 303(d) List.
- D. The Department may shift priority ranking of a surface water or segment for any of the following reasons:
  - 1. A change in federal, state, or tribal policies or priorities that affect resources to complete a TMDL;
  - 2. Resource efficiencies for coordinating TMDL development with other monitoring activities, including the Department's ambient monitoring program that monitors watersheds on a 5-year rotational basis;
  - 3. Resource efficiencies for coordinating TMDL development with Department remedial or compliance programs;
  - 4. New information is obtained that will revise whether the surface water or segment is a high priority based on factors in subsection (B); and
  - 5. Reduction or increase in staff or budget involved in the TMDL development.
- E. The Department may complete a TMDL initiated before July 12, 2002 for a surface water or segment that was listed as impaired on the 1998 303(d) List but does not qualify for listing under the criteria in R18-11-605, if:
  - 1. The TMDL investigation establishes that the water quality standard is not being met and the allocation of loads is expected to bring the surface water into compliance with standards,
  - 2. The Department estimates that more than 50 percent of the cost of completing the TMDL has been spent,
  - 3. There is community involvement and interest in completing the TMDL, or
  - 4. The TMDL is included within an EPA-approved state workplan initiated before July 12, 2002.

**Table 1 – [Planning List] Minimum Number of Samples Exceeding the Numeric Standard**

Number of Samples		Number of Samples Exceeding Standard	Number of Samples		Number of Samples Exceeding Standard	Number of Samples		Number of Samples Exceeding Standard
From	To		From	To		From	To	
10	15	3	182	190	23	368	376	43
16	23	4	191	199	24	377	385	44
24	31	5	200	208	25	386	395	45
32	39	6	209	218	26	396	404	46
40	47	7	219	227	27	405	414	47
48	56	8	228	236	28	415	423	48
57	65	9	237	245	29	424	432	49
66	73	10	246	255	30	433	442	50
74	82	11	256	264	31	443	451	51
83	91	12	265	273	32	452	461	52
92	100	13	274	282	33	462	470	53
101	109	14	283	292	34	471	480	54
110	118	15	293	301	35	481	489	55
119	126	16	302	310	36	490	499	56
127	136	17	311	320	37	500		57
137	145	18	321	329	38	See calculation in R18-11-605.C.1.b.ii if dataset is larger than 500 samples.		
146	154	19	330	338	39			
155	163	20	339	348	40			
164	172	21	349	357	41			
173	181	22	358	367	42			

**Table 2 – [Impaired Waters] Minimum Number of Samples Exceeding the Numeric Standard**

Number of Samples		Number of Samples Exceeding Standard	Number of Samples		Number of Samples Exceeding Standard	Number of Samples		Number of Samples Exceeding Standard
From	To		From	To		From	To	
20	25	5	183	191	25	362	370	45
26	32	6	192	199	26	371	379	46
33	40	7	200	208	27	380	388	47
41	47	8	209	217	28	389	397	48
48	55	9	218	226	29	398	406	49
56	63	10	227	235	30	407	415	50
64	71	11	236	244	31	416	424	51
72	79	12	245	253	32	425	434	52
80	88	13	254	262	33	435	443	53
89	96	14	263	270	34	444	452	54
97	104	15	271	279	35	453	461	55
105	113	16	280	288	36	462	470	56
114	121	17	289	297	37	471	479	57
122	130	18	298	306	38	480	489	58
131	138	19	307	315	39	490	498	59
139	147	20	316	324	40	499	500	60
148	156	21	325	333	41	See calculation in R18-11-605.D.1.b.ii if dataset is larger than 500 samples.		
157	164	22	334	343	42			
165	173	23	344	352	43			
174	182	24	353	361	44			

# Appendix G4

## Acronyms, Abbreviations, and Definitions

<b>AAC</b>	Arizona Administrative Code
<b>ADEQ</b>	Arizona Department of Environmental Quality
<b>AGFD</b>	Arizona Game and Fish Department
<b>Agricultural Irrigation (Agl)</b>	Surface water is used for the irrigation of crops.
<b>Agricultural Livestock Watering (AgL)</b>	Surface water is used as a supply of water for consumption by livestock.
<b>Aquatic and Wildlife Coldwater Fishery (A&amp;Wc)</b>	Surface water used by animals, plants, or other organisms (including salmonid fish) for habitation, growth, or propagation, generally occurring above 5000 feet elevation.
<b>Aquatic and Wildlife Effluent Dependent Water (A&amp;Wedw)</b>	Surface water that consists of discharges of treated wastewater that is classified as an effluent dependent water by ADEQ under R18-11-113 of the Arizona Administrative Code. An effluent dependent water, without the discharge of treated wastewater, would be an ephemeral water. This surface water is used by animals, plants, or other organisms for habitation, growth, or propagation.
<b>Aquatic and Wildlife Ephemeral (A&amp;We)</b>	Surface water that has a channel that is at all times above the water table, and that flows only in direct response to precipitation. Ephemeral water is used by animals, plants, or other organisms (excluding fish) for habitation, growth, or propagation.
<b>Aquatic and Wildlife Warmwater Fishery (A&amp;Ww)</b>	Surface water used by animals, plants, or other organisms (excluding salmonid fish) for habitation, growth, or propagation, generally occurring at elevations less than 5000 feet.
<b>BEHI</b>	Bank erosion hazard index.
<b>Biological Communities</b>	Groups of fish, macroinvertebrates, algae, or riparian vegetation occupying a habitat or area.
<b>BLM</b>	United States Bureau of Land Management
<b>Body Contact</b>	(See Full Body Contact and Partial Body Contact)
<b>BoR</b>	United States Bureau of Reclamation
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act. EPA's Superfund Program.
<b>Core Parameters</b>	Although all parameters with numeric standards are used for assessments, there needs to be at least three sampling events with these specified parameters to assess a designated use as "attaining." This specified parametric coverage does <u>not</u> need to be available to assess a designated use as "impaired."
<b>Credible Data</b>	Surface water monitoring data that is collected meeting requirements established in the Impaired Water Identification Rule (R18-11-602). These requirements include collecting and analyzing data using a Quality Assurance Plan, Sampling and Analysis Plan, approved methods, approved laboratory, and adequately trained personnel.

<b>Designated Uses</b>	<p>Designated uses are specified for stream segments and lakes in the surface water rules (Arizona Administrative Code R18-11-104). Surface waters not listed in the rules obtain their designated uses through the "Tributary Rule". Arizona's surface water designated uses include:</p> <p><b>Aquatic and Wildlife</b>  <b>Coldwater Fishery (A&amp;Wc)</b>  <b>Warmwater Fishery (A&amp;Ww)</b>  <b>Ephemeral Stream (A&amp;We)</b>  <b>Effluent Dependent Water (A&amp;Wedw),</b>  <b>Domestic Water Source (DWS),</b>  <b>Fish Consumption (FC),</b>  <b>Full Body Contact (FBC)</b> (i.e., swimming),  <b>Partial Body Contact (PBC)</b> (i.e., non-swimming recreation),  <b>Agricultural Irrigation (Agl),</b> and  <b>Agricultural Livestock Watering (Agl).</b></p>
<b>Designated Use Support</b>	<p><b>Attaining</b> ■ Surface water quality standards are being met based on a minimum of 3 monitoring events that provide seasonal representation and core parametric coverage.</p> <p><b>Threatened</b> ■ Surface water quality standards are currently being met, but a trend analysis indicates that the surface water is likely to be impaired before the next assessment.</p> <p><b>Impaired</b> ■ Surface water quality standards are not being met based on sufficient number of samples to meet the test of impairment identified in the Impaired Waters Identification Rule (<b>Appendix B</b>).</p> <p><b>Inconclusive</b> ■ Monitoring or other assessment information available is insufficient to assess the surface water as "attaining," "threatened," or "impaired."</p>
<b>Domestic Water Source (DWS)</b>	Surface water is used as a potable water supply. Coagulation, sedimentation, filtration, disinfection or other treatments may be necessary to yield a finished water suitable for human consumption.
<b>Effluent Dependent Water</b>	(See Aquatic and Wildlife Effluent Dependent Water)
<b>EMAP</b>	US Environmental Protection Agency's Environmental Monitoring and Assessment Project.
<b>EPA or USEPA</b>	The United States Environmental Protection Agency
<b>Ephemeral Flow</b>	(See Aquatic and Wildlife Ephemeral Water)
<b>Exceed/Exceedance</b>	Monitoring data results were above a maximum water quality criterion or below a minimum water quality criterion.
<b>Fish Consumption (FC)</b>	Surface water is used by humans for harvesting aquatic organisms for consumption. Harvestable aquatic organisms include, but are not limited to, fish, clams, crayfish, and frogs.
<b>Full Body Contact (FBC)</b>	Surface water use causes the human body to come into direct contact with the water to the point of complete submergence (e.g., swimming). Assumes that some ingestion is likely to occur and sensitive body organs (e.g., eyes, ears, or nose) may be exposed to direct contact with the water
<b>IBWC</b>	International Boundary and Water Commission, an international commission established to resolve water quality issues along the United States border with Mexico.
<b>Intermittent Flow</b>	Surface water flows continuously only at certain times of the year, as when it receives water from springs or from some surface source such as melting snow (i.e., seasonal).
<b>Macroinvertebrates</b>	Stream bottom dwelling insects and other organisms that inhabit freshwater habitats for at least part of their life cycle and are retained by a mesh screen size greater than 0.2 millimeters.
<b>Narrative Water Quality Standards</b>	<p>(R18-11-108) Surface waters will be free from pollutants in amounts or combinations that:</p> <ul style="list-style-type: none"> <li>- Settle to form bottom deposits that impair aquatic life or recreational uses;</li> <li>- Cause an objectionable odor;</li> <li>- Cause an off-taste or odor in drinking water;</li> <li>- Cause an off-flavor in aquatic organisms or waterfowl;</li> <li>- Are "toxic" to humans, animals, plants, or other organisms;</li> <li>- Cause the growth of algae or aquatic plants that impair aquatic life or recreational uses;</li> <li>- Cause or contribute to a violation of an aquifer water quality standard (R18-11-405)</li> </ul>

	through 406); or - Change the color of the surface water from natural background levels.
<b>NAWQA</b>	The US Geological Survey's National Water Quality Assessment Program.
<b>Nonpoint Source</b>	These sources of pollutants come from non-discrete discharges such as atmospheric deposition, contaminated sediment, and land uses that generate polluted runoff like agriculture, urban land development, forestry, construction, and on-site sewage disposal systems. Nonpoint source pollution also encompasses activities that either change the natural flow regime of a stream or wetland or result in habitat disturbance.
<b>NPDES / AZPDES</b>	National Pollutant Discharge Elimination System is a federal point source discharge permit. ADEQ has obtained primacy for this program, which uses the acronym AZPDES in describing this permit.
<b>Partial Body Contact (PBC)</b>	Surface water is used so that the human body comes into direct contact with the water, but normally not at the point of complete submergence (i.e., non-swimming recreation). The use is such that ingestion of the water is not likely to occur, nor will sensitive body organs (e.g., eyes, ears, or nose) normally be exposed to direct contact with the water.
<b>Perennial Flow</b>	Surface water that flows continuously.
<b>Point Source</b>	These sources of pollution are discrete, identifiable sources such as pipes or ditches that are primarily associated with industries and municipal sewage treatment plants. (See nonpoint source.)
<b>Public Water Supply</b>	A water system which conveys water for human consumption to 15 or more service connections or serves an average of at least 25 persons per day (as defined by the federal Safe Drinking Water Act).
<b>QAP</b>	Quality Assurance Plan. This is a written plan detailing how environmental data will be collected, analyzed, assessed for quality, and establishes the data quality objectives that the data must meet.
<b>Reach</b>	A segment of a stream. EPA originally divided Arizona's streams on the USGS hydrology at 1:100,000 scale map into reaches based on hydrological features such as tributaries. ADEQ has further subdivided these reaches based on changes in designated use support and water quality.
<b>Sampling Event</b>	A "sampling event" is one or more samples taken under consistent conditions on one or more consecutive days at a specific location.
<b>SAP</b>	Sampling and Analysis Plan. This is a written site-specific plan to ensure that samples collected and analyzed meet data quality objectives and are representative of surface water conditions at the time of sampling.
<b>Surface Water</b>	These are "waters of the United States", which include: - All waters which are, have been, or could be used for interstate or foreign commerce; - All interstate waters or wetlands; - All lakes, reservoirs, natural ponds, rivers, streams (including intermittent and ephemeral streams), creeks, washes, draws, mudflats, sandflats, wetlands, backwaters, playas (etc.) which could be used by visitors to our state for recreation, from which fish or shellfish could be taken or sold, or which is used for industrial purposes; or - All impoundments, wetlands, or tributaries of above waters. (Summarized from Arizona Administrative Code R18-11-101)
<b>Toxic Chemicals</b>	Pollutants or combinations of pollutants which, after discharge and exposure (contact, ingestion, inhalation, or assimilation) to any organism (either directly from the environment or indirectly through the food chain), may cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions (including malfunctions in reproduction), or physical deformations in such organisms or offspring.
<b>TMDL</b>	Total Maximum Daily Load. A TMDL is a written, quantitative plan and analysis to determine the maximum loading on a pollutant basis that a surface water can assimilate and still attain and maintain a specific water quality standard during all conditions. The TMDL allocates the loading capacity of the surface water to point sources and nonpoint sources identified in the watershed, accounting for natural background levels and seasonal variation, with an allocation



	set aside as a margin of safety.
--	----------------------------------

<b>Tributary Rule</b>	<p>This rule (Arizona Administrative Code R18-11-105, amended in 2002) is used to determine “Designated Uses” for surface waters not specifically listed in the surface water protection rules. Uses are assigned as follows:</p> <ul style="list-style-type: none"> <li>• Ephemeral waters are assigned the Aquatic and Wildlife ephemeral and Partial Body Contact uses only.</li> <li>• Perennial and intermittent waters are assigned Fish Consumption, Full Body Contact, and Aquatic and Wildlife coldwater (A&amp;Wc) if above 5,000 feet or warmwater (A&amp;Ww) if below 5,000 feet elevation.</li> </ul> <p>Agricultural uses and Domestic Water Source are not applied to these waters.</p>
<b>Trophic Status</b>	<p>Lakes can be classified by the level of nutrients available for primary biological production. Lakes generally progress through the following trophic phases or states:</p> <p><b>Oligotrophic</b> -- Low algal or plant productivity;</p> <p><b>Mesotrophic</b> -- Medium algal or plant productivity;</p> <p><b>Eutrophic</b> -- High algal or plant productivity; and productivity;</p> <p><b>Hypereutrophic</b> -- Very high algal or plant productivity and light limited. That is, instead of growth being limited by nutrient availability (as it is in other trophic conditions), growth becomes limited by light.</p>
<b>Unique Water</b>	A surface water classified as an outstanding state resource water under Arizona Administrative Code R18-11-112.
<b>USFWS</b>	United States Fish and Wildlife Service
<b>USFS</b>	United States Forest Service
<b>USGS</b>	United States Geological Survey
<b>UST</b>	Underground Storage Tanks Program for eliminating the release of toxic chemicals from storage tanks.
<b>Waters of the United States</b>	(See “surface water” definition.)
<b>WTP</b>	Water Treatment Plant for drinking water treatment.
<b>WWTP</b>	Wastewater Treatment Plant

## UNITS OF MEASUREMENT AND CONVERSIONS

MEASUREMENT USE	UNIT	EQUIVALENT UNITS OR CONVERSION
Bacteria concentration in water	colony forming units (CFU) per 100 milliliter	
Chemical concentrations in water	milligram per liter (mg/L) microgram per liter (µg/L)	1 mg/L = 0.001 grams per liter 1 mg/L = parts per million (ppm) 1 µg/L = 0.001 milligram per liter (mg/l) 1 µg/L = 0.000001 grams per liter 1 µg/L = 1 parts per billion (ppb)
Chemical concentrations in animal tissue and sediment	milligram per kilogram (mg/kg) microgram per kilogram (µg/kg)	1 mg/kg = 1 parts per million (ppm) 1 mg/kg = 1 microgram per gram (µg/g) 1 µg/kg = 1 parts per billion (ppb)
Ground water quantity	acre-feet	1 acre-foot = 325,900 gallons
pH in water	standard unit (SU)	
Radiochemical concentrations in water	picocuries per liter (pCi/L)	
Rate of flow	cubic feet per second (cfs)	1 cfs = 448.83 gallons per minute (gpm) 1 cfs = 646,000 gallons per day (gpd)
Lake area	acres	
Stream length	miles	1 mile = 1.6 kilometers (km)
Watershed size	square miles	1 square mile = 640 acres per square mile
Water turbidity (ability of light to travel through the water)	Nephelometric Turbidity Unit (NTU)	